

Liste des publications

Auclair M, Vigouroux C, Boccara F, Capel E, Vigerat C, Guerci B, *et al.* Peroxisome Proliferator-Activated Receptor- γ Mutations Responsible for Lipodystrophy With Severe Hypertension Activate the Cellular Renin-Angiotensin System. *Arterioscler Thromb Vasc Biol* 2013.

Svrcek M, Fontugne J, Duval A, Fléjou JF. Inflammatory Bowel Disease-associated Colorectal Cancers and Microsatellite Instability: An Original Relationship. *Am J Surg Pathol* 2013;37:460-2.

Beydon N, Larroquet M, Coulomb A, Jouannic JM, Ducou le Pointe H, Clément A, *et al.* Comparison between US and MRI in the prenatal assessment of lung malformations. *Pediatr Radiol* 2013.

Brioude F, Bouligand J, Francou B, Fagart J, Roussel R, Viengchareun S, *et al.* Two Families with Normosmic Congenital Hypogonadotropic Hypogonadism and Biallelic Mutations in KISS1R (KISS1 Receptor): Clinical Evaluation and Molecular Characterization of a Novel Mutation. *PLoS One* 2013;8:e53896.

Watson JA, Bryan K, Williams R, Popov S, Vujanic G, Coulomb A, *et al.* miRNA profiles as a predictor of chemoresponsiveness in Wilms' tumor blastema. *PLoS One* 2013;8:e53417.

Svrcek M, El-Murr N, Wanherdrick K, Dumont S, Beaugerie L, Cosnes J, *et al.* Overexpression of microRNAs-155 and 21 targeting mismatch repair proteins in inflammatory bowel diseases. *Carcinogenesis* 2013.

Eckert C, Burghoffer B, Lalande V, Barbut F. Evaluation of the Chromogenic Agar chromID *C. difficile*. *J Clin Microbiol* 2013;51:1002-4.

Menacer S, Claessens YE, Meune C, Elfassi Y, Wakim C, Gauthier L, *et al.* Reference range values of troponin measured by sensitive assays in elderly patients without any cardiac signs/symptoms. *Clin Chim Acta* 2013;417:45-7.

Otter JA, Yezli S, Perl TM, Barbut F, French GL. The role of 'no-touch' automated room disinfection systems in infection prevention and control. *J Hosp Infect* 2013;83:1-13.

Sellam J, Kotti S, Fellahi S, Bastard JP, Meyer M, Lioté F, *et al.* Serum hepcidin level is not an independent surrogate biomarker of disease activity or of radiographic progression in rheumatoid arthritis: results from the ESPOIR cohort. *Ann Rheum Dis* 2013;72:312-4.

Bosselut N, Taibi L, Guéchet J, Zarski JP, Sturm N, Gelineau MC, *et al.* Including osteoprotegerin and collagen IV in a score-based blood test for liver fibrosis increases diagnostic accuracy. *Clin Chim Acta* 2013;415:63-8.

Drieux L, Decré D, Frangeul L, Arlet G, Jarlier V, Sougakoff W. Complete nucleotide sequence of the large conjugative pTC2 multireplicon plasmid encoding the VIM-1 metallo- β -lactamase. *J Antimicrob Chemother* 2013;68:97-100.

Collura A, Marisa L, Trojan D, Buhard O, Lagrange A, Saget A, *et al.* Extensive characterization of sphere models established from colorectal cancer cell lines. *Cell Mol Life Sci* 2013;70:729-42.

Sourrouille I, Coulet F, Lefevre JH, Colas C, Eyries M, Svrcek M, *et al.* Somatic mosaicism and double somatic hits can lead to MSI colorectal tumors. *Fam Cancer* 2013;12:27-33.

Garel C, Rosenblatt J, Moutard ML, Heron D, Gelot A, Gonzales M, *et al.* Fetal intracerebral hemorrhage and COL4A1 mutation: promise and uncertainty. *Ultrasound Obstet Gynecol* 2013;41:228-30.

Mignot C, Héron D, Bursztyn J, Momtchilova M, Mayer M, Whalen S, *et al.* Novel mutation in SLC9A6 gene in a patient with Christianson syndrome and retinitis pigmentosa. *Brain Dev* 2013;35:172-6.

Fardet L, Antuna-Puente B, Vatier C, Cervera P, Touati A, Simon T, *et al.* Adipokine profile in glucocorticoid-treated patients: baseline plasma leptin level predicts occurrence of lipodystrophy. *Clin Endocrinol (Oxf)* 2013;78:43-51.

Fardet L, Vigouroux C, Capeau J. Syndromes lipodystrophiques. *Rev Med Interne* 2012.

Couderc R, Lefevre G, Fiessinger JN. Intérêts des marqueurs biologiques dans les maladies cardiovasculaires. *Bull Acad Natl Med* 2012;196:217-22.

Le Bouc Y, Brioude F. Existe-t-il une relation entre la dose d'hormone de croissance et d'éventuelles complications tumorales ou cardiovasculaires? *Bull Acad Natl Med* 2012;196:127-35; discussion 135-7.

Danchin N, Simon T. Women are the equal of men at last... for sure? *EuroIntervention* 2012;8:883-5.

Tranchart H, Lefèvre JH, Svrcek M, Flejou JF, Tiret E, Parc Y. What is the Incidence of Metastatic Lymph Node Involvement After Significant Pathologic Response of Primary Tumor Following Neoadjuvant Treatment for Locally Advanced Rectal Cancer? *Ann Surg Oncol* 2012.

Gordon CT, Petit F, Oufadem M, Decaestecker C, Jourdain AS, Andrieux J, *et al.* EFTUD2 haploinsufficiency leads to syndromic oesophageal atresia. *J Med Genet* 2012;49:737-46.

Netchine I, Rossignol S, Azzi S, Brioude F, Le Bouc Y. Imprinted anomalies in fetal and childhood growth disorders: the model of Russell-Silver and Beckwith-Wiedemann syndromes. *Endocr Dev* 2012;23:60-70.

Blondiaux E, Sileo C, Nahama-Allouche C, Moutard ML, Gelot A, Jouannic JM, *et al.* Periventricular nodular heterotopia: prenatal ultrasound and magnetic resonance findings. *Ultrasound Obstet Gynecol* 2012.

Svrcek M, Fléjou JF. Dysplasie de l'intestin grêle, une dysplasie méconnue. *Ann Pathol* 2012;32:S58-62.

Debiec H, Hanoy M, Francois A, Guerrot D, Ferlicot S, Johanet C, *et al.* Recurrent membranous nephropathy in an allograft caused by IgG3? targeting the PLA2 receptor. *J Am Soc Nephrol* 2012;23:1949-54.

Kott E, Duquesnoy P, Copin B, Legendre M, Dastot-Le Moal F, Montantin G, *et al.* Loss-of-function mutations in LRRC6, a gene essential for proper axonemal assembly of inner and outer dynein arms, cause primary ciliary dyskinesia. *Am J*

Hum Genet 2012;91:958-64.

Fitzpatrick F, Barbut F. Breaking the cycle of recurrent *Clostridium difficile* infections. Clin Microbiol Infect 2012;18 Suppl 6:2-4.

Barbut F, Lalande V, Eckert C. New molecular methods for the diagnosis of *Clostridium difficile* infections. Drugs Today (Barc) 2012;48:673-84.

Adams O, Cooper G, Fraser C, Hubmann M, Jones G, Plebani M, *et al.* Collective opinion paper on findings of the 2011 convocation of experts on laboratory quality. Clin Chem Lab Med 2012;50:1547-58.

Thiollier C, Lopez CK, Gerby B, Ignacimouttou C, Poglio S, Duffourd Y, *et al.* Characterization of novel genomic alterations and therapeutic approaches using acute megakaryoblastic leukemia xenograft models. J Exp Med 2012;209:2017-31.

Aucouturier P. Revoir le dosage des sous-classes d'IgG. Presse Med 2012.

Sbidian E, Bousseloua N, Jonard L, Leclerc-Mercier S, Bodemer C, Hadj-Rabia S. Novel Mutation in GJB4 Gene (Connexin 30.3) in a Family with Erythrokeratoderma Variabilis. Acta Derm Venereol 2012.

Thauvin-Robinet C, Thomas S, Sinico M, Aral B, Burglen L, Gigot N, *et al.* OFD1 mutations in males: phenotypic spectrum and ciliary basal body docking impairment. Clin Genet 2012.

Vimont S, Boyd A, Bleibtreu A, Bens M, Goujon JM, Garry L, *et al.* The CTX-M-15-producing *Escherichia coli* clone O25b: H4-ST131 has high intestine colonization and urinary tract infection abilities. *PLoS One* 2012;7:e46547.

Legendre M, Gonzales M, Goudefroye G, Bilan F, Parisot P, Perez MJ, *et al.* Antenatal spectrum of CHARGE syndrome in 40 fetuses with CHD7 mutations. *J Med Genet* 2012;49:698-707.

Guyot A, Soupre V, Vazquez MP, Picard A, Rosenblatt J, Garel C, *et al.* Diagnostic anténatal des fentes labiales avec ou sans fente palatine : étude rétrospective et revue de la littérature. *J Gynecol Obstet Biol Reprod (Paris)* 2012.

Puymirat E, Taldir G, Aissaoui N, Lemesle G, Lorgis L, Cuisset T, *et al.* Use of invasive strategy in non-ST-segment elevation myocardial infarction is a major determinant of improved long-term survival: FAST-MI (French Registry of Acute Coronary Syndrome). *JACC Cardiovasc Interv* 2012;5:893-902.

Antunes A, Camiade E, Monot M, Courtois E, Barbut F, Sernova NV, *et al.* Global transcriptional control by glucose and carbon regulator CcpA in *Clostridium difficile*. *Nucleic Acids Res* 2012;40:10701-18.

Hauck Y, Soler C, Jault P, Mérens A, Gérome P, Nab CM, *et al.* Diversity of *Acinetobacter baumannii* in four French military hospitals, as assessed by multiple locus variable number of tandem repeats analysis. *PLoS One* 2012;7:e44597.

Fauroux B, Pepin JL, Boelle PY, Cracowski C, Murriss-Espin M, Nove-Josserand R, *et al.* Sleep quality and nocturnal hypoxaemia and hypercapnia in children and young adults with cystic fibrosis. *Arch Dis Child* 2012;97:960-6.

Barbut F, Rupnik M. Editorial commentary: 027, 078, and others: going beyond the numbers (and away from the hypervirulence). *Clin Infect Dis* 2012;55:1669-72.

Macé G, Sonigo P, Cormier-Daire V, Aubry MC, Martinovic J, Elie C, *et al.* Use of 3D helical computed tomography in the prenatal diagnosis of fetal skeletal dysplasia. *Ultrasound Obstet Gynecol* 2012.

Puymirat E, Simon T, Steg PG, Schiele F, Guéret P, Blanchard D, *et al.* Association of changes in clinical characteristics and management with improvement in survival among patients with ST-elevation myocardial infarction. *JAMA* 2012;308:998-1006.

Stankovic Stojanovic K, Steichen O, Lefevre G, Bachmeyer C, Avellino V, Grateau G, *et al.* High lactate dehydrogenase levels at admission for painful vaso-occlusive crisis is associated with severe outcome in adult SCD patients. *Clin Biochem* 2012;45:1578-82.

Barbut F, Yezli S, Mimoun M, Pham J, Chaouat M, Otter JA. Reducing the spread of *Acinetobacter baumannii* and methicillin-resistant *Staphylococcus aureus* on a burns unit through the intervention of an infection control bundle. *Burns* 2012.

Wen Q, Goldenson B, Silver SJ, Schenone M, Dancik V, Huang Z, *et al.* Identification of regulators of polyploidization presents therapeutic targets for treatment of AMKL. *Cell* 2012;150:575-89.

Fournier S, Brossier F, Fortineau N, Gillaizeau F, Akpabie A, Aubry A, *et al.* Long-term control of vancomycin-resistant *Enterococcus faecium* at the scale of a large multihospital institution: a seven-year experience. *Euro Surveill* 2012;17.

Gras D, Jonard L, Roze E, Chantot-Bastaraud S, Koht J, Motte J, *et al.* Benign hereditary chorea: phenotype, prognosis, therapeutic outcome and long term follow-up in a large series with new mutations in the TITF1/NKX2-1 gene. *J Neurol Neurosurg Psychiatry* 2012;83:956-62.

Lefèvre JH, Corte H, Tiret E, Boccara D, Chaouat M, Touboul E, *et al.* Abdominoperineal resection for squamous cell anal carcinoma: survival and risk factors for recurrence. *Ann Surg Oncol* 2012;19:4186-92.

Portnoï MF, Chantot-Bastaraud S, Christin-Maitre S, Carbonne B, Beaujard MP, Keren B, *et al.* Familial Turner syndrome with an X;Y translocation mosaicism: implications for genetic counseling. *Eur J Med Genet* 2012;55:635-40.

Donadille B, Rousseau A, Zenaty D, Cabrol S, Courtillot C, Samara-Boustani D, *et al.* Cardiovascular findings and management in Turner syndrome: insights from a French cohort. *Eur J Endocrinol* 2012;167:517-22.

Puymirat É, Aissaoui N, Silvain J, Bonello L, Cuisset T, Motreff P, *et al.* Comparison of bleeding complications and 3-year survival with low-molecular-weight heparin versus unfractionated heparin for acute myocardial infarction: the FAST-MI registry. *Arch Cardiovasc Dis* 2012;105:347-54.

Pilon A, Lim SK, Guéchet J. Évolution des dosages sériques de vitamine D dans un hôpital d'adultes Plaidoyer pour l'élaboration de recommandations en vue d'une juste prescription. *Ann Biol Clin (Paris)* 2012;70:451-5.

Aimé A, Lefèvre JH, Svrcek M, Terrier P, Tiret E, Ballardur P. Solitary Fibrous Tumor of the Retroperitoneum: Case Report and Review of the Literature. *J Gastrointest Cancer* 2012.

Bastard JP, Fève B. The secretory face of the adipose cell: a tribute to two queens, leptin and adiponectin. *Biochimie* 2012;94:2063-4.

Fève B, Bastard JP. From the conceptual basis to the discovery of leptin. *Biochimie* 2012;94:2065-8.

Brisse S, Diancourt L, Laouénan C, Vigan M, Caro V, Arlet G, *et al.* Phylogenetic distribution of CTX-M- and non-extended-spectrum- β -lactamase-producing *Escherichia coli* isolates: group B2 isolates, except clone ST131, rarely produce CTX-M enzymes. *J Clin Microbiol* 2012;50:2974-81.

Lind L, Simon T, Johansson L, Kotti S, Hansen T, Machecourt J, *et al.* Circulating levels of secretory- and lipoprotein-associated phospholipase A2 activities: relation to atherosclerotic plaques and future all-cause mortality. *Eur Heart J* 2012;33:2946-54.

Dorothee G, Bottlaender M, Moukari E, de Souza LC, Maroy R, Corlier F, *et al.* Distinct patterns of anti-amyloid- β antibodies in typical and atypical Alzheimer disease. *Arch Neurol* 2012;69:1181-5.

Mounier-Vehier C, Simon T, Guedj-Meynier D, Ferrini M, Ghannad E, Hubermann JP, *et al.* Gender-related differences in the management of hypertension by cardiologists: the PARITE study. *Arch Cardiovasc Dis* 2012;105:271-80.

Maréchal R, Bachet JB, Mackey JR, Dalban C, Demetter P, Graham K, *et al.* Levels of gemcitabine transport and metabolism proteins predict survival times of patients treated with gemcitabine for pancreatic adenocarcinoma. *Gastroenterology* 2012;143:664-74.e1-6.

Thevenon J, Lopez E, Keren B, Heron D, Mignot C, Altuzarra C, *et al.* Intragenic CAMTA1 rearrangements cause non-progressive congenital ataxia with or without intellectual disability. *J Med Genet* 2012;49:400-8.

Dahmen S, Mansour W, Charfi K, Boujaafar N, Arlet G, Bouallègue O. Imipenem resistance in *Klebsiella pneumoniae* is associated to the combination of plasmid-mediated CMY-4 AmpC β -lactamase and loss of an outer membrane protein. *Microb Drug Resist* 2012;18:479-83.

Etienney I, Vuong S, Si-Mohamed A, Fléjou JF, Atienza P, Bauer P, *et al.* Value of cytologic Papanicolaou smears and polymerase chain reaction screening for human papillomavirus DNA in detecting anal intraepithelial neoplasia: comparison with histology of a surgical sample. *Cancer* 2012;118:6031-8.

Redelsperger F, Lekbaby B, Mandouri Y, Giang E, Duriez M, Desire N, *et al.* Production of hepatitis B defective particles is dependent on liver status. *Virology* 2012;431:21-8.

Dubern B, Lafarge JC, Fellahi S, Naour N, Copin N, Bastard JP, *et al.* Relevance of increased serum cystatin C to vascular alterations in obese children. *Pediatr Obes* 2012;7:374-81.

Guyot K, Biran V, Doit C, Moissenet D, Guillard T, Brasme L, *et al.* Raman spectroscopic analysis of the clonal and horizontal spread of CTX-M-15-producing *Klebsiella pneumoniae* in a neonatal intensive care unit. *Eur J Clin Microbiol Infect Dis* 2012;31:2827-34.

Jones G, Taright N, Boelle PY, Marty J, Lalande V, Eckert C, *et al.* Accuracy of ICD-10 codes for surveillance of Clostridium difficile infections, France. *Emerg Infect Dis* 2012;18:979-81.

Magnin ML, Cros P, Beydon N, Mahloul M, Tamalet A, Escudier E, *et al.* Longitudinal lung function and structural changes in children with primary ciliary dyskinesia. *Pediatr Pulmonol* 2012;47:816-25.

Lemaître C, Ferroni A, Doit C, Vu-Thien H, Glorion C, Raymond J, *et al.* Pediatric osteoarticular infections caused by Streptococcus pneumoniae before and after the introduction of the heptavalent pneumococcal conjugate vaccine. *Eur J Clin Microbiol Infect Dis* 2012;31:2773-81.

El Bakkouri W, Loundon N, Thierry B, Nevoux J, Marlin S, Rouillon I, *et al.* Cochlear implantation and congenital deafness: perceptive and lexical results in 2 genetically pediatric identified population. *Otol Neurotol* 2012;33:539-44.

Spaggiari E, Aboura A, Sinico M, Mabboux P, Dupont C, Delezoide AL, *et al.* Prenatal diagnosis of a 7p15-p21 deletion encompassing the TWIST1 gene involved in Saethre-Chotzen syndrome. *Eur J Med Genet* 2012;55:498-501.

Damy T, Burgel PR, Pepin JL, Boelle PY, Cracowski C, Murriss-Espin M, *et al.* Pulmonary acceleration time to optimize the timing of lung transplant in cystic fibrosis. *Pulm Circ* 2012;2:75-83.

Renaldo F, Amati-Bonneau P, Slama A, Romana C, Forin V, Doummar D, *et al.* MFN2, a new gene responsible for mitochondrial DNA depletion. *Brain*

2012;135:e223, 1-4; author reply e224, 1-3.

Benhamed F, Denechaud PD, Lemoine M, Robichon C, Moldes M, Bertrand-Michel J, *et al.* The lipogenic transcription factor ChREBP dissociates hepatic steatosis from insulin resistance in mice and humans. *J Clin Invest* 2012;122:2176-94.

Lemay F, Cervera P, de Gramont A. A man with colon cancer and tonsil swelling. Tonsillar metastasis from colon cancer. *Gastroenterology* 2012;142:1423, 1625.

Giton F, Guéchet J, Fiet J. Comparative determinations of non SHBG-bound serum testosterone, using ammonium sulfate precipitation, Concanavalin A binding or calculation in men. *Steroids* 2012;77:1306-11.

de Prost N, Parrot A, Cuquemelle E, Picard C, Antoine M, Fleury-Feith J, *et al.* Diffuse alveolar hemorrhage in immunocompetent patients: etiologies and prognosis revisited. *Respir Med* 2012;106:1021-32.

Pérez C, Dastot-Le Moal F, Collot N, Legendre M, Abadie I, Bertrand AM, *et al.* Screening of LHX2 in patients presenting growth retardation with posterior pituitary and ocular abnormalities. *Eur J Endocrinol* 2012;167:85-91.

Gerotziapas GT, Van Dreden P, Chaari M, Galea V, Khaterchi A, Lionnet F, *et al.* The acceleration of the propagation phase of thrombin generation in patients with steady-state sickle cell disease is associated with circulating erythrocyte-derived microparticles. *Thromb Haemost* 2012;107:1044-52.

Ruppert AM, Antoine M, Beau-Faller M, Cadranel J, Wislez M. Quelle plateforme pour prendre en charge de façon personnalisée le cancer bronchique ? *Bull Cancer*

2012;99:529-34.

Suri D, Singh S, Rawat A, Gupta A, Kamae C, Honma K, *et al.* Clinical profile and genetic basis of Wiskott-Aldrich syndrome at Chandigarh, North India. *Asian Pac J Allergy Immunol* 2012;30:71-8.

Hanssen M, Cottin Y, Khalife K, Hammer L, Goldstein P, Puymirat E, *et al.* French Registry on Acute ST-elevation and non ST-elevation Myocardial Infarction 2010. FAST-MI 2010. *Heart* 2012;98:699-705.

Sibony M. Difficultés d'interprétation des biopsies prostatiques. Cas no 4. Adénocarcinome de forme pseudo-hyperplasique. *Ann Pathol* 2012;32:123-6.

Sibony M. Difficultés d'interprétation des biopsies prostatiques. Cas n(o) 3. Adénocarcinome de forme atrophique. *Ann Pathol* 2012;32:118-22.

Ballerini P, Struski S, Cresson C, Prade N, Toujani S, Deswarte C, *et al.* RET fusion genes are associated with chronic myelomonocytic leukemia and enhance monocytic differentiation. *Leukemia* 2012;26:2384-9.

Boumendil A, Angus DC, Guitonneau AL, Menn AM, Ginsburg C, Takun K, *et al.* Variability of intensive care admission decisions for the very elderly. *PLoS One* 2012;7:e34387.

Guéchet J, Trocmé C, Renversez JC, Sturm N, Zarski JP, ANRS HC EP 23 Fibrostar Study Group. Independent validation of the Enhanced Liver Fibrosis (ELF) score in the ANRS HC EP 23 Fibrostar cohort of patients with chronic hepatitis C. *Clin Chem Lab Med* 2012;50:693-9.

Just J, Gouvis-Echraghi R, Couderc R, Guillemot-Lambert N, Saint-Pierre P. Novel severe wheezy young children phenotypes: boys atopic multiple-trigger and girls nonatopic uncontrolled wheeze. *J Allergy Clin Immunol* 2012;130:103-10.e8.

El Hokayem J, Huber C, Couvé A, Aziza J, Baujat G, Bouvier R, *et al.* NEK1 and DYNC2H1 are both involved in short rib polydactyly Majewski type but not in Beemer Langer cases. *J Med Genet* 2012;49:227-33.

Donadieu J, Fenneteau O, Beaupain B, Beaufils S, Bellanger F, Mahlaoui N, *et al.* Classification of and risk factors for hematologic complications in a French national cohort of 102 patients with Shwachman-Diamond syndrome. *Haematologica* 2012;97:1312-9.

Favier R, Kheyar T, Renolleau S, Tabone MD, Favier M, Ulinski T. Syndrome lupus anticoagulant-hypoprothrombinémie révélant un lupus chez une enfant de 11 ans dans un contexte d'urgence clinicobiologique. *Ann Biol Clin (Paris)* 2012;70:226-30.

Fellahi S, Henderson M, Capeau J, Bastard JP. Haemoglobin hope and glycated haemoglobin: one peak may or may not hide the other, depending on the assay. *Diabetes Metab* 2012;38:276-7.

Johanet C, Beleoken E, Ballot E. Autoantibodies in autoimmune hepatitis: antinuclear antibodies (ANA). *Clin Res Hepatol Gastroenterol* 2012;36:394-6.

Zaidan M, Ebbo M, Brochériou I, Ronco P, Schleinitz N, Boffa JJ. Les atteintes uro-néphrologiques au cours de la maladie associée aux IgG4. *Nephrol Ther*

2012;8:499-507.

Aubertin G, Marguet C, Delacourt C, Houdouin V, Leclainche L, Lubrano M, *et al.*
Recommandations pour l'oxygénothérapie chez l'enfant en situations aiguës et
chroniques : évaluation du besoin, critères de mise en route, modalités de
prescription et de surveillance. Arch Pediatr 2012;19:528-36.

Lecarpentier E, Morel O, Fournier T, Elefant E, Chavatte-Palmer P, Tsatsaris V.
Statins and pregnancy: between supposed risks and theoretical benefits. Drugs
2012;72:773-88.

Vatier C, Gautier JF, Vigouroux C. Therapeutic use of recombinant methionyl
human leptin. Biochimie 2012;94:2116-25.

Sena A, Couderc R, Vasconcelos JC, Ferret-Sena V, Pedrosa R. Oral contraceptive
use and clinical outcomes in patients with multiple sclerosis. J Neurol Sci
2012;317:47-51.

Burglen L, Chantot-Bastarud S, Garel C, Milh M, Touraine R, Zanni G, *et al.*
Spectrum of pontocerebellar hypoplasia in 13 girls and boys with CASK mutations:
confirmation of a recognizable phenotype and first description of a male mosaic
patient. Orphanet J Rare Dis 2012;7:18.

Petit CS, Barreau F, Besnier L, Gandille P, Riveau B, Chateau D, *et al.*
Requirement of cellular prion protein for intestinal barrier function and
mislocalization in patients with inflammatory bowel disease. Gastroenterology
2012;143:122-32.e15.

Parez N, Pozzetto B, Texier N, Mory O, Garbarg-Chenon A, T  hard B. Incidence des gastroent  rites    rotavirus chez les enfants de moins de cinq ans consultant un p  diatre ou un m  decin g  n  raliste en France. *Pathol Biol (Paris)* 2012.

Belle L, Labar  re J, Fourny M, Drouet E, Mulak G, Dujardin JJ, *et al.* Quality of care for myocardial infarction at academic and nonacademic hospitals. *Am J Med* 2012;125:365-73.

Thi  baut AC, Arlet G, Andremont A, Papy E, Sollet JP, Bern  de-Bauduin C, *et al.* Variability of intestinal colonization with third-generation cephalosporin-resistant Enterobacteriaceae and antibiotic use in intensive care units. *J Antimicrob Chemother* 2012;67:1525-36.

Bastard JP, Souli   C, Fellahi S, Ha  m-Boukobza S, Simon A, Katlama C, *et al.* Circulating interleukin-6 levels correlate with residual HIV viraemia and markers of immune dysfunction in treatment-controlled HIV-infected patients. *Antivir Ther* 2012;17:915-9.

de Fraipont F, Levallet G, Creveuil C, Bergot E, Beau-Faller M, Mounawar M, *et al.* An apoptosis methylation prognostic signature for early lung cancer in the IFCT-0002 trial. *Clin Cancer Res* 2012;18:2976-86.

Moutard ML, Kieffer V, Feingold J, Lewin F, Baron JM, Adamsbaum C, *et al.* Isolated corpus callosum agenesis: a ten-year follow-up after prenatal diagnosis (how are the children without corpus callosum at 10 years of age?). *Prenat Diagn* 2012;32:277-83.

Boissan M, Lacombe ML. NM23, un exemple de g  ne suppresseur de m  tastase. *Bull Cancer* 2012;99:431-40.

Colas C, Coulet F, Svrcek M, Collura A, Fléjou JF, Duval A, *et al.* Lynch or not Lynch? Is that always a question? *Adv Cancer Res* 2012;113:121-66.

Rebouissou S, Hérault A, Letouzé E, Neuzillet Y, Laplanche A, Ofualuka K, *et al.* CDKN2A homozygous deletion is associated with muscle invasion in FGFR3-mutated urothelial bladder carcinoma. *J Pathol* 2012;227:315-24.

Chadelat K. La prévention de la tuberculose par le dépistage. *Soins Pédiatr Pueric* 2012;23-4.

Young J, Metay C, Bouligand J, Tou B, Francou B, Maione L, *et al.* SEMA3A deletion in a family with Kallmann syndrome validates the role of semaphorin 3A in human puberty and olfactory system development. *Hum Reprod* 2012;27:1460-5.

Blivet-Van Eggelpoël MJ, Chettouh H, Fartoux L, Aoudjehane L, Barbu V, Rey C, *et al.* Epidermal growth factor receptor and HER-3 restrict cell response to sorafenib in hepatocellular carcinoma cells. *J Hepatol* 2012;57:108-15.

Levallet G, Bergot E, Antoine M, Creveuil C, Santos AO, Beau-Faller M, *et al.* High TUBB3 expression, an independent prognostic marker in patients with early non-small cell lung cancer treated by preoperative chemotherapy, is regulated by K-Ras signaling pathway. *Mol Cancer Ther* 2012;11:1203-13.

Bastard JP, Lavoie ME, Messier V, Prud'homme D, Rabasa-Lhoret R. Evaluation of two new surrogate indices including parameters not using insulin to assess insulin sensitivity/resistance in non-diabetic postmenopausal women: a MONET group study. *Diabetes Metab* 2012;38:258-63.

Bachmeyer C, Almebayadh M, Moguelet P. Chéloïde spontanée du sein. *Ann Dermatol Venereol* 2012;139:247-8.

Wagner M, Lefevre JH, Royer B, Svrcek M, Pradel C, Tiret E. Internal fistula leakage due to a road traffic accident: a fortuitous diagnosis of Crohn's disease. *J Crohns Colitis* 2012;6:603-5.

Lambert-Niclot S, Flandre P, Valantin MA, Peytavin G, Sayon S, Morand-Joubert L, *et al.* Resistant minority species are rarely observed in patients on darunavir/ritonavir monotherapy. *J Antimicrob Chemother* 2012;67:1470-4.

Tougeron D, Fotsing G, Barbu V, Beauchant M. ABCB4/MDR3 gene mutations and cholangiocarcinomas. *J Hepatol* 2012;57:467-8.

Maniti O, Blanchard E, Trugnan G, Lamazière A, Ayala-Sanmartin J. Metabolic energy-independent mechanism of internalization for the cell penetrating peptide penetratin. *Int J Biochem Cell Biol* 2012;44:869-75.

d'Humières C, Birgy A, Doit C, Bidet P, Arlet G, Bingen E. Use of a new screening medium to detect carbapenem-non-susceptible members of the Enterobacteriaceae. *J Med Microbiol* 2012;61:878-80.

Bachet JB, Maréchal R, Demetter P, Bonnetain F, Couvelard A, Svrcek M, *et al.* Contribution of CXCR4 and SMAD4 in predicting disease progression pattern and benefit from adjuvant chemotherapy in resected pancreatic adenocarcinoma. *Ann Oncol* 2012;23:2327-35.

Perry A, Angoulvant F, Chadelat K, De Lauzanne A, Houdouin V, Kheniche A, *et al.* Contage tuberculeux néonatal en maternité : dépistage et évolution d'une cohorte de nourrissons exposés. *Arch Pediatr* 2012;19:396-403.

Ravel C, Bashamboo A, Bignon-Topalovic J, Siffroi JP, McElreavey K, Darai E. Polymorphisms in DLGH1 and LAMC1 in Mayer-Rokitansky-Kuster-Hauser syndrome. *Reprod Biomed Online* 2012;24:462-5.

Debray D, Rainteau D, Barbu V, Rouahi M, El Mourabit H, Lerondel S, *et al.* Defects in gallbladder emptying and bile Acid homeostasis in mice with cystic fibrosis transmembrane conductance regulator deficiencies. *Gastroenterology* 2012;142:1581-91.e6.

Albers CA, Paul DS, Schulze H, Freson K, Stephens JC, Smethurst PA, *et al.* Compound inheritance of a low-frequency regulatory SNP and a rare null mutation in exon-junction complex subunit RBM8A causes TAR syndrome. *Nat Genet* 2012;44:435-9, S1-2.

Juillière Y, Cambou JP, Bataille V, Mulak G, Galinier M, Gibelin P, *et al.* Heart failure in acute myocardial infarction: a comparison between patients with or without heart failure criteria from the FAST-MI registry. *Rev Esp Cardiol (Engl Ed)* 2012;65:326-33.

Piccoli GB, Bonino LD, Campisi P, Vigotti FN, Ferraresi M, Fassio F, *et al.* Chronic kidney disease, severe arterial and arteriolar sclerosis and kidney neoplasia: on the spectrum of kidney involvement in MELAS syndrome. *BMC Nephrol* 2012;13:9.

El-Murr N, Abidi Z, Wanherdrick K, Svrcek M, Gaub MP, Fléjou JF, *et al.* MiRNA genes constitute new targets for microsatellite instability in colorectal cancer. *PLoS One* 2012;7:e31862.

Béhin A, Jardel C, Claeys KG, Fagart J, Louha M, Romero NB, *et al.* Adult cases of mitochondrial DNA depletion due to TK2 defect: an expanding spectrum. *Neurology* 2012;78:644-8.

Macdougall IC, Roger SD, de Francisco A, Goldsmith DJ, Schellekens H, Ebbers H, *et al.* Antibody-mediated pure red cell aplasia in chronic kidney disease patients receiving erythropoiesis-stimulating agents: new insights. *Kidney Int* 2012;81:727-32.

Jacquier H, Le Monnier A, Carbonnelle E, Corvec S, Illiaquer M, Bille E, *et al.* In vitro antimicrobial activity of "last-resort" antibiotics against unusual nonfermenting Gram-negative bacilli clinical isolates. *Microb Drug Resist* 2012;18:396-401.

Maylin S, Boyd A, Lavocat F, Gozlan J, Lascoux-Combe C, Mialhes P, *et al.* Kinetics of hepatitis B surface and envelope antigen and prediction of treatment response to tenofovir in antiretroviral-experienced HIV-hepatitis B virus-infected patients. *AIDS* 2012;26:939-49.

Wendum D, Barbu V, Rosmorduc O, Arrivé L, Fléjou JF, Poupon R. Aspects of liver pathology in adult patients with MDR3/ABCB4 gene mutations. *Virchows Arch* 2012;460:291-8.

Beydon N, Mahut B, Maingot L, Guillo H, La Rocca MC, Medjahdi N, *et al.* Baseline and post-bronchodilator interrupter resistance and spirometry in asthmatic children. *Pediatr Pulmonol* 2012;47:987-93.

Develoux M, Le Loup G, Dautheville S, Belkadi G, Magne D, Lassel L, *et al.* Paludisme chez les migrants, expérience d'un hôpital parisien (2006-2010). *Bull Soc Pathol Exot* 2012;105:95-102.

Sobral D, Mariani-Kurkdjian P, Bingen E, Vu-Thien H, Hormigos K, Lebeau B, *et al.* A new highly discriminatory multiplex capillary-based MLVA assay as a tool for the epidemiological survey of *Pseudomonas aeruginosa* in cystic fibrosis patients. *Eur J Clin Microbiol Infect Dis* 2012;31:2247-56.

Devisme L, Bouchet C, Gonzalès M, Alanio E, Bazin A, Bessières B, *et al.* Cobblestone lissencephaly: neuropathological subtypes and correlations with genes of dystroglycanopathies. *Brain* 2012;135:469-82.

Hoeltzenbein M, Elefant E, Vial T, Finkel-Pekarsky V, Stephens S, Clementi M, *et al.* Teratogenicity of mycophenolate confirmed in a prospective study of the European Network of Teratology Information Services. *Am J Med Genet A* 2012;158A:588-96.

Lionnet F, Hammoudi N, Stojanovic KS, Avellino V, Grateau G, Girot R, *et al.* Hemoglobin sickle cell disease complications: a clinical study of 179 cases. *Haematologica* 2012;97:1136-41.

Gerotziafas GT, Zarifis J, Bandi A, Mossialos L, Galea V, Tsinopoulos G, *et al.* Description of response to aspirin and clopidogrel in outpatients with coronary artery disease using multiple electrode impedance aggregometry. *Clin Appl Thromb Hemost* 2012;18:356-63.

Caillié F, Paye F, Desaint B, Bennis M, Lefèvre JH, Parc Y, *et al.* Severe duodenal involvement in familial adenomatous polyposis treated by pylorus-preserving pancreaticoduodenectomy. *Ann Surg Oncol* 2012;19:2924-31.

Johanet C, Ballot E. Auto-antibodies in autoimmune hepatitis: anti-soluble liver antigen (SLA). *Clin Res Hepatol Gastroenterol* 2012;36:244-6.

Nicolas-Chanoine MH, Jarlier V, Robert J, Arlet G, Drieux L, Leflon-Guibout V, *et al.* Patient's origin and lifestyle associated with CTX-M-producing *Escherichia coli*: a case-control-control study. *PLoS One* 2012;7:e30498.

Capel E, Auclair M, Caron-Debarle M, Capeau J. Effects of ritonavir-boosted darunavir, atazanavir and lopinavir on adipose functions and insulin sensitivity in murine and human adipocytes. *Antivir Ther* 2012;17:549-56.

Donal E, Thebault C, Lund LH, Kervio G, Reynaud A, Simon T, *et al.* Heart failure with a preserved ejection fraction additive value of an exercise stress echocardiography. *Eur Heart J Cardiovasc Imaging* 2012;13:656-65.

Garrido C, Collura A, Berthenet K, Lagrange A, Duval A. Mutation d'HSP110 dans les cancers colorectaux: le paradoxe du chaperon qui ne protège plus. *Med Sci (Paris)* 2012;28:9-10.

Rebeyrol C, Saint-Criq V, Guillot L, Riffault L, Corvol H, Chadelat K, *et al.* Glucocorticoids reduce inflammation in cystic fibrosis bronchial epithelial cells. *Cell Signal* 2012;24:1093-9.

Evrard SM, d'Audigier C, Mauge L, Israël-Biet D, Guerin CL, Bieche I, *et al.* The profibrotic cytokine transforming growth factor- β 1 increases endothelial progenitor cell angiogenic properties. *J Thromb Haemost* 2012;10:670-9.

Philippon A, Arlet G. Entérobactéries et bêta-lactamines : phénotypes de résistance naturelle. *Pathol Biol (Paris)* 2012;60:112-26.

Bourron O, Vigouroux C, Halbron M, Touati EB, Capel E, Caron-Debarle M, *et al.* Association of type B insulin resistance and type 1 diabetes resulting in ketoacidosis. *Diabetes Care* 2012;35:e4.

Sokol H, Beaugerie L, Maynadié M, Laharie D, Dupas JL, Flourié B, *et al.* Excess primary intestinal lymphoproliferative disorders in patients with inflammatory bowel disease. *Inflamm Bowel Dis* 2012;18:2063-71.

Corpechot C, Carrat F, Poujol-Robert A, Gaouar F, Wendum D, Chazouillères O, *et al.* Noninvasive elastography-based assessment of liver fibrosis progression and prognosis in primary biliary cirrhosis. *Hepatology* 2012;56:198-208.

Zafrani L, Gerotziapas G, Byrnes C, Hu X, Perez J, Lévi C, *et al.* Calpastatin controls polymicrobial sepsis by limiting procoagulant microparticle release. *Am J Respir Crit Care Med* 2012;185:744-55.

Marcelin AG, Descamps D, Tamalet C, Cottalorda J, Izopet J, Delaugerre C, *et al.* Emerging mutations and associated factors in patients displaying treatment failure on an etravirine-containing regimen. *Antivir Ther* 2012;17:119-23.

Boufassa F, Goujard C, Viard JP, Carlier R, Lefebvre B, Yeni P, *et al.* Immune deficiency could be an early risk factor for altered insulin sensitivity in antiretroviral-naïve HIV-1-infected patients: the ANRS COPANA cohort. *Antivir Ther* 2012;17:91-100.

Møller LB, Lenartowicz M, Zobot MT, Josiane A, Burglen L, Bennett C, *et al.* Clinical expression of Menkes disease in females with normal karyotype. *Orphanet J Rare Dis* 2012;7:6.

Birgy A, Bidet P, Genel N, Doit C, Decré D, Arlet G, *et al.* Phenotypic screening of carbapenemases and associated β -lactamases in carbapenem-resistant Enterobacteriaceae. *J Clin Microbiol* 2012;50:1295-302.

Moissenet D, Becker K, Mérens A, Ferroni A, Dubern B, Vu-Thien H. Persistent bloodstream infection with *Kocuria rhizophila* related to a damaged central catheter. *J Clin Microbiol* 2012;50:1495-8.

Gardès P, Forveille M, Alyanakian MA, Aucouturier P, Ilencikova D, Leroux D, *et al.* Human MSH6 deficiency is associated with impaired antibody maturation. *J Immunol* 2012;188:2023-9.

Lescure FX, Flateau C, Pacanowski J, Brocheriou I, Rondeau E, Girard PM, *et al.* HIV-associated kidney glomerular diseases: changes with time and HAART. *Nephrol Dial Transplant* 2012;27:2349-55.

Verloes A, Héron D, Billette de Villemeur T, Afenjar A, Baumann C, Bahi-Buisson N, *et al.* Stratégie d'exploration d'une déficience intellectuelle inexpliquée. *Arch Pediatr* 2012;19:194-207.

Fihman V, Le Monnier A, Corvec S, Jaureguy F, Tankovic J, Jacquier H, *et al.* *Stenotrophomonas maltophilia*--the most worrisome threat among unusual non-fermentative gram-negative bacilli from hospitalized patients: a prospective multicenter study. *J Infect* 2012;64:391-8.

Gutiérrez Cortés N, Pertuiset C, Dumon E, Börlin M, Hebert-Chatelain E, Pierron D, *et al.* Novel mitochondrial DNA mutations responsible for maternally inherited nonsyndromic hearing loss. *Hum Mutat* 2012;33:681-9.

Sobrier ML, Brachet C, Vié-Luton MP, Perez C, Copin B, Legendre M, *et al.* Symptomatic heterozygotes and prenatal diagnoses in a nonconsanguineous family with syndromic combined pituitary hormone deficiency resulting from two novel LHX3 mutations. *J Clin Endocrinol Metab* 2012;97:E503-9.

Epaud R, Jonard L, Ducou-le-Pointe H, Delestrain C, Fanen P, Guillot L, *et al.* Pathologies génétiques du surfactant. *Arch Pediatr* 2012;19:212-9.

Martinerie L, Morel Y, Gay CL, Pienkowski C, de Kerdanet M, Cabrol S, *et al.* Impaired puberty, fertility, and final stature in 45,X/46,XY mixed gonadal dysgenetic patients raised as boys. *Eur J Endocrinol* 2012;166:687-94.

Hilbert M, Mary P, Larroquet M, Serinet MO, Helfre S, Brisse H, *et al.* Alveolar soft part sarcoma in childhood: is Sunitinib-Sutent® treatment an effective approach? *Pediatr Blood Cancer* 2012;58:475-6.

Delahaye A, Bitoun P, Drunat S, Gérard-Blanluet M, Chassaing N, Toutain A, *et al.* Genomic imbalances detected by array-CGH in patients with syndromal ocular developmental anomalies. *Eur J Hum Genet* 2012;20:527-33.

Huijbregts L, Roze C, Bonafe G, Houang M, Le Bouc Y, Carel JC, *et al.* DNA polymorphisms of the KiSS1 3' untranslated region interfere with the folding of a G-rich sequence into G-quadruplex. *Mol Cell Endocrinol* 2012;351:239-48.

Yates DR, Rouprêt M, Drouin SJ, Comperat E, Ricci S, Lacave R, *et al.* Quantitative RT-PCR analysis of PSA and prostate-specific membrane antigen mRNA to detect circulating tumor cells improves recurrence-free survival nomogram prediction after radical prostatectomy. *Prostate* 2012;72:1382-8.

Quélin C, Loget P, Verloes A, Bazin A, Bessières B, Laquerrière A, *et al.* Phenotypic spectrum of fetal Smith-Lemli-Opitz syndrome. *Eur J Med Genet* 2012;55:81-90.

Ruiz E, Sáenz Y, Zarazaga M, Rocha-Gracia R, Martínez-Martínez L, Arlet G, *et al.* qnr, aac(6')-Ib-cr and qepA genes in *Escherichia coli* and *Klebsiella* spp.: genetic environments and plasmid and chromosomal location. *J Antimicrob Chemother* 2012;67:886-97.

Johanet C, Ballot E. Auto-antibodies in autoimmune hepatitis: anti-smooth muscle antibodies (ASMA). *Clin Res Hepatol Gastroenterol* 2012;36:189-91.

Pronier E, Delhommeau F. Role of TET2 mutations in myeloproliferative neoplasms. *Curr Hematol Malig Rep* 2012;7:57-64.

Brun JL, Cortez A, Lesieur B, Uzan S, Rouzier R, Daraï E. Expression of MMP-2, -7, -9, MT1-MMP and TIMP-1 and -2 has no prognostic relevance in patients with advanced epithelial ovarian cancer. *Oncol Rep* 2012;27:1049-57.

Ebbo M, Daniel L, Pavic M, Sève P, Hamidou M, Andres E, *et al.* IgG4-related systemic disease: features and treatment response in a French cohort: results of a multicenter registry. *Medicine (Baltimore)* 2012;91:49-56.

Daniel PB, Morgan T, Alanay Y, Bijlsma E, Cho TJ, Cole T, *et al.* Disease-associated mutations in the actin-binding domain of filamin B cause cytoplasmic focal accumulations correlating with disease severity. *Hum Mutat* 2012;33:665-73.

Jeanson L, Kelly M, Coste A, Guerrera IC, Fritsch J, Nguyen-Khoa T, *et al.* Oxidative stress induces unfolding protein response and inflammation in nasal polyposis. *Allergy* 2012;67:403-12.

Abuaf N, Rostane H, Barbara J, Toly-Ndour C, Gaouar H, Mathelier-Fusade P, *et al.* Comparison of CD63 Upregulation Induced by NSAIDs on Basophils and Monocytes in Patients with NSAID Hypersensitivity. *J Allergy (Cairo)* 2012;2012:580873.

Lemoine M, Serfaty L, Capeau J. From nonalcoholic fatty liver to nonalcoholic steatohepatitis and cirrhosis in HIV-infected patients: diagnosis and management. *Curr Opin Infect Dis* 2012;25:10-6.

Breillard C, Belabed L, Bonhomme S, Blanc-Quintin MC, Neveux N, Couderc R, *et al.* Arginine availability modulates arginine metabolism and TNF α production in peritoneal macrophages from Zucker Diabetic Fatty rats. *Clin Nutr* 2012;31:415-21.

Guitard J, Sendid B, Thorez S, Gits M, Hennequin C. Evaluation of a recombinant antigen-based enzyme immunoassay for the diagnosis of noninvasive aspergillosis. *J Clin Microbiol* 2012;50:762-5.

Couture C, Saveanu A, Barlier A, Carel JC, Fassnacht M, Flück CE, *et al.* Phenotypic homogeneity and genotypic variability in a large series of congenital isolated ACTH-deficiency patients with TPIT gene mutations. *J Clin Endocrinol Metab* 2012;97:E486-95.

Douay L. In vitro generation of red blood cells for transfusion: a model for regenerative medicine. *Regen Med* 2012;7:1-2.

Philippe-Chomette P, Kabbara N, Andre N, Pierron G, Coulomb A, Laurence V, *et al.* Desmoplastic small round cell tumors with EWS-WT1 fusion transcript in children and young adults. *Pediatr Blood Cancer* 2012;58:891-7.

Frati A, Chereau E, Coutant C, Bezu C, Antoine M, Chopier J, *et al.* Comparison of two nomograms to predict pathologic complete responses to neoadjuvant chemotherapy for breast cancer: evidence that HER2-positive tumors need specific predictors. *Breast Cancer Res Treat* 2012;132:601-7.

Valantin MA, Lambert-Niclot S, Flandre P, Morand-Joubert L, Cabiè A, Meynard JL, *et al.* Long-term efficacy of darunavir/ritonavir monotherapy in patients with HIV-1 viral suppression: week 96 results from the MONOI ANRS 136 study. *J Antimicrob Chemother* 2012;67:691-5.

Le Goff C, Mahaut C, Abhyankar A, Le Goff W, Serre V, Afenjar A, *et al.* Mutations at a single codon in Mad homology 2 domain of SMAD4 cause Myhre syndrome. *Nat Genet* 2012;44:85-8.

Handra-Luca A, Lesty C, Hammel P, Sauvanet A, Rebours V, Martin A, *et al.* Biological and prognostic relevance of mitogen-activated protein kinases in pancreatic adenocarcinoma. *Pancreas* 2012;41:416-21.

Fourati S, Malet I, Guenzel CA, Soulie C, Maidou-Peindara P, Morand-Joubert L, *et al.* E17A mutation in HIV-1 Vpr confers resistance to didanosine in association

with thymidine analog mutations. *Antiviral Res* 2012;93:167-74.

Bersanini C, Khirani S, Ramirez A, Lofaso F, Aubertin G, Beydon N, *et al.*
Nocturnal hypoxaemia and hypercapnia in children with neuromuscular disorders.
Eur Respir J 2012;39:1206-12.

Lamaziere A, Wolf C, Quinn PJ. Application of lipidomics to assess lipogenesis in drug development and pre-clinical trials. *Curr Pharm Biotechnol* 2012;13:736-45.

Ruiz E, Ocampo-Sosa AA, Alcoba-Flórez J, Román E, Arlet G, Torres C, *et al.*
Changes in ciprofloxacin resistance levels in *Enterobacter aerogenes* isolates associated with variable expression of the *aac(6')-Ib-cr* gene. *Antimicrob Agents Chemother* 2012;56:1097-100.

Bendifallah S, Defert S, Chabbert-Bufferet N, Maurin N, Chopier J, Antoine M, *et al.*
Scoring to predict the possibility of upgrades to malignancy in atypical ductal hyperplasia diagnosed by an 11-gauge vacuum-assisted biopsy device: an external validation study. *Eur J Cancer* 2012;48:30-6.

Barbut F, Yezli S, Otter JA. Activity in vitro of hydrogen peroxide vapour against *Clostridium difficile* spores. *J Hosp Infect* 2012;80:85-7.

Mercadal L, Metzger M, Casadevall N, Haymann JP, Karras A, Boffa JJ, *et al.*
Timing and determinants of erythropoietin deficiency in chronic kidney disease. *Clin J Am Soc Nephrol* 2012;7:35-42.

Seidl A, Hainzl O, Richter M, Fischer R, Böhm S, Deutel B, *et al.* Tungsten-induced denaturation and aggregation of epoetin alfa during primary packaging as a cause

of immunogenicity. *Pharm Res* 2012;29:1454-67.

Shankar A, Hall GW, Gorde-Grosjean S, Hasenclever D, Leblanc T, Hayward J, *et al.* Treatment outcome after low intensity chemotherapy [CVP] in children and adolescents with early stage nodular lymphocyte predominant Hodgkin's lymphoma - an Anglo-French collaborative report. *Eur J Cancer* 2012;48:1700-6.

Capeau J, Bouteloup V, Katlama C, Bastard JP, Guiyedi V, Salmon-Ceron D, *et al.* Ten-year diabetes incidence in 1046 HIV-infected patients started on a combination antiretroviral treatment. *AIDS* 2012;26:303-14.

Varyukhina S, Freitas M, Bardin S, Robillard E, Tavan E, Sapin C, *et al.* Glycan-modifying bacteria-derived soluble factors from *Bacteroides thetaiotaomicron* and *Lactobacillus casei* inhibit rotavirus infection in human intestinal cells. *Microbes Infect* 2012;14:273-8.

Carabalona A, Beguin S, Pallesi-Pocachard E, Buhler E, Pellegrino C, Arnaud K, *et al.* A glial origin for periventricular nodular heterotopia caused by impaired expression of Filamin-A. *Hum Mol Genet* 2012;21:1004-17.

Flamein F, Riffault L, Muselet-Charlier C, Pernelle J, Feldmann D, Jonard L, *et al.* Molecular and cellular characteristics of ABCA3 mutations associated with diffuse parenchymal lung diseases in children. *Hum Mol Genet* 2012;21:765-75.

Roux D, Huy C, Lolom I, Andremont A, Arlet G, Armand-Lefevre L, *et al.* Diversity of extended-spectrum β -lactamase-producing Enterobacteriaceae on hospital admission. *Scand J Infect Dis* 2012;44:231-6.

Gautier EF, Picard M, Laurent C, Marty C, Villeval JL, Demur C, *et al.* The cell cycle regulator CDC25A is a target for JAK2V617F oncogene. *Blood* 2012;119:1190-9.

Gasnereau I, Boissan M, Margall-Ducos G, Couchy G, Wendum D, Bourgain-Guglielmetti F, *et al.* KIF20A mRNA and its product MKlp2 are increased during hepatocyte proliferation and hepatocarcinogenesis. *Am J Pathol* 2012;180:131-40.

Whalen S, Héron D, Gaillon T, Moldovan O, Rossi M, Devillard F, *et al.* Novel comprehensive diagnostic strategy in Pitt-Hopkins syndrome: clinical score and further delineation of the TCF4 mutational spectrum. *Hum Mutat* 2012;33:64-72.

Smati M, Emond JP, Arlet G, Tankovic J. In vivo sequential selection of *Escherichia coli* with topoisomerase- and efflux-mediated misleading quinolone resistance phenotypes. *Microb Drug Resist* 2012;18:19-22.

Belade E, Armand L, Martinon L, Kheuang L, Fleury-Feith J, Baeza-Squiban A, *et al.* A comparative transmission electron microscopy study of titanium dioxide and carbon black nanoparticles uptake in human lung epithelial and fibroblast cell lines. *Toxicol In Vitro* 2012;26:57-66.

Varinot J, Cosnes J, Chafai N, Bennis M, Fléjou JF, Svrcek M. Food-starch granulomatous peritonitis in a patient with ileal Crohn's disease: a rare aetiology of peritoneal giant cell granulomas with caseation necrosis mimicking peritoneal tuberculosis. *Int J Colorectal Dis* 2012;27:1117-8.

Gerotziapas GT, Baccouche H, Sassi M, Galea V, Chaari M, Hatmi M, *et al.* Optimisation of the assays for the measurement of clotting factor activity in the presence of rivaroxaban. *Thromb Res* 2012;129:101-3.

Scherman E, Malak S, Perot C, Gorin NC, Rubio MT, Isnard F. Interest of the association azacitidine-lenalidomide as frontline therapy in high-risk myelodysplasia or acute myeloid leukemia with complex karyotype. *Leukemia* 2012;26:822-4.

Bergeron V, Grondin V, Rajca S, Maubert MA, Pigneur B, Thomas G, *et al.* Current smoking differentially affects blood mononuclear cells from patients with Crohn's disease and ulcerative colitis: relevance to its adverse role in the disease. *Inflamm Bowel Dis* 2012;18:1101-11.

Smadja DM, d'Audigier C, Guerin CL, Mauge L, Dizier B, Silvestre JS, *et al.* Angiogenic potential of BM MSCs derived from patients with critical leg ischemia. *Bone Marrow Transplant* 2012;47:997-1000.

Arpin S, Afenjar A, Dubern B, Toutain A, Cabrol S, Héron D. Floating-Harbor Syndrome: report on a case in a mother and daughter, further evidence of autosomal dominant inheritance. *Clin Dysmorphol* 2012;21:11-4.

Emile JF, Brahim S, Coindre JM, Bringuier PP, Monges G, Samb P, *et al.* Frequencies of KIT and PDGFRA mutations in the MolecGIST prospective population-based study differ from those of advanced GISTs. *Med Oncol* 2012;29:1765-72.

Ladroue C, Hoogewijs D, Gad S, Carcenac R, Storti F, Barrois M, *et al.* Distinct deregulation of the hypoxia inducible factor by PHD2 mutants identified in germline DNA of patients with polycythemia. *Haematologica* 2012;97:9-14.

Stankovic Stojanovic K, Delmas Y, Torres PU, Peltier J, Pelle G, Jéru I, *et al.* Dramatic beneficial effect of interleukin-1 inhibitor treatment in patients with familial Mediterranean fever complicated with amyloidosis and renal failure. *Nephrol Dial Transplant* 2012;27:1898-901.

Gerotziafas GT, Galea V, Mbemba E, Khaterchi A, Sassi M, Baccouche H, *et al.* Tissue factor over-expression by human pancreatic cancer cells BXPC3 is related to higher prothrombotic potential as compared to breast cancer cells MCF7. *Thromb Res* 2012;129:779-86.

Parc Y, Desaint B, Fléjou JF, Lefèvre JH, Serfaty L, Vienne A, *et al.* The effect of ursodesoxycholic acid on duodenal adenomas in familial adenomatous polyposis: a prospective randomized placebo-control trial. *Colorectal Dis* 2012;14:854-60.

Jonard L, Couloigner V, Pierrot S, Louha M, Gherbi S, Denoyelle F, *et al.* Progressive hearing loss associated with a unique cervical node due to a homozygous SLC29A3 mutation: a very mild phenotype. *Eur J Med Genet* 2012;55:56-8.

Mahut B, Beydon N, Delclaux C. Overweight is not a comorbidity factor during childhood asthma: the GrowthOb study. *Eur Respir J* 2012;39:1120-6.

Van Dreden P, Woodhams B, Rousseau A, Favier M, Favier R. Comparative evaluation of Tissue factor and Thrombomodulin activity changes during normal and idiopathic early and late foetal loss: the cause of hypercoagulability? *Thromb Res* 2012;129:787-92.

Canard G, Lefevre JH, Colas C, Coulet F, Svrcek M, Lascols O, *et al.* Screening for Lynch syndrome in colorectal cancer: are we doing enough? *Ann Surg Oncol* 2012;19:809-16.

Berthelot F, Fattoum L, Casulli S, Gozlan J, Maréchal V, Elbim C. The effect of HMGB1, a damage-associated molecular pattern molecule, on polymorphonuclear neutrophil migration depends on its concentration. *J Innate Immun* 2012;4:41-58.

Foucher B, Johanet C, Jégo-Desplat S, Sanmarco M, Dubucquoi S, Fily-Nalewajk S, *et al.* Are immunoglobulin A anti-gliadin antibodies helpful in diagnosing coeliac disease in children younger than 2 years? *J Pediatr Gastroenterol Nutr* 2012;54:110-2.

Clapéron A, Guedj N, Mergey M, Vignjevic D, Desbois-Mouthon C, Boissan M, *et al.* Loss of EBP50 stimulates EGFR activity to induce EMT phenotypic features in biliary cancer cells. *Oncogene* 2012;31:1376-88.

Rojat P, Hennequin C, Zaharia D, Barrial K, Le Bricon T, Sartre J, *et al.* Accidental Trichophyton mentagrophytes fungemia during the course of kerion celsi. *Mycoses* 2012;55:e29-31.

Sellier-Leclerc AL, Baudouin V, Kwon T, Macher MA, Guérin V, Lapillonne H, *et al.* Rituximab in steroid-dependent idiopathic nephrotic syndrome in childhood--follow-up after CD19 recovery. *Nephrol Dial Transplant* 2012;27:1083-9.

Batchvarova Z, Kadlub N, Coulomb-L'Hermine A, Picard A, Galliani E. Giant chondrolipoma of the tongue in a 14-year-old child with mandibular hypertrophy. Isolated lesion or regional overgrowth syndrome. *Int J Oral Maxillofac Surg* 2012;41:261-4.

Nakatake M, Monte-Mor B, Debili N, Casadevall N, Ribrag V, Solary E, *et al.* JAK2(V617F) negatively regulates p53 stabilization by enhancing MDM2 via La expression in myeloproliferative neoplasms. *Oncogene* 2012;31:1323-33.

Zarski JP, Sturm N, Guechot J, Paris A, Zafrani ES, Asselah T, *et al.* Comparison of nine blood tests and transient elastography for liver fibrosis in chronic hepatitis C: the ANRS HCEP-23 study. *J Hepatol* 2012;56:55-62.

Monnier J, Boissan M, L'Helgoualc'h A, Lacombe ML, Turlin B, Zucman-Rossi J, *et al.* CXCR7 is up-regulated in human and murine hepatocellular carcinoma and is specifically expressed by endothelial cells. *Eur J Cancer* 2012;48:138-48.

Corpechot C, Gaouar F, Chrétien Y, Johanet C, Chazouillères O, Poupon R. Smoking as an independent risk factor of liver fibrosis in primary biliary cirrhosis. *J Hepatol* 2012;56:218-24.

Kadlub N, Galiani E, Fraitag S, Boudjema S, Vazquez MP, Coulomb A, *et al.* Soft tissue myoepithelioma of the scalp in a 11-year-old girl: a challenging diagnosis. *Pediatr Dermatol* 2012;29:345-8.

Valayannopoulos V, Michot C, Rodriguez D, Hubert L, Saillour Y, Labrune P, *et al.* Mutations of TSEN and CASK genes are prevalent in pontocerebellar hypoplasias type 2 and 4. *Brain* 2012;135:e199; author reply e200.

Rousseau B, Loulergue P, Mir O, Krivine A, Kotti S, Viel E, *et al.* Immunogenicity and safety of the influenza A H1N1v 2009 vaccine in cancer patients treated with cytotoxic chemotherapy and/or targeted therapy: the VACANCE study. *Ann Oncol* 2012;23:450-7.

Tsé C, Gauchez AS, Jacot W, Lamy PJ. HER2 shedding and serum HER2 extracellular domain: biology and clinical utility in breast cancer. *Cancer Treat Rev* 2012;38:133-42.

Galliani E, Burglen L, Kadlub N, Just W, Sznajer Y, de Villemeur TB, *et al.*
Craniofacial phenotype in the branchio-oculo-facial syndrome: four case reports.
Cleft Palate Craniofac J 2012;49:357-64.

Lesesve JF, Garçon L, Lecompte T. Finding knizocytes in a peripheral blood smear.
Am J Hematol 2012;87:105-6.

Levy A, Albiges-Sauvin L, Massard C, Izzedine H, Ederhy S, Edhery S, *et al.*
Reappraisal of treatment-induced renal dysfunction in patients receiving
antiangiogenic agents in phase I trials. Invest New Drugs 2012;30:1116-20.

Mongin C, Coulet F, Lefevre JH, Colas C, Svrcek M, Eyries M, *et al.* Unexplained
polyposis: a challenge for geneticists, pathologists and gastroenterologists. Clin
Genet 2012;81:38-46.

Ederhy S, Di Angelantonio E, Dufaitre G, Meuleman C, Masliah J, Boyer-Chatenet
L, *et al.* C-reactive protein and transesophageal echocardiographic markers of
thromboembolism in patients with atrial fibrillation. Int J Cardiol 2012;159:40-6.

Courtin A, Communal L, Vilasco M, Cimino D, Mourra N, de Bortoli M, *et al.*
Glucocorticoid receptor activity discriminates between progesterone and
medroxyprogesterone acetate effects in breast cells. Breast Cancer Res Treat
2012;131:49-63.

Hofman V, Long E, Ilie M, Bonnetaud C, Vignaud JM, Fléjou JF, *et al.*
Morphological analysis of circulating tumour cells in patients undergoing surgery
for non-small cell lung carcinoma using the isolation by size of epithelial tumour
cell (ISET) method. Cytopathology 2012;23:30-8.

Capeau J. Le vieillissement prématuré des patients infectés par le virus de l'immunodéficience humaine (VIH): mise en évidence, recherche des mécanismes physiopathologiques et prise en charge. Bull Acad Natl Med 2011;195:2013-22; discussion 2022-4.

Gelot AB. La chambre mortuaire, un lieu de vie. Soins 2011;53-4.

Chereau E, Lavoue V, Ballester M, Coutant C, Selle F, Cortez A, *et al.* External validation of a laparoscopic-based score to evaluate resectability for patients with advanced ovarian cancer undergoing interval debulking surgery. Anticancer Res 2011;31:4469-74.

Becheanu G, Dumbrava M, Arbanas T, Diculescu M, Hoyeau-Idrissi N, Fléjou JF. Esophageal xanthoma--report of two new cases and review of the literature. J Gastrointest Liver Dis 2011;20:431-3.

Danchin N, Puymirat E, Simon T. A new victory for Greek philosophy. Lancet 2011;378:e27.

Gomez-Brouchet A, Bouvier C, Decouvelaere AV, Larousserie F, Aubert S, Leroy X, *et al.* Rôle du pathologiste dans la prise en charge des tumeurs osseuses primitives malignes : ostéosarcomes et tumeurs de la famille Ewing après traitement néoadjuvant. Ann Pathol 2011;31:455-65.

Svrcek M, Fléjou JF. Place du pathologiste dans la prise en charge des adénocarcinomes de l'estomac, de la jonction ?ogastrique et du tiers inférieur de l'?sophage après traitement néo-adjuvant. Ann Pathol 2011;31:419-26.

Dangaj D, Abbott KL, Mookerjee A, Zhao A, Kirby PS, Sandaltzopoulos R, *et al.* Mannose receptor (MR) engagement by mesothelin GPI anchor polarizes tumor-associated macrophages and is blocked by anti-MR human recombinant antibody. *PLoS One* 2011;6:e28386.

Brezillon N, Brunelle MN, Massinet H, Giang E, Lamant C, DaSilva L, *et al.* Antiviral activity of Bay 41-4109 on hepatitis B virus in humanized Alb-uPA/SCID mice. *PLoS One* 2011;6:e25096.

Cabrol S, Perin L, Colle M, Coutant R, Jésusan-Perelroizen M, Le Bouc Y, *et al.* Evolution of IGF-1 in children born small for gestational age and with growth retardation, treated by growth hormone adapted to IGF-1 levels after 1 year. *Horm Res Paediatr* 2011;76:419-27.

Dorothee G, Aucouturier P. Les réponses immunitaires adaptatives contre le peptide amyloïde A β dans la maladie d'Alzheimer - Leçons et perspectives. *Med Sci (Paris)* 2011;27:938-40.

Zaidan M, Adam J, Cervera-Pierot P, Joly D. The case of a 69-year-old man with a 10-year history of idiopathic retroperitoneal fibrosis. *Kidney Int* 2011;80:1379-80.

Sanborn KB, Mace EM, Rak GD, Difeo A, Martignetti JA, Pecci A, *et al.* Phosphorylation of the myosin IIA tailpiece regulates single myosin IIA molecule association with lytic granules to promote NK-cell cytotoxicity. *Blood* 2011;118:5862-71.

Collin-Chavagnac D, Aupetit JF, Barguil Y, Benoit MO, Bricca G, Cauliez B, *et al.* État des lieux de l'utilisation des peptides natriurétiques en France. *Ann Biol Clin (Paris)* 2011;69:653-62.

Chemin I, Norder H, Soussan P, Chakravarty R. The molecular pathology and clinical impact of HBV genetic variability. *Hepat Res Treat* 2011;2011:242106.

Canlorbe G, Macé G, Cortey A, Cynober E, Castaigne V, Larsen M, *et al.* Management of very early fetal anemia resulting from red-cell alloimmunization before 20 weeks of gestation. *Obstet Gynecol* 2011;118:1323-9.

Bidault G, Vatier C, Capeau J, Vigouroux C, Béréziat V. LMNA-linked lipodystrophies: from altered fat distribution to cellular alterations. *Biochem Soc Trans* 2011;39:1752-7.

Duval A, Collura A, Berthenet K, Lagrange A, Garrido C. Microsatellite instability in colorectal cancer: time to stop hiding! *Oncotarget* 2011;2:826-7.

Puymirat E, Aïssaoui N, Collet JP, Chaib A, Bonnet JL, Bataille V, *et al.* Comparison of bleeding complications and one-year survival of low molecular weight heparin versus unfractionated heparin for acute myocardial infarction in elderly patients. The FAST-MI registry. *Int J Cardiol* 2011.

Bellocq JP, Anger E, Camparo P, Capron F, Chenard MP, Chetritt J, *et al.* Sécuriser le diagnostic en anatomie et cytologie pathologiques en 2011. L'erreur diagnostique: entre discours et réalité. *Ann Pathol* 2011;31:S92-4.

Fléjou JF. Classification OMS 2010 des tumeurs digestives: la quatrième édition. *Ann Pathol* 2011;31:S27-31.

Couderc R, Jonard L, Louha M. Next generation sequencing: the technology we need in pediatric laboratories? Clin Biochem 2011;44:514-5.

Jonard L, Marlin S, Louha M, Bonnet C, Couderc R, Garabedian N, *et al.* Molecular diagnosis of genetic deafness. Clin Biochem 2011;44:510-1.

Varinot J, Cazejust J, Wendum D. A gouty tophus appearing as an atypical liver nodule in a cirrhotic patient. Clin Res Hepatol Gastroenterol 2011;35:855-6.

Disse E, Rabasa-Lhoret R, Laville M, Bastard JP. Is it important to consider how hyperinsulinaemic-euglycaemic clamp results are expressed? Diabetes Metab 2011;37:460-1.

Durgeau A, El Hage F, Vergnon I, Validire P, de Montpréville V, Besse B, *et al.* Different expression levels of the TAP peptide transporter lead to recognition of different antigenic peptides by tumor-specific CTL. J Immunol 2011;187:5532-9.

Vallet S, Viron F, Henquell C, Le Guillou-Guillemette H, Lagathu G, Abravanel F, *et al.* NS3 protease polymorphism and natural resistance to protease inhibitors in French patients infected with HCV genotypes 1-5. Antivir Ther 2011;16:1093-102.

Bachmeyer C, Moguelet P, Gombeaud T, Sbidian E, Aractingi S. Penile paraffinoma developing during treatment with pegylated interferon alfa-2a for chronic hepatitis C virus infection. Arch Dermatol 2011;147:1232-3.

Handra-Luca A, Olschwang S, Fléjou JF. SMAD4 protein expression and cell proliferation in colorectal adenocarcinomas. *Virchows Arch* 2011;459:511-9.

Zaanan A, Fléjou JF, Emile JF, Des GG, Cuilliere-Dartigues P, Malka D, *et al.* Defective mismatch repair status as a prognostic biomarker of disease-free survival in stage III colon cancer patients treated with adjuvant FOLFOX chemotherapy. *Clin Cancer Res* 2011;17:7470-8.

Capeau J. Premature Aging and Premature Age-Related Comorbidities in HIV-Infected Patients: Facts and Hypotheses. *Clin Infect Dis* 2011;53:1127-9.

Gompel A, Boutouyrie P, Joannides R, Christin-Maitre S, Kearny-Schwartz A, Kunz K, *et al.* Association of menopause and hormone replacement therapy with large artery remodeling. *Fertil Steril* 2011;96:1445-50.

Chatelain D, Fléjou JF. Pathologie ?sophagienne et gastrique : lésions néoplasiques précoces. Cas n(o) 7. Adénome pylorique de l'estomac. *Ann Pathol* 2011;31:385-9.

Svrcek M. Cas n(o) 6 - Adénocarcinome à cellules indépendantes intramuqueux dans le cadre d'un syndrome de cancer gastrique héréditaire diffus avec mutation germinale du gène CDH1. *Ann Pathol* 2011;31:381-4.

Svrcek M. Néoplasie intra-épithéliale (ou dysplasie) gastrique de haut grade traitée par mucosectomie. *Ann Pathol* 2011;31:375-80.

Fléjou JF. Pathologie ?sophagienne et gastrique : lésions néoplasiques précoces. Cas n(o) 2 et cas n(o) 3. Dysplasie et cancer superficiel sur ?sophage de Barrett.

Ann Pathol 2011;31:363-8.

Chatelain D, Fléjou JF. Pathologie œsophagienne et gastrique : lésions néoplasiques précoces. Cas n(°) 1. Néoplasie intra-épithéliale malpighienne de l'œsophage. Ann Pathol 2011;31:356-62.

Fléjou JF. Pathologie œsophagienne et gastrique : lésions néoplasiques précoces. Introduction. Ann Pathol 2011;31:353-5.

Guillot L, Flamein F, Thouvenin G, Boulé M, Ducou le Pointe H, Jonard L, *et al.* BAL fluid surfactant protein C level is related to parenchymal lung disease in children with sarcoidosis. Chest 2011;140:1104-5.

Boulkroun S, Samson-Couterie B, Golib-Dzib JF, Amar L, Plouin PF, Sibony M, *et al.* Aldosterone-producing adenoma formation in the adrenal cortex involves expression of stem/progenitor cell markers. Endocrinology 2011;152:4753-63.

Pourcher G, Mazurier C, King YY, Giarratana MC, Kobari L, Boehm D, *et al.* Human fetal liver: an in vitro model of erythropoiesis. Stem Cells Int 2011;2011:405429.

Toly-Ndour C, Lui G, Nunes MM, Bruley-Rosset M, Aucouturier P, Dorothée G. MHC-independent genetic factors control the magnitude of CD4⁺ T cell responses to amyloid- β peptide in mice through regulatory T cell-mediated inhibition. J Immunol 2011;187:4492-500.

Dorard C, de Thonel A, Collura A, Marisa L, Svrcek M, Lagrange A, *et al.* Expression of a mutant HSP110 sensitizes colorectal cancer cells to chemotherapy and improves disease prognosis. Nat Med 2011;17:1283-9.

Bollée G, Flamant M, Schordan S, Fligny C, Rumpel E, Milon M, *et al.* Epidermal growth factor receptor promotes glomerular injury and renal failure in rapidly progressive crescentic glomerulonephritis. *Nat Med* 2011;17:1242-50.

Béréziat V, Cervera P, Le Dour C, Verpont MC, Dumont S, Vantuyghem MC, *et al.* LMNA mutations induce a non-inflammatory fibrosis and a brown fat-like dystrophy of enlarged cervical adipose tissue. *Am J Pathol* 2011;179:2443-53.

Malet I, Fourati S, Charpentier C, Morand-Joubert L, Armenia D, Wirden M, *et al.* The HIV-1 integrase G118R mutation confers raltegravir resistance to the CRF02_AG HIV-1 subtype. *J Antimicrob Chemother* 2011;66:2827-30.

Gonin J, Larousserie F, Bastard C, Picquenot JM, Couturier J, Radford-Weiss I, *et al.* Epstein-Barr virus-induced gene 3 (EBI3): a novel diagnosis marker in Burkitt lymphoma and diffuse large B-cell lymphoma. *PLoS One* 2011;6:e24617.

Robanus-Maandag E, Bosch C, Amini-Nik S, Knijnenburg J, Szuhai K, Cervera P, *et al.* Familial adenomatous polyposis-associated desmoids display significantly more genetic changes than sporadic desmoids. *PLoS One* 2011;6:e24354.

Milionis HJ, Gerotziapas G, Kostapanos MS, Vemmou A, Zis P, Spengos K, *et al.* Clopidogrel vs. aspirin treatment on admission improves 5-year survival after a first-ever acute ischemic stroke. data from the Athens Stroke Outcome Project. *Arch Med Res* 2011;42:443-50.

Simon T, Steg PG, Becquemont L, Verstuyft C, Kotti S, Schiele F, *et al.* Effect of paraoxonase-1 polymorphism on clinical outcomes in patients treated with

clopidogrel after an acute myocardial infarction. *Clin Pharmacol Ther* 2011;90:561-7.

Berthe MC, Bernard M, Rasmussen C, Darquy S, Cynober L, Couderc R. Arginine or citrulline associated with a statin stimulates nitric oxide production in bovine aortic endothelial cells. *Eur J Pharmacol* 2011;670:566-70.

Iken S, Bachy V, Gourdain P, Lim A, Grégoire S, Chaigneau T, *et al.* Th2-polarised PrP-specific transgenic T-cells confer partial protection against murine scrapie. *PLoS Pathog* 2011;7:e1002216.

Latger-Cannard V, Philippe C, Jonveaux P, Lecompte T, Favier R. Dysmegakaryopoiesis, a clue for an early diagnosis of familial platelet disorder with propensity to acute myeloid leukemia in case of unexplained inherited thrombocytopenia associated with normal-sized platelets. *J Pediatr Hematol Oncol* 2011;33:e264-6.

Ben Haj Khalifa A, Moissenet D, Vu Thien H, Khedher M. Les facteurs de virulence de *Pseudomonas aeruginosa* : mécanismes et modes de régulations. *Ann Biol Clin (Paris)* 2011;69:393-403.

Frati A, Antoine M, Rodenas A, Gligorov J, Rouzier R, Chéreau E. La somatostatine dans le cancer du sein. *Ann Biol Clin (Paris)* 2011;69:385-91.

Tharaux PL. Endothelin in renal injury due to sickle cell disease. *Contrib Nephrol* 2011;172:185-99.

Fligny C, Barton M, Tharaux PL. Endothelin and podocyte injury in chronic kidney disease. *Contrib Nephrol* 2011;172:120-38.

Eguia B, Ruppert AM, Fillon J, Lavolé A, Gounant V, Epaud C, *et al.* Skin toxicities compromise prolonged pemetrexed treatment. *J Thorac Oncol* 2011;6:2083-9.

Giarratana MC, Rouard H, Dumont A, Kiger L, Safeukui I, Le Pennec PY, *et al.* Proof of principle for transfusion of in vitro-generated red blood cells. *Blood* 2011;118:5071-9.

Poindessous V, Ouaret D, El Ouadrani K, Battistella A, Mégalophonos VF, Kamsu-Kom N, *et al.* EGFR- and VEGF(R)-targeted small molecules show synergistic activity in colorectal cancer models refractory to combinations of monoclonal antibodies. *Clin Cancer Res* 2011;17:6522-30.

Georgin-Lavialle S, Lhermitte L, Baude C, Barete S, Bruneau J, Launay JM, *et al.* Blood CD34-c-Kit⁺ cell rate correlates with aggressive forms of systemic mastocytosis and behaves like a mast cell precursor. *Blood* 2011;118:5246-9.

Cassuto NG, Le Foll N, Chantot-Bastarud S, Balet R, Bouret D, Rouen A, *et al.* Sperm fluorescence in situ hybridization study in nine men carrying a Robertsonian or a reciprocal translocation: relationship between segregation modes and high-magnification sperm morphology examination. *Fertil Steril* 2011;96:826-32.

Mourra N, Werbrouck A, Arrive L. A large intra-abdominal cystic mass arising from the mesocolon. Diagnosis: Mucinous cystadenoma of the mesocolon with high-grade dysplasia. *Gastroenterology* 2011;141:1160, 1534.

Proust A, Rincé P, Creidy R, Lazure T, Joab I, Garçon L, *et al.* p52 Activation in monomorphic B-cell posttransplant lymphoproliferative disorder/diffuse large B-cell lymphoma without BAFF-R expression. *Am J Pathol* 2011;179:1630-7.

Thervet E, Aouizerate J, Noel LH, Brocheriou I, Martinez F, Mamzer MF, *et al.* Histologic recurrence of Henoch-Schonlein Purpura nephropathy after renal transplantation on routine allograft biopsy. *Transplantation* 2011;92:907-12.

Elisha B, Guebre-Egziabher F, Vidal H, Bastard JP, Laville M, Rabasa-Lhoret R. From French to Mediterranean diet: importance of the omega-6/omega-3 fatty acids ratio. *World Rev Nutr Diet* 2011;102:81-91.

Casadevall N, Thorpe R, Schellekens H. Biosimilars need comparative clinical data. *Kidney Int* 2011;80:553.

Ravel C, Chantot-Bastarud S, Cretet J, Roynard P, Sibony M, Maurin N, *et al.* Syndrome de Klinefelter : qualité des gamètes et spermatogénèse. *Gynecol Obstet Fertil* 2011;39:525-8.

Herindrainy P, Randrianirina F, Ratovoson R, Ratsima Hariniana E, Buisson Y, Genel N, *et al.* Rectal carriage of extended-spectrum beta-lactamase-producing gram-negative bacilli in community settings in Madagascar. *PLoS One* 2011;6:e22738.

Gozaló C, Gérard L, Loiseau P, Morand-Joubert L, Peytavin G, Molina JM, *et al.* Pharmacogenetics of toxicity, plasma trough concentration and treatment outcome with nevirapine-containing regimen in anti-retroviral-naïve HIV-infected adults: an exploratory study of the TRIANON ANRS 081 trial. *Basic Clin Pharmacol Toxicol* 2011;109:513-20.

Barrail-Tran A, Taburet AM, Poirier JM, Groupe Suivi Therapeutique Pharmacologique de la Societe Francaise de Pharmacologie et de Therapeutique. Niveau de preuve du suivi thérapeutique pharmacologique de l'indinavir. *Therapie* 2011;66:239-46.

Barrail-Tran A, Taburet AM, Poirier JM, Groupe Suivi Therapeutique Pharmacologique de la Societe Francaise de Pharmacologie et de Therapeutique. Niveau de preuve du suivi thérapeutique pharmacologique du lopinavir. *Therapie* 2011;66:231-8.

Vilasco M, Communal L, Mourra N, Courtin A, Forgez P, Gompel A. Glucocorticoid receptor and breast cancer. *Breast Cancer Res Treat* 2011;130:1-10.

Avila M, Gigot N, Aral B, Callier P, Gautier E, Thevenon J, *et al.* GLI3 is rarely implicated in OFD syndromes with midline abnormalities. *Hum Mutat* 2011;32:1332-3.

Demars J, Rossignol S, Netchine I, Lee KS, Shmela M, Faivre L, *et al.* New insights into the pathogenesis of Beckwith-Wiedemann and Silver-Russell syndromes: contribution of small copy number variations to 11p15 imprinting defects. *Hum Mutat* 2011;32:1171-82.

Boistel R, Aubin T, Cloetens P, Langer M, Gillet B, Josset P, *et al.* Whispering to the deaf: communication by a frog without external vocal sac or tympanum in noisy environments. *PLoS One* 2011;6:e22080.

Moissenet D, Leverger G, Mérens A, Bonacorsi S, Guiso N, Vu-Thien H. Septic arthritis caused by *Bordetella holmesii* in an adolescent with chronic haemolytic anaemia. *J Med Microbiol* 2011;60:1705-7.

Grandemange S, Aksentijevich I, Jeru I, Gul A, Touitou I. The regulation of MEFV expression and its role in health and familial Mediterranean fever. *Genes Immun* 2011;12:497-503.

Eckert C, Van Broeck J, Spigaglia P, Burghoffer B, Delmée M, Mastrantonio P, *et al.* Comparison of a commercially available repetitive-element PCR system (DiversiLab) with PCR ribotyping for typing of clostridium difficile strains. *J Clin Microbiol* 2011;49:3352-4.

Levy-Zauberman Y, Mailloux A, Kane A, Castaigne V, Cortey A, Carbonne B. Massive fetomaternal hemorrhage secondary to intrauterine intravascular transfusion. *Obstet Gynecol* 2011;118:439-42.

Albers CA, Cvejic A, Favier R, Bouwmans EE, Alessi MC, Bertone P, *et al.* Exome sequencing identifies NBEAL2 as the causative gene for gray platelet syndrome. *Nat Genet* 2011;43:735-7.

Toutain J, VuPhi Y, Doco-Fenzy M, Morice-Picard F, Stanislas S, Laharanne E, *et al.* Identification of a complex 17q rearrangement in a metanephric stromal tumor. *Cancer Genet* 2011;204:340-3.

Lyoumi S, Abitbol M, Rainteau D, Karim Z, Bernex F, Oustric V, *et al.* Protoporphyrin retention in hepatocytes and Kupffer cells prevents sclerosing cholangitis in erythropoietic protoporphyria mouse model. *Gastroenterology* 2011;141:1509-19, 1519.e1-3.

Froidevaux-Klipfel L, Poirier F, Boursier C, Crépin R, Poüs C, Baudin B, *et al.* Modulation of septin and molecular motor recruitment in the microtubule environment of the Taxol-resistant human breast cancer cell line MDA-MB-231. *Proteomics* 2011;11:3877-86.

Enache-Angoulvant A, Guitard J, Grenouillet F, Martin T, Durrens P, Fairhead C, *et al.* Rapid discrimination between *Candida glabrata*, *Candida nivariensis*, and *Candida bracarensis* by use of a singleplex PCR. *J Clin Microbiol* 2011;49:3375-9.

Moutafoff C, Coutant C, Bézu C, Antoine M, Werkoff G, Benbara A, *et al.* Facteurs prédictifs et pronostiques des cancers du sein multifocaux. *Gynecol Obstet Fertil* 2011;39:425-32.

Trotman J, Fournier M, Lamy T, Seymour JF, Sonet A, Janikova A, *et al.* Positron emission tomography-computed tomography (PET-CT) after induction therapy is highly predictive of patient outcome in follicular lymphoma: analysis of PET-CT in a subset of PRIMA trial participants. *J Clin Oncol* 2011;29:3194-200.

Tankovic J, Smati M, Lamarque D, Delchier JC. First detection of *Helicobacter canis* in chronic duodenal ulcerations from a patient with Crohn's disease. *Inflamm Bowel Dis* 2011;17:1830-1.

Fathallah N, Zamy M, Slim R, Fain O, Hmouda H, Bouraoui K, *et al.* Acute pancreatitis in the course of meprobamate poisoning. *JOP* 2011;12:404-6.

Toly-Ndour C, Peltier J, Piedagnel R, Coppo P, Sachon E, Ronco P, *et al.* Acute renal failure with lambda light chain-derived crystals in a patient with IgD myeloma. *Nephrol Dial Transplant* 2011;26:3057-9.

Bégon E, Thibault M, Bizet-Mouroit N, Bouchardeau A, Buot G, Bachmeyer C. Tinea faciei with anterior blepharitis due to *Trichophyton mentagrophytes*. *Eur J Dermatol* 2011;21:810-1.

Werbrouck A, Jamali M, Fléjou JF, Duvillard P. Une histoire d'ovaire et de péritoine. *Ann Pathol* 2011;31:229-33.

Pronier E, Almire C, Mokrani H, Vasanthakumar A, Simon A, da Costa Reis Monte Mor B, *et al.* Inhibition of TET2-mediated conversion of 5-methylcytosine to 5-hydroxymethylcytosine disturbs erythroid and granulomonocytic differentiation of human hematopoietic progenitors. *Blood* 2011;118:2551-5.

Parent F, Bachir D, Inamo J, Lionnet F, Driss F, Loko G, *et al.* A hemodynamic study of pulmonary hypertension in sickle cell disease. *N Engl J Med* 2011;365:44-53.

Liu L, Okada S, Kong XF, Kreins AY, Cypowyj S, Abhyankar A, *et al.* Gain-of-function human STAT1 mutations impair IL-17 immunity and underlie chronic mucocutaneous candidiasis. *J Exp Med* 2011;208:1635-48.

Vuillaumier-Barrot S, Bouchet-Seraphin C, Chelbi M, Eude-Caye A, Charluteau E, Besson C, *et al.* Intragenic rearrangements in LARGE and POMGNT1 genes in severe dystroglycanopathies. *Neuromuscul Disord* 2011;21:782-90.

Puymirat E, Aïssaoui N, Coste P, Dentan G, Bataille V, Drouet E, *et al.* Comparison of efficacy and safety of a standard versus a loading dose of clopidogrel for acute myocardial infarction in patients > 75 years of age (from the FAST-MI registry). *Am J Cardiol* 2011;108:755-9.

Bluteau D, Gilles L, Hilpert M, Antony-Debré I, James C, Debili N, *et al.* Down-regulation of the RUNX1-target gene NR4A3 contributes to hematopoiesis deregulation in familial platelet disorder/acute myelogenous leukemia. *Blood* 2011;118:6310-20.

Quivoron C, Couronné L, Della Valle V, Lopez CK, Plo I, Wagner-Ballon O, *et al.* TET2 inactivation results in pleiotropic hematopoietic abnormalities in mouse and is a recurrent event during human lymphomagenesis. *Cancer Cell* 2011;20:25-38.

Simon T, Bhatt DL, Bergougnan L, Farenc C, Pearson K, Perrin L, *et al.* Genetic polymorphisms and the impact of a higher clopidogrel dose regimen on active metabolite exposure and antiplatelet response in healthy subjects. *Clin Pharmacol Ther* 2011;90:287-95.

Jeanson-Leh L, Charrier S, Proust A, Bilhou-Nabéra C, Favier R, Deswarte C, *et al.* The c.273+11dup genetic change in the WAS gene is a functionally neutral polymorphism. *Eur J Haematol* 2011;87:366-71.

Peyrin-Biroulet L, Khosrotehrani K, Carrat F, Bouvier AM, Chevaux JB, Simon T, *et al.* Increased risk for nonmelanoma skin cancers in patients who receive thiopurines for inflammatory bowel disease. *Gastroenterology* 2011;141:1621-28.e1-5.

Adam J, Couturier J, Molinié V, Vieillefond A, Sibony M. Clear-cell papillary renal cell carcinoma: 24 cases of a distinct low-grade renal tumour and a comparative genomic hybridization array study of seven cases. *Histopathology* 2011;58:1064-71.

Merzoug S, Toumi ML, Boukhris N, Baudin B, Tahraoui A. Adriamycin-related anxiety-like behavior, brain oxidative stress and myelotoxicity in male Wistar rats. *Pharmacol Biochem Behav* 2011;99:639-47.

Ly M, Antoine M, André F, Callard P, Bernaudin JF, Diallo DA. Le cancer du sein chez la femme de l'Afrique sub-saharienne: état actuel des connaissances. Bull Cancer 2011;98:797-806.

Weber I, Olaiwan A, Bonte I, Artigou C, Pras-Landre V, Moguelet P, *et al.* Adverse cutaneous drug reactions to ibandronate. Eur J Dermatol 2011;21:591-4.

Egevad L, Algaba F, Berney DM, Boccon-Gibod L, Compérat E, Evans AJ, *et al.* Interactive digital slides with heat maps: a novel method to improve the reproducibility of Gleason grading. Virchows Arch 2011;459:175-82.

Chenevier-Gobeaux C, Meune C, Blanc MC, Cynober L, Jaffray P, Lefevre G. Analytical evaluation of a high-sensitivity troponin T assay and its clinical assessment in acute coronary syndrome. Ann Clin Biochem 2011;48:452-8.

Philibert P, Paris F, Audran F, Kalfa N, Polak M, Thibaud E, *et al.* Phenotypic variation of SF1 gene mutations. Adv Exp Med Biol 2011;707:67-72.

Firincieli D, Zuniga S, Poupon R, Housset C, Chignard N. Role of nuclear receptors in the biliary epithelium. Dig Dis 2011;29:52-7.

Zuily S, Regnault V, Selton-Suty C, Eschwège V, Bruntz JF, Bode-Dotto E, *et al.* Increased risk for heart valve disease associated with antiphospholipid antibodies in patients with systemic lupus erythematosus: meta-analysis of echocardiographic studies. Circulation 2011;124:215-24.

Cervera P, Fléjou JF. Changing pathology with changing drugs: tumors of the gastrointestinal tract. *Pathobiology* 2011;78:76-89.

Decré D, Verdet C, Emirian A, Le Gourrierec T, Petit JC, Offenstadt G, *et al.* Emerging severe and fatal infections due to *Klebsiella pneumoniae* in two university hospitals in France. *J Clin Microbiol* 2011;49:3012-4.

Reyal F, Rouzier R, Depont-Hazelzet B, Bollet MA, Pierga JY, Alran S, *et al.* The molecular subtype classification is a determinant of sentinel node positivity in early breast carcinoma. *PLoS One* 2011;6:e20297.

Birgy A, Doit C, Mariani-Kurkdjian P, Genel N, Faye A, Arlet G, *et al.* Early detection of colonization by VIM-1-producing *Klebsiella pneumoniae* and NDM-1-producing *Escherichia coli* in two children returning to France. *J Clin Microbiol* 2011;49:3085-7.

Vainchenker W, Delhommeau F, Constantinescu SN, Bernard OA. New mutations and pathogenesis of myeloproliferative neoplasms. *Blood* 2011;118:1723-35.

Bourkia M, Charlès L, Lambotte O, Orostegui-Giron L, Goujard C, Ghosn J. Life-threatening acute generalized exanthematous pustulosis induced by two different protease inhibitors in an HIV-1-infected patient. *J Antimicrob Chemother* 2011;66:2188-9.

Vienne A, Simon T, Cosnes J, Baudry C, Bouhnik Y, Soulé JC, *et al.* Low prevalence of colonoscopic surveillance of inflammatory bowel disease patients with longstanding extensive colitis: a clinical practice survey nested in the CESAME cohort. *Aliment Pharmacol Ther* 2011;34:188-95.

Troupin C, Schnuriger A, Duponchel S, Deback C, Schnepf N, Dehee A, *et al.* Rotavirus rearranged genomic RNA segments are preferentially packaged into viruses despite not conferring selective growth advantage to viruses. *PLoS One* 2011;6:e20080.

Marzac C, Garrido E, Tang R, Fava F, Hirsch P, De Benedictis C, *et al.* ATP Binding Cassette transporters associated with chemoresistance: transcriptional profiling in extreme cohorts and their prognostic impact in a cohort of 281 acute myeloid leukemia patients. *Haematologica* 2011;96:1293-301.

Dupouy S, Mourra N, Doan VK, Gompel A, Alifano M, Forgez P. The potential use of the neurotensin high affinity receptor 1 as a biomarker for cancer progression and as a component of personalized medicine in selective cancers. *Biochimie* 2011;93:1369-78.

Chérif K, Buyse S, Champault A, Gonin J, Da Maia E, Janin A, *et al.* Des remaniements inhabituels de la muqueuse au cours d'une colite grave. *Ann Pathol* 2011;31:124-6.

Hurbin A, Wislez M, Busser B, Antoine M, Tenaud C, Rabbe N, *et al.* Insulin-like growth factor-1 receptor inhibition overcomes gefitinib resistance in mucinous lung adenocarcinoma. *J Pathol* 2011;225:83-95.

Bonnet C, Grati M, Marlin S, Levilliers J, Hardelin JP, Parodi M, *et al.* Complete exon sequencing of all known Usher syndrome genes greatly improves molecular diagnosis. *Orphanet J Rare Dis* 2011;6:21.

Gerby B, Clappier E, Armstrong F, Deswarte C, Calvo J, Poglio S, *et al.* Expression of CD34 and CD7 on human T-cell acute lymphoblastic leukemia discriminates functionally heterogeneous cell populations. *Leukemia* 2011;25:1249-58.

Boissan M, Lacombe ML. Learning about the functions of NME/NM23: lessons from knockout mice to silencing strategies. *Naunyn Schmiedebergs Arch Pharmacol* 2011;384:421-31.

Putoux A, Thomas S, Coene KL, Davis EE, Alanay Y, Ogur G, *et al.* KIF7 mutations cause fetal hydroletharus and acrocallosal syndromes. *Nat Genet* 2011;43:601-6.

Coenen EA, Raimondi SC, Harbott J, Zimmermann M, Alonzo TA, Auvrignon A, *et al.* Prognostic significance of additional cytogenetic aberrations in 733 de novo pediatric 11q23/MLL-rearranged AML patients: results of an international study. *Blood* 2011;117:7102-11.

Ruppert AM, Wislez M, Poulot V, Lacave R, Antoine M, Cadranel J. Un regard simple sur la biologie du cancer bronchique : EGFR. *Rev Mal Respir* 2011;28:565-77.

Poirot JL, Campa P. Voyage en pays tropical. *Rev Prat* 2011;61:551-8.

Pluquet E, Arlet G, Bingen E, Drieux L, Mammeri H. Sensitive and specific phenotypic assay for metallo-beta-lactamase detection in Enterobacteria by use of a moxalactam disk supplemented with EDTA. *J Clin Microbiol* 2011;49:2667-70.

Bruneel A, Wendum D, Labas V, Mulner-Lorillon O, Vinh J, Bosselut N, *et al.* Proteomic analysis of NME1/NDPK A null mouse liver: evidence for a post-translational regulation of annexin IV and EF-1B?. *Naunyn Schmiedebergs Arch Pharmacol* 2011;384:407-19.

Lehmann-Che J, Amira-Bouhidel F, Turpin E, Antoine M, Soliman H, Legres L, *et al.* Immunohistochemical and molecular analyses of HER2 status in breast cancers are highly concordant and complementary approaches. *Br J Cancer* 2011;104:1739-46.

Jéru I, Le Borgne G, Cochet E, Hayrapetyan H, Duquesnoy P, Grateau G, *et al.* Identification and functional consequences of a recurrent NLRP12 missense mutation in periodic fever syndromes. *Arthritis Rheum* 2011;63:1459-64.

Beau-Faller M, Degeorges A, Rolland E, Mounawar M, Antoine M, Poulot V, *et al.* Cross-validation study for epidermal growth factor receptor and KRAS mutation detection in 74 blinded non-small cell lung carcinoma samples: a total of 5550 exons sequenced by 15 molecular French laboratories (evaluation of the EGFR mutation status for the administration of EGFR-TKIs in non-small cell lung carcinoma [ERMETIC] project--part 1). *J Thorac Oncol* 2011;6:1006-15.

Levy C, Thollot F, Corrad F, Lécuyer A, Martin P, Boucherat M, *et al.* Otite moyenne aiguë en pédiatrie ambulatoire : caractéristiques épidémiologiques et cliniques après l'introduction du vaccin antipneumococcique conjugué 7 valent (PCV7). *Arch Pediatr* 2011;18:712-8.

David A, Hwa V, Metherell LA, Netchine I, Camacho-Hübner C, Clark AJ, *et al.* Evidence for a continuum of genetic, phenotypic, and biochemical abnormalities in children with growth hormone insensitivity. *Endocr Rev* 2011;32:472-97.

Lalande V, Barrault L, Wadel S, Eckert C, Petit JC, Barbut F. Evaluation of a loop-mediated isothermal amplification assay for diagnosis of *Clostridium difficile* infections. *J Clin Microbiol* 2011;49:2714-6.

Wentzel C, Rajcan-Separovic E, Ruivenkamp CA, Chantot-Bastarud S, Metay C, Andrieux J, *et al.* Genomic and clinical characteristics of six patients with partially overlapping interstitial deletions at 10p12p11. *Eur J Hum Genet* 2011;19:959-64.

Tenenbaum-Rakover Y, Sobrier ML, Amselem S. A novel POU1F1 mutation (p.Thr168IlefsX7) associated with an early and severe form of combined pituitary hormone deficiency: functional analysis and follow-up from infancy to adulthood. *Clin Endocrinol (Oxf)* 2011;75:214-9.

Beydon N, Tubiana-Rufi N. Le Ceduc, un centre d'éducation thérapeutique multipathologies. *Soins Pédiatr Pueric* 2011:28-9.

Mazurier C, Douay L, Lapillonne H. Red blood cells from induced pluripotent stem cells: hurdles and developments. *Curr Opin Hematol* 2011;18:249-53.

Bachmeyer C, Sèbe P, Buot G. Dermatophytie des fesses. *Presse Med* 2011;40:1209-10.

Ruppert AM, Lerolle U, Carette MF, Lavole A, Khalil A, Bazelly B, *et al.* Coexisting pulmonary nodules in operable lung cancer: prevalence and probability of malignancy. *Lung Cancer* 2011;74:233-8.

Jacquier H, Carbonnelle E, Corvec S, Illiaquer M, Le Monnier A, Bille E, *et al.* Revisited distribution of nonfermenting Gram-negative bacilli clinical isolates. *Eur J Clin Microbiol Infect Dis* 2011;30:1579-86.

Farrugia C, Cabaret O, Botterel F, Bories C, Foulet F, Costa JM, *et al.* Cytochrome b gene quantitative PCR for diagnosing Plasmodium falciparum infection in travelers. J Clin Microbiol 2011;49:2191-5.

Kosmider O, Delabesse E, de Mas VM, Cornillet-Lefebvre P, Blanchet O, Delmer A, *et al.* TET2 mutations in secondary acute myeloid leukemias: a French retrospective study. Haematologica 2011;96:1059-63.

Barbut F, Jones G, Eckert C. Epidemiology and control of Clostridium difficile infections in healthcare settings: an update. Curr Opin Infect Dis 2011;24:370-6.

Poynard T, Munteanu M, Deckmyn O, Ngo Y, Drane F, Messous D, *et al.* Applicability and precautions of use of liver injury biomarker FibroTest. A reappraisal at 7 years of age. BMC Gastroenterol 2011;11:39.

Jeanpierre C, Macé G, Parisot M, Morinière V, Pawtowsky A, Benabou M, *et al.* RET and GDNF mutations are rare in fetuses with renal agenesis or other severe kidney development defects. J Med Genet 2011;48:497-504.

Cohen J, Letavernier B, Garel C, Boubnova J, Boudjemaa S, Bensman A. Cystite à éosinophiles chez l'enfant. Arch Pediatr 2011.

Stankovic Stojanovic K, Thiolière B, Garandau E, Lecomte I, Bachmeyer C, Lionnet F. Chronic myeloid leukaemia and sickle cell disease: could imatinib prevent vaso-occlusive crisis? Br J Haematol 2011;155:271-2.

Barbut F, Monot M, Rousseau A, Cavelot S, Simon T, Burghoffer B, *et al.* Rapid diagnosis of Clostridium difficile infection by multiplex real-time PCR. Eur J Clin

Microbiol Infect Dis 2011;30:1279-85.

Zaanan A, Meunier K, Sangar F, Fléjou JF, Praz F. Microsatellite instability in colorectal cancer: from molecular oncogenic mechanisms to clinical implications. *Cell Oncol (Dordr)* 2011;34:155-76.

Lino A, Lalande V, Guetta A, Lebeau B, Heron E, Chouaid C. Diagnostic des uvéites tuberculeuses: intérêt des tests interférons gamma. *Rev Mal Respir* 2011;28:317-21.

Berthe MC, Darquy S, Breuillard C, Lamoudi L, Marc J, Cynober L, *et al.* High plasma citrulline and arginine levels ensured by sustained-release citrulline supplementation in rats. *Nutrition* 2011;27:1168-71.

Borie R, Wislez M, Antoine M, Fleury-Feith J, Thabut G, Crestani B, *et al.* Clonality and phenotyping analysis of alveolar lymphocytes is suggestive of pulmonary MALT lymphoma. *Respir Med* 2011;105:1231-7.

Galbois A, Das V, Thabut D, Maury E, Ait-Oufella H, Housset C, *et al.* Beta-blockers have no effect on outcomes in patients with cirrhosis and severe infections. *Hepatology* 2011;53:1412-3.

Renault F, Baudon JJ, Galliani E, Flores-Guevara R, Marlin S, Garabedian EN, *et al.* Facial, lingual, and pharyngeal electromyography in infants with Pierre Robin sequence. *Muscle Nerve* 2011;43:866-71.

Jéru I, Hentgen V, Normand S, Duquesnoy P, Cochet E, Delwail A, *et al.* Role of interleukin-1? in NLRP12-associated autoinflammatory disorders and resistance to

anti-interleukin-1 therapy. *Arthritis Rheum* 2011;63:2142-8.

Lemale J, Coulomb A, Dubern B, Boudjemaa S, Viola S, Josset P, *et al.* Intractable diarrhea with tufting enteropathy: a favorable outcome is possible. *J Pediatr Gastroenterol Nutr* 2011;52:734-9.

Nasreddine N, Borde C, Gozlan J, Bélec L, Maréchal V, Hocini H. Advanced glycation end products inhibit both infection and transmission in trans of HIV-1 from monocyte-derived dendritic cells to autologous T cells. *J Immunol* 2011;186:5687-95.

Tselepis AD, Gerotziapas G, Andrikopoulos G, Anninos H, Vardas P. Mechanisms of platelet activation and modification of response to antiplatelet agents. *Hellenic J Cardiol* 2011;52:128-40.

Bem D, Yoshimura S, Nunes-Bastos R, Bond FC, Bond FF, Kurian MA, *et al.* Loss-of-function mutations in RAB18 cause Warburg micro syndrome. *Am J Hum Genet* 2011;88:499-507.

Demars J, Le Bouc Y, El-Osta A, Gicquel C. Epigenetic and genetic mechanisms of abnormal 11p15 genomic imprinting in Silver-Russell and Beckwith-Wiedemann syndromes. *Curr Med Chem* 2011;18:1740-50.

Clappier E, Gerby B, Sigaux F, Delord M, Touzri F, Hernandez L, *et al.* Clonal selection in xenografted human T cell acute lymphoblastic leukemia recapitulates gain of malignancy at relapse. *J Exp Med* 2011;208:653-61.

Jday-Daly I, Augereau-Vacher C, De Curraize C, Fonfrède M, Lefevre G, Lacour B, *et al.* Évaluation multicentrique de la fiabilité de cinq lecteurs de glycémie. *Ann Biol Clin (Paris)* 2011;69:55-61.

Stankovic Stojanovic K, Lionnet F, Girot R, Lescure FX, Pialoux G, Le Loup G. The risk of going abroad in sickle cell disease: a study of 148 adults. *Trans R Soc Trop Med Hyg* 2011;105:310-4.

Ghillani P, André C, Toly C, Rouquette AM, Bengoufa D, Nicaise P, *et al.* Clinical significance of anti-Ro52 (TRIM21) antibodies non-associated with anti-SSA 60kDa antibodies: results of a multicentric study. *Autoimmun Rev* 2011;10:509-13.

Huntington ND, Alves NL, Legrand N, Lim A, Strick-Marchand H, Mention JJ, *et al.* IL-15 transpresentation promotes both human T-cell reconstitution and T-cell-dependent antibody responses in vivo. *Proc Natl Acad Sci U S A* 2011;108:6217-22.

Zúñiga S, Firrincieli D, Housset C, Chignard N. Vitamin D and the vitamin D receptor in liver pathophysiology. *Clin Res Hepatol Gastroenterol* 2011;35:295-302.

Antuna-Puente B, Disse E, Rabasa-Lhoret R, Laville M, Capeau J, Bastard JP. How can we measure insulin sensitivity/resistance? *Diabetes Metab* 2011;37:179-88.

Khosrotehrani K, Nguyen Huu S, Prignon A, Avril MF, Boitier F, Oster M, *et al.* Pregnancy promotes melanoma metastasis through enhanced lymphangiogenesis. *Am J Pathol* 2011;178:1870-80.

Chakroun T, Addad F, Yacoub S, Abderrezak F, Gerotziafas GT, Abdelkafi S, *et al.*
The cyclooxygenase-1 C50T polymorphism is not associated with aspirin
responsiveness status in stable coronary artery disease in Tunisian patients.
Genet Test Mol Biomarkers 2011;15:513-6.

Aslangul E, Fellahi S, Assoumou LK, Bastard JP, Capeau J, Costagliola D. High-
sensitivity C-reactive protein levels fall during statin therapy in HIV-infected
patients receiving ritonavir-boosted protease inhibitors. *AIDS* 2011;25:1128-31.

Chéreau E, Coutant C, Gligorov J, Lesieur B, Antoine M, Daraï E, *et al.*
Discordance with local guidelines for adjuvant chemotherapy in breast cancer:
reasons and effect on survival. *Clin Breast Cancer* 2011;11:46-51.

Wislez M, Lavolé A, Gounant V, Antoine M, Cadranel J. Carcinomes bronchiolo-
alvéolaires : du concept aux stratégies thérapeutiques innovantes. *Presse Med*
2011;40:389-97.

Zaidan M, Cervera-Pierot P, de Seigneux S, Dahan K, Fabiani B, Callard P, *et al.*
Evidence of follicular T-cell implication in a case of IgG4-related systemic disease
with interstitial nephritis. *Nephrol Dial Transplant* 2011;26:2047-50.

Develoux M, Enache-Angoulvant A, Gounant V, Brian E, Khalil A, Bazelly B, *et al.*
Hepatic and pulmonary cystic echinococcosis in a patient from the Central African
Republic. *Travel Med Infect Dis* 2011;9:88-90.

Linglart A, Cabrol S, Berlier P, Stuckens C, Wagner K, de Kerdanet M, *et al.*
Growth hormone treatment before the age of 4 years prevents short stature in
young girls with Turner syndrome. *Eur J Endocrinol* 2011;164:891-7.

Netchine I, Azzi S, Le Bouc Y, Savage MO. IGF1 molecular anomalies demonstrate its critical role in fetal, postnatal growth and brain development. *Best Pract Res Clin Endocrinol Metab* 2011;25:181-90.

Vigouroux C, Caron-Debarle M, Le Dour C, Magré J, Capeau J. Molecular mechanisms of human lipodystrophies: from adipocyte lipid droplet to oxidative stress and lipotoxicity. *Int J Biochem Cell Biol* 2011;43:862-76.

Peyrard T, Bardiaux L, Krause C, Kobari L, Lapillonne H, Andreu G, *et al.* Banking of pluripotent adult stem cells as an unlimited source for red blood cell production: potential applications for alloimmunized patients and rare blood challenges. *Transfus Med Rev* 2011;25:206-16.

Chabaud-Williamson M, Netchine I, Fasola S, Larroquet M, Lenoir M, Patte C, *et al.* Ovarian-sparing surgery for ovarian teratoma in children. *Pediatr Blood Cancer* 2011;57:429-34.

Mahut B, Peiffer C, Bokov P, Delclaux C, Beydon N. Use of specific airway resistance to assess bronchodilator response in children. *Respirology* 2011;16:666-71.

Jauregui G, El Mouhadi S, Rosmorduc O, Wendum D, Menu Y, Arrivé L. Adénome hépatocytaire. Réponse au e-quid de décembre. *J Radiol* 2011;92:82-5.

Chaouki Tourabi A, Duperray B, Duperray L, Hamel B, Ayadi S, Jamali Alem M, *et al.* Tumeur endocrine du sein. *J Radiol* 2011;92:62-5.

Puel A, Cypowyj S, Bustamante J, Wright JF, Liu L, Lim HK, *et al.* Chronic mucocutaneous candidiasis in humans with inborn errors of interleukin-17 immunity. *Science* 2011;332:65-8.

Gonin J, Larousserie F, Dousset B, Rousseau J, Delattre O, Waintrop C, *et al.* Une tumeur surrénalienne inhabituelle : tumeur d'Ewing. *Ann Pathol* 2011;31:28-31.

Le Dour C, Schneebeli S, Bakiri F, Darcel F, Jacquemont ML, Maubert MA, *et al.* A homozygous mutation of prelamins A preventing its farnesylation and maturation leads to a severe lipodystrophic phenotype: new insights into the pathogenicity of nonfarnesylated prelamins A. *J Clin Endocrinol Metab* 2011;96:E856-62.

Gandotra S, Le Dour C, Bottomley W, Cervera P, Giral P, Reznik Y, *et al.* Perilipin deficiency and autosomal dominant partial lipodystrophy. *N Engl J Med* 2011;364:740-8.

Itzhar N, Dessen P, Toujani S, Auger N, Preudhomme C, Richon C, *et al.* Chromosomal minimal critical regions in therapy-related leukemia appear different from those of de novo leukemia by high-resolution aCGH. *PLoS One* 2011;6:e16623.

Kluger N, Plantier F, Moguelet P, Fraitag S. Les tatouages : histoire naturelle et histopathologie des réactions cutanées. *Ann Dermatol Venerol* 2011;138:146-54; quiz 144-5, 155.

Tochon M, Bosdure E, Salles M, Beloncle C, Chadelat K, Dagorne M, *et al.* Management of young children in contact with an adult with drug-resistant tuberculosis, France, 2004-2008. *Int J Tuberc Lung Dis* 2011;15:326-30.

Mehri S, Mahjoub S, Finsterer J, Zaroui A, Mechmeche R, Baudin B, *et al.* The CC genotype of the angiotensin II type I receptor gene independently associates with acute myocardial infarction in a Tunisian population. *J Renin Angiotensin Aldosterone Syst* 2011;12:595-600.

Eckert C, Vromman F, Halkovich A, Barbut F. Multilocus variable-number tandem repeat analysis: a helpful tool for subtyping French *Clostridium difficile* PCR ribotype 027 isolates. *J Med Microbiol* 2011;60:1088-94.

Papillard-Marechal S, Enouf V, Schnuriger A, Vabret A, Macheras E, Rameix-Welti MA, *et al.* Monitoring epidemic viral respiratory infections using one-step real-time triplex RT-PCR targeting influenza A and B viruses and respiratory syncytial virus. *J Med Virol* 2011;83:695-701.

Feron JG, Nguyen A, Bézu C, Antoine M, Darai E, Coutant C, *et al.* Interest in cavity shaving in breast conservative treatment does not depend on lumpectomy technique. *Breast* 2011;20:358-64.

Hertig A, Bonnard G, Ulinski T, Colombat M, Jouanneau C, Baugey E, *et al.* Tubular nuclear accumulation of Snail and epithelial phenotypic changes in human myeloma cast nephropathy. *Hum Pathol* 2011;42:1142-8.

Ducamp S, Kannengiesser C, Touati M, Garçon L, Guerci-Bresler A, Guichard JF, *et al.* Sideroblastic anemia: molecular analysis of the ALAS2 gene in a series of 29 probands and functional studies of 10 missense mutations. *Hum Mutat* 2011;32:590-7.

Cabrol S, Ross JL, Fennoy I, Bouvattier C, Roger M, Lahlou N. Assessment of Leydig and Sertoli cell functions in infants with nonmosaic Klinefelter syndrome: insulin-like peptide 3 levels are normal and positively correlated with LH levels. *J Clin Endocrinol Metab* 2011;96:E746-53.

Rafat C, Vimont S, Ancel PY, Xu-Dubois YC, Mesnard L, Ouali N, *et al.* Ofloxacin: new applications for the prevention of urinary tract infections in renal graft recipients. *Transpl Infect Dis* 2011;13:344-52.

Loustau V, Guillaud C, Garcon L, Godeau B, Michel M. Anémie hémolytique chez l'adulte : principales causes et démarche diagnostique. *Presse Med* 2011;40:470-85.

Lenglet T, Haroche J, Schnuriger A, Maisonobe T, Viala K, Michel Y, *et al.* Mononeuropathy multiplex associated with acute parvovirus B19 infection: characteristics, treatment and outcome. *J Neurol* 2011;258:1321-6.

Borde C, Barnay-Verdier S, Gaillard C, Hocini H, Maréchal V, Gozlan J. Stepwise release of biologically active HMGB1 during HSV-2 infection. *PLoS One* 2011;6:e16145.

Azzi S, Steunou V, Rousseau A, Rossignol S, Thibaud N, Danton F, *et al.* Allele-specific methylated multiplex real-time quantitative PCR (ASMM RTQ-PCR), a powerful method for diagnosing loss of imprinting of the 11p15 region in Russell Silver and Beckwith Wiedemann syndromes. *Hum Mutat* 2011;32:249-58.

Krug P, Morinière V, Marlin S, Koubi V, Gabriel HD, Colin E, *et al.* Mutation screening of the EYA1, SIX1, and SIX5 genes in a large cohort of patients harboring branchio-oto-renal syndrome calls into question the pathogenic role of SIX5 mutations. *Hum Mutat* 2011;32:183-90.

Sakr RA, Poulet B, Kaufman GJ, Nos C, Clough KB. Clear margins for invasive lobular carcinoma: a surgical challenge. *Eur J Surg Oncol* 2011;37:350-6.

Chalghoum A, Noichri Y, Chkioua L, Gammoudi I, Dandana A, Chahed H, *et al.* Étude du polymorphisme intronique de l'enzyme de conversion de l'angiotensine I chez des coronariens tunisiens. *Ann Cardiol Angeiol (Paris)* 2011;60:135-40.

Swierczek SI, Yoon D, Bellanné-Chantelot C, Kim SJ, Saint-Martin C, Delhommeau F, *et al.* Extent of hematopoietic involvement by TET2 mutations in JAK2V^{617F} polycythemia vera. *Haematologica* 2011;96:775-8.

Mohammedi K, Roussel R, El Dbouni O, Potier L, Abi Khalil C, Capel E, *et al.* Type B insulin resistance syndrome associated with an immune reconstitution inflammatory syndrome in an HIV-infected woman. *J Clin Endocrinol Metab* 2011;96:E653-7.

Moissenet D, Weill FX, Arlet G, Harrois D, Girardet JP, Vu-Thien H. Salmonella enterica serotype Gambia with CTX-M-3 and armA resistance markers: nosocomial infections with a fatal outcome. *J Clin Microbiol* 2011;49:1676-8.

Krabchi K, Berthaut I, Chantot-Bastaraud S, Ravel C, Chabbert-Buffet N, de Larouzière V, *et al.* Quality assessment of induced spermatogenesis in hypogonadotrophic hypogonadic men treated with gonadotrophins. *Reprod Biomed Online* 2011;22:277-83.

Dahan S, Elefant E, Girard I, Azcona B, Champion V, Mitanchez D. Convulsions néonatales, syndrome de sevrage à la buprénorphine et traitement morphinique substitutif. *Arch Pediatr* 2011;18:287-90.

Simon T, Steg PG, Gilard M, Blanchard D, Bonello L, Hanssen M, *et al.* Clinical events as a function of proton pump inhibitor use, clopidogrel use, and cytochrome P450 2C19 genotype in a large nationwide cohort of acute myocardial infarction: results from the French Registry of Acute ST-Elevation and Non-ST-Elevation Myocardial Infarction (FAST-MI) registry. *Circulation* 2011;123:474-82.

Ronco P, Plaisier E, Aucouturier P. Monoclonal immunoglobulin light and heavy chain deposition diseases: molecular models of common renal diseases. *Contrib Nephrol* 2011;169:221-31.

Cottin V, Reix P, Khouatra C, Thivolet-Béjui F, Feldmann D, Cordier JF. Combined pulmonary fibrosis and emphysema syndrome associated with familial SFTPC mutation. *Thorax* 2011;66:918-9.

Sailhan F, Hautefort P, Coulomb A, Mary P, Damsin JP. Bilateral lipoma arborescens of the knee: a case report. *J Bone Joint Surg Am* 2011;93:195-8.

Traxer O, Geavlete B, de Medina SG, Sibony M, Al-Qahtani SM. Narrow-band imaging digital flexible ureteroscopy in detection of upper urinary tract transitional-cell carcinoma: initial experience. *J Endourol* 2011;25:19-23.

Le Cleach L, Moguelet P, Perrin P, Chosidow O. Is topical monotherapy effective for localized pyoderma gangrenosum? *Arch Dermatol* 2011;147:101-3.

Van Etten RA, Koschmieder S, Delhommeau F, Perrotti D, Holyoake T, Pardanani A, *et al.* The Ph-positive and Ph-negative myeloproliferative neoplasms: some topical pre-clinical and clinical issues. *Haematologica* 2011;96:590-601.

Beghin D, Cournot MP, Vauzelle C, Elefant E. Paternal exposure to methotrexate and pregnancy outcomes. *J Rheumatol* 2011;38:628-32.

Machmachi H, Godineau N, Develoux M, Bretagne S, Bazeli A, Amsellem D, *et al.* Black grain mycetoma caused by *Leptosphaeria tompkinsii*. *Med Mycol* 2011;49:186-9.

Tankovic J, Smati M, Lamarque D, Delchier JC. First detection of *Helicobacter canis* in chronic duodenal ulcerations from a patient with Crohn's disease. *Inflamm Bowel Dis* 2011.

Sellier PO, Mario N, Rami A, Andreoli A, Choho BM, Simoneau G, *et al.* Is testing for glucose-6-phosphate dehydrogenase deficiency before starting sulfa useful in HIV-infected male patients originating from sub-Saharan Africa? *J Acquir Immune Defic Syndr* 2011;56:e60-3.

Magne D, Angoulvant A, Botterel F, Bouges-Michel C, Bougnoux ME, Bouree P, *et al.* Pneumocystosis: a network survey in the Paris area 2003-2008. *Eur J Clin Microbiol Infect Dis* 2011;30:673-5.

Frapsauce C, Ravel C, Legendre M, Sibony M, Mandelbaum J, Donadille B, *et al.* Birth after TESE-ICSI in a man with hypogonadotropic hypogonadism and congenital adrenal hypoplasia linked to a DAX-1 (NR0B1) mutation. *Hum Reprod* 2011;26:724-8.

Cornet M, Sendid B, Fradin C, Gaillardin C, Poulain D, Nguyen HV. Molecular identification of closely related *Candida* species using two ribosomal intergenic spacer fingerprinting methods. *J Mol Diagn* 2011;13:12-22.

Bachmeyer C, Eguia B, Callard P, Moguelet P. Purpuric papulonodular sarcoidosis mimicking granulomatous pigmented purpura. *Eur J Dermatol* 2011;21:110-1.

Biet F, Gendt L, Anton E, Ballot E, Hugot JP, Johanet C. Serum antibodies to *Mycobacterium avium* subspecies *paratuberculosis* combined with anti-*Saccharomyces cerevisiae* antibodies in Crohn's disease patients: prevalence and diagnostic role. *Dig Dis Sci* 2011;56:1794-800.

Stankovic Stojanovic K, Steichen O, Lionnet F, Bachmeyer C, Lecomte I, Avellino V, *et al.* Is procalcitonin a marker of invasive bacterial infection in acute sickle-cell vaso-occlusive crisis? *Infection* 2011;39:41-5.

Nzouakou R, Bachir D, Lavaud A, Habibi A, Lee K, Lionnet F, *et al.* Clinical follow-up of hydroxyurea-treated adults with sickle cell disease. *Acta Haematol* 2011;125:145-52.

Hyon C, Marlin S, Chantot-Bastaraud S, Mabboux P, Beaujard MP, Al Ageeli E, *et al.* A new 17p13.3 microduplication including the PFAH1B1 and YWHAE genes resulting from an unbalanced X;17 translocation. *Eur J Med Genet* 2011;54:287-91.

Billard-Pomares T, Tenaillon O, Le Nagard H, Rouy Z, Cruveiller S, Médigue C, *et al.* Complete nucleotide sequence of plasmid pTN48, encoding the CTX-M-14 extended-spectrum β -lactamase from an *Escherichia coli* O102-ST405 strain. *Antimicrob Agents Chemother* 2011;55:1270-3.

Hofman VJ, Ilie MI, Bonnetaud C, Selva E, Long E, Molina T, *et al.* Cytopathologic detection of circulating tumor cells using the isolation by size of epithelial tumor cell method: promises and pitfalls. *Am J Clin Pathol* 2011;135:146-56.

Brochériou I, Maouche S, Durand H, Braunersreuther V, Le Naour G, Gratchev A, *et al.* Antagonistic regulation of macrophage phenotype by M-CSF and GM-CSF: implication in atherosclerosis. *Atherosclerosis* 2011;214:316-24.

Haïm-Boukobza S, Morand-Joubert L, Flandre P, Valin N, Fourati S, Sayon S, *et al.* Higher efficacy of nevirapine than efavirenz to achieve HIV-1 plasma viral load below 1 copy/ml. *AIDS* 2011;25:341-4.

Maimoun L, Philibert P, Cammas B, Audran F, Bouchard P, Fenichel P, *et al.* Phenotypical, biological, and molecular heterogeneity of 5 α -reductase deficiency: an extensive international experience of 55 patients. *J Clin Endocrinol Metab* 2011;96:296-307.

Ratziu V, de Ledinghen V, Oberti F, Mathurin P, Wartelle-Bladou C, Renou C, *et al.* A randomized controlled trial of high-dose ursodesoxycholic acid for nonalcoholic steatohepatitis. *J Hepatol* 2011;54:1011-9.

Katorza E, Nahama-Allouche C, Castaigne V, Gonzales M, Galliani E, Marlin S, *et al.* Prenatal evaluation of the middle ear and diagnosis of middle ear hypoplasia using MRI. *Pediatr Radiol* 2011;41:652-7.

Merveille AC, Davis EE, Becker-Heck A, Legendre M, Amirav I, Bataille G, *et al.* CCDC39 is required for assembly of inner dynein arms and the dynein regulatory complex and for normal ciliary motility in humans and dogs. *Nat Genet* 2011;43:72-8.

Alanio A, Sitterlé E, Liance M, Farrugia C, Foulet F, Botterel F, *et al.* Low prevalence of resistance to azoles in *Aspergillus fumigatus* in a French cohort of patients treated for haematological malignancies. *J Antimicrob Chemother* 2011;66:371-4.

Deloumeaux J, Maachi M, Sow-Goerger MT, Lamaury I, Velayoudom FL, Cheret A, *et al.* Adiponectin and leptin in Afro-Caribbean men and women with HIV infection: association with insulin resistance and type 2 diabetes. *Diabetes Metab* 2011;37:98-104.

Henderson M, Rabasa-Lhoret R, Bastard JP, Chiasson JL, Baillargeon JP, Hanley JA, *et al.* Measuring insulin sensitivity in youth: How do the different indices compare with the gold-standard method? *Diabetes Metab* 2011;37:72-8.

Toly-Ndour C, Rouquette AM, Obadia S, M'bappe P, Lionnet F, Hagege I, *et al.* High titers of autoantibodies in patients with sickle-cell disease. *J Rheumatol* 2011;38:302-9.

Cuisset L, Jeru I, Dumont B, Fabre A, Cochet E, Le Bozec J, *et al.* Mutations in the autoinflammatory cryopyrin-associated periodic syndrome gene: epidemiological study and lessons from eight years of genetic analysis in France. *Ann Rheum Dis* 2011;70:495-9.

Lamaziere A, Richard D, Barbe U, Kefi K, Bausero P, Wolf C, *et al.* Differential distribution of DHA-phospholipids in rat brain after feeding: A lipidomic approach. *Prostaglandins Leukot Essent Fatty Acids* 2011;84:7-11.

Hofman V, Bonnetaud C, Ilie MI, Vielh P, Vignaud JM, Fléjou JF, *et al.* Preoperative circulating tumor cell detection using the isolation by size of epithelial tumor cell method for patients with lung cancer is a new prognostic biomarker. *Clin Cancer Res* 2011;17:827-35.

Knehtl M, Debiec H, Kamgang P, Callard P, Cadranel J, Ronco P, *et al.* A case of phospholipase A₂ receptor-positive membranous nephropathy preceding sarcoid-associated granulomatous tubulointerstitial nephritis. *Am J Kidney Dis* 2011;57:140-3.

Agewall S, Badimon L, Drouet L, Eschenhagen T, Husted S, Simon T, *et al.* Oral antiplatelet agents in ACS: from pharmacology to clinical differences. *Fundam Clin Pharmacol* 2011;25:564-71.

Veillon P, Gallois Y, Moal V, Fouchard-Hubert I, Charles I, Larcher F, *et al.* Assessment of new hyaluronic acid assays and their impact on FibroMeter scores. *Clin Chim Acta* 2011;412:347-52.

Leroyer S, Vazier C, Kadiri S, Quette J, Chapron C, Capeau J, *et al.* Glyceroneogenesis is inhibited through HIV protease inhibitor-induced inflammation in human subcutaneous but not visceral adipose tissue. *J Lipid Res* 2011;52:207-20.

Lapusan S, Dimicoli S, Marjanovic Z, Lefebvre A, Bordonné C, Lanternier F, *et al.* Immune reconstitution inflammatory syndrome following allo-SCT in a patient with *Dipodascus capitatus* spondylodiscitis. *Bone Marrow Transplant* 2011;46:1265-7.

Hochberg Z, Feil R, Constancia M, Fraga M, Junien C, Carel JC, *et al.* Child health, developmental plasticity, and epigenetic programming. *Endocr Rev* 2011;32:159-224.

Capuron L, Poitou C, Machaux-Tholliez D, Frochot V, Bouillot JL, Basdevant A, *et al.* Relationship between adiposity, emotional status and eating behaviour in obese women: role of inflammation. *Psychol Med* 2011;41:1517-28.

Montjean D, Benkhalifa M, Dessolle L, Cohen-Bacrie P, Belloc S, Siffroi JP, *et al.* Polymorphisms in MTHFR and MTRR genes associated with blood plasma homocysteine concentration and sperm counts. *Fertil Steril* 2011;95:635-40.

Bachmeyer C, Elalamy I. Thrombose de l'aorte et infarctus spléniques révélateurs d'une thrombocytémie essentielle. *Rev Med Interne* 2011;32:e102-4.

Mourra N, Werbrouck A, Bauer P. Anal region: an unusual location of granular cell tumour. *Int J Colorectal Dis* 2011;26:811-2.

Bertrand PM, Perbet S, Sapin AF, Salavert M, Constantin JM, Elalamy I, *et al.* Heparin-induced skin necrosis: HIT-2 without thrombocytopenia. *Intensive Care Med* 2011;37:172-3.

Laurent C, Svrcek M, Flejou JF, Chenard MP, Duclos B, Freund JN, *et al.* Immunohistochemical expression of CDX2, β -catenin, and TP53 in inflammatory bowel disease-associated colorectal cancer. *Inflamm Bowel Dis* 2011;17:232-40.

Servant-Delmas A, Laperche S, Mercier M, Michel Y, Garbarg-Chenon A, Boyeldieu D, *et al.* Limits of sequencing and phylogenetic analysis to assess B19V transmission by single-donor blood component. *Vox Sang* 2011;100:254-5.

Amiel C, Charpentier C, Désiré N, Bonnard P, Lebrette MG, Weiss L, *et al.* Long-term follow-up of 11 protease inhibitor (PI)-naïve and PI-treated HIV-infected patients harbouring virus with insertions in the HIV-1 protease gene. *HIV Med* 2011;12:138-44.

René C, Paulet D, Girodon E, Costa C, Lalau G, Leclerc J, *et al.* p.Ser1235Arg should no longer be considered as a cystic fibrosis mutation: results from a large collaborative study. *Eur J Hum Genet* 2011;19:36-42.

Grondin V, Seksik P, Dumont S, Thomas G, Trugnan G, Fléjou JF, *et al.* Regulation of colon cancer cell proliferation and migration by MD-2 activity. *Innate Immun* 2011;17:414-22.

Singer M, Trugnan G, Chelbi-Alix MK. Arsenic trioxide reduces 2,4,6-trinitrobenzene sulfonic acid-induced murine colitis via nuclear factor- κ B down-regulation and caspase-3 activation. *Innate Immun* 2011;17:365-74.

Mehri S, Mahjoub S, Farhati A, Bousaada R, Ben Arab S, Baudin B, *et al.* Angiotensinogen gene polymorphism in acute myocardial infarction patients. *J Renin Angiotensin Aldosterone Syst* 2011;12:42-7.

Bratosin D, Tissier JP, Lapillonne H, Hermine O, de Villemeur TB, Cotoraci C, *et al.* A cytometric study of the red blood cells in Gaucher disease reveals their abnormal shape that may be involved in increased erythrophagocytosis. *Cytometry B Clin Cytom* 2011;80:28-37.

Jéru I, Amselem S. Inflammasome et interleukine 1. *Rev Med Interne* 2011;32:218-24.

Gouyant V, Ninane V, Janson X, Colombat M, Wislez M, Grunenwald D, *et al.* Release of metal particles from needles used for transbronchial needle aspiration. *Chest* 2011;139:138-43.

S?klar Z, Berbero?lu M, Legendre M, Amselem S, Evliyao?lu O, Hac?hamdio?lu B, *et al.* Two siblings with isolated GH deficiency due to loss-of-function mutation in the GHRHR gene: successful treatment with growth hormone despite late admission and severe growth retardation. *J Clin Res Pediatr Endocrinol* 2010;2:164-7.

Dorfm?ller P, Bazin D, Aubert S, Weil R, Brisset F, Daudon M, *et al.* Crystalline ultrastructures, inflammatory elements, and neoangiogenesis are present in inconspicuous aortic valve tissue. *Cardiol Res Pract* 2010;2010:685926.

Brioude F, Bouvattier CE, Lombès M. Hypogonadisme hypogonadotrope : notions récentes sur la régulation de l'axe hypothalamo-hypophyso-gonadique. *Ann Endocrinol (Paris)* 2010;71 Suppl 1:S33-41.

Simon T. Pharmacogénétique des antagonistes des récepteurs plaquettaire P2Y12 de l'ADP. *Ann Cardiol Angeiol (Paris)* 2010;59 Suppl 2:S42-6.

Soulié C, Fourati S, Lambert-Niclot S, Tubiana R, Canestri A, Girard PM, *et al.* HIV genetic diversity between plasma and cerebrospinal fluid in patients with HIV encephalitis. *AIDS* 2010;24:2412-4.

Maniti O, Alves I, Trugnan G, Ayala-Sanmartin J. Distinct behaviour of the homeodomain derived cell penetrating peptide penetratin in interaction with different phospholipids. *PLoS One* 2010;5:e15819.

Moizard MP, Ronce N, Blesson S, Bieth E, Burglen L, Mignot C, *et al.* Twenty-five novel mutations including duplications in the ATP7A gene. *Clin Genet* 2010.

Charbit B, Mercier FJ, Benhamou D. Modification of Tp-e and QTc intervals during caesarean section under spinal anaesthesia. *Anaesthesia* 2010;65:956-7.

Pissaia A, Aoudjehane L, Ben Othman S, Scatton O, Soubrane O, Housset C, *et al.* Cyclosporine inhibits profibrotic effects of interleukin-4 and transforming growth factor γ on human intrahepatic fibroblasts cultured in vitro. *Transplant Proc* 2010;42:4343-6.

Wendum D. Maladies hépatiques liées à des anomalies héréditaires de transporteurs hépatobiliaires. *Ann Pathol* 2010;30:426-31.

Le Bouc Y, Rossignol S, Azzi S, Brioude F, Cabrol S, Gicquel C, *et al.* Anomalies épigénétiques et de l'empreinte parentale dans les maladies du développement humain. *Bull Acad Natl Med* 2010;194:287-97; discussion 297-300.

De Montpréville VT. Thymomes et carcinomes thymiques. *Rev Mal Respir* 2010;27:1281-7.

Taibi L, Giton F, Moutereau S, Fiet J, Guéchet J. Perte d'information diagnostique par utilisation de méthodes non recommandées pour le dosage de la testostérone chez la femme. *Ann Biol Clin (Paris)* 2010;68:649-56.

Margos G, Hojgaard A, Lane RS, Cornet M, Fingerle V, Rudenko N, *et al.* Multilocus sequence analysis of *Borrelia bissettii* strains from North America reveals a new *Borrelia* species, *Borrelia kurtenbachii*. *Ticks Tick Borne Dis* 2010;1:151-8.

Job B, Bernheim A, Beau-Faller M, Camilleri-Broët S, Girard P, Hofman P, *et al.* Genomic aberrations in lung adenocarcinoma in never smokers. *PLoS One*

2010;5:e15145.

Ronco P, Plaisier E, Aucouturier P. Ig-related renal disease in lymphoplasmacytic disorders: an update. *Semin Nephrol* 2010;30:557-69.

Decre D, Birgand G, Geneste D, Maury E, Petit JC, Barbut F, *et al.* Possible importation and subsequent cross-transmission of OXA-48-producing *Klebsiella pneumoniae*, France, 2010. *Euro Surveill* 2010;15.

Kassis-Chikhani N, Saliba F, Carbonne A, Neuville S, Decre D, Sengelin C, *et al.* Extended measures for controlling an outbreak of VIM-1 producing imipenem-resistant *Klebsiella pneumoniae* in a liver transplant centre in France, 2003-2004. *Euro Surveill* 2010;15.

Bouley J, Pionneau C, Varinot J, Biard D, Genestie C, Antoine M, *et al.* Proteomic analysis of BRCA1-depleted cell line reveals a putative role for replication protein A2 up-regulation in BRCA1 breast tumor development. *Proteomics Clin Appl* 2010;4:489-98.

Lagadu S, Lechevrel M, Sichel F, Breton J, Pottier D, Couderc R, *et al.* 8-oxo-7,8-dihydro-2'-deoxyguanosine as a biomarker of oxidative damage in oesophageal cancer patients: lack of association with antioxidant vitamins and polymorphism of hOGG1 and GST. *J Exp Clin Cancer Res* 2010;29:157.

Rahelinirina S, Léon A, Harstskeerl RA, Sertour N, Ahmed A, Raharimanana C, *et al.* First isolation and direct evidence for the existence of large small-mammal reservoirs of *Leptospira* sp. in Madagascar. *PLoS One* 2010;5:e14111.

Elouni B, Ben Salem C, Zamy M, Ganne N, Beaugrand M, Bouraoui K, *et al.*
Cytolytic hepatitis possibly related to levonorgestrel/ethinylestradiol oral
contraceptive use: 2 case reports. *Ann Pharmacother* 2010;44:2035-7.

Latger-Cannard V, Bardet V, Malet M, Lagrange M, Empereur F, Fenneteau O.
Evaluation of peroxidase activity by alpha-naphthol/pyronine staining compared
with benzidine staining in 101 acute leukemia cases. *Lab Hematol* 2010;16:76-82.

You JF, Buhard O, Ligtenberg MJ, Kets CM, Niessen RC, Hofstra RM, *et al.*
Tumours with loss of MSH6 expression are MSI-H when screened with a pentaplex
of five mononucleotide repeats. *Br J Cancer* 2010;103:1840-5.

Prulière-Escabasse V, Coste A, Chauvin P, Fauroux B, Tamalet A, Garabedian EN,
et al. Otolologic features in children with primary ciliary dyskinesia. *Arch
Otolaryngol Head Neck Surg* 2010;136:1121-6.

Garçon L, Iolascon A, Pissard S, Esposito MR, Russo R, Fenneteau O, *et al.* A
dyserythropoietic anemia associated with homozygous Hb Plasencia
[?125(H8)Leu?Arg (?2)] (HBA2:c.377T>G), a variant with an unstable ? chain.
Hemoglobin 2010;34:576-81.

Bellocq JP, Grizeau B, Anger E, Chenard MP, Fléjou JF, Guiu M, *et al.* Accréditation
et ACP. *Ann Pathol* 2010;30:97-9.

Svrcek M. Les cancers héréditaires gastriques vus par le pathologiste. *Ann Pathol*
2010;30:84-7.

Antoine M, Poulot V, Colombat M, Fleury J, Lacave R, Cadranel J. Biologie moléculaire préthérapeutique sur prélèvements biopsiques de petite taille. *Ann Pathol* 2010;30:67-72.

Penault-Llorca F, Vincent-Salomon A, Bellocq JP, Matthieu MC, Grogan GM, Treilleux I, *et al.* Mise à jour des recommandations du GEPFICS pour l'évaluation du statut HER2 dans les cancers du sein en France. *Ann Pathol* 2010;30:357-73.

Bachmeyer C, Ferroir JP, Eymard B, Maier-Redelsperger M, Lebre AS, Girot R. Coenzyme Q is effective on anemia in a patient with sideroblastic anemia and mitochondrial myopathy. *Blood* 2010;116:3681-2.

Quinn PJ, Wolf C. Egg-sphingomyelin and cholesterol form a stoichiometric molecular complex in bilayers of egg-phosphatidylcholine. *J Phys Chem B* 2010;114:15536-45.

Malak S, Durrand V. Follicular lymphoma transformed to an aggressive Burkitt-like lymphoma with acquisition of MYC rearrangement. *Br J Haematol* 2010;151:294.

Boyd A, Lasnier E, Molina JM, Lascoux-Combe C, Bonnard P, Mialhes P, *et al.* Liver fibrosis changes in HIV-HBV-coinfected patients: clinical, biochemical and histological effect of long-term tenofovir disoproxil fumarate use. *Antivir Ther* 2010;15:963-74.

Dion J, Bachmeyer C, Moguelet P, Lescure FX, Pagnoux C. Livedo reticularis and erythematous macules of the forearms indicating cutaneous microscopic polyangiitis. *Am J Med* 2010;123:e5-6.

Adan L, Lechevalier P, Couto-Silva AC, Boissan M, Trivin C, Brailly-Tabard S, *et al.* Plasma inhibin B and antimüllerian hormone concentrations in boys: discriminating between congenital hypogonadotropic hypogonadism and constitutional pubertal delay. *Med Sci Monit* 2010;16:CR511-7.

Mega JL, Simon T, Collet JP, Anderson JL, Antman EM, Bliden K, *et al.* Reduced-function CYP2C19 genotype and risk of adverse clinical outcomes among patients treated with clopidogrel predominantly for PCI: a meta-analysis. *JAMA* 2010;304:1821-30.

Quinn PJ, Wolf C. An X-ray diffraction study of model membrane raft structures. *FEBS J* 2010;277:4685-98.

Danchin N, Fauchier L, Marijon E, Barnay C, Furber A, Mabo P, *et al.* Impact of early statin therapy on development of atrial fibrillation at the acute stage of myocardial infarction: data from the FAST-MI register. *Heart* 2010;96:1809-14.

Descamps D, Chaix ML, Montes B, Pakianather S, Charpentier C, Storto A, *et al.* Increasing prevalence of transmitted drug resistance mutations and non-B subtype circulation in antiretroviral-naive chronically HIV-infected patients from 2001 to 2006/2007 in France. *J Antimicrob Chemother* 2010;65:2620-7.

Elefant E, Cournot MP, Beghin D, Vauzelle C. Rheumatology drugs and pregnancy. *Joint Bone Spine* 2010;77:506-10.

Radu A, Pichon C, Camparo P, Antoine M, Allory Y, Couvelard A, *et al.* Expression of follicle-stimulating hormone receptor in tumor blood vessels. *N Engl J Med* 2010;363:1621-30.

Gnidehou S, Jessen L, Gangnard S, Ermont C, Triqui C, Quiviger M, *et al.* Insight into antigenic diversity of VAR2CSA-DBL5? domain from multiple Plasmodium falciparum placental isolates. PLoS One 2010;5.

Gourzones C, Gelin A, Bombik I, Klibi J, Vérillaud B, Guigay J, *et al.* Extra-cellular release and blood diffusion of BART viral micro-RNAs produced by EBV-infected nasopharyngeal carcinoma cells. Virol J 2010;7:271.

Svrcek M, Buhard O, Colas C, Coulet F, Dumont S, Massaoudi I, *et al.* Methylation tolerance due to an O6-methylguanine DNA methyltransferase (MGMT) field defect in the colonic mucosa: an initiating step in the development of mismatch repair-deficient colorectal cancers. Gut 2010;59:1516-26.

Bélien-Pallet V, Cabrol S, Fasola S, Petit A, Landman-Parker J, Auvrignon A, *et al.* Existe-t-il un risque de déficit corticotrope au décours du traitement d'induction d'une leucémie aiguë lymphoblastique ? Arch Pediatr 2010;17:1637-44.

Lamazière A, Wolf C. The HAMLET case: what can we learn from a misfolded protein that triggers tumour cell death? Gastroenterol Clin Biol 2010;34:580-3.

Prulière-Escabasse V, Clerici C, Vuagniaux G, Coste A, Escudier E, Planès C. Effect of neutrophil elastase and its inhibitor EPI-hNE4 on transepithelial sodium transport across normal and cystic fibrosis human nasal epithelial cells. Respir Res 2010;11:141.

Vatier C, Capeau J, Vigouroux C. La leptine, nouvelle perspective thérapeutique dans le traitement du diabète ? Med Sci (Paris) 2010;26:803-7.

Gajdos V, Katsahian S, Beydon N, Abadie V, de Pontual L, Larrar S, *et al.* Effectiveness of chest physiotherapy in infants hospitalized with acute bronchiolitis: a multicenter, randomized, controlled trial. *PLoS Med* 2010;7:e1000345.

Mourra N, Chafai N, Bessoud B, Reveri V, Werbrouck A, Tired E. Colorectal duplication in adults: report of seven cases and review of the literature. *J Clin Pathol* 2010;63:1080-3.

Chalastanis A, Penard-Lacronique V, Svrcek M, Defaweux V, Antoine N, Buhard O, *et al.* Azathioprine-induced carcinogenesis in mice according to Msh2 genotype. *J Natl Cancer Inst* 2010;102:1731-40.

Bachmeyer C, Cabanne-Hamy A, Moguelet P, Doizi S, Callard P. Bullous pemphigoid after boiling water burn. *South Med J* 2010;103:1175-7.

Bourcigaux N, Lepoutre-Lussey C, Guéchet J, Donadille B, Faugeron I, Ouzounian S, *et al.* Thyroid function at the third trimester of pregnancy in a Northern French population. *Ann Endocrinol (Paris)* 2010;71:519-24.

Bashamboo A, Ferraz-de-Souza B, Lourenço D, Lin L, Sebire NJ, Montjean D, *et al.* Human male infertility associated with mutations in NR5A1 encoding steroidogenic factor 1. *Am J Hum Genet* 2010;87:505-12.

Lefèvre C, Auclair M, Boccara F, Bastard JP, Capeau J, Vigouroux C, *et al.* Premature senescence of vascular cells is induced by HIV protease inhibitors: implication of prelamin A and reversion by statin. *Arterioscler Thromb Vasc Biol* 2010;30:2611-20.

Belle Mbou V, Vu Thien H, Thuilleux G, Ducou Le Pointe H, Grand d'Esnon A, Coulomb A. Infection à *Salmonella enterica* sérotype typhimurium révélée par une masse rétrocaecale chez une enfant âgée de 8 ans. *Arch Pediatr* 2010;17:1562-5.

Richard Y, Amiel C, Jeantils V, Mestivier D, Portier A, Dhello G, *et al.* Changes in blood B cell phenotypes and Epstein-Barr virus load in chronically human immunodeficiency virus-infected patients before and after antiretroviral therapy. *J Infect Dis* 2010;202:1424-34.

Guilbert J, Meau-Petit V, de Labriolle-Vaylet C, Vu-Thien H, Renolleau S. Ostéomyélites à staphylocoque coagulase négative chez le prématuré : proposition de démarche diagnostique. *Arch Pediatr* 2010;17:1473-6.

Morinière M, Delhommeau F, Calender A, Ribeiro L, Delaunay J, Baklouti F. Nonsense-mediated mRNA decay (NMD) blockage promotes nonsense mRNA stabilization in protein 4.1R deficient cells carrying the 4.1R Coimbra variant of hereditary elliptocytosis. *Blood Cells Mol Dis* 2010;45:284-8.

Franck N, Barete S, Moguelet P, Blanchet B, Carlotti A, Ropert S, *et al.* Spiny follicular hyperkeratosis eruption: a new cutaneous adverse effect of sorafenib. *J Clin Oncol* 2010;28:e640-2.

Leboulanger N, Ruellan K, Nevoux J, Pezzettigotta S, Denoyelle F, Roger G, *et al.* Neonatal vs delayed-onset fourth branchial pouch anomalies: therapeutic implications. *Arch Otolaryngol Head Neck Surg* 2010;136:885-90.

Kusy S, Gerby B, Goardon N, Gault N, Ferri F, Gérard D, *et al.* NKX3.1 is a direct TAL1 target gene that mediates proliferation of TAL1-expressing human T cell acute lymphoblastic leukemia. *J Exp Med* 2010;207:2141-56.

Goulet O, Antébi H, Wolf C, Talbotec C, Alcindor LG, Corriol O, *et al.* A new intravenous fat emulsion containing soybean oil, medium-chain triglycerides, olive oil, and fish oil: a single-center, double-blind randomized study on efficacy and safety in pediatric patients receiving home parenteral nutrition. *JPEN J Parenter Enteral Nutr* 2010;34:485-95.

Cavazzana-Calvo M, Payen E, Negre O, Wang G, Hehir K, Fusil F, *et al.* Transfusion independence and HMG2 activation after gene therapy of human β -thalassaemia. *Nature* 2010;467:318-22.

Enache-Angoulvant A, Bourget M, Brisse S, Stockman-Pannier C, Diancourt L, François N, *et al.* Multilocus microsatellite markers for molecular typing of *Candida glabrata*: application to analysis of genetic relationships between bloodstream and digestive system isolates. *J Clin Microbiol* 2010;48:4028-34.

Boissan M, De Wever O, Lizarraga F, Wendum D, Poincloux R, Chignard N, *et al.* Implication of metastasis suppressor NM23-H1 in maintaining adherens junctions and limiting the invasive potential of human cancer cells. *Cancer Res* 2010;70:7710-22.

Patrier S. Pathologie du placenta. Cas n° 5. Môle hydatiforme partielle. *Ann Pathol* 2010;30:296-300.

Patrier S. Pathologie du placenta. Cas n° 1. Môle hydatiforme complète vue précocement. *Ann Pathol* 2010;30:275-9.

Brunelle MN, Saboulard D, Massinet H, Lamant C, Soussan P, Brezillon N, *et al.* Inhibition of hepatitis B virus DNA replication by a thermostable interferon- γ variant. *Antivir Ther* 2010;15:861-9.

Maier-Redelsperger M, Lévy P, Lionnet F, Stankovic K, Haymann JP, Lefèvre G, *et al.* Strong association between a new marker of hemolysis and glomerulopathy in sickle cell anemia. *Blood Cells Mol Dis* 2010;45:289-92.

Quinet B, Mitanchez D, Salauze B, Carbonne A, Bingen E, Fournier S, *et al.* Description et investigation d'une épidémie nosocomiale de colonisations et d'infections à *Escherichia coli* producteur d'une bêta-lactamase à spectre étendu dans un service de néonatalogie. *Arch Pediatr* 2010;17 Suppl 4:S145-9.

Abadie C, Bernard F, Netchine I, Sanlaville D, Roque A, Rossignol S, *et al.* Acute lymphocytic leukaemia in a child with Beckwith-Wiedemann syndrome harbouring a CDKN1C mutation. *Eur J Med Genet* 2010;53:400-3.

Wolf EM, Geigl JB, Svrcek M, Vieth M, Langner C. Hereditäres Magenkarzinom. *Pathologie* 2010;31:423-9.

Xie X, Yi Z, Bowen B, Wolf C, Flynn CR, Sinha S, *et al.* Characterization of the Human Adipocyte Proteome and Reproducibility of Protein Abundance by One-Dimensional Gel Electrophoresis and HPLC-ESI-MS/MS. *J Proteome Res* 2010;9:4521-34.

Papon JF, Perrault I, Coste A, Louis B, Gérard X, Hanein S, *et al.* Abnormal respiratory cilia in non-syndromic Leber congenital amaurosis with CEP290 mutations. *J Med Genet* 2010;47:829-34.

Ruellan K, Frijns JH, Bloemberg GV, Hautefort C, Van den Abbeele T, Lamers GE, *et al.* Detection of bacterial biofilm on cochlear implants removed because of

device failure, without evidence of infection. *Otol Neurotol* 2010;31:1320-4.

Xie J, Lu W, Samri A, Costagliola D, Schnuriger A, da Silva BC, *et al.* Distinct differentiation profiles of HIV-Gag and Nef-specific central memory CD8+ T cells associated with HLA-B57/5801 and virus control. *AIDS* 2010;24:2323-9.

Mega JL, Close SL, Wiviott SD, Shen L, Walker JR, Simon T, *et al.* Genetic variants in ABCB1 and CYP2C19 and cardiovascular outcomes after treatment with clopidogrel and prasugrel in the TRITON-TIMI 38 trial: a pharmacogenetic analysis. *Lancet* 2010;376:1312-9.

Clough KB, Nasr R, Nos C, Vieira M, Inguenault C, Poulet B. New anatomical classification of the axilla with implications for sentinel node biopsy. *Br J Surg* 2010;97:1659-65.

Addad F, Elalamy I, Chakroun T, Abderrazek F, Dridi Z, Hamdi S, *et al.* Platelet glycoprotein IIIa (platelet antigen 1/platelet antigen 2) polymorphism and 1-year outcome in patients with stable coronary artery disease. *Blood Coagul Fibrinolysis* 2010;21:674-8.

Biondi O, Branchu J, Sanchez G, Lancelin C, Deforges S, Lopes P, *et al.* In vivo NMDA receptor activation accelerates motor unit maturation, protects spinal motor neurons, and enhances SMN2 gene expression in severe spinal muscular atrophy mice. *J Neurosci* 2010;30:11288-99.

Mourra N, Bengrine-Lefevre L. TTF-1 positivity in metastatic colorectal carcinoma: a diagnostic pitfall in transbronchial biopsy. *Appl Immunohistochem Mol Morphol* 2010;18:574-6.

Nkontchou G, Bastard JP, Ziol M, Aout M, Cosson E, Ganne-Carrie N, *et al.* Insulin resistance, serum leptin, and adiponectin levels and outcomes of viral hepatitis C cirrhosis. *J Hepatol* 2010;53:827-33.

Addad F, Chakroun T, Elalamy I, Abderazek F, Chouchene S, Dridi Z, *et al.* Antiplatelet effect of once- or twice-daily aspirin dosage in stable coronary artery disease patients with diabetes. *Int J Hematol* 2010;92:296-301.

Park S, Vassilieff D, Bardet V, Viguié F, Dreyfus F. Efficacy of the association of lenalidomide to erythropoiesis-stimulating agents in del (5q) MDS patients refractory to single-agent lenalidomide. *Leukemia* 2010;24:1960-2.

Sermet-Gaudelus I, Munck A, Rota M, Roussey M, Feldmann D, Nguyen-Khoa T, *et al.* Recommandations françaises pour la réalisation et l'interprétation du test de la sueur dans le cadre du dépistage néonatal de la mucoviscidose. *Arch Pediatr* 2010;17:1349-58.

Parmentier B, Vaz E, Chabaud-Williamson M, Fasola S, Kotobi H, Coulomb-L'herminé A, *et al.* Mucinous cystadenoma arising 3 years after ovarian-sparing surgery for mature teratoma in a child. *J Pediatr Surg* 2010;45:E9-12.

Arfi J, Kerrou K, Traore S, Huchet V, Bolly A, Antoine M, *et al.* F-18 FDG PET/CT findings in pulmonary necrotizing sarcoid granulomatosis. *Clin Nucl Med* 2010;35:697-700.

Zeller M, Danchin N, Simon D, Vahanian A, Lorgis L, Cottin Y, *et al.* Impact of type of preadmission sulfonylureas on mortality and cardiovascular outcomes in diabetic patients with acute myocardial infarction. *J Clin Endocrinol Metab* 2010;95:4993-5002.

Hertig A, Liere P, Chabbert-Buffet N, Fort J, Pianos A, Eychenne B, *et al.* Steroid profiling in preeclamptic women: evidence for aromatase deficiency. *Am J Obstet Gynecol* 2010;203:477.e1-9.

Thomas S, Encha-Razavi F, Devisme L, Etchevers H, Bessieres-Grattagliano B, Goudefroye G, *et al.* High-throughput sequencing of a 4.1?Mb linkage interval reveals FLVCR2 deletions and mutations in lethal cerebral vasculopathy. *Hum Mutat* 2010;31:1134-41.

Caron-Debarle M, Boccara F, Lagathu C, Antoine B, Cervera P, Bastard JP, *et al.* Adipose tissue as a target of HIV-1 antiretroviral drugs. Potential consequences on metabolic regulations. *Curr Pharm Des* 2010;16:3352-60.

Dupré T, Vuillaumier-Barrot S, Chantret I, Yayé HS, Le Bizec C, Afenjar A, *et al.* Guanosine diphosphate-mannose:GlcNAc2-PP-dolichol mannosyltransferase deficiency (congenital disorders of glycosylation type Ik): five new patients and seven novel mutations. *J Med Genet* 2010;47:729-35.

Saliba AE, Saias L, Psychari E, Minc N, Simon D, Bidard FC, *et al.* Microfluidic sorting and multimodal typing of cancer cells in self-assembled magnetic arrays. *Proc Natl Acad Sci U S A* 2010;107:14524-9.

Lescure FX, Le Loup G, Freilij H, Develoux M, Paris L, Brutus L, *et al.* Chagas disease: changes in knowledge and management. *Lancet Infect Dis* 2010;10:556-70.

Querques G, Benlian P, Chanu B, Leveziel N, Coscas G, Soubrane G, *et al.* DHA supplementation for late onset Stargardt disease: NAT-3 study. *Clin Ophthalmol* 2010;4:575-80.

Brechot C, Kremsdorf D, Soussan P, Pineau P, Dejean A, Paterlini-Brechot P, *et al.* Hepatitis B virus (HBV)-related hepatocellular carcinoma (HCC): molecular mechanisms and novel paradigms. *Pathol Biol (Paris)* 2010;58:278-87.

Heimpel H, Matuschek A, Ahmed M, Bader-Meunier B, Colita A, Delaunay J, *et al.* Frequency of congenital dyserythropoietic anemias in Europe. *Eur J Haematol* 2010;85:20-5.

Rosmorduc O, Housset C. Hypoxia: a link between fibrogenesis, angiogenesis, and carcinogenesis in liver disease. *Semin Liver Dis* 2010;30:258-70.

Mechri M, Epaud R, Emond S, Coulomb A, Jaubert F, Tarrant A, *et al.* Surfactant protein C gene (SFTPC) mutation-associated lung disease: high-resolution computed tomography (HRCT) findings and its relation to histological analysis. *Pediatr Pulmonol* 2010;45:1021-9.

El Chehadeh S, Aral B, Gigot N, Thauvin-Robinet C, Donzel A, Delrue MA, *et al.* Search for the best indicators for the presence of a VPS13B gene mutation and confirmation of diagnostic criteria in a series of 34 patients genotyped for suspected Cohen syndrome. *J Med Genet* 2010;47:549-53.

Casadevall M, Mambré L, Cornet M, Caillat-Vigneron N, Le Jeune C, Aslangul E. Apport de la tomographie par émission de positons couplée au scanner dans le diagnostic de leishmaniose viscérale. *Med Mal Infect* 2010;40:719-21.

Richard P, Bach C, Constant I. Prise en charge de la douleur chez les enfants brûlés. *Arch Pediatr* 2010;17:879-80.

Lefevre JH, Colas C, Coulet F, Bonilla C, Mourra N, Flejou JF, *et al.* MYH biallelic mutation can inactivate the two genetic pathways of colorectal cancer by APC or MLH1 transversions. *Fam Cancer* 2010;9:589-94.

Autret-Leca E, Kreft-Jais C, Elefant E, Cissoko H, Darrouzain F, Grimaldi-Bensouda L, *et al.* Isotretinoin exposure during pregnancy: assessment of spontaneous reports in France. *Drug Saf* 2010;33:659-65.

Rooryck C, Souakri N, Cailley D, Bouron J, Goizet C, Delrue MA, *et al.* Array-CGH analysis of a cohort of 86 patients with oculoauriculovertebral spectrum. *Am J Med Genet A* 2010;152A:1984-9.

Prulière-Escabasse V, Gomez-Roca C, Escudier E, Coste A, Besse B, Massard C, *et al.* Rhinitis in patients treated with a combination of an mTOR inhibitor and an EGFR inhibitor. *Onkologie* 2010;33:401-2.

Leboulanger N, Coulomb L'hermine A, Teissier N, Rouillon I, Zribi S, Roger G, *et al.* Maladie de Castleman de localisation cervicale chez l'enfant: à propos de 2 cas et revue de la littérature. *Arch Pediatr* 2010;17:1178-82.

Lortholary O, Obenga G, Biswas P, Caillot D, Chachaty E, Bienvenu AL, *et al.* International retrospective analysis of 73 cases of invasive fusariosis treated with voriconazole. *Antimicrob Agents Chemother* 2010;54:4446-50.

Wolf C, Menge T, Stenner MP, Meyer zu Hörste G, Saleh A, Hartung HP, *et al.* Natalizumab treatment in a patient with chronic inflammatory demyelinating polyneuropathy. *Arch Neurol* 2010;67:881-3.

Debourgogne A, Gueidan C, Hennequin C, Contet-Audonneau N, de Hoog S, Machouart M. Development of a new MLST scheme for differentiation of *Fusarium solani* Species Complex (FSSC) isolates. *J Microbiol Methods* 2010;82:319-23.

Jonard L, Niasme-Grare M, Bonnet C, Feldmann D, Rouillon I, Loundon N, *et al.* Screening of SLC26A4, FOXI1 and KCNJ10 genes in unilateral hearing impairment with ipsilateral enlarged vestibular aqueduct. *Int J Pediatr Otorhinolaryngol* 2010;74:1049-53.

Bachy V, Aucouturier P. Maladies à prions : quel rôle pour les cellules dendritiques dans la pathogenèse des formes transmises ? *Med Sci (Paris)* 2010;26:615-20.

Woerther PL, Angebault C, Lescat M, Ruppé E, Skurnik D, Mniai AE, *et al.* Emergence and dissemination of extended-spectrum beta-lactamase-producing *Escherichia coli* in the community: lessons from the study of a remote and controlled population. *J Infect Dis* 2010;202:515-23.

Bendifallah S, Werkoff G, Borie-Moutafoff C, Antoine M, Chopier J, Gligorov J, *et al.* Multiple synchronous (multifocal and multicentric) breast cancer: clinical implications. *Surg Oncol* 2010;19:e115-23.

Firincieli D, Boissan M, Chignard N. Epithelial-mesenchymal transition in the liver. *Gastroenterol Clin Biol* 2010;34:523-8.

Khoufache K, Cabaret O, Farrugia C, Rivollet D, Alliot A, Allaire E, *et al.* Primary in vitro culture of porcine tracheal epithelial cells in an air-liquid interface as a model to study airway epithelium and *Aspergillus fumigatus* interactions. *Med Mycol*

2010;48:1049-55.

Runel-Belliard C, Leroy S, Delamar AL, Moissenet D, Grimprel E. Selective strategy for urethral catheterization in febrile young girls to confirm urinary tract infection diagnosis. *Nephron Clin Pract* 2010;116:c235-40.

Abbyad P, Tharaux PL, Martin JL, Baroud CN, Alexandrou A. Sickling of red blood cells through rapid oxygen exchange in microfluidic drops. *Lab Chip* 2010;10:2505-12.

Beghin D, Forestier F, Noël-Hudson MS, Gavard L, Guibourdenche J, Farinotti R, *et al.* Modulation of endocrine and transport functions in human trophoblasts by saquinavir and nelfinavir. *Eur J Obstet Gynecol Reprod Biol* 2010;152:55-9.

Birgand G, Blanckaert K, Carbonne A, Coignard B, Barbut F, Eckert C, *et al.* Investigation of a large outbreak of *Clostridium difficile* PCR-ribotype 027 infections in northern France, 2006-2007 and associated clusters in 2008-2009. *Euro Surveill* 2010;15.

Mehri S, Koubaa N, Hammami S, Mahjoub S, Chaaba R, Nakbi A, *et al.* Genotypic interactions of renin-angiotensin system genes with diabetes type 2 in a Tunisian population. *Life Sci* 2010;87:49-54.

Reix P, Wanin S, Dijoud F, Brouard J, Epaud R, Pracros JP, *et al.* Diffuse chondroid malformation of the lung: cases series of a hitherto undescribed congenital lung disease. *Pediatr Pulmonol* 2010;45:667-73.

Elouni B, Ben Salem C, Zamy M, Poupon R, Bouraoui K, Biour M. Fulminant hepatitis possibly related to pizotifen therapy. *Ann Pharmacother* 2010;44:1348-9.

Barete S, Assous N, de Gennes C, Grandpeix C, Feger F, Palmerini F, *et al.* Systemic mastocytosis and bone involvement in a cohort of 75 patients. *Ann Rheum Dis* 2010;69:1838-41.

Mahut B, Peiffer C, Bokov P, Beydon N, Delclaux C. Gas trapping is associated with severe exacerbation in asthmatic children. *Respir Med* 2010;104:1230-3.

Leverger G, Petit A, Fasola S, Landman-Parker J, Favier R. Les thrombopénies génétiques. *Arch Pediatr* 2010;17:1185-91.

Fardet L, Lambotte O, Meynard JL, Kamouh W, Galicier L, Marzac C, *et al.* Reactive haemophagocytic syndrome in 58 HIV-1-infected patients: clinical features, underlying diseases and prognosis. *AIDS* 2010;24:1299-306.

Guitard J, Andersen P, Ermont C, Gnidehou S, Fievet N, Lund O, *et al.* Plasmodium falciparum population dynamics in a cohort of pregnant women in Senegal. *Malar J* 2010;9:165.

Bergeron V, Vienne A, Sokol H, Seksik P, Nion-Larmurier I, Ruskone-Fourmestraux A, *et al.* Risk factors for neoplasia in inflammatory bowel disease patients with pancolitis. *Am J Gastroenterol* 2010;105:2405-11.

Capeau J, Magré J, Caron-Debarle M, Lagathu C, Antoine B, Béréziat V, *et al.* Human lipodystrophies: genetic and acquired diseases of adipose tissue. *Endocr*

Dev 2010;19:1-20.

Valin N, Pacanowski J, Denoeud L, Lacombe K, Lalande V, Fonquernie L, *et al.* Risk factors for 'unmasking immune reconstitution inflammatory syndrome' presentation of tuberculosis following combination antiretroviral therapy initiation in HIV-infected patients. *AIDS* 2010;24:1519-25.

Kettaneh A, Fardet L, Mario N, Retbi A, Taright N, Tiev K, *et al.* The 2003 heat wave in France: hydration status changes in older inpatients. *Eur J Epidemiol* 2010;25:517-24.

Lordier L, Chang Y, Jalil A, Aurade F, Garçon L, Lécluse Y, *et al.* Aurora B is dispensable for megakaryocyte polyploidization, but contributes to the endomitotic process. *Blood* 2010;116:2345-55.

Lescure FX, Poirier JM, Meynard JL, Guiard-Schmid JB, Zouai O, Bonnard P, *et al.* Factors predictive of virological failure on atazanavir in 310 HIV-infected patients. *AIDS* 2010;24:1593-5.

Recordon-Pinson P, Soulié C, Flandre P, Descamps D, Lazrek M, Charpentier C, *et al.* Evaluation of the genotypic prediction of HIV-1 coreceptor use versus a phenotypic assay and correlation with the virological response to maraviroc: the ANRS GenoTropism study. *Antimicrob Agents Chemother* 2010;54:3335-40.

Kiladjian JJ, Massé A, Cassinat B, Mokrani H, Teyssandier I, le Couédic JP, *et al.* Clonal analysis of erythroid progenitors suggests that pegylated interferon alpha-2a treatment targets JAK2V617F clones without affecting TET2 mutant cells. *Leukemia* 2010;24:1519-23.

Moissenet D, Salauze B, Clermont O, Bingen E, Arlet G, Denamur E, *et al.* Meningitis caused by *Escherichia coli* producing TEM-52 extended-spectrum beta-lactamase within an extensive outbreak in a neonatal ward: epidemiological investigation and characterization of the strain. *J Clin Microbiol* 2010;48:2459-63.

Lacombe K, Boyd A, Gozlan J, Lavocat F, Girard PM, Zoulim F. Drug-resistant and immune-escape HBV mutants in HIV-infected hosts. *Antivir Ther* 2010;15:493-7.

Boccaro F, Auclair M, Cohen A, Lefèvre C, Prot M, Bastard JP, *et al.* HIV protease inhibitors activate the adipocyte renin angiotensin system. *Antivir Ther* 2010;15:363-75.

Douay L. From stem cell to red blood cells in vitro: "the 12 labors of Hercules". *Clin Lab Med* 2010;30:391-403.

de Becdelièvre A, Costa C, LeFloch A, Legendre M, Jouannic JM, Vigneron J, *et al.* Notable contribution of large CFTR gene rearrangements to the diagnosis of cystic fibrosis in fetuses with bowel anomalies. *Eur J Hum Genet* 2010;18:1166-9.

Ruimy R, Meziane-Cherif D, Momcilovic S, Arlet G, Andremont A, Courvalin P. RAHN-2, a chromosomal extended-spectrum class A beta-lactamase from *Rahnella aquatilis*. *J Antimicrob Chemother* 2010;65:1619-23.

Leveziel N, Puche N, Zerbib J, Benlian P, Coscas G, Soubrane G, *et al.* Génétique de la dégénérescence maculaire liée à l'âge. *Med Sci (Paris)* 2010;26:509-15.

Mnif B, Vimont S, Boyd A, Bourit E, Picard B, Branger C, *et al.* Molecular characterization of addiction systems of plasmids encoding extended-spectrum

beta-lactamases in *Escherichia coli*. *J Antimicrob Chemother* 2010;65:1599-603.

Marlin S, Ducou Le Pointe H, Le Merrer M, Portnoi MF, Chantot S, Jonard L, *et al.* Fourth case of cerebral, ocular, dental, auricular, skeletal syndrome (CODAS), description of new features and molecular analysis. *Am J Med Genet A* 2010;152A:1510-4.

Mourra N, Dehni N. Cytokeratin expression in GIST: a diagnostic pitfall in gastric biopsy. *Appl Immunohistochem Mol Morphol* 2010;18:486-8.

Chakvetadze C, Lamontagne F, Khosrotehrani K, Bani-Sadr F, Caby F, Lescure FX, *et al.* Painful cutaneous nodules in a 57-year-old woman with human immunodeficiency virus infection. Disseminated *Mycobacterium avium* infection. *Clin Exp Dermatol* 2010;35:333-4.

Azzi S, Rossignol S, Le Bouc Y, Netchine I. Lessons from imprinted multilocus loss of methylation in human syndromes: A step toward understanding the mechanisms underlying these complex diseases. *Epigenetics* 2010;5:373-7.

Lapillonne H, Kobari L, Mazurier C, Tropel P, Giarratana MC, Zanella-Cleon I, *et al.* Red blood cell generation from human induced pluripotent stem cells: perspectives for transfusion medicine. *Haematologica* 2010;95:1651-9.

Blanchard M, Méneret A, Moguelet P, Brian E, Baron M, Khosrotehrani K, *et al.* Lichen plan buccal érosif associé à un syndrome de Good. *Rev Med Interne* 2010;31:498-501.

Manceau S, Giraud C, Declèves X, Batteux F, Chouzenoux S, Tang R, *et al.* Lack of P-glycoprotein induction by rifampicin and phenobarbital in human lymphocytes. *Int J Pharm* 2010;395:98-103.

de Seigneux S, Bindi P, Debiec H, Alyanakian MA, Aymard B, Callard P, *et al.* Immunoglobulin deposition disease with a membranous pattern and a circulating monoclonal immunoglobulin G with charge-dependent aggregation properties. *Am J Kidney Dis* 2010;56:117-21.

Maksimovic L, Duriez P, Lascaux-Cametz AS, Andre C, Bagot M, Revuz J, *et al.* Association d'un erythema elevatum diutinum et d'un pyoderma gangrenosum chez un patient infecté par le VIH. *Ann Dermatol Venereol* 2010;137:386-90.

Faraj M, Lavoie ME, Messier L, Bastard JP, Prud'homme D. Reduction in serum apoB is associated with reduced inflammation and insulin resistance in post-menopausal women: A MONET study. *Atherosclerosis* 2010;211:682-8.

Kassis-Chikhani N, Decré D, Ichai P, Sengelin C, Geneste D, Mihaila L, *et al.* Outbreak of *Klebsiella pneumoniae* producing KPC-2 and SHV-12 in a French hospital. *J Antimicrob Chemother* 2010;65:1539-40.

Svrcek M, Fléjou JF. Pathologie de l'appendice. Cas no 5. Granulomatose appendiculaire << idiopathique >>. *Ann Pathol* 2010;30:116-9.

Elouni B, Ben Salem C, Zamy M, Sakhri J, Bouraoui K, Biour M. Bortezomib-induced acute pancreatitis. *JOP* 2010;11:275-6.

Raynaud CM, Mercier O, Darteville P, Commo F, Olausson KA, de Montpreville V, *et al.* Expression of chemokine receptor CCR6 as a molecular determinant of adrenal metastatic relapse in patients with primary lung cancer. *Clin Lung Cancer* 2010;11:187-91.

Dahmen S, Bettaieb D, Mansour W, Boujaafar N, Bouallègue O, Arlet G. Characterization and molecular epidemiology of extended-spectrum beta-lactamases in clinical isolates of Enterobacteriaceae in a Tunisian University Hospital. *Microb Drug Resist* 2010;16:163-70.

Botterel F, Foulet F, Legrand P, Soria AM, Farrugia C, Grimbert P, *et al.* Yeast contamination of kidney, liver and cardiac preservation solutions before graft: need for standardisation of microbial evaluation. *J Hosp Infect* 2010;76:52-5.

Gain M, Kettaneh A, Weissenburger J, Tiev KP, Toledano C, Josselin L, *et al.* Neuropathie périphérique avec atteinte du système nerveux autonome au cours d'une dermatomyosite. *Rev Med Interne* 2010;31:e13-5.

Backeljauw P, Bang P, Dunger DB, Juul A, Le Bouc Y, Rosenfeld R. Insulin-like growth factor-I in growth and metabolism. *J Pediatr Endocrinol Metab* 2010;23:3-16.

Grimprel E, Garbarg-Chenon A, Pirçon JY, Curran D, Soriano-Gabarró M, Meyer N. Surveillance to estimate the burden of rotavirus gastroenteritis in children aged less than 3 years attending day care centers in Paris, France. *Hum Vaccin* 2010;6:399-406.

Hertig A, Fort J, Lefevre G, Chabbert-Buffet N, Uzan M, Rondeau E, *et al.* Soluble endoglin in preeclamptic patients with or without HELLP syndrome. *Am J Obstet Gynecol* 2010;202:594.e1-4.

Troupin C, Dehée A, Schnuriger A, Vende P, Poncet D, Garbarg-Chenon A. Rearranged genomic RNA segments offer a new approach to the reverse genetics of rotaviruses. *J Virol* 2010;84:6711-9.

Saugier-veber P, Doummar D, Barthez MA, Czernecki V, Drouot N, Apartis E, *et al.* Myoclonus dystonia plus syndrome due to a novel 7q21 microdeletion. *Am J Med Genet A* 2010;152A:1244-9.

Bouattour A, Garnier M, M'Ghirbi Y, Sarih M, Gern L, Ferquel E, *et al.* *Borrelia crociduræ* infection of *Ornithodoros erraticus* (Lucas, 1849) ticks in Tunisia. *Vector Borne Zoonotic Dis* 2010;10:825-30.

Rabahi N, Chrétien Y, Gaouar F, Wendum D, Serfaty L, Chazouillères O, *et al.* Triple therapy with ursodeoxycholic acid, budesonide and mycophenolate mofetil in patients with features of severe primary biliary cirrhosis not responding to ursodeoxycholic acid alone. *Gastroenterol Clin Biol* 2010;34:283-7.

Cortes-Perez NG, Sapin C, Jaffrelo L, Daou S, Grill JP, Langella P, *et al.* Rotavirus-like particles: a novel nanocarrier for the gut. *J Biomed Biotechnol* 2010;2010:317545.

Sbidian E, Feldmann D, Bengoa J, Fraitag S, Abadie V, de Prost Y, *et al.* Germline mosaicism in keratitis-ichthyosis-deafness syndrome: pre-natal diagnosis in a familial lethal form. *Clin Genet* 2010;77:587-92.

Thouvenin G, Abou Taam R, Flamein F, Guillot L, Le Bourgeois M, Reix P, *et al.* Characteristics of disorders associated with genetic mutations of surfactant protein C. *Arch Dis Child* 2010;95:449-54.

Caron-Debarle M, Lagathu C, Boccara F, Vigouroux C, Capeau J. HIV-associated lipodystrophy: from fat injury to premature aging. *Trends Mol Med* 2010;16:218-29.

Roux M, Sire S, Lalande V, Le Coustumier A, Tiev KP, Tolédano C, *et al.* Fièvre prolongée associée à une éruption cutanée diffuse révélant une méningococcémie chronique. *Rev Med Interne* 2010;31:445-8.

Bennett CL, McKoy JM, Henke M, Silver SM, MacDougall IC, Birgegård G, *et al.* Reassessments of ESAs for cancer treatment in the US and Europe. *Oncology (Williston Park)* 2010;24:260-8.

Lamaziere A, Wolf C. Phosphatidylcholine and PPARalpha: a relevant connection in liver disease? *Gastroenterol Clin Biol* 2010;34:250-1.

Delhommeau F, Huguet S, Gachet J, van den Akker J, Lagrange M. Primary plasma cell leukemia mimicking an adult T-cell leukemia-lymphoma: a case report. *Acta Cytol* 2010;54:187-9.

Tripodi A, Baglin T, Robert A, Kitchen S, Lisman T, Trotter JF, *et al.* Reporting prothrombin time results as international normalized ratios for patients with chronic liver disease. *J Thromb Haemost* 2010;8:1410-2.

Lavoie ME, Rabasa-Lhoret R, Doucet E, Mignault D, Messier L, Bastard JP, *et al.* Association between physical activity energy expenditure and inflammatory markers in sedentary overweight and obese women. *Int J Obes (Lond)* 2010;34:1387-95.

Le Bouc Y, Rossignol S, Azzi S, Steunou V, Netchine I, Gicquel C. Epigenetics, genomic imprinting and assisted reproductive technology. *Ann Endocrinol (Paris)* 2010;71:237-8.

Vigouroux C. What have we learned from monogenic forms of severe insulin resistance associated with PCOS/HAIRAN? *Ann Endocrinol (Paris)* 2010;71:222-4.

Caby F, Lemerrier D, Coulomb A, Grigorescu R, Paris L, Touafek F, *et al.* Fetal death as a result of placental immune reconstitution inflammatory syndrome. *J Infect* 2010;61:185-8.

Bastard JP, Antuna-Puente B, Rabasa-Lhoret R. Is it important to reduce inter- and intra-individual variations to explore insulin sensitivity? *Diabetes Metab* 2010;36:249.

Seksik P, Sokol H, Grondin V, Adrie C, Duboc H, Pigneur B, *et al.* Sera from patients with Crohn's disease break bacterial lipopolysaccharide tolerance of human intestinal epithelial cells via MD-2 activity. *Innate Immun* 2010;16:381-90.

Bouttier S, Barc MC, Felix B, Lambert S, Collignon A, Barbut F. *Clostridium difficile* in ground meat, France. *Emerg Infect Dis* 2010;16:733-5.

Leu-Semenescu S, Arnulf I, Decaix C, Moussa F, Clot F, Boniol C, *et al.* Sleep and rhythm consequences of a genetically induced loss of serotonin. *Sleep* 2010;33:307-14.

Develoux M, Lescure FX, Jaureguiberry S, Jeannel D, Elghouzzi MH, Gay F, *et al.* Emergence de la maladie de Chagas en Europe: à propos des premiers cas observés chez des migrants latino-américains en France métropolitaine. *Med Trop (Mars)* 2010;70:38-42.

Bon B, Houze S, Talabani H, Magne D, Belkadi G, Develoux M, *et al.* Evaluation of a rapid enzyme-linked immunosorbent assay for diagnosis of strongyloidiasis. *J Clin Microbiol* 2010;48:1716-9.

Cheung W, Gill M, Esposito A, Kaminski CF, Courousse N, Chwetzoff S, *et al.* Rotaviruses associate with cellular lipid droplet components to replicate in viroplasms, and compounds disrupting or blocking lipid droplets inhibit viroplasm formation and viral replication. *J Virol* 2010;84:6782-98.

Jarlier V, Trystram D, Brun-Buisson C, Fournier S, Carbonne A, Marty L, *et al.* Curbing methicillin-resistant *Staphylococcus aureus* in 38 French hospitals through a 15-year institutional control program. *Arch Intern Med* 2010;170:552-9.

Marlin S, Feldmann D, Nguyen Y, Rouillon I, Loundon N, Jonard L, *et al.* Temperature-sensitive auditory neuropathy associated with an otoferlin mutation: Deafening fever! *Biochem Biophys Res Commun* 2010;394:737-42.

Morio F, Loge C, Besse B, Hennequin C, Le Pape P. Screening for amino acid substitutions in the *Candida albicans* Erg11 protein of azole-susceptible and azole-resistant clinical isolates: new substitutions and a review of the literature. *Diagn Microbiol Infect Dis* 2010;66:373-84.

Sabourin JC, Fournet JC, Adle-Blassette H, Bibeau F, Cochand-Priollet B, Guyetant S, *et al.* Editorial du comité de rédaction des Annales de pathologie. *Ann Pathol* 2010;30:1.

Caby F, Valin N, Marcelin AG, Schneider L, Andrade R, Guiguet M, *et al.*
Raltegravir as functional monotherapy leads to virological failure and drug
resistance in highly treatment-experienced HIV-infected patients. *Scand J Infect
Dis* 2010;42:527-32.

Verloes A, Perrin L, Delbecque K, Gonzales M, Demarche M, Dekoster G.
Congenital absence of the left pericardium and diaphragmatic defect in sibs. *Eur J
Med Genet* 2010;53:133-5.

Dubern B, Aggoun Y, Boulé M, Fauroux B, Bonnet D, Tounian P. Arterial
alterations in severely obese children with obstructive sleep apnoea. *Int J Pediatr
Obes* 2010;5:230-6.

Chakvetadze C, Bani-Sadr F, Le Pendeven C, Lescure FX, Fontaine C, Galperine T,
et al. Serologic response to hepatitis B vaccination in HIV-Infected patients with
isolated positivity for antibodies to hepatitis B core antigen. *Clin Infect Dis*
2010;50:1184-6.

Bonnard P, Sombié R, Lescure FX, Bougouma A, Guiard-Schmid JB, Poynard T, *et
al.* Comparison of elastography, serum marker scores, and histology for the
assessment of liver fibrosis in hepatitis B virus (HBV)-infected patients in Burkina
Faso. *Am J Trop Med Hyg* 2010;82:454-8.

Brioude F, Bouligand J, Trabado S, Francou B, Salenave S, Kamenicky P, *et al.*
Non-syndromic congenital hypogonadotropic hypogonadism: clinical presentation
and genotype-phenotype relationships. *Eur J Endocrinol* 2010;162:835-51.

Carbonne B, Castaigne V, Cynober E, Levy R, Cortey A, Mailloux A, *et al.* Le point
sur le suivi des allo-immunisations érythrocytaires. *Gynecol Obstet Fertil*
2010;38:205-13.

Bajard X, Renault F, Benharrats T, Mary P, Madi F, Vialle R. Intervertebral disc calcification with neurological symptoms in children: report of conservative treatment in two cases. *Childs Nerv Syst* 2010;26:973-8.

Cuilliere-Dartigues P, Meyohas MC, Ballardur P, Gorin NC, Coppo P. Splenic sarcoidosis: an unusual aetiology of agranulocytosis. *Am J Hematol* 2010;85:891.

Boudou-Rouquette P, Touibi N, Boëlle PY, Tiret E, Fléjou JF, Wendum D. Imprint cytology in tumor tissue bank quality control: an efficient method to evaluate tumor necrosis and to detect samples without tumor cells. *Virchows Arch* 2010;456:443-7.

Beydon N. Epreuves fonctionnelles respiratoires de l'enfant de 3 à 5 ans : quel matériel, quelles mesures ? *Arch Pediatr* 2010;17:442-5.

Eckert C, Barbut F. Infections à *Clostridium difficile*. *Med Sci (Paris)* 2010;26:153-8.

Delhommeau F, Jeziorowska D, Marzac C, Casadevall N. Molecular aspects of myeloproliferative neoplasms. *Int J Hematol* 2010;91:165-73.

de La Cochetière MF, Montassier E, Hardouin JB, Carton T, Le Vacon F, Durand T, *et al.* Human intestinal microbiota gene risk factors for antibiotic-associated diarrhea: perspectives for prevention. Risk factors for antibiotic-associated diarrhea. *Microb Ecol* 2010;59:830-7.

Haymann JP, Stankovic K, Levy P, Avellino V, Tharaux PL, Letavernier E, *et al.* Glomerular hyperfiltration in adult sickle cell anemia: a frequent hemolysis associated feature. *Clin J Am Soc Nephrol* 2010;5:756-61.

Pradat PF, Bruneteau G, Gordon PH, Dupuis L, Bonnefont-Rousselot D, Simon D, *et al.* Impaired glucose tolerance in patients with amyotrophic lateral sclerosis. *Amyotroph Lateral Scler* 2010;11:166-71.

Kolosnjaj-Tabi J, Hartman KB, Boudjemaa S, Ananta JS, Morgant G, Szwarc H, *et al.* In vivo behavior of large doses of ultrashort and full-length single-walled carbon nanotubes after oral and intraperitoneal administration to Swiss mice. *ACS Nano* 2010;4:1481-92.

Mourra N, Arrive L, Ballardur P, Flejou JF, Tiret E, Paye F. Isolated metastatic tumors to the pancreas: Hôpital St-Antoine experience. *Pancreas* 2010;39:577-80.

Gain M, Cervera P, Chafai N, Phong TK, Chanal J, Cabane J, *et al.* Drôle de port d'attache... *Rev Med Interne* 2010;31:380-4.

Naour N, Rouault C, Fellahi S, Lavoie ME, Poitou C, Keophiphath M, *et al.* Cathepsins in human obesity: changes in energy balance predominantly affect cathepsin s in adipose tissue and in circulation. *J Clin Endocrinol Metab* 2010;95:1861-8.

Coyaud E, Struski S, Prade N, Familiades J, Eichner R, Quelen C, *et al.* Wide diversity of PAX5 alterations in B-ALL: a Groupe Francophone de Cytogenetique Hematologique study. *Blood* 2010;115:3089-97.

Siffroi JP, Charron P, Bujan L. Heritable disease and sperm donation. JAMA 2010;303:617; author reply 618.

Malouf GG, Camparo P, Oudard S, Schleiermacher G, Theodore C, Rustine A, *et al.* Targeted agents in metastatic Xp11 translocation/TFE3 gene fusion renal cell carcinoma (RCC): a report from the Juvenile RCC Network. Ann Oncol 2010;21:1834-8.

Beziat V, Nguyen S, Exley M, Achour A, Simon T, Chevallier P, *et al.* Shaping of iNKT cell repertoire after unrelated cord blood transplantation. Clin Immunol 2010;135:364-73.

Chabbert-Buffet N, Seroussi B, Chopier J, Fajac A, Antoine M, Boucher C, *et al.* Modalités de fonctionnement d'un centre de suivi des femmes à haut risque de cancer du sein et de l'ovaire : une expérience à l'hôpital Tenon. Gynecol Obstet Fertil 2010;38:183-92.

Staneva G, Chachaty C, Wolf C, Quinn PJ. Comparison of the liquid-ordered bilayer phases containing cholesterol or 7-dehydrocholesterol in modeling Smith-Lemli-Opitz syndrome. J Lipid Res 2010;51:1810-22.

Vaubourdolle M. Accréditation des laboratoires de biologie médicale (LBM): le rôle de la SFBC. Ann Biol Clin (Paris) 2010;68:6-8.

Balogova S, Huchet V, Kerrou K, Nataf V, Gutman F, Antoine M, *et al.* Detection of bronchioloalveolar cancer by means of PET/CT and 18F-fluorocholine, and comparison with 18F-fluorodeoxyglucose. Nucl Med Commun 2010;31:389-97.

Meau-Petit V, Tasseau A, Lebail F, Ayachi A, Layouni I, Patkai J, *et al.*
Hypothermie contrôlée du nouveau-né à terme après asphyxie périnatale. Arch
Pediatr 2010;17:282-9.

Enache-Angoulvant A, Torti F, Tassart M, Poirot JL, Jafari A, Roux P, *et al.*
Candidal abscess of the parotid gland due to *Candida glabrata*: report of a case
and literature review. Med Mycol 2010;48:402-5.

Abderrazek F, Chakroun T, Addad F, Dridi Z, Gerotziapas G, Gamra H, *et al.* The
GPIIIa PIA polymorphism and the platelet hyperactivity in Tunisian patients with
stable coronary artery disease treated with aspirin. Thromb Res 2010;125:e265-
8.

Beydon N, Lebras MN, de Lauzanne A, Clavel A, Holvoet-Vermout L, Houdouin V,
et al. Randomized study of the effect of topical anesthesia on tuberculin skin test
reaction size in children. Pediatr Infect Dis J 2010;29:180-2.

Gafsou B, Lefèvre G, Hennache B, Houfflin Debarge V, Ducloy-Bouthors AS.
Maternal serum ischemia-modified albumin: a biomarker to distinguish between
normal pregnancy and preeclampsia? Hypertens Pregnancy 2010;29:101-11.

Jéru I, Marlin S, Le Borgne G, Cochet E, Normand S, Duquesnoy P, *et al.*
Functional consequences of a germline mutation in the leucine-rich repeat domain
of NLRP3 identified in an atypical autoinflammatory disorder. Arthritis Rheum
2010;62:1176-85.

Héritier S, Le Merrer M, Jaubert F, Bigorre M, Gillibert-Yvert M, de Courtivron B, *et al.*
Retrospective French nationwide survey of childhood aggressive vascular
anomalies of bone, 1988-2009. Orphanet J Rare Dis 2010;5:3.

Pingault V, Ente D, Dastot-Le Moal F, Goossens M, Marlin S, Bondurand N. Review and update of mutations causing Waardenburg syndrome. *Hum Mutat* 2010;31:391-406.

Puel A, Döffinger R, Natividad A, Chrabieh M, Barcenas-Morales G, Picard C, *et al.* Autoantibodies against IL-17A, IL-17F, and IL-22 in patients with chronic mucocutaneous candidiasis and autoimmune polyendocrine syndrome type I. *J Exp Med* 2010;207:291-7.

Isapof A, Kieffer V, Sacco S, Billette de Villemeur T, Gelot A, Garel C, *et al.* Impact du dépistage anténatal des agénésies du corps calleux sur le devenir des grossesses. Etude de 155 dossiers de 2000 à 2006. *Arch Pediatr* 2010;17:226-32.

Bonneau D, Marlin S, Sanlaville D, Dupont JM, Sobol H, Gonzales M, *et al.* Les tests génétiques à l'heure de la deuxième révision des lois de bioéthique. *Pathol Biol (Paris)* 2010;58:396-401.

Ansquer Y, Santulli P, Colas C, Jamali M, Tournigand C, Duperray L, *et al.* Néoplasies lobulaires intra-épithéliales: hyperplasie lobulaire atypique et cancer lobulaire in situ. *J Gynecol Obstet Biol Reprod (Paris)* 2010;39:91-101.

Chéreau E, Ballester M, Selle F, Cortez A, Daraï E, Rouzier R. Comparison of peritoneal carcinomatosis scoring methods in predicting resectability and prognosis in advanced ovarian cancer. *Am J Obstet Gynecol* 2010;202:178.e1-178.e10.

Herrmann-Storck C, Saint-Louis M, Foucand T, Lamaury I, Deloumeaux J, Baranton G, *et al.* Severe leptospirosis in hospitalized patients, Guadeloupe. *Emerg Infect Dis* 2010;16:331-4.

Marinach-Patrice C, Fekkar A, Atanasova R, Gomes J, Djamdjian L, Brossas JY, *et al.* Rapid species diagnosis for invasive candidiasis using mass spectrometry. *PLoS One* 2010;5:e8862.

Vu-Thien H, Hormigos K, Corbineau G, Fauroux B, Corvol H, Moissenet D, *et al.* Longitudinal survey of *Staphylococcus aureus* in cystic fibrosis patients using a multiple-locus variable-number of tandem-repeats analysis method. *BMC Microbiol* 2010;10:24.

Guediche N, Brisset S, Benichou JJ, Guérin N, Mabboux P, Maurin ML, *et al.* Chromosomal breakpoints characterization of two supernumerary ring chromosomes 20. *Am J Med Genet A* 2010;152A:464-71.

Wang Y, Ait-Oufella H, Herbin O, Bonnin P, Ramkhelawon B, Taleb S, *et al.* TGF- β activity protects against inflammatory aortic aneurysm progression and complications in angiotensin II-infused mice. *J Clin Invest* 2010;120:422-32.

Canestri A, Lescure FX, Jaureguiberry S, Moulignier A, Amiel C, Marcelin AG, *et al.* Discordance between cerebral spinal fluid and plasma HIV replication in patients with neurological symptoms who are receiving suppressive antiretroviral therapy. *Clin Infect Dis* 2010;50:773-8.

Birgand G, Miliani K, Carbonne A, Astagneau P. Is high consumption of antibiotics associated with *Clostridium difficile* polymerase chain reaction-ribotype 027 infections in France? *Infect Control Hosp Epidemiol* 2010;31:302-5.

Antuna-Puente B, Boutet E, Vigouroux C, Lascols O, Slama L, Caron-Debarle M, *et al.* Higher adiponectin levels in patients with Berardinelli-Seip congenital lipodystrophy due to seipin as compared with 1-acylglycerol-3-phosphate-o-acyltransferase-2 deficiency. *J Clin Endocrinol Metab* 2010;95:1463-8.

Costa JM, Garcia-Hermoso D, Olivi M, Cabaret O, Farrugia C, Lecellier G, *et al.* Genotyping of *Candida albicans* using length fragment and high-resolution melting analyses together with minisequencing of a polymorphic microsatellite locus. *J Microbiol Methods* 2010;80:306-9.

Duranteau L, Lefevre P, Jeandidier N, Simon T, Christin-Maitre S. Should physicians prescribe metformin to women with polycystic ovary syndrome PCOS? *Ann Endocrinol (Paris)* 2010;71:25-7.

Dallenne C, Da Costa A, Decré D, Favier C, Arlet G. Development of a set of multiplex PCR assays for the detection of genes encoding important beta-lactamases in Enterobacteriaceae. *J Antimicrob Chemother* 2010;65:490-5.

Kanso F, Lefevre JH, Mourra N, Sebe P, Tiret E, Parc Y. Massive infiltration of the left kidney and the ureter from rectal cancer developing 51 years after ureterosigmoidostomy. *Colorectal Dis* 2010;12:e343-4.

Slim R, Ben Salem C, Zamy M, Fathallah N, Raynaud JJ, Bouraoui K, *et al.* Secnidazole-induced acute pancreatitis: a new side-effect for an old drug? *JOP* 2010;11:85-6.

Mehri S, Baudin B, Mahjoub S, Zaroui A, Bénéteau-Burnat B, Mechmeche R, *et al.* Angiotensin-converting enzyme insertion/deletion gene polymorphism in a Tunisian healthy and acute myocardial infarction population. *Genet Test Mol Biomarkers* 2010;14:85-91.

Buot G, Toutous-Trellu L, Hennequin C. Swimming pool deck as environmental reservoir of *Fusarium*. *Med Mycol* 2010;48:780-4.

Czernichow S, Greenfield JR, Galan P, Bastard JP, Charnaux N, Samaras K, *et al.* Microvascular dysfunction in healthy insulin-sensitive overweight individuals. *J Hypertens* 2010;28:325-32.

Bosselut N, Housset C, Marcelo P, Rey C, Burmester T, Vinh J, *et al.* Distinct proteomic features of two fibrogenic liver cell populations: hepatic stellate cells and portal myofibroblasts. *Proteomics* 2010;10:1017-28.

Lamazière A, Maniti O, Wolf C, Lambert O, Chassaing G, Trugnan G, *et al.* Lipid domain separation, bilayer thickening and pearling induced by the cell penetrating peptide penetratin. *Biochim Biophys Acta* 2010;1798:2223-30.

Leveziel N, Puche N, Richard F, Somner JE, Zerbib J, Bastuji-Garin S, *et al.* Genotypic influences on severity of exudative age-related macular degeneration. *Invest Ophthalmol Vis Sci* 2010;51:2620-5.

Bigorie V, Morice P, Duvillard P, Antoine M, Cortez A, Flejou JF, *et al.* Ovarian metastases from breast cancer: report of 29 cases. *Cancer* 2010;116:799-804.

Chapeland-Leclerc F, Hennequin C, Papon N, Noël T, Girard A, Socié G, *et al.* Acquisition of flucytosine, azole, and caspofungin resistance in *Candida glabrata* bloodstream isolates serially obtained from a hematopoietic stem cell transplant recipient. *Antimicrob Agents Chemother* 2010;54:1360-2.

Assrir N, Soussan P, Kremsdorf D, Rossignol JM. Role of the hepatitis B virus proteins in pro- and anti-apoptotic processes. *Front Biosci* 2010;15:12-24.

Sarret C, Combes P, Micheau P, Gelot A, Boespflug-Tanguy O, Vaurs-Barriere C. Novel neuronal proteolipid protein isoforms encoded by the human myelin proteolipid protein 1 gene. *Neuroscience* 2010;166:522-38.

Hassan-Khabbar S, Vamy M, Cottart CH, Wendum D, Vibert F, Savouret JF, *et al.* Protective effect of post-ischemic treatment with trans-resveratrol on cytokine production and neutrophil recruitment by rat liver. *Biochimie* 2010;92:405-10.

Merkus PJ, Stocks J, Beydon N, Lombardi E, Jones M, McKenzie SA, *et al.* Reference ranges for interrupter resistance technique: the Asthma UK Initiative. *Eur Respir J* 2010;36:157-63.

Khoury DE, Hwalla N, Frochot V, Lacorte JM, Chabert M, Kalopissis AD. Postprandial metabolic and hormonal responses of obese dyslipidemic subjects with metabolic syndrome to test meals, rich in carbohydrate, fat or protein. *Atherosclerosis* 2010;210:307-13.

Bachmeyer C, Maury J, Parrot A, Bachir D, Stankovic K, Girot R, *et al.* Rituximab as an effective treatment of hyperhemolysis syndrome in sickle cell anemia. *Am J Hematol* 2010;85:91-2.

Sarfati J, Guiochon-Mantel A, Rondard P, Arnulf I, Garcia-Piñero A, Wolczynski S, *et al.* A comparative phenotypic study of kallmann syndrome patients carrying monoallelic and biallelic mutations in the prokineticin 2 or prokineticin receptor 2

genes. *J Clin Endocrinol Metab* 2010;95:659-69.

Guillot L, Carré A, Szinnai G, Castanet M, Tron E, Jaubert F, *et al.* NKX2-1 mutations leading to surfactant protein promoter dysregulation cause interstitial lung disease in "Brain-Lung-Thyroid Syndrome". *Hum Mutat* 2010;31:E1146-62.

Berveiller P, Mir O, Menu Y, Jamali M, Carbonne B. Fertility-sparing approach in a teenager with uterine tumor diagnosed as a sarcoma on imaging. *Gynecol Obstet Invest* 2010;69:157-9.

Iolascon A, Russo R, Esposito MR, Asci R, Piscopo C, Perrotta S, *et al.* Molecular analysis of 42 patients with congenital dyserythropoietic anemia type II: new mutations in the SEC23B gene and a search for a genotype-phenotype relationship. *Haematologica* 2010;95:708-15.

Maïga AI, Descamps D, Morand-Joubert L, Malet I, Derache A, Cisse M, *et al.* Resistance-associated mutations to etravirine (TMC-125) in antiretroviral-naïve patients infected with non-B HIV-1 subtypes. *Antimicrob Agents Chemother* 2010;54:728-33.

Beer PA, Delhommeau F, LeCouédic JP, Dawson MA, Chen E, Bareford D, *et al.* Two routes to leukemic transformation after a JAK2 mutation-positive myeloproliferative neoplasm. *Blood* 2010;115:2891-900.

Demars J, Shmela ME, Rossignol S, Okabe J, Netchine I, Azzi S, *et al.* Analysis of the IGF2/H19 imprinting control region uncovers new genetic defects, including mutations of OCT-binding sequences, in patients with 11p15 fetal growth disorders. *Hum Mol Genet* 2010;19:803-14.

Thuret I, Pondarré C, Loundou A, Steschenko D, Girot R, Bachir D, *et al.*
Complications and treatment of patients with β -thalassemia in France: results of
the National Registry. *Haematologica* 2010;95:724-9.

Crowley SD, Song YS, Sprung G, Griffiths R, Sparks M, Yan M, *et al.* A role for
angiotensin II type 1 receptors on bone marrow-derived cells in the pathogenesis
of angiotensin II-dependent hypertension. *Hypertension* 2010;55:99-108.

Dahmen S, Mansour W, Boujaafar N, Arlet G, Bouallègue O. Distribution of
cotrimoxazole resistance genes associated with class 1 integrons in clinical
isolates of Enterobacteriaceae in a university hospital in Tunisia. *Microb Drug
Resist* 2010;16:43-7.

Denamur E, Delezoide AL, Alberti C, Bourillon A, Gubler MC, Bouvier R, *et al.*
Genotype-phenotype correlations in fetuses and neonates with autosomal
recessive polycystic kidney disease. *Kidney Int* 2010;77:350-8.

Munteanu M, Imbert-Bismut F, Housset C, Messous D, Fellahi S, Poynard T.
Evaluation of FibroTest inter-laboratory variations requires standardization on
analytical systems and should not be mixed with underpowered histological
validation. *Clin Chim Acta* 2010;411:292-3.

Gerby B, Armstrong F, de la Grange PB, Medyouf H, Calvo J, Verhoeyen E, *et al.*
Optimized gene transfer into human primary leukemic T cell with NOD-
SCID/leukemia-initiating cell activity. *Leukemia* 2010;24:646-9.

Meynard JL, Morand-Joubert L, Lacombe K, Poirier JM, Slama L, Valantin MA, *et al.*
Impact of reduced dosing of lopinavir/ritonavir in virologically controlled HIV-
infected patients: the Kaledose trial. *J Antimicrob Chemother* 2010;65:125-8.

Ruimy R, Brisabois A, Bernede C, Skurnik D, Barnat S, Arlet G, *et al.* Organic and conventional fruits and vegetables contain equivalent counts of Gram-negative bacteria expressing resistance to antibacterial agents. *Environ Microbiol* 2010;12:608-15.

Marcelin AG, Flandre P, Descamps D, Morand-Joubert L, Charpentier C, Izopet J, *et al.* Factors associated with virological response to etravirine in nonnucleoside reverse transcriptase inhibitor-experienced HIV-1-infected patients. *Antimicrob Agents Chemother* 2010;54:72-7.

Ben Haj Khalifa A, Vu-Thien H, Pourcel C, Khedher M, Mastouri M, Moissenet D. Caractérisation phénotypique et génotypique (randomly amplified polymorphic DNA analysis et multiple-locus variable-number tandem-repeat analysis) de 96 isolats cliniques de *Pseudomonas aeruginosa* à l'hôpital F. Bourguiba (Monastir, Tunisie). *Pathol Biol (Paris)* 2010;58:84-8.

Borie C, Euvrard S, Vérola O, Buhard O, Barete S, Molina JM, *et al.* No evidence for microsatellite instability in immunodeficiency-related skin cancers. *Am J Transplant* 2010;10:192-3.

Belot A, Duquesne A, Job-Deslandre C, Costedoat-Chalumeau N, Boudjemaa S, Wechsler B, *et al.* Pediatric-onset relapsing polychondritis: case series and systematic review. *J Pediatr* 2010;156:484-9.

Jaillard S, Drunat S, Bendavid C, Aboura A, Etcheverry A, Journal H, *et al.* Identification of gene copy number variations in patients with mental retardation using array-CGH: Novel syndromes in a large French series. *Eur J Med Genet* 2010;53:66-75.

Bodemer C, Hermine O, Palmérini F, Yang Y, Grandpeix-Guyodo C, Leventhal PS, *et al.* Pediatric mastocytosis is a clonal disease associated with D816V and other activating c-KIT mutations. *J Invest Dermatol* 2010;130:804-15.

Cury K, Valin N, Gozlan J, Jacquier I, Boutolleau D, Guegan S, *et al.* Bipolar hypertrophic herpes: an unusual presentation of acyclovir-resistant herpes simplex type 2 in a HIV-infected patient. *Sex Transm Dis* 2010;37:126-8.

Mehri S, Koubaa N, Nakbi A, Hammami S, Chaaba R, Mahjoub S, *et al.* Relationship between genetic polymorphisms of angiotensin-converting enzyme and methylenetetrahydrofolate reductase as risk factors for type 2 diabetes in Tunisian patients. *Clin Biochem* 2010;43:259-66.

Boulaftali Y, Adam F, Venisse L, Ollivier V, Richard B, Taieb S, *et al.* Anticoagulant and antithrombotic properties of platelet protease nexin-1. *Blood* 2010;115:97-106.

Guéchet J, Lasnier E, Sturm N, Paris A, Zarski JP, ANRS HC EP 23 Fibrostar study group. Automation of the Hepascore and validation as a biochemical index of liver fibrosis in patients with chronic hepatitis C from the ANRS HC EP 23 Fibrostar cohort. *Clin Chim Acta* 2010;411:86-91.

Mahut B, Trinquart L, Le Bourgeois M, Becquemin MH, Beydon N, Aubourg F, *et al.* Multicentre trial evaluating alveolar NO fraction as a marker of asthma control and severity. *Allergy* 2010;65:636-44.

Papon JF, Coste A, Roudot-Thoraval F, Boucherat M, Roger G, Tamalet A, *et al.* A 20-year experience of electron microscopy in the diagnosis of primary ciliary dyskinesia. *Eur Respir J* 2010;35:1057-63.

Smyth AR, Barbato A, Beydon N, Bisgaard H, de Boeck K, Brand P, *et al.*
Respiratory medicines for children: current evidence, unlicensed use and research priorities. *Eur Respir J* 2010;35:247-65.

Beghin D, Delongueas JL, Claude N, Farinotti R, Forestier F, Gil S. Comparative effects of drugs on P-glycoprotein expression and activity using rat and human trophoblast models. *Toxicol In Vitro* 2010;24:630-7.

Poupon R, Barbu V, Chamouard P, Wendum D, Rosmorduc O, Housset C. Combined features of low phospholipid-associated cholelithiasis and progressive familial intrahepatic cholestasis 3. *Liver Int* 2010;30:327-31.

Lemarié CA, Tharaux PL, Lehoux S. Extracellular matrix alterations in hypertensive vascular remodeling. *J Mol Cell Cardiol* 2010;48:433-9.

Zaanan A, Cuilliere-Dartigues P, Guilloux A, Parc Y, Louvet C, de Gramont A, *et al.*
Impact of p53 expression and microsatellite instability on stage III colon cancer disease-free survival in patients treated by 5-fluorouracil and leucovorin with or without oxaliplatin. *Ann Oncol* 2010;21:772-80.

Garderet L, Kobari L, Mazurier C, De Witte C, Giarratana MC, Pérot C, *et al.*
Unimpaired terminal erythroid differentiation and preserved enucleation capacity in myelodysplastic 5q(del) clones: a single cell study. *Haematologica* 2010;95:398-405.

Graesslin O, Antoine M, Chopier J, Seror JY, Flahault A, Callard P, *et al.* Histology after lumpectomy in women with epithelial atypia on stereotactic vacuum-assisted breast biopsy. *Eur J Surg Oncol* 2010;36:170-5.

Farge D, Bosquet L, Kassab-Chahmi D, Mismetti P, Elalamy I, Meyer G, *et al.* 2008 French national guidelines for the treatment of venous thromboembolism in patients with cancer: report from the working group. *Crit Rev Oncol Hematol* 2010;73:31-46.

Gabay O, Sanchez C, Salvat C, Chevy F, Breton M, Nourissat G, *et al.* Stigmasterol: a phytosterol with potential anti-osteoarthritic properties. *Osteoarthritis Cartilage* 2010;18:106-16.

Dannaoui E, Paugam A, Develoux M, Chochillon C, Matheron J, Datry A, *et al.* Comparison of antifungal MICs for yeasts obtained using the EUCAST method in a reference laboratory and the Etest in nine different hospital laboratories. *Clin Microbiol Infect* 2010;16:863-9.

Elhani D, Bakir L, Aouni M, Passet V, Arlet G, Brisse S, *et al.* Molecular epidemiology of extended-spectrum beta-lactamase-producing *Klebsiella pneumoniae* strains in a university hospital in Tunis, Tunisia, 1999-2005. *Clin Microbiol Infect* 2010;16:157-64.

Simon V, Devaux C, Darmon A, Donnet T, Thiénot E, Germain M, *et al.* Pp IX silica nanoparticles demonstrate differential interactions with *in vitro* tumor cell lines and *in vivo* mouse models of human cancers. *Photochem Photobiol* 2010;86:213-22.

Rebours V, Lévy P, Mosnier JF, Scoazec JY, Soubeyrand MS, Fléjou JF, *et al.* Pathology analysis reveals that dysplastic pancreatic ductal lesions are frequent in patients with hereditary pancreatitis. *Clin Gastroenterol Hepatol* 2010;8:206-12.

Lapillonne H, Llopis L, Auvrignon A, Renneville A, Labopin M, Mazingue F, *et al.* Extensive mutational status of genes and clinical outcome in pediatric acute

myeloid leukemia. *Leukemia* 2010;24:205-9.

Bakkar AA, Allory Y, Iwatsubo Y, de Medina SG, Maille P, Khreich N, *et al.* Occupational exposure to polycyclic aromatic hydrocarbons influenced neither the frequency nor the spectrum of FGFR3 mutations in bladder urothelial carcinoma. *Mol Carcinog* 2010;49:25-31.

Rousseau A, Robert A, Gerotziapas G, Torchin D, Zannad F, Lacut K, *et al.* Effect of two oral doses of 17beta-estradiol associated with dydrogesterone on thrombin generation in healthy menopausal women: a randomized double-blind placebo-controlled study. *Fundam Clin Pharmacol* 2010;24:239-45.

Hammami S, Gautier V, Ghazzi R, Da Costa A, Ben-Redjeb S, Arlet G. Diversity in VIM-2-encoding class 1 integrons and occasional blaSHV2a carriage in isolates of a persistent, multidrug-resistant *Pseudomonas aeruginosa* clone from Tunisia. *Clin Microbiol Infect* 2010;16:189-93.

Boyd A, Lacombe K, Mialhes P, Gozlan J, Bonnard P, Molina JM, *et al.* Longitudinal evaluation of viral interactions in treated HIV-hepatitis B co-infected patients with additional hepatitis C and D virus. *J Viral Hepat* 2010;17:65-76.

Moukhliis R, Boyer J, Lacube P, Bolognini J, Roux P, Hennequin C. Linking *Pneumocystis jirovecii* sulfamethoxazole resistance to the alleles of the DHPS gene using functional complementation in *Saccharomyces cerevisiae*. *Clin Microbiol Infect* 2010;16:501-7.

Aoun B, Bérard E, Vitkevic R, Dehée A, Bensman A, Ulinski T. L-carnitine supplementation and EPO requirement in children on chronic hemodialysis. *Pediatr Nephrol* 2010;25:557-60.

Favre G, Courtellemont C, Callard P, Colombat M, Cabane J, Boffa JJ, *et al.* Membranoproliferative glomerulonephritis, chronic lymphocytic leukemia, and cryoglobulinemia. *Am J Kidney Dis* 2010;55:391-4.

Lesesve JF, Garçon L, Lecompte T. Transient red-blood-cell morphological anomalies after acute liver dysfunction. *Eur J Haematol* 2010;84:92-3.

Wislez M, Antoine M, Baudrin L, Poulot V, Neuville A, Pradere M, *et al.* Non-mucinous and mucinous subtypes of adenocarcinoma with bronchioloalveolar carcinoma features differ by biomarker expression and in the response to gefitinib. *Lung Cancer* 2010;68:185-91.

Malita FM, Messier V, Lavoie JM, Bastard JP, Rabasa-Lhoret R, Karelis AD. Comparison between several insulin sensitivity indices and metabolic risk factors in overweight and obese postmenopausal women: a MONET study. *Nutr Metab Cardiovasc Dis* 2010;20:173-9.

Kluger N, Vermeulen C, Moguelet P, Cotten H, Koeb MH, Balme B, *et al.* Cutaneous lymphoid hyperplasia (pseudolymphoma) in tattoos: a case series of seven patients. *J Eur Acad Dermatol Venereol* 2010;24:208-13.

Addad F, Chakroun T, Abderazek F, Ben-Farhat M, Hamdi S, Dridi Z, *et al.* Response variability to aspirin and one-year prediction of vascular events in patients with stable coronary artery disease. *J Thromb Thrombolysis* 2010;29:108-13.

Gombos A, Izzedine H, Besse B, Massard C, Brocheriou I, Bahleda R, *et al.* Proteinuria and proximal tubule lesions induced by an anti-integrin monoclonal antibody treatment: case report. *Invest New Drugs* 2010;28:102-5.

de Prost N, Kerrou K, Sibony M, Talbot JN, Wislez M, Cadranel J. Fluorine-18 fluorodeoxyglucose with positron emission tomography revealed bone marrow involvement in sarcoidosis patients with anaemia. *Respiration* 2010;79:25-31.

Rousseau A, Ayoubi F, Deveaux C, Charbit B, Delmau C, Christin-Maitre S, *et al.* Impact of age and gender interaction on circulating endothelial progenitor cells in healthy subjects. *Fertil Steril* 2010;93:843-6.

Mourra N, Huerre M, Tiret E. Liver pentastomiasis associated with rectal adenocarcinoma. *Colorectal Dis* 2010;12:261-2.

Michels J, Spano JP, Brocheriou I, Deray G, Khayat D, Izzedine H. Acute Tubular Necrosis and Interstitial Nephritis during Pemetrexed Therapy. *Case Rep Oncol* 2009;2:53-56.

Lescure FX, Paris L, Elghouzzi MH, Le Loup G, Develoux M, Touafek F, *et al.* Expérience de dépistage ciblé de la maladie de Chagas en Ile-de-France. *Bull Soc Pathol Exot* 2009;102:295-9.

Elefant E, Beghin D. Le passage transplacentaire des médicaments. *Bull Acad Natl Med* 2009;193:1043-54; discussion 1054-7, 1067-8.

Rubio-Cabezas O, Puri V, Murano I, Saudek V, Semple RK, Dash S, *et al.* Partial lipodystrophy and insulin resistant diabetes in a patient with a homozygous nonsense mutation in CIDEC. *EMBO Mol Med* 2009;1:280-7.

Elalamy I, Galea V, Hatmi M, Gerotziafas GT. Heparin-induced multiple electrode aggregometry: a potential tool for improvement of heparin-induced thrombocytopenia diagnosis. *J Thromb Haemost* 2009;7:1932-4.

Dorfmüller P, Chosidow O, Trouillet JF, Leprince P, Capron F, Brochériou I. Une atteinte cardiaque fatale après antibiothérapie. *Ann Pathol* 2009;29:524-6.

Saadoun D, Elalamy I, Ghillani-Dalbin P, Sene D, Delluc A, Cacoub P. Cryofibrinogenemia: new insights into clinical and pathogenic features. *Am J Med* 2009;122:1128-35.

Favale F, Gardembas M, Pajot O, Saada V, Fénéant-Thibault M, Delaunay J, *et al.* Southeast Asian ovalocytosis and a sickle cell trait in a young patient with sudden retinal stroke: a fortuitous association? *Hemoglobin* 2009;33:475-9.

Guo J, Cagatay T, Zhou G, Chan CC, Blythe S, Suyama K, *et al.* Mutations in the human naked cuticle homolog NKD1 found in colorectal cancer alter Wnt/Dvl/beta-catenin signaling. *PLoS One* 2009;4:e7982.

Duquesnoy P, Escudier E, Vincensini L, Freshour J, Bridoux AM, Coste A, *et al.* Loss-of-function mutations in the human ortholog of *Chlamydomonas reinhardtii* ODA7 disrupt dynein arm assembly and cause primary ciliary dyskinesia. *Am J Hum Genet* 2009;85:890-6.

Marlin S, Moizard MP, David A, Chaissang N, Raynaud M, Jonard L, *et al.* Phenotype and genotype in females with POU3F4 mutations. *Clin Genet* 2009;76:558-63.

Tse C, Lamy PJ. Clinical utility of serum human epidermal growth factor receptor 2 extracellular domain levels: stop the shilly-shally--it is time for a well-designed, large-scale prospective study. *J Clin Oncol* 2009;27:e286-7.

Matignon M, Cacoub P, Colombat M, Saadoun D, Brocheriou I, Mougenot B, *et al.* Clinical and morphologic spectrum of renal involvement in patients with mixed cryoglobulinemia without evidence of hepatitis C virus infection. *Medicine (Baltimore)* 2009;88:341-8.

Casiraghi O, Lefèvre M. Tumeurs malignes indifférenciées à cellules rondes des cavités naso-sinusiennes et du nasopharynx. *Ann Pathol* 2009;29:296-312.

Schibler L, Gibbs L, Benoist-Lasselín C, Decraene C, Martinovic J, Loget P, *et al.* New insight on FGFR3-related chondrodysplasias molecular physiopathology revealed by human chondrocyte gene expression profiling. *PLoS One* 2009;4:e7633.

Hejblum G, Chalumeau-Lemoine L, Ioos V, Boëlle PY, Salomon L, Simon T, *et al.* Comparison of routine and on-demand prescription of chest radiographs in mechanically ventilated adults: a multicentre, cluster-randomised, two-period crossover study. *Lancet* 2009;374:1687-93.

Macdougall IC, Rossert J, Casadevall N, Stead RB, Duliege AM, Froissart M, *et al.* A peptide-based erythropoietin-receptor agonist for pure red-cell aplasia. *N Engl J Med* 2009;361:1848-55.

Jéru I, Hayrapetyan H, Duquesnoy P, Cochet E, Serre JL, Feingold J, *et al.* Involvement of the modifier gene of a human Mendelian disorder in a negative selection process. *PLoS One* 2009;4:e7676.

Sibony M. Diagnostic des tumeurs kystiques du rein de l'adulte. *Ann Pathol* 2009;29 Spec No 1:S49-54.

Hamelin R. Modifications épigénétiques et cancer. *Ann Pathol* 2009;29 Spec No 1:S17-8.

Thauvin-Robinet C, Munck A, Huet F, Génin E, Bellis G, Gautier E, *et al.* The very low penetrance of cystic fibrosis for the R117H mutation: a reappraisal for genetic counselling and newborn screening. *J Med Genet* 2009;46:752-8.

Garrouste-Orgeas M, Boumendil A, Pateron D, Aegerter P, Somme D, Simon T, *et al.* Selection of intensive care unit admission criteria for patients aged 80 years and over and compliance of emergency and intensive care unit physicians with the selected criteria: An observational, multicenter, prospective study. *Crit Care Med* 2009;37:2919-28.

Furlan V, Lykavieris P, Maubert MA, Habes D, Debray D. Rationale for monitoring cyclosporine concentration at 2 hours after administration in infants posttransplantation. *Transplant Proc* 2009;41:3333-4.

Ktari S, Arlet G, Verdet C, Jaoua S, Kachrid A, Ben Redjeb S, *et al.* Molecular epidemiology and genetic environment of acquired bla ACC-1 in *Salmonella enterica* serotype Livingstone causing a large nosocomial outbreak in Tunisia. *Microb Drug Resist* 2009;15:279-86.

Bernard OA, Delhommeau F, Fontenay M, Vainchenker W. Mutations du gène TET2 dans les hémopathies myéloïdes humaines. *Med Sci (Paris)* 2009;25:785-8.

Gourdain P, Grégoire S, Iken S, Bachy V, Dorban G, Chaigneau T, *et al.* Adoptive transfer of T lymphocytes sensitized against the prion protein attenuates prion invasion in scrapie-infected mice. *J Immunol* 2009;183:6619-28.

Romer T, Saenger P, Peter F, Walczak M, Le Bouc Y, Khan-Boluki J, *et al.* Seven years of safety and efficacy of the recombinant human growth hormone Omnitrope in the treatment of growth hormone deficient children: results of a phase III study. *Horm Res* 2009;72:359-69.

Qian CN, Furge KA, Knol J, Huang D, Chen J, Dykema KJ, *et al.* Activation of the PI3K/AKT pathway induces urothelial carcinoma of the renal pelvis: identification in human tumors and confirmation in animal models. *Cancer Res* 2009;69:8256-64.

Durrand V, Gourmel C, Drouet L. Filariose de Loa loa. *Rev Prat* 2009;59:912.

Jacquot G, Le Rouzic E, Maidou-Peindara P, Maizy M, Lefrère JJ, Daneluzzi V, *et al.* Characterization of the molecular determinants of primary HIV-1 Vpr proteins: impact of the Q65R and R77Q substitutions on Vpr functions. *PLoS One* 2009;4:e7514.

Aboura A, Dupas C, Tachdjian G, Portnoï MF, Bourcigaux N, Dewailly D, *et al.* Array comparative genomic hybridization profiling analysis reveals deoxyribonucleic acid copy number variations associated with premature ovarian failure. *J Clin Endocrinol Metab* 2009;94:4540-6.

Beaugerie L, Brousse N, Bouvier AM, Colombel JF, Lémann M, Cosnes J, *et al.* Lymphoproliferative disorders in patients receiving thiopurines for inflammatory bowel disease: a prospective observational cohort study. *Lancet* 2009;374:1617-25.

Sakr R, Marzouk P, Bricou A, Demaria F, Cortez A, Benifla JL. Uterine adenosarcoma associated to lymphovascular emboli: a case report. *Cases J* 2009;2:7515.

Ravel C, Siffroi JP. Chromosome Y et spermatogénèse. *Gynecol Obstet Fertil* 2009;37:901-7.

Zerbib J, Seddon JM, Richard F, Reynolds R, Leveziel N, Benlian P, *et al.* rs5888 variant of SCARB1 gene is a possible susceptibility factor for age-related macular degeneration. *PLoS One* 2009;4:e7341.

Denève C, Bouttier S, Dupuy B, Barbut F, Collignon A, Janoir C. Effects of subinhibitory concentrations of antibiotics on colonization factor expression by moxifloxacin-susceptible and moxifloxacin-resistant *Clostridium difficile* strains. *Antimicrob Agents Chemother* 2009;53:5155-62.

Dassie-Ajdid J, Causse A, Poidvin A, Granier M, Kaplan J, Burglen L, *et al.* Novel B3GALTL mutation in Peters-plus Syndrome. *Clin Genet* 2009;76:490-2.

Pantel J, Legendre M, Nivot S, Morisset S, Vie-Luton MP, le Bouc Y, *et al.* Recessive isolated growth hormone deficiency and mutations in the ghrelin receptor. *J Clin Endocrinol Metab* 2009;94:4334-41.

Mougou-Zerelli S, Thomas S, Szenker E, Audollent S, Elkhartoufi N, Babarit C, *et al.* CC2D2A mutations in Meckel and Joubert syndromes indicate a genotype-phenotype correlation. *Hum Mutat* 2009;30:1574-82.

Netchine I, Azzi S, Houang M, Seurin D, Perin L, Ricort JM, *et al.* Partial primary deficiency of insulin-like growth factor (IGF)-I activity associated with IGF1 mutation demonstrates its critical role in growth and brain development. *J Clin Endocrinol Metab* 2009;94:3913-21.

Thomas C, Mourra N. Polype fibroépithélial géant de l'anus: à propos d'un cas. *Gastroenterol Clin Biol* 2009;33:1024-6.

Gavard L, Beghin D, Forestier F, Cayre Y, Peytavin G, Mandelbrot L, *et al.* Contribution and limit of the model of perfused cotyledon to the study of placental transfer of drugs. Example of a protease inhibitor of HIV: nelfinavir. *Eur J Obstet Gynecol Reprod Biol* 2009;147:157-60.

Passemard S, Titomanlio L, Elmaleh M, Afenjar A, Alessandri JL, Andria G, *et al.* Expanding the clinical and neuroradiologic phenotype of primary microcephaly due to ASPM mutations. *Neurology* 2009;73:962-9.

Delaugerre C, Chaix ML, Blanche S, Warszawski J, Cornet D, Dollfus C, *et al.* Perinatal acquisition of drug-resistant HIV-1 infection: mechanisms and long-term outcome. *Retrovirology* 2009;6:85.

Quinn PJ, Rainteau D, Wolf C. Lipidomics of the red cell in diagnosis of human disorders. *Methods Mol Biol* 2009;579:127-59.

Cariou B, Ouguerram K, Zaïr Y, Guerois R, Langhi C, Kourimate S, *et al.* PCSK9 dominant negative mutant results in increased LDL catabolic rate and familial hypobetalipoproteinemia. *Arterioscler Thromb Vasc Biol* 2009;29:2191-7.

Toujani S, Dessen P, Ithzar N, Danglot G, Richon C, Vassetzky Y, *et al.* High resolution genome-wide analysis of chromosomal alterations in Burkitt's lymphoma. *PLoS One* 2009;4:e7089.

Azzi S, Rossignol S, Steunou V, Sas T, Thibaud N, Danton F, *et al.* Multilocus methylation analysis in a large cohort of 11p15-related foetal growth disorders (Russell Silver and Beckwith Wiedemann syndromes) reveals simultaneous loss of methylation at paternal and maternal imprinted loci. *Hum Mol Genet* 2009;18:4724-33.

Carette MF, Gounant V, Antoine M, Bazelly B, Khalil A. Cas no 3. Lymphome thymique de type MALT; syndrome de Gougerot-Sjögren; pneumopathie infiltrante diffuse (LIP). *J Radiol* 2009;90:861-4.

Marinach C, Alanio A, Palous M, Kwasek S, Fekkar A, Brossas JY, *et al.* MALDI-TOF MS-based drug susceptibility testing of pathogens: the example of *Candida albicans* and fluconazole. *Proteomics* 2009;9:4627-31.

Wolf C, Bressel K, Drechsler M, Gradzielski M. Comparison of vesicle formation in zwitterionic and cationic mixtures of hydrocarbon and fluorocarbon surfactants: phase behavior and structural progression. *Langmuir* 2009;25:11358-66.

Richard D, Wolf C, Barbe U, Kefi K, Bausero P, Visioli F. Docosahexaenoic acid down-regulates endothelial Nox 4 through a sPLA2 signalling pathway. *Biochem Biophys Res Commun* 2009;389:516-22.

Seror J, Chabbert-Buffet N, Millot F, Lahlou N, Uzan S, Berkane N. False-positive immunometric assay results in the detection of phantom human chorionic gonadotropin: a situation with possible severe iatrogenic consequences. *Eur J Obstet Gynecol Reprod Biol* 2009;147:239-40.

Casanova D, Bouzigues C, Nguyễn TL, Ramodiharilafy RO, Bouzahir-Sima L, Gacoin T, *et al.* Single europium-doped nanoparticles measure temporal pattern of reactive oxygen species production inside cells. *Nat Nanotechnol* 2009;4:581-5.

Servant-Delmas A, Laperche S, Mercier M, Elghouzzi MH, Lionnet F, Stankovic K, *et al.* Human parvovirus 4 in recipients of cellular products and in blood donors: epidemiologic similarity with B19 parvovirus. *Transfusion* 2009;49:1771-3.

Steichen O, Bouvard E, Grateau G, Bailleul S, Capeau J, Lefèvre G. Diagnostic value of procalcitonin in acutely hospitalized elderly patients. *Eur J Clin Microbiol Infect Dis* 2009;28:1471-6.

Galperine T, Flateau C, Venon MD, Lescure FX, Béraud G, Said Ibrahim T, *et al.* Recurrent bacteremia, a complication of cyanoacrylate injection for variceal bleeding: report of two cases and review of the literature. *Case Report Med* 2009;2009:407053.

Paradisi A, Maise C, Coissieux MM, Gadot N, Lépinasse F, Delloye-Bourgeois C, *et al.* Netrin-1 up-regulation in inflammatory bowel diseases is required for colorectal cancer progression. *Proc Natl Acad Sci U S A* 2009;106:17146-51.

Tessier C, Staneva G, Trugnan G, Wolf C, Nuss P. Liquid-liquid immiscibility under non-equilibrium conditions in a model membrane: an X-ray synchrotron study. *Colloids Surf B Biointerfaces* 2009;74:293-7.

Mourra N, Chafai N, Lewin M. An unusual cause of duodenojejunal intussusception and melena. *Gastroenterology* 2009;137:e7-8.

Schnuriger A, Dominguez S, Guiguet M, Harfouch S, Samri A, Ouazene Z, *et al.* Acute hepatitis C in HIV-infected patients: rare spontaneous clearance correlates with weak memory CD4 T-cell responses to hepatitis C virus. *AIDS* 2009;23:2079-89.

Pacanowski J, Bollens D, Poirier JM, Morand-Joubert L, Castaigne V, Girard PM, *et al.* Efficacy of darunavir despite low plasma trough levels during late pregnancy in an HIV-hepatitis C virus-infected patient. *AIDS* 2009;23:1923-4.

Duval X, Mentré F, Rey E, Auleley S, Peytavin G, Biour M, *et al.* Benefit of therapeutic drug monitoring of protease inhibitors in HIV-infected patients depends on PI used in HAART regimen--ANRS 111 trial. *Fundam Clin Pharmacol* 2009;23:491-500.

Baudel JL, Tankovic J, Carrat F, Vigneau C, Maury E, Lalande V, *et al.* Does nonadherence to local recommendations for empirical antibiotic therapy on admission to the intensive care unit have an impact on in-hospital mortality? *Ther Clin Risk Manag* 2009;5:491-8.

Desbois-Mouthon C, Baron A, Blivet-Van Eggelpoël MJ, Fartoux L, Venot C, Bladt F, *et al.* Insulin-like growth factor-1 receptor inhibition induces a resistance mechanism via the epidermal growth factor receptor/HER3/AKT signaling pathway: rational basis for cotargeting insulin-like growth factor-1 receptor and epidermal growth factor receptor in hepatocellular carcinoma. *Clin Cancer Res* 2009;15:5445-56.

Giton F, Guéchet J, Fiet J. New reusable Celite/ethylene glycol cartridges for selective chromatography of steroids before immunoassay. *Clin Biochem* 2009;42:1735-8.

Denis B, Peters C, Chapelain C, Kleinclaus I, Fricker A, Wild R, *et al.* Diagnostic accuracy of community pathologists in the interpretation of colorectal polyps. *Eur J Gastroenterol Hepatol* 2009;21:1153-60.

Ravel C, Lakhal B, Elghezal H, Braham R, Saad A, Bashamboo A, *et al.* Novel human pathological mutations. Gene symbol: SRY. Disease: XY sex reversal. *Hum Genet* 2009;126:333.

Fléjou JF, Cervera P. Anatomie pathologique: en marche vers l'analyse moléculaire. *Gastroenterol Clin Biol* 2009;33:767-74.

Emirian A, Fromentin S, Eckert C, Chau F, Dubost L, Delepierre M, *et al.* Impact of peptidoglycan O-acetylation on autolytic activities of the *Enterococcus faecalis* N-acetylglucosaminidase AtIA and N-acetylmuramidase AtIB. *FEBS Lett* 2009;583:3033-8.

Esmailzadeh A, Yousefi P, Farhi D, Bachmeyer C, Cosnes J, Berenbaum F, *et al.* Predictive factors of eczema-like eruptions among patients without cutaneous psoriasis receiving infliximab: a cohort study of 92 patients. *Dermatology* 2009;219:263-7.

Hartemann-Heurtier A, Halbron M, Golmard JL, Jacqueminet S, Bastard JP, Rouault C, *et al.* Effects of bed-time insulin versus pioglitazone on abdominal fat accumulation, inflammation and gene expression in adipose tissue in patients with type 2 diabetes. *Diabetes Res Clin Pract* 2009;86:37-43.

Weissenburger J, Funck-Brentano C, Jaillon P, Charbit B. Droperidol and ondansetron in vitro electrophysiological drug interaction study. *Fundam Clin Pharmacol* 2009;23:719-26.

Ronco P, Aucouturier P. Renal involvement in AL amyloidosis: the facts, the promise and the hope. *Nephrol Dial Transplant* 2009;24:2967-9.

Gelot A, Villapol S, Billette de Villemeur T, Renolleau S, Charriaut-Marlangue C. Astrocytic demise in the developing rat and human brain after hypoxic-ischemic damage. *Dev Neurosci* 2009;31:459-70.

Sokol H, Seksik P, Wendum D, Bellanger J, Parc Y, Cosnes J, *et al.* Gastrointestinal bleeding diagnosed using video capsule endoscopy. Meckel's diverticulum. *Gut* 2009;58:1206, 1290.

Perrier G, Bonte E, Hammoutène M, Fléjou JF. Polype fibroïde inflammatoire de l'iléon révélé par une invagination intestinale aiguë. *J Chir (Paris)* 2009;146:292-3.

Oker N, Loundon N, Marlin S, Rouillon I, Leboulanger N, Garabédian EN. Bilateral implantation in children with cochleovestibular nerve hypoplasia. *Int J Pediatr Otorhinolaryngol* 2009;73:1470-3.

Ravel C, Chantot-Bastaraud S, Chalmey C, Barreiro L, Aknin-Seifer I, Pfeffer J, *et al.* Lack of association between genetic polymorphisms in enzymes associated with folate metabolism and unexplained reduced sperm counts. *PLoS One* 2009;4:e6540.

Hautefort C, Loundon N, Montchilova M, Marlin S, Garabedian EN, Ulinski T. Mycophenolate mofetil as a treatment of steroid dependent Cogan's syndrome in childhood. *Int J Pediatr Otorhinolaryngol* 2009;73:1477-9.

Brugière O, Thabut G, Pretolani M, Krawice-Radanne I, Dill C, Herbreteau A, *et al.* Immunohistochemical study of HLA-G expression in lung transplant recipients. *Am J Transplant* 2009;9:1427-38.

Pelle MT, Parc Y, Mourra N. c-Kit expression in spindle cell melanoma--a diagnostic pitfall in anorectal biopsy. *Arch Pathol Lab Med* 2009;133:1189-91.

Nuss P, Tessier C, Ferreri F, De Hert M, Peuskens J, Trugnan G, *et al.* Abnormal transbilayer distribution of phospholipids in red blood cell membranes in schizophrenia. *Psychiatry Res* 2009;169:91-6.

Pasmant E, Ballerini P, Lapillonne H, Perot C, Vidaud D, Leverger G, *et al.* SPRED1 disorder and predisposition to leukemia in children. *Blood* 2009;114:1131.

Tang R, Hirsch P, Fava F, Lapusan S, Marzac C, Teyssandier I, *et al.* High Id1 expression is associated with poor prognosis in 237 patients with acute myeloid leukemia. *Blood* 2009;114:2993-3000.

Lamazière A, Chassaing G, Trugnan G, Ayala-Sanmartin J. Tubular structures in heterogeneous membranes induced by the cell penetrating peptide penetratin. *Commun Integr Biol* 2009;2:223-4.

Lemoine FM, Cherai M, Giverne C, Dimitri D, Rosenzweig M, Trebeden-Negre H, *et al.* Massive expansion of regulatory T-cells following interleukin 2 treatment during a phase I-II dendritic cell-based immunotherapy of metastatic renal cancer. *Int J Oncol* 2009;35:569-81.

Verstuyft C, Simon T, Kim RB. Personalized medicine and antiplatelet therapy: ready for prime time? *Eur Heart J* 2009;30:1943-63.

Capeau J, Serfaty L, Badr M. PPARs in Viral Disease. *PPAR Res* 2009;2009:393408.

Cadoret A, Rey C, Wendum D, Elriz K, Tronche F, Holzenberger M, *et al.* IGF-1R contributes to stress-induced hepatocellular damage in experimental cholestasis. *Am J Pathol* 2009;175:627-35.

Rouillon I, Leboulanger N, Roger G, Maulet M, Marlin S, Loundon N, *et al.* Velopharyngoplasty for noncleft velopharyngeal insufficiency: results in relation to 22q11 microdeletion. *Arch Otolaryngol Head Neck Surg* 2009;135:652-6.

Fléjou JF. Plan cancer et anatomie pathologique : un nouvel espoir. *Ann Pathol* 2009;29:167.

Quinn PJ, Wolf C. Thermotropic and structural evaluation of the interaction of natural sphingomyelins with cholesterol. *Biochim Biophys Acta* 2009;1788:1877-89.

Aït-Slimane T, Galmes R, Trugnan G, Maurice M. Basolateral internalization of GPI-anchored proteins occurs via a clathrin-independent flotillin-dependent pathway in polarized hepatic cells. *Mol Biol Cell* 2009;20:3792-800.

Akhavan S, Schnuriger A, Lebray P, Benhamou Y, Poynard T, Thibault V. Natural variability of NS3 protease in patients infected with genotype 4 hepatitis C virus (HCV): implications for antiviral treatment using specifically targeted antiviral therapy for HCV. *J Infect Dis* 2009;200:524-7.

Verdet C, Gautier V, Chachaty E, Ronco E, Hidri N, Decré D, *et al.* Genetic context of plasmid-carried bla_{CMY-2}-like genes in Enterobacteriaceae. *Antimicrob Agents Chemother* 2009;53:4002-6.

Samama MM, Elalamy I. Etude de la variabilité de réponse à l'aspirine et au clopidogrel: résistance clinique et/ou biologique? *Ann Pharm Fr* 2009;67:265-71.

Jedidi A, Marty C, Oligo C, Jeanson-Leh L, Ribeil JA, Casadevall N, *et al.* Selective reduction of JAK2V617F-dependent cell growth by siRNA/shRNA and its reversal by cytokines. *Blood* 2009;114:1842-51.

Roth MM, Feier V, Cristodor P, Moguelet P. Impetigo herpetiformis with postpartum flare-up: a case report. *Acta Dermatovenerol Alp Panonica Adriat* 2009;18:77-82.

Nadaud S, Dupuis M, Brocheriou I, Haloui M, Louedec L, Capron F, *et al.* Counter-regulation by atorvastatin of gene modulations induced by L-NAME hypertension is associated with vascular protection. *Vascul Pharmacol* 2009;51:253-61.

Bézu C, Coutant C, Antoine M, Moutafoff C, Guillo E, Daraï E, *et al.* Faisabilité du ganglion sentinelle dans le cancer invasif du sein en cas de découverte histologique de la multifocalité. *Gynecol Obstet Fertil* 2009;37:604-10.

Guilherme R, Patrier S, Gubler MC, Lemerrier D, Guimiot F, Dommergues M. Very early twin-to-twin transfusion syndrome and discordant activation of the renin-angiotensin system. *Placenta* 2009;30:731-4.

Fabre D, Singhal S, De Montpreville V, Decante B, Mussot S, Chataigner O, *et al.* Composite cervical skin and cartilage flap provides a novel large airway substitute after long-segment tracheal resection. *J Thorac Cardiovasc Surg* 2009;138:32-9.

Lewin M, Vilgrain V, Ozenne V, Lemoine M, Wendum D, Paradis V, *et al.* Prevalence of sclerosing cholangitis in adults with autoimmune hepatitis: a prospective magnetic resonance imaging and histological study. *Hepatology* 2009;50:528-37.

Gerotziafas GT, Dupont C, Spyropoulos AC, Hatmi M, Samama MM, Kiskinis D, *et al.* Differential inhibition of thrombin generation by vitamin K antagonists alone and associated with low-molecular-weight heparin. *Thromb Haemost* 2009;102:42-8.

Iabadene H, Messai Y, Ammari H, Alouache S, Verdet C, Bakour R, *et al.* Prevalence of plasmid-mediated AmpC beta-lactamases among Enterobacteriaceae in Algiers hospitals. *Int J Antimicrob Agents* 2009;34:340-2.

Saint-Martin C, Leroy G, Delhommeau F, Panelatti G, Dupont S, James C, *et al.* Analysis of the ten-eleven translocation 2 (TET2) gene in familial myeloproliferative neoplasms. *Blood* 2009;114:1628-32.

Slim R, Ben Salem C, Zamy M, Zami M, Biour M. Pioglitazone-induced acute rhabdomyolysis. *Diabetes Care* 2009;32:e84.

Rousseau A, Favier R, Van Dreden P. Elevated circulating soluble thrombomodulin activity, tissue factor activity and circulating procoagulant phospholipids: new and useful markers for pre-eclampsia? *Eur J Obstet Gynecol Reprod Biol* 2009;146:46-9.

Sylla-Iyarreta Veitía M, Dumas F, Morgant G, Sorenson JR, Frapart Y, Tomas A. Synthesis, structural analysis and anticonvulsant activity of a ternary Cu(II) mononuclear complex containing 1,10-phenanthroline and the leading antiepileptic drug valproic acid. *Biochimie* 2009;91:1286-93.

Buffart TE, Tijssen M, El-Bchiri J, Duval A, van de Wiel MA, Ylstra B, *et al.* NMD inhibition fails to identify tumour suppressor genes in microsatellite stable gastric cancer cell lines. *BMC Med Genomics* 2009;2:39.

Marlin S, Jonard L, Feldmann D, Loundon N, Rouillon I, Couderc R, *et al.* Surdités de l'adulte d'origine génétique. *Rev Prat* 2009;59:630-1.

Borie C, Colas C, Dartigues P, Lazure T, Rince P, Buhard O, *et al.* The mechanisms underlying MMR deficiency in immunodeficiency-related non-Hodgkin lymphomas are different from those in other sporadic microsatellite instable neoplasms. *Int J Cancer* 2009;125:2360-6.

Iabadene H, Dallenne C, Messai Y, Geneste D, Bakour R, Arlet G. Emergence of extended-spectrum beta-lactamase PER-1 in *Proteus vulgaris* and *Providencia stuartii* isolates from Algiers, Algeria. *Antimicrob Agents Chemother* 2009;53:4043-4.

Borie R, Wislez M, Thabut G, Antoine M, Rabbat A, Couderc LJ, *et al.* Clinical characteristics and prognostic factors of pulmonary MALT lymphoma. *Eur Respir J* 2009;34:1408-16.

Arnaud L, Cambau E, Brocheriou I, Koskas F, Kieffer E, Piette JC, *et al.* Absence of *Mycobacterium tuberculosis* in arterial lesions from patients with Takayasu's arteritis. *J Rheumatol* 2009;36:1682-5.

Corbin M, de Reyniès A, Rickman DS, Berrebi D, Boccon-Gibod L, Cohen-Gogo S, *et al.* WNT/beta-catenin pathway activation in Wilms tumors: a unifying mechanism with multiple entries? *Genes Chromosomes Cancer* 2009;48:816-27.

Bui C, Picone O, Mas AE, Levailant JM, Ami O, Netchine I, *et al.* Beckwith-Wiedemann syndrome in association with posterior hypoplasia of the cerebellar vermis. *Prenat Diagn* 2009;29:906-7.

Balgobind BV, Raimondi SC, Harbott J, Zimmermann M, Alonzo TA, Auvrignon A, *et al.* Novel prognostic subgroups in childhood 11q23/MLL-rearranged acute myeloid leukemia: results of an international retrospective study. *Blood* 2009;114:2489-96.

Debourdeau P, Kassab Chahmi D, Le Gal G, Kriegel I, Desruennes E, Douard MC, *et al.* 2008 SOR guidelines for the prevention and treatment of thrombosis associated with central venous catheters in patients with cancer: report from the working group. *Ann Oncol* 2009;20:1459-71.

Leveziel N, Delcourt C, Zerbib J, Dollfus H, Kaplan J, Benlian P, *et al.*
Epidémiologie de la dégénérescence maculaire liée à l'âge. *J Fr Ophtalmol*
2009;32:440-51.

Renault F, Flores-Guevara R, Renaud C, Richard P, Vermersch AI, Gold F. Visual
neurophysiological dysfunction in infants exposed to hydroxychloroquine in utero.
Acta Paediatr 2009;98:1500-3.

Bazin D, Carpentier X, Brocheriou I, Dorfmueller P, Aubert S, Chappard C, *et al.*
Revisiting the localisation of Zn(2+) cations sorbed on pathological apatite
calcifications made through X-ray absorption spectroscopy. *Biochimie*
2009;91:1294-300.

Deforges S, Branchu J, Biondi O, Grondard C, Pariset C, Lécolle S, *et al.*
Motoneuron survival is promoted by specific exercise in a mouse model of
amyotrophic lateral sclerosis. *J Physiol* 2009;587:3561-72.

Iabadene H, Bakour R, Messai Y, Da Costa A, Arlet G. Détection des gènes bla
CTX-M-14 et aac(3)-II chez *Salmonella enterica* sérotype Kedougou en Algérie.
Med Mal Infect 2009;39:806-7.

Mabo P, Leenhardt A, Jaillon P, Kacet S, Aubin F, Denjoy I, *et al.* Fibrillation
atriale, description de la prise en charge par les cardiologues, étude
observationnelle. Résultats de l'étude Factuel. *Ann Cardiol Angeiol (Paris)*
2009;58:151-8.

Delhommeau F, Dupont S, Della Valle V, James C, Trannoy S, Massé A, *et al.*
Mutation in TET2 in myeloid cancers. *N Engl J Med* 2009;360:2289-301.

Clermont O, Dhanji H, Upton M, Gibreel T, Fox A, Boyd D, *et al.* Rapid detection of the O25b-ST131 clone of *Escherichia coli* encompassing the CTX-M-15-producing strains. *J Antimicrob Chemother* 2009;64:274-7.

Sena A, Couderc R, Ferret-Sena V, Pedrosa R, Andrade ML, Araujo C, *et al.* Apolipoprotein E polymorphism interacts with cigarette smoking in progression of multiple sclerosis. *Eur J Neurol* 2009;16:832-7.

Miceli-Richard C, Gestermann N, Amiel C, Sellam J, Ittah M, Pavy S, *et al.* Effect of methotrexate and anti-TNF on Epstein-Barr virus T-cell response and viral load in patients with rheumatoid arthritis or spondylarthropathies. *Arthritis Res Ther* 2009;11:R77.

Rouillon I, Leboulanger N, Roger G, Marlin S, Garabédian EN. L'insuffisance vélopharyngée chez l'enfant. *Ann Otolaryngol Chir Cervicofac* 2009;126:155-61.

Beaujard MP, Chantot S, Dubois M, Keren B, Carpentier W, Mabboux P, *et al.* Atypical deletion of 22q11.2: detection using the FISH TBX1 probe and molecular characterization with high-density SNP arrays. *Eur J Med Genet* 2009;52:321-7.

Ravel C, Siffroi JP. Anomalies de structure du chromosome Y et syndrome de Turner. *Gynecol Obstet Fertil* 2009;37:511-8.

Chéreau E, Ballester M, Selle F, Cortez A, Pomel C, Darai E, *et al.* Pulmonary morbidity of diaphragmatic surgery for stage III/IV ovarian cancer. *BJOG* 2009;116:1062-8.

Antuna-Puente B, Disse E, Lavoie ME, Rabasa-Lhoret R, Laville M, Bastard JP. Evaluation of the SIisOGTT index in a healthy population with normal glucose tolerance. *Diabetes Metab* 2009;35:236-7.

Jourdain P, Lefèvre G, Oddoze C, Sapin V, Dievert F, Jondeau G, *et al.* NT-proBNP en pratique "De la biologie à la clinique". *Ann Cardiol Angeiol (Paris)* 2009;58:165-79.

Marinach-Patrice C, Lethuillier A, Marly A, Brossas JY, Gené J, Symoens F, *et al.* Use of mass spectrometry to identify clinical *Fusarium* isolates. *Clin Microbiol Infect* 2009;15:634-42.

Sanborn KB, Rak GD, Maru SY, Demers K, Difeo A, Martignetti JA, *et al.* Myosin IIA associates with NK cell lytic granules to enable their interaction with F-actin and function at the immunological synapse. *J Immunol* 2009;182:6969-84.

Guimiot F, Marcorelles P, Aboura A, Bonyhay G, Patrier S, Menez F, *et al.* Giant diencephalic harmartoma and related anomalies: a newly recognized entity distinct from the Pallister-Hall syndrome. *Am J Med Genet A* 2009;149A:1108-15.

Rousseaux S, Gaucher J, Thevenon J, Caron C, Vitte AL, Curtet S, *et al.* Spermiogenèse: l'acétylation des histones déclenche la reprogrammation du génome mâle. *Gynecol Obstet Fertil* 2009;37:519-22.

Guillot L, Epaud R, Thouvenin G, Jonard L, Mohsni A, Couderc R, *et al.* New surfactant protein C gene mutations associated with diffuse lung disease. *J Med Genet* 2009;46:490-4.

Holstein J, Farge D, Taright N, Trinquart L, Manac'h D, Bastianic T, *et al.* Lien précarité - durée et complexité des séjours hospitaliers en secteur de court séjour. *Rev Epidemiol Sante Publique* 2009;57:205-11.

Izzedine H, Sene D, Cacoub P, Jansen H, Camous L, Brocheriou I, *et al.* Kidney diseases in HIV/HCV-co-infected patients. *AIDS* 2009;23:1219-26.

Kamenicky P, Dos Santos C, Espinosa C, Salenave S, Galland F, Le Bouc Y, *et al.* D3 GH receptor polymorphism is not associated with IGF1 levels in untreated acromegaly. *Eur J Endocrinol* 2009;161:231-5.

Goizet C, Boukhris A, Durr A, Beetz C, Truchetto J, Tesson C, *et al.* CYP7B1 mutations in pure and complex forms of hereditary spastic paraplegia type 5. *Brain* 2009;132:1589-600.

Slim K, Blay JY, Brouquet A, Chatelain D, Comy M, Delpero JR, *et al.* Cancérologie digestive: pratiques chirurgicales. *J Chir (Paris)* 2009;146 Suppl 2:S11-80.

Antuna-Puente B, Disse E, Faraj M, Lavoie ME, Laville M, Rabasa-Lhoret R, *et al.* Evaluation of insulin sensitivity with a new lipid-based index in non-diabetic postmenopausal overweight and obese women before and after a weight loss intervention. *Eur J Endocrinol* 2009;161:51-6.

Lemoine M, Ratziu V, Kim M, Maachi M, Wendum D, Paye F, *et al.* Serum adipokine levels predictive of liver injury in non-alcoholic fatty liver disease. *Liver Int* 2009;29:1431-8.

Coppo P, Gouilleux-Gruart V, Huang Y, Bouhlal H, Bouamar H, Bouchet S, *et al.* STAT3 transcription factor is constitutively activated and is oncogenic in nasal-type NK/T-cell lymphoma. *Leukemia* 2009;23:1667-78.

Elouni B, Ben Salem C, Biour M. Levetiracetam-induced pancytopenia. *Ann Pharmacother* 2009;43:985.

Jourdain P, Lefèvre G, Oddoze C, Sapin V, Dievart F, Jondeau G, *et al.* NT-proBNP en pratique "de la biologie à la clinique". *Ann Biol Clin (Paris)* 2009;67:255-71.

Elalamy I, Tardy-Poncet B, Mulot A, de Maistre E, Pouplard C, Nguyen P, *et al.* Risk factors for unfavorable clinical outcome in patients with documented heparin-induced thrombocytopenia. *Thromb Res* 2009;124:554-9.

Escudier E, Duquesnoy P, Papon JF, Amselem S. Ciliary defects and genetics of primary ciliary dyskinesia. *Paediatr Respir Rev* 2009;10:51-4.

Ancel D, Amiot X, Chaslin-Ferbus D, Hagege I, Garioud A, Girot R, *et al.* Treatment of chronic hepatitis C in sickle cell disease and thalassaemic patients with interferon and ribavirin. *Eur J Gastroenterol Hepatol* 2009;21:726-9.

Girard PM, Cabié A, Michelet C, Verdon R, Katlama C, Mercié P, *et al.* A randomized trial of two-drug versus three-drug tenofovir-containing maintenance regimens in virologically controlled HIV-1 patients. *J Antimicrob Chemother* 2009;64:126-34.

Clarençon F, Jafari A, Lefevre M, Périé S, Angelard B, Marsault C, *et al.* Infraorbital nerve schwannoma. *J Neuroradiol* 2009;36:301-3.

Ruppé E, Hem S, Lath S, Gautier V, Arieu F, Sarthou JL, *et al.* CTX-M beta-lactamases in *Escherichia coli* from community-acquired urinary tract infections, Cambodia. *Emerg Infect Dis* 2009;15:741-8.

Egevad L, Algaba F, Berney DM, Boccon-Gibod L, Griffiths DF, Lopez-Beltran A, *et al.* The European Network of Uropathology: a novel mechanism for communication between pathologists. *Anal Quant Cytol Histol* 2009;31:90-5.

Fève B, Bastard JP. The role of interleukins in insulin resistance and type 2 diabetes mellitus. *Nat Rev Endocrinol* 2009;5:305-11.

Bottero J, Lacombe K, Guéchet J, Serfaty L, Mialhes P, Bonnard P, *et al.* Performance of 11 biomarkers for liver fibrosis assessment in HIV/HBV co-infected patients. *J Hepatol* 2009;50:1074-83.

Nahon S, Cadranet JF, Chazouilleres O, Biour M, Jouannaud V, Marteau P. Liver and inflammatory bowel disease. *Gastroenterol Clin Biol* 2009;33:370-81.

Vu Thien H. Apport des examens microbiologiques au diagnostic des méningites bactériennes aiguës. *Med Mal Infect* 2009;39:462-7.

Lemoine M, Capeau J, Serfaty L. PPAR and liver injury in HIV-infected patients. *PPAR Res* 2009;2009:906167.

Boissan M, Dabernat S, Peuchant E, Schlattner U, Lascu I, Lacombe ML. The mammalian Nm23/NDPK family: from metastasis control to cilia movement. *Mol Cell Biochem* 2009;329:51-62.

Louiset E, Stratakis CA, Perraudin V, Griffin KJ, Libé R, Cabrol S, *et al.* The paradoxical increase in cortisol secretion induced by dexamethasone in primary pigmented nodular adrenocortical disease involves a glucocorticoid receptor-mediated effect of dexamethasone on protein kinase A catalytic subunits. *J Clin Endocrinol Metab* 2009;94:2406-13.

Penault-Llorca F, André F, Sagan C, Lacroix-Triki M, Denoux Y, Verrièle V, *et al.* Ki67 expression and docetaxel efficacy in patients with estrogen receptor-positive breast cancer. *J Clin Oncol* 2009;27:2809-15.

Barbut F, Menuet D, Verachten M, Girou E. Comparison of the efficacy of a hydrogen peroxide dry-mist disinfection system and sodium hypochlorite solution for eradication of *Clostridium difficile* spores. *Infect Control Hosp Epidemiol* 2009;30:507-14.

Douay L. Culture de cellules à visée transfusionnelle: le cas des globules rouges. *Transfus Clin Biol* 2009;16:134-7.

Giroux Leprieur E, Antoine M, Gounant V, Copie-Bergman C, Lavole A, Milleron B. Association d'un lymphome thymique de type MALT et d'un syndrome de Gougerot-Sjögren. *Rev Pneumol Clin* 2009;65:108-12.

Osório L, Teillet MA, Catala M. Role of noggin as an upstream signal in the lack of neuronal derivatives found in the avian caudal-most neural crest. *Development* 2009;136:1717-26.

Pasmant E, Sabbagh A, Hanna N, Masliah-Planchon J, Jolly E, Goussard P, *et al.* SPRED1 germline mutations caused a neurofibromatosis type 1 overlapping phenotype. *J Med Genet* 2009;46:425-30.

Nascimbeni M, Perié L, Chorro L, Diocou S, Kreitmann L, Louis S, *et al.* Plasmacytoid dendritic cells accumulate in spleens from chronically HIV-infected patients but barely participate in interferon-alpha expression. *Blood* 2009;113:6112-9.

Lacroix I, Hurault C, Sarramon MF, Guitard C, Berrebi A, Grau M, *et al.* Prescription of drugs during pregnancy: a study using EFEMERIS, the new French database. *Eur J Clin Pharmacol* 2009;65:839-46.

Spigaglia P, Barbanti F, Louie T, Barbut F, Mastrantonio P. Molecular analysis of the *gyrA* and *gyrB* quinolone resistance-determining regions of fluoroquinolone-resistant *Clostridium difficile* mutants selected in vitro. *Antimicrob Agents Chemother* 2009;53:2463-8.

Ruppé E, Woerther PL, Diop A, Sene AM, Da Costa A, Arlet G, *et al.* Carriage of CTX-M-15-producing *Escherichia coli* isolates among children living in a remote village in Senegal. *Antimicrob Agents Chemother* 2009;53:3135-7.

Naour N, Fellahi S, Renucci JF, Poitou C, Rouault C, Basdevant A, *et al.* Potential contribution of adipose tissue to elevated serum cystatin C in human obesity. *Obesity (Silver Spring)* 2009;17:2121-6.

Deschamps C, Clermont O, Hipeaux MC, Arlet G, Denamur E, Branger C. Multiple acquisitions of CTX-M plasmids in the rare D2 genotype of *Escherichia coli* provide evidence for convergent evolution. *Microbiology* 2009;155:1656-68.

Cojocariu OM, Huguet F, Lefevre M, Périé S. Facteurs pronostiques et prédictifs des cancers des voies aérodigestives supérieures. *Bull Cancer* 2009;96:369-78.

Dominici S, Fiori V, Magnani M, Schena E, Capanni C, Camozzi D, *et al.* Different prelamin A forms accumulate in human fibroblasts: a study in experimental models and progeria. *Eur J Histochem* 2009;53:43-52.

Morice Y, Ratinier M, Miladi A, Chevaliez S, Germanidis G, Wedemeyer H, *et al.* Seroconversion to hepatitis C virus alternate reading frame protein during acute infection. *Hepatology* 2009;49:1449-59.

Tardy-Poncet B, Wolf M, Lasne D, Bauters A, Ffrench P, Elalamy I, *et al.* Danaparoid cross-reactivity with heparin-induced thrombocytopenia antibodies: report of 12 cases. *Intensive Care Med* 2009;35:1449-53.

Le Loup G, Lescure FX, Develoux M, Pialoux G. Maladie de Chagas: formes cliniques et prise en charge en zone non endémique. *Presse Med* 2009;38:1654-66.

Douay L, Lapillonne H, Turhan AG. Stem cells--a source of adult red blood cells for transfusion purposes: present and future. *Crit Care Clin* 2009;25:383-98, Table of Contents.

Mirshahi P, Rafii A, Vincent L, Berthaut A, Varin R, Kalantar G, *et al.* Vasculogenic mimicry of acute leukemic bone marrow stromal cells. *Leukemia* 2009;23:1039-48.

Benlian P, Turquet A, Carrat F, Amsellem S, Sanchez L, Briffaut D, *et al.* Diagnosis scoring for clinical identification of children with heterozygous familial hypercholesterolemia. *J Pediatr Gastroenterol Nutr* 2009;48:456-63.

Ilgenfritz RB, Kayasut K, Le Tourneau A, Calendini OA, Ouafi L, Marzac C, *et al.* Correlation between molecular and histopathological diagnoses of B cell lymphomas in bone marrow biopsy and aspirates. *J Clin Pathol* 2009;62:357-60.

Amiel C, Legoff J, Lescure FX, Coste-Burel M, Deback C, Fafi-Kremer S, *et al.* Epstein-Barr virus load in whole blood correlates with HIV surrogate markers and lymphoma: a French national cross-sectional study. *J Acquir Immune Defic Syndr* 2009;50:427-9.

Maïga AI, Malet I, Soulie C, Derache A, Koita V, Amellal B, *et al.* Genetic barriers for integrase inhibitor drug resistance in HIV type-1 B and CRF02_AG subtypes. *Antivir Ther* 2009;14:123-9.

Gautier EL, Huby T, Witztum JL, Ouzilleau B, Miller ER, Saint-Charles F, *et al.* Macrophage apoptosis exerts divergent effects on atherogenesis as a function of lesion stage. *Circulation* 2009;119:1795-804.

Eyraud V, Chazouilleres O, Ballot E, Corpechot C, Poupon R, Johanet C. Significance of antibodies to soluble liver antigen/liver pancreas: a large French study. *Liver Int* 2009;29:857-64.

Huang Y, Moreau A, Dupuis J, Streubel B, Petit B, Le Gouill S, *et al.* Peripheral T-cell lymphomas with a follicular growth pattern are derived from follicular helper T

cells (TFH) and may show overlapping features with angioimmunoblastic T-cell lymphomas. *Am J Surg Pathol* 2009;33:682-90.

Uzan C, Darai E, Valent A, Graesslin O, Cortez A, Rouzier R, *et al.* Status of HER1 and HER2 in peritoneal, ovarian and colorectal endometriosis and ovarian endometrioid adenocarcinoma. *Virchows Arch* 2009;454:525-9.

Deneuve T, Tance Y, Tiev K, Cervera P, Chanal J, Tolédano C, *et al.* Maladie des embolies de cristaux de cholestérol révélée par un tableau de mononeuropathie. *Rev Med Interne* 2009;30:982-4.

Besson C, Amiel C, Le-Pendeven C, Plancoulaine S, Bonnardel C, Ranque B, *et al.* Strong correlations of anti-viral capsid antigen antibody levels in first-degree relatives from families with Epstein-Barr virus-related lymphomas. *J Infect Dis* 2009;199:1121-7.

Chaix ML, Descamps D, Wirden M, Bocket L, Delaugerre C, Tamalet C, *et al.* Stable frequency of HIV-1 transmitted drug resistance in patients at the time of primary infection over 1996-2006 in France. *AIDS* 2009;23:717-24.

Depienne C, Moreno-De-Luca D, Heron D, Bouteiller D, Gennetier A, Delorme R, *et al.* Screening for genomic rearrangements and methylation abnormalities of the 15q11-q13 region in autism spectrum disorders. *Biol Psychiatry* 2009;66:349-59.

Boutet E, El Mourabit H, Prot M, Nemani M, Khallouf E, Colard O, *et al.* Seipin deficiency alters fatty acid Delta9 desaturation and lipid droplet formation in Berardinelli-Seip congenital lipodystrophy. *Biochimie* 2009;91:796-803.

Martin E, Treiner E, Duban L, Guerri L, Laude H, Toly C, *et al.* Stepwise development of MAIT cells in mouse and human. *PLoS Biol* 2009;7:e54.

Svrcek M, Tired E, Bennis M, Guyot P, Fléjou JF. KSHV/HHV8-associated intestinal Kaposi's sarcoma in patient with ulcerative colitis receiving immunosuppressive drugs: report of a case. *Dis Colon Rectum* 2009;52:154-8.

Charbit B, Christin-Maître S, Démolis JL, Soustre E, Young J, Funck-Brentano C. Effects of testosterone on ventricular repolarization in hypogonadic men. *Am J Cardiol* 2009;103:887-90.

Tefferi A, Pardanani A, Lim KH, Abdel-Wahab O, Lasho TL, Patel J, *et al.* TET2 mutations and their clinical correlates in polycythemia vera, essential thrombocythemia and myelofibrosis. *Leukemia* 2009;23:905-11.

Melander C, Sallée M, Trolliet P, Candon S, Belenfant X, Daugas E, *et al.* Rituximab in severe lupus nephritis: early B-cell depletion affects long-term renal outcome. *Clin J Am Soc Nephrol* 2009;4:579-87.

Sweney MT, Silver K, Gerard-Blanluet M, Pedespan JM, Renault F, Arzimanoglou A, *et al.* Alternating hemiplegia of childhood: early characteristics and evolution of a neurodevelopmental syndrome. *Pediatrics* 2009;123:e534-41.

Portnoi MF. Microduplication 22q11.2: a new chromosomal syndrome. *Eur J Med Genet* 2009;52:88-93.

Lacombe ML, Tokarska-Schlattner M, Epand RF, Boissan M, Epand RM, Schlattner U. Interaction of NDPK-D with cardiolipin-containing membranes: Structural basis

and implications for mitochondrial physiology. *Biochimie* 2009;91:779-83.

Rouprêt M, Hupertan V, Comperat E, Drouin SJ, Phé V, Xylinas E, *et al.* Cross-cultural validation of a prognostic tool: example of the Kattan preoperative nomogram as a predictor of prostate cancer recurrence after radical prostatectomy. *BJU Int* 2009;104:813-7; discussion 817-8.

Mourra N, Arrive L, Paye F. An asymptomatic, radiographically undetected hepatocellular carcinoma that presented as a large retropancreatic mass. *Clin Gastroenterol Hepatol* 2009;7:e25-6.

Jafari A, Royer B, Lefevre M, Corlieu P, Périé S, St Guily JL. Value of the cytological diagnosis in the treatment of parotid tumors. *Otolaryngol Head Neck Surg* 2009;140:381-5.

Osório L, Teillet MA, Palmeirim I, Catala M. Neural crest ontogeny during secondary neurulation: a gene expression pattern study in the chick embryo. *Int J Dev Biol* 2009;53:641-8.

D'Aldebert E, Biyeyeme Bi Mve MJ, Mergey M, Wendum D, Firrincieli D, Coilly A, *et al.* Bile salts control the antimicrobial peptide cathelicidin through nuclear receptors in the human biliary epithelium. *Gastroenterology* 2009;136:1435-43.

Lazard DS, Moore A, Hupertan V, Martin C, Escabasse V, Dreyfus P, *et al.* Mucociliary differentiation of nasal epithelial cells is decreased after wound healing in vitro. *Allergy* 2009;64:1136-43.

Barbut F, Braun M, Burghoffer B, Lalande V, Eckert C. Rapid detection of toxigenic strains of *Clostridium difficile* in diarrheal stools by real-time PCR. *J Clin Microbiol* 2009;47:1276-7.

Ly M, Just PA, Lefèvre M, Méatchi T, Callard P. Hétérotopie pancréatique dans le rectum. *Gastroenterol Clin Biol* 2009;33:225-6.

Qubaja M, Marmey B, Le Tourneau A, Haiat S, Cazals-Hatem D, Fabiani B, *et al.* The detection of CD14 and CD16 in paraffin-embedded bone marrow biopsies is useful for the diagnosis of chronic myelomonocytic leukemia. *Virchows Arch* 2009;454:411-9.

Zenaty D, Aigrain Y, Peuchmaur M, Philippe-Chomette P, Baumann C, Cornelis F, *et al.* Medullary thyroid carcinoma identified within the first year of life in children with hereditary multiple endocrine neoplasia type 2A (codon 634) and 2B. *Eur J Endocrinol* 2009;160:807-13.

Fouassier L, Rosenberg P, Mergey M, Saubaméa B, Clapéron A, Kinnman N, *et al.* Ezrin-radixin-moesin-binding phosphoprotein (EBP50), an estrogen-inducible scaffold protein, contributes to biliary epithelial cell proliferation. *Am J Pathol* 2009;174:869-80.

Marec-Berard P, Chastagner P, Kassab-Chahmi D, Casadevall N, Marchal C, Misset JL, *et al.* 2007 Standards, Options, and Recommendations: use of erythropoiesis-stimulating agents (ESA: epoetin alfa, epoetin beta, and darbepoetin) for the management of anemia in children with cancer. *Pediatr Blood Cancer* 2009;53:7-12.

Bachmeyer C, Moguelet P, Baud F, Lescure FX. Efflorescence of facial molluscum contagiosum as a manifestation of immune reconstitution inflammatory syndrome in a patient with AIDS. *Eur J Dermatol* 2009;19:257-8.

Finzi L, Shao MX, Paye F, Housset C, Nadel JA. Lipopolysaccharide initiates a positive feedback of epidermal growth factor receptor signaling by prostaglandin E2 in human biliary carcinoma cells. *J Immunol* 2009;182:2269-76.

Develoux M, Lescure FX, Le Loup G, Pialoux G. Maladie de Chagas. *Rev Med Interne* 2009;30:686-95.

Kluger N, Mathelier-Fusade P, Moguelet P. Scleroderma-like reaction restricted to the red parts of a tattoo. *Acta Derm Venereol* 2009;89:95-6.

Couzigou C, Seang S, Morand-Joubert L, Roque-Afonso AM, Escaut L, Vittecoq D. Efficacy of etravirine for treatment of acute HIV meningoencephalitis. *Clin Infect Dis* 2009;48:e62-5.

Stechly L, Morelle W, Dessein AF, André S, Grard G, Trinel D, *et al.* Galectin-4-regulated delivery of glycoproteins to the brush border membrane of enterocyte-like cells. *Traffic* 2009;10:438-50.

Bravetti AL, Mesnage S, Lefort A, Chau F, Eckert C, Garry L, *et al.* Contribution of the autolysin AtIA to the bactericidal activity of amoxicillin against *Enterococcus faecalis* JH2-2. *Antimicrob Agents Chemother* 2009;53:1667-9.

Capeau J, Gharakanian S, Younossi ZM. Metabolic abnormalities in chronic hepatitis C. Introduction. *Liver Int* 2009;29 Suppl 2:1-2.

Serfaty L, Capeau J. Hepatitis C, insulin resistance and diabetes: clinical and pathogenic data. *Liver Int* 2009;29 Suppl 2:13-25.

Fabre D, Fadel E, Singhal S, de Montpreville V, Mussot S, Mercier O, *et al.* Complete resection of pulmonary inflammatory pseudotumors has excellent long-term prognosis. *J Thorac Cardiovasc Surg* 2009;137:435-40.

Ravel C, Lorenço D, Dessolle L, Mandelbaum J, McElreavey K, Darai E, *et al.* Mutational analysis of the WNT gene family in women with Mayer-Rokitansky-Kuster-Hauser syndrome. *Fertil Steril* 2009;91:1604-7.

Lefevre JH, Parc Y, Svrcek M, Kernéis S, Colas C, Shields C, *et al.* APC, MYH, and the correlation genotype-phenotype in colorectal polyposis. *Ann Surg Oncol* 2009;16:871-7.

Tinsa F, Farid O, Douira W, Rodriguez D, Burglen L, Boussetta K, *et al.* Megalencephalic leukoencephalopathy with subcortical cysts in a Tunisian boy. *J Child Neurol* 2009;24:87-9.

Meynard JL, Lacombe K, Poirier JM, Legrand J, Morand-Joubert L, Girard PM. Influence of liver fibrosis stage on plasma levels of efavirenz in HIV-infected patients with chronic hepatitis B or C. *J Antimicrob Chemother* 2009;63:579-84.

Izzedine H, Kheder-Elfekih R, Housset P, Sarkozy C, Brocheriou I, Deray G. Adefovir dipivoxil-induced acute tubular necrosis and Fanconi syndrome in a renal transplant patient. *AIDS* 2009;23:544-5.

Enache-Angoulvant A, Girard A, Poirot JL, Hennequin C. In vitro activity of caspofungin and voriconazole against uncommon *Candida* spp. *Int J Antimicrob Agents* 2009;33:595-6.

Levaillant JM, Moeglin D, Zouiten K, Bucourt M, Burglen L, Soupre V, *et al.* Binder phenotype: clinical and etiological heterogeneity of the so-called Binder maxillofacial dysplasia in prenatally diagnosed cases, and review of the literature. *Prenat Diagn* 2009;29:140-50.

Izzedine H, Bourry E, Amrouche L, Brocheriou I, Uzunov M, Capron F, *et al.* Immunoglobulin M 'Flare' after rituximab-associated acute tubular necrosis in Waldenström's macroglobulinemia. *Int J Hematol* 2009;89:218-22.

Mégarbané H, Barete S, Khosrotehrani K, Izzedine H, Moguelet P, Chosidow O, *et al.* Two observations raising questions about risk factors of cutaneous necrosis induced by terlipressin (Glypressin). *Dermatology* 2009;218:334-7.

Fabre D, Lefevre JH, De Montpreville V, Fadel E, Rocco G, Chataignier O, *et al.* Low-grade sarcoma of the right upper lobe vein mimicking a metastatic disease. *J Thorac Cardiovasc Surg* 2009;137:e27-9.

Brisse S, Pannier C, Angoulvant A, de Meeus T, Diancourt L, Faure O, *et al.* Uneven distribution of mating types among genotypes of *Candida glabrata* isolates from clinical samples. *Eukaryot Cell* 2009;8:287-95.

Quinn PJ, Wolf C. Hydrocarbon chains dominate coupling and phase coexistence in bilayers of natural phosphatidylcholines and sphingomyelins. *Biochim Biophys Acta* 2009;1788:1126-37.

Abou Taam R, Jaubert F, Emond S, Le Bourgeois M, Epaud R, Karila C, *et al.* Familial interstitial disease with I73T mutation: A mid- and long-term study. *Pediatr Pulmonol* 2009;44:167-75.

Nguyen Huu S, Oster M, Avril MF, Boitier F, Mortier L, Richard MA, *et al.* Fetal microchimeric cells participate in tumour angiogenesis in melanomas occurring during pregnancy. *Am J Pathol* 2009;174:630-7.

Elias A, Debourdeau P, Renaudin JM, Desmurs-Clavel H, Mahé I, Elalamy I, *et al.* Traitement curatif de la maladie thromboembolique veineuse et prise en charge des thromboses veineuses sur cathéter chez les patients atteints de cancer Méthode SOR. *Presse Med* 2009;38:220-30.

Parez N, Dehée A, Michel Y, Veinberg F, Garbarg-Chenon A. Papular-purpuric gloves and socks syndrome associated with B19V infection in a 6-year-old child. *J Clin Virol* 2009;44:167-9.

Bailly-Botuha C, Colomb V, Thioulouse E, Berthe MC, Garcette K, Dubern B, *et al.* Plasma citrulline concentration reflects enterocyte mass in children with short bowel syndrome. *Pediatr Res* 2009;65:559-63.

Wendum D, Lacombe K, Chevallier M, Callard P, Valet F, Mialhes P, *et al.* Histological scoring of fibrosis and activity in HIV-chronic hepatitis B related liver disease: performance of the METAVIR score assessed on virtual slides. *J Clin Pathol* 2009;62:361-3.

Caron M, Vigouroux C, Bastard JP, Capeau J. Antiretroviral-related adipocyte dysfunction and lipodystrophy in HIV-infected patients: Alteration of the PPAR?-dependent pathways. *PPAR Res* 2009;2009:507141.

Herrmann JL, Belloy M, Porcher R, Simonney N, Aboutaam R, Lebourgeois M, *et al.* Temporal dynamics of interferon gamma responses in children evaluated for tuberculosis. *PLoS One* 2009;4:e4130.

Querques G, Benlian P, Chanu B, Portal C, Coscas G, Soubrane G, *et al.* Nutritional AMD treatment phase I (NAT-1): feasibility of oral DHA supplementation in age-related macular degeneration. *Eur J Ophthalmol* 2009;19:100-6.

Allias F, Lebreton F, Collardeau-Frachon S, Azziza J, Aziza J, Pasquier CJ, *et al.* Immunohistochemical expression of p57 in placental vascular proliferative disorders of preterm and term placentas. *Fetal Pediatr Pathol* 2009;28:9-23.

Bouhemad B, Nicolas-Robin A, Arbelot C, Arthaud M, Féger F, Rouby JJ. Acute left ventricular dilatation and shock-induced myocardial dysfunction. *Crit Care Med* 2009;37:441-7.

Brousse V, Hertz-Pannier L, Consigny Y, Bresson JL, Girot R, Mirre E, *et al.* Does regular blood transfusion prevent progression of cerebrovascular lesions in children with sickle cell disease? *Ann Hematol* 2009;88:785-8.

Simon T, Verstuyft C, Mary-Krause M, Quteineh L, Drouet E, Méneveau N, *et al.* Genetic determinants of response to clopidogrel and cardiovascular events. *N Engl J Med* 2009;360:363-75.

Warcoin M, Lespinasse J, Despouy G, Dubois d'Enghien C, Laugé A, Portnoi MF, *et al.* Fertility defects revealing germline biallelic nonsense NBN mutations. *Hum Mutat* 2009;30:424-30.

Feldmann D, Le Maréchal C, Jonard L, Thierry P, Czajka C, Couderc R, *et al.* A new large deletion in the DFNB1 locus causes nonsyndromic hearing loss. *Eur J Med Genet* 2009;52:195-200.

Raynaud CM, Mercier O, Commo F, Dartevielle P, Gomez-Roca C, de Montpreville V, *et al.* Telomere length, telomeric proteins and DNA damage repair proteins are differentially expressed between primary lung tumors and their adrenal metastases. *Lung Cancer* 2009;65:144-9.

Douay L, Giarratana MC. Ex vivo generation of human red blood cells: a new advance in stem cell engineering. *Methods Mol Biol* 2009;482:127-40.

Muller H, Thierry A, Coppée JY, Gouyette C, Hennequin C, Sismeiro O, *et al.* Genomic polymorphism in the population of *Candida glabrata*: gene copy-number variation and chromosomal translocations. *Fungal Genet Biol* 2009;46:264-76.

Charbit B, Rosier A, Bollens D, Boccara F, Boelle PY, Koubaa A, *et al.* Relationship between HIV protease inhibitors and QTc interval duration in HIV-infected patients: a cross-sectional study. *Br J Clin Pharmacol* 2009;67:76-82.

Gozlan J, Lacombe K, Gault E, Raguin G, Girard PM. Complete cure of HBV-HDV co-infection after 24weeks of combination therapy with pegylated interferon and ribavirin in a patient co-infected with HBV/HCV/HDV/HIV. *J Hepatol* 2009;50:432-4.

Dubernard G, Oster M, Chareyre F, Antoine M, Rouzier R, Uzan S, *et al.* Increased fetal cell microchimerism in high grade breast carcinomas occurring during pregnancy. *Int J Cancer* 2009;124:1054-9.

Larosche I, Choumar A, Fromenty B, Lettéron P, Abbey-Toby A, Van Remmen H, *et al.* Prolonged ethanol administration depletes mitochondrial DNA in MnSOD-overexpressing transgenic mice, but not in their wild type littermates. *Toxicol Appl Pharmacol* 2009;234:326-38.

Staneva G, Momchilova A, Wolf C, Quinn PJ, Koumanov K. Membrane microdomains: role of ceramides in the maintenance of their structure and functions. *Biochim Biophys Acta* 2009;1788:666-75.

Morice-Picard F, Marlin S, Rooryck C, Fayon M, Thambo JB, Demarquez JL, *et al.* Hallerman-Streiff-like syndrome presenting with laterality and cardiac defects. *Clin Dysmorphol* 2009;18:116-9.

Delétoile A, Decré D, Courant S, Passet V, Audo J, Grimont P, *et al.* Phylogeny and identification of *Pantoea* species and typing of *Pantoea* agglomerans strains by multilocus gene sequencing. *J Clin Microbiol* 2009;47:300-10.

Slama L, Le Camus C, Serfaty L, Pialoux G, Capeau J, Gharakhanian S. Metabolic disorders and chronic viral disease: the case of HIV and HCV. *Diabetes Metab* 2009;35:1-11.

Pernet P, Bénétteau-Burnat B, Vaubourdolle M, Maury E, Offenstadt G. False elevation of blood lactate reveals ethylene glycol poisoning. *Am J Emerg Med* 2009;27:132.e1-2.

Bachmeyer C, Khalil A, Kerrou K, Girot R, Gounant V. Idiopathic pulmonary arterial hypertension in a patient with pyruvate kinase deficiency and paravertebral extramedullary hematopoiesis. *Ann Hematol* 2009;88:603-5.

Beghin D, Delongas JL, Claude N, Forestier F, Farinotti R, Gil S. Development and characterisation of a new model of rat trophoblasts. *Toxicol In Vitro* 2009;23:141-7.

Mitilian D, Haddad D, Lenoir M, Boudjemaa S, Vazquez MP, Picard A. Interhemispheric lipoma associated with frontal subcutaneous lipoma. *J Plast Reconstr Aesthet Surg* 2009;62:e427-9.

Flores-Guevara R, Renault F, Loundon N, Marlin S, Pelosse B, Momtchilova M, *et al.* Usher syndrome type 1: early detection of electroretinographic changes. *Eur J Paediatr Neurol* 2009;13:505-7.

Ferrières J, Bataille V, Leclercq F, Geslin P, Ruidavets JB, Grollier G, *et al.* Patterns of statin prescription in acute myocardial infarction: the French registry of Acute ST-elevation or non-ST-elevation Myocardial Infarction (FAST-MI). *Atherosclerosis* 2009;204:491-6.

Lippert E, Girodon F, Hammond E, Jelinek J, Reading NS, Fehse B, *et al.* Concordance of assays designed for the quantification of JAK2V617F: a multicenter study. *Haematologica* 2009;94:38-45.

Ravel C, Chantot-Bastarud S, El Houate B, Rouba H, Legendre M, Lorenço D, *et al.* Y-chromosome AZFc structural architecture and relationship to male fertility. *Fertil Steril* 2009;92:1924-33.

Hilgert N, Huentelman MJ, Thorburn AQ, Fransen E, Dieltjens N, Mueller-Malesinska M, *et al.* Phenotypic variability of patients homozygous for the GJB2 mutation 35delG cannot be explained by the influence of one major modifier gene. *Eur J Hum Genet* 2009;17:517-24.

Armstrong F, Brunet de la Grange P, Gerby B, Rouyez MC, Calvo J, Fontenay M, *et al.* NOTCH is a key regulator of human T-cell acute leukemia initiating cell activity. *Blood* 2009;113:1730-40.

Hammami S, Ghozzi R, Burghoffer B, Arlet G, Redjeb S. Mechanisms of carbapenem resistance in non-metallo-beta-lactamase-producing clinical isolates of *Pseudomonas aeruginosa* from a Tunisian hospital. *Pathol Biol (Paris)* 2009;57:530-5.

Harroche A, Remus N, Gaubicher S, Dunand O, Colombat M, Delacourt C, *et al.* Pulmonary thrombosis as the first manifestation of systemic lupus erythematosus in a 14-year-old boy. *Pediatr Nephrol* 2009;24:857-61.

Beurel E, Blivet-Van Eggelpoël MJ, Kornprobst M, Moritz S, Delelo R, Paye F, *et al.* Glycogen synthase kinase-3 inhibitors augment TRAIL-induced apoptotic death in human hepatoma cells. *Biochem Pharmacol* 2009;77:54-65.

Marcadé G, Deschamps C, Boyd A, Gautier V, Picard B, Branger C, *et al.* Replicon typing of plasmids in *Escherichia coli* producing extended-spectrum beta-lactamases. *J Antimicrob Chemother* 2009;63:67-71.

Mallat Z, Simon T, Benessiano J, Clément K, Taleb S, Wareham NJ, *et al.* Retinol-binding protein 4 and prediction of incident coronary events in healthy men and women. *J Clin Endocrinol Metab* 2009;94:255-60.

Murati A, Gervais C, Carbuccia N, Finetti P, Cervera N, Adélaïde J, *et al.* Genome profiling of acute myelomonocytic leukemia: alteration of the MYB locus in MYST3-

linked cases. *Leukemia* 2009;23:85-94.

Auber F, Jeanpierre C, Denamur E, Jaubert F, Schleiermacher G, Patte C, *et al.* Management of Wilms tumors in Drash and Frasier syndromes. *Pediatr Blood Cancer* 2009;52:55-9.

Kappeler L, De Magalhaes Filho C, Leneuve P, Xu J, Brunel N, Chatziantoniou C, *et al.* Early postnatal nutrition determines somatotrophic function in mice. *Endocrinology* 2009;150:314-23.

Quinn PJ, Wolf C. The liquid-ordered phase in membranes. *Biochim Biophys Acta* 2009;1788:33-46.

Salem C, Sakr R, Chopier J, Antoine M, Uzan S, Daraï E. Pain and complications of directional vacuum-assisted stereotactic biopsy: comparison of the Mammutome and Vacora techniques. *Eur J Radiol* 2009;72:295-9.

Prulière-Escabasse V, Escudier E, Balheda R, Soria JC, Coste A, Massard C. Rhinitis and epistaxis in patients treated by anti-angiogenic therapy. *Invest New Drugs* 2009;27:285-6.

Addad F, Chakroune T, Asma A, Abderazek F, Zohra D, Ghrissi I, *et al.* Clopidogrel but not Aspirin prevents acute smoking-induced platelet aggregation in patients with stable coronary artery disease. *Thromb Res* 2009;123:640-3.

Mignot C, Desguerre I, Burglen L, Hertz-Pannier L, Renaldo F, Gadisseux JF, *et al.* Tumor-like enlargement of the optic chiasm in an infant with Alexander disease. *Brain Dev* 2009;31:244-7.

Méneret A, Tassart M, Khalil A, Roques S, Barbut F, Bachmeyer C. Une diarrhée récidivante. *Rev Med Interne* 2009;30:67-8.

Jéru I, Grateau G, Amselem S. Bases moléculaires des fièvres récurrentes héréditaires. *Pathol Biol (Paris)* 2009;57:213-6.

Elalamy I, Le Gal G, Nachit-Ouinekh F, Lafuma A, Emery C, Le-Fur C, *et al.* Heparin-induced thrombocytopenia: an estimate of the average cost in the hospital setting in France. *Clin Appl Thromb Hemost* 2009;15:428-34.

Baudon JJ, Renault F, Goutet JM, Biran-Mucignat V, Morgant G, Garabedian EN, *et al.* Assessment of dysphagia in infants with facial malformations. *Eur J Pediatr* 2009;168:187-93.

Bats AS, Coutant C, Antoine M, Uzan S, Barranger E. Intramammary lymph node metastasis of breast cancer after sentinel node biopsy: two cases and a review of the literature. *Eur J Surg Oncol* 2009;35:331-2.

Stange EF, Travis SP, Vermeire S, Reinisch W, Geboes K, Barakauskiene A, *et al.* European evidence-based Consensus on the diagnosis and management of ulcerative colitis: Definitions and diagnosis. *J Crohns Colitis* 2008;2:1-23.

Girot R, Stankovic K, Lionnet F. Problèmes cliniques émergents chez l'adulte drépanocytaire. *Bull Acad Natl Med* 2008;192:1395-409; discussion 1409-11.

Ioos V, Das V, Maury E, Baudel JL, Guéchet J, Guidet B, *et al.* A thyrotoxicosis outbreak due to dietary pills in Paris. *Ther Clin Risk Manag* 2008;4:1375-9.

Elalamy I, Tribout B. Can heparin-induced thrombocytopenia be associated with fondaparinux use? A rebuttal. *J Thromb Haemost* 2008;6:1242-3; author reply 1243-6.

Jaillon P. L'organisation de la recherche clinique en France: les nouvelles missions des délégations inter-régionales à la recherche clinique. *Bull Acad Natl Med* 2008;192:929-37; discussion 937-9.

Capeau J. Insulin resistance and steatosis in humans. *Diabetes Metab* 2008;34:649-57.

Begrache K, Massart J, Abbey-Toby A, Igoudjil A, Lettéron P, Fromenty B. Beta-aminoisobutyric acid prevents diet-induced obesity in mice with partial leptin deficiency. *Obesity (Silver Spring)* 2008;16:2053-67.

Gerotziafas GT, Papageorgiou C, Hatmi M, Samama MM, Elalamy I. Clinical studies with anticoagulants to improve survival in cancer patients. *Pathophysiol Haemost Thromb* 2008;36:204-11.

Levy PP, Bardier A, Doublet JD, Sibony M. Generalized Caseview applied to prostate cancer prognosis. *Conf Proc IEEE Eng Med Biol Soc* 2008;2008:5129-31.

Sakr R, Bezu C, Raoust I, Antoine M, Ettore F, Darcourt J, *et al.* The sentinel lymph node procedure for patients with preoperative diagnosis of ductal carcinoma in situ: risk factors for unsuspected invasive disease and for metastatic sentinel lymph nodes. *Int J Clin Pract* 2008;62:1730-5.

Molinié V, Sibony M, Fromont G, de Fromont M, Aillet G, Balaton A, *et al.* Fiche compte rendu standardisé et prostatectomie radicale. *Ann Pathol* 2008;28:467-73.

Molinié V, Sibony M, Fromont G, de Fromont M, Aillet G, Balaton A, *et al.* Fiche compte rendu standardisé et biopsies prostatiques. *Ann Pathol* 2008;28:459-66.

Sibony M, Vieillefond A. Les tumeurs du rein qui ne sont pas des carcinomes à cellules claires. Etat des lieux en 2008. *Ann Pathol* 2008;28:381-401.

Amiel C. Cancer et VIH : comprendre et agir. *Med Mal Infect* 2008;38:625-41.

Strupler M, Hernest M, Fligny C, Martin JL, Tharaux PL, Schanne-Klein MC. Second harmonic microscopy to quantify renal interstitial fibrosis and arterial remodeling. *J Biomed Opt* 2008;13:054041.

Rio B, Petropoulou AD, Mirshahi P, Soria J, Rendu F, Samama MM, *et al.* Endothelial cell markers' kinetics following umbilical cord blood transplantation. *Leuk Lymphoma* 2008;49:2209-12.

Brun JL, Cortez A, Commo F, Uzan S, Rouzier R, Daraï E. Serous and mucinous ovarian tumors express different profiles of MMP-2, -7, -9, MT1-MMP, and TIMP-1 and -2. *Int J Oncol* 2008;33:1239-46.

Meynard JL, Lacombe K, Poirier JM, Massot O, Lefebvre B, Bouchaud O, *et al.* Sustained increase of HDL cholesterol over a 72-week period in HIV-infected patients exposed to an antiretroviral regimen including lopinavir/ritonavir. *J Int Assoc Physicians AIDS Care (Chic)* 2008;7:311-6.

Institut national du cancer, Mahé I, Elalamy I, Farge-Bancel D, Mismetti P, Scrobahaci ML, *et al.* Standards, Options : Recommandations 2008. Traitement curatif de la maladie thromboembolique veineuse, prevention et traitement des thromboses veineuses sur catheter chez les patients atteints de cancer. *J Mal Vasc* 2008;33:140-54.

Corvol H, Boelle PY, Brouard J, Knauer N, Chadelat K, Henrion-Caude A, *et al.* Genetic variations in inflammatory mediators influence lung disease progression in cystic fibrosis. *Pediatr Pulmonol* 2008;43:1224-32.

Gaudelus J, Dubos F, Dommergues MA, Vu Thien H, Bingen E, Cohen R, *et al.* Antibiothérapie des pleuropneumopathies de l'enfant : quelles leçons tirer des études cliniques publiées et propositions thérapeutiques. *Arch Pediatr* 2008;15 Suppl 2:S84-92.

Vu-Thien H. Pleuro-pneumopathies : épidémiologie bactérienne et résistances aux antibiotiques. *Arch Pediatr* 2008;15 Suppl 2:S81-3.

Develoux M, Le Loup G, Pialoux G. A case of ciguatera fish poisoning in a French traveler. *Euro Surveill* 2008;13:pii: 19027.

Dhombres F, Nahama-Allouche C, Gelot A, Jouannic JM, de Villemeur TB, Saint-Frison MH, *et al.* Prenatal ultrasonographic diagnosis of polymicrogyria. *Ultrasound Obstet Gynecol* 2008;32:951-4.

Hénin D, Bellocq JP, Michiels JF, Fabiani B, Capron F, Bourquard K, *et al.* Utilisation de la lame virtuelle en ACP, intérêt pour les contrôles qualités de l'AFAQAP et pour la FMC. *Ann Pathol* 2008;28 Spec No 1:S96-7.

Wendum D. Cirrhose biliaire primitive et syndrome de chevauchement cirrhose biliaire primitive/hépatite auto-immune. *Ann Pathol* 2008;28 Spec No 1:S54-5.

Gerby B, Armstrong F, Brunet de la Grange P, Calvo J, Ballerini P, Pflumio F. Mise en évidence des cellules souches leucémiques dans les LAL-T humaines et étude de l'implication des voies NOTCH, TAL1 et ERK/MAPK dans la leucémogénèse T humaine. *Ann Pathol* 2008;28 Spec No 1:S28-9.

Lebozec CD, Bourquard K, Fabiani B, Capron F, Klossa J, Cauvin JC, *et al.* Lames virtuelles pour le diagnostic de routine. L'importance d'utiliser les standards informatiques HL7 et DICOM. *Ann Pathol* 2008;28 Spec No 1:S109-12.

Bardel E, Larousserie F, Charlot-Rabiega P, Coulomb-L'Herminé A, Devergne O. Human CD4+ CD25+ Foxp3+ regulatory T cells do not constitutively express IL-35. *J Immunol* 2008;181:6898-905.

Colombat M, Caudroy S, Lagonotte E, Mal H, Danel C, Stern M, *et al.* Pathomechanisms of cyst formation in pulmonary light chain deposition disease. *Eur Respir J* 2008;32:1399-403.

Kappeler L, De Magalhaes Filho C, Dupont J, Leneuve P, Cervera P, Périn L, *et al.* Brain IGF-1 receptors control mammalian growth and lifespan through a neuroendocrine mechanism. *PLoS Biol* 2008;6:e254.

Lamarque V, Merle L, Demarez JP, Round Table No. 7, Giens XXIII. Generics and substitution modalities: proposed methods for the evaluation of equivalence, traceability and pharmacovigilance reporting. *Thérapie* 2008;63:301-9.

Sokol H, Pigneur B, Watterlot L, Lakhdari O, Bermúdez-Humarán LG, Gratadoux JJ, *et al.* Faecalibacterium prausnitzii is an anti-inflammatory commensal bacterium identified by gut microbiota analysis of Crohn disease patients. *Proc Natl Acad Sci U S A* 2008;105:16731-6.

Poupon R, Ping C, Chrétien Y, Corpechot C, Chazouillères O, Simon T, *et al.* Genetic factors of susceptibility and of severity in primary biliary cirrhosis. *J Hepatol* 2008;49:1038-45.

Pol J, Le Pendeven C, Beby-Defaux A, Rabut E, Jais JP, Pilloux M, *et al.* Prospective comparison of Abbott RealTime HBV DNA and Versant HBV DNA 3.0 assays for hepatitis B DNA quantitation: impact on HBV genotype monitoring. *J Virol Methods* 2008;154:1-6.

Sibony M. Perspectives 2007 en pathologie vésicale. Cas 1 et 2: tumeurs urothéliales "superficielles". *Ann Pathol* 2008;28:272-80.

Allory Y, Compérat E, Mazerolle C, Sibony M. Perspectives 2007 en pathologie vésicale. Introduction. *Ann Pathol* 2008;28:270-1.

Pernet P, Bénétteau-Burnat B, Hermand C, Vaubourdolle M. Point-of-care testing: false elevation of cardiac troponin I assayed in the emergency department. *Am J Emerg Med* 2008;26:969.e1-2.

Dupont C, Delahaye A, Burglen L, Tabet AC, Aboura A, Kanafani S, *et al.* First cryptic balanced reciprocal translocation mosaicism and familial transmission. *Am J Med Genet A* 2008;146A:2971-4.

Disse E, Bastard JP, Bonnet F, Maitrepierre C, Peyrat J, Louche-Pelissier C, *et al.* A lipid-parameter-based index for estimating insulin sensitivity and identifying insulin resistance in a healthy population. *Diabetes Metab* 2008;34:457-63.

Guettard E, Portnoi MF, Lohmann-Hedrich K, Keren B, Rossignol S, Winkler S, *et al.* Myoclonus-dystonia due to maternal uniparental disomy. *Arch Neurol* 2008;65:1380-5.

Ballerini P, Landman-Parker J, Cayuela JM, Asnafi V, Labopin M, Gandemer V, *et al.* Impact of genotype on survival of children with T-cell acute lymphoblastic leukemia treated according to the French protocol FRALLE-93: the effect of TLX3/HOX11L2 gene expression on outcome. *Haematologica* 2008;93:1658-65.

Elefant E, Cournot MP, Assari F, Vauzelle C. Immunosuppresseurs utilisés dans les maladies systémiques: que faire en cas de grossesse? *Presse Med* 2008;37:1620-6.

Cadranel JF, Demontis R, Seddik M, Ramdani S, Belloula D, Biour M. Toxicité hépatique et rénale de la fluindione (Préviscan). *Gastroenterol Clin Biol* 2008;32:816-8.

Meyer A, Sailhan F, Coulomb A, Thevenin-Lemoine C, Mary P, Ducou-Lepointe H, *et al.* Proximal tibial epiphyseal intraosseous schwannoma: a rare entity. *J Pediatr Orthop* 2008;28:786-90.

Vimont S, Mnif B, Fevre C, Brisse S. Comparison of PFGE and multilocus sequence typing for analysis of *Klebsiella pneumoniae* isolates. *J Med Microbiol* 2008;57:1308-10.

Epaud R, Feldmann D, Guillot L, Clément A. Pathologies respiratoires associées à des anomalies héréditaires du métabolisme du surfactant. *Arch Pediatr* 2008;15:1560-7.

van Krieken JH, Jung A, Kirchner T, Carneiro F, Seruca R, Bosman FT, *et al.* KRAS mutation testing for predicting response to anti-EGFR therapy for colorectal carcinoma: proposal for an European quality assurance program. *Virchows Arch* 2008;453:417-31.

Dieu-Nosjean MC, Antoine M, Danel C, Heudes D, Wislez M, Poulot V, *et al.* Long-term survival for patients with non-small-cell lung cancer with intratumoral lymphoid structures. *J Clin Oncol* 2008;26:4410-7.

Caron O, Schielke A, Svrcek M, Fléjou JF, Garzon J, Olschwang S, *et al.* Usefulness of prophylactic gastrectomy in a novel large hereditary diffuse gastric cancer (HDGC) family. *Am J Gastroenterol* 2008;103:2160-1.

Nguyen Huu S, Khosrotehrani K, Oster M, Moguelet P, Espié MJ, Aractingi S. Early phase of maternal skin carcinogenesis recruits long-term engrafted fetal cells. *Int J Cancer* 2008;123:2512-7.

Zuber J, Beldjord K, Casadevall N, Thervet E, Legendre C, Varet B. Immune-mediated pure red cell aplasia in renal transplant recipients. *Haematologica* 2008;93:1750-2.

Díaz Y, Chemello ME, Peña F, Aristimuño OC, Zambrano JL, Rojas H, *et al.* Expression of nonstructural rotavirus protein NSP4 mimics Ca²⁺ homeostasis changes induced by rotavirus infection in cultured cells. *J Virol* 2008;82:11331-43.

Hadchouel A, Decobert F, Franco-Montoya ML, Halphen I, Jarreau PH, Boucherat O, *et al.* Matrix metalloproteinase gene polymorphisms and bronchopulmonary dysplasia: identification of MMP16 as a new player in lung development. *PLoS One* 2008;3:e3188.

Velho S, Moutinho C, Cirnes L, Albuquerque C, Hamelin R, Schmitt F, *et al.* BRAF, KRAS and PIK3CA mutations in colorectal serrated polyps and cancer: primary or secondary genetic events in colorectal carcinogenesis? *BMC Cancer* 2008;8:255.

d'Ythurbide G, Coppo P, Adem A, Callard P, Dantal J, Chantrel F, *et al.* Chronic lymphocytic leukemia: a hazardous condition before kidney transplantation. *Am J Transplant* 2008;8:2471-5.

Malak S, Wolf M, Millot GA, Mariotte E, Veyradier A, Meynard JL, *et al.* Human immunodeficiency virus-associated thrombotic microangiopathies: clinical characteristics and outcome according to ADAMTS13 activity. *Scand J Immunol* 2008;68:337-44.

Alessandri JL, Cuillier F, Ramful D, Ernould S, Robin S, de Napoli-Cocci S, *et al.* Perlman syndrome: report, prenatal findings and review. *Am J Med Genet A* 2008;146A:2532-7.

Cavarzere P, Castanet M, Polak M, Raux-Demay MC, Cabrol S, Carel JC, *et al.* Clinical description of infants with congenital hypothyroidism and iodide organification defects. *Horm Res* 2008;70:240-8.

Lacombe K, Gozlan J, Boyd A, Boelle PY, Bonnard P, Molina JM, *et al.* Comparison of the antiviral activity of adefovir and tenofovir on hepatitis B virus in HIV-HBV-coinfected patients. *Antivir Ther* 2008;13:705-13.

Cussenot O, Azzouzi AR, Bantsimba-Malanda G, Gaffory C, Mangin P, Cormier L, *et al.* Effect of genetic variability within 8q24 on aggressiveness patterns at diagnosis and familial status of prostate cancer. *Clin Cancer Res* 2008;14:5635-9.

Kuijper EJ, Barbut F, Brazier JS, Kleinkauf N, Eckmanns T, Lambert ML, *et al.* Update of *Clostridium difficile* infection due to PCR ribotype 027 in Europe, 2008. *Euro Surveill* 2008;13.

Beaussier M, Schiffer E, Housset C. La cholestase ischémique en réanimation. *Ann Fr Anesth Reanim* 2008;27:709-18.

Debourdeau P, Farge-Bancel D, Bosquet L, Kassab-Chahmi D, Cajfinger F, Desmurs-Clavel H, *et al.* Standards, Options : Recommandations 2008. Traitement curatif de la maladie thromboembolique veineuse, prévention et traitement des thromboses veineuses sur cathéter chez les patients atteints de cancer. *Bull Cancer* 2008;95:750-61.

Chassin C, Vimont S, Cluzeaud F, Bens M, Goujon JM, Fernandez B, *et al.* TLR4 facilitates translocation of bacteria across renal collecting duct cells. *J Am Soc Nephrol* 2008;19:2364-74.

Corpechot C, Abenavoli L, Rabahi N, Chrétien Y, Andréani T, Johanet C, *et al.* Biochemical response to ursodeoxycholic acid and long-term prognosis in primary biliary cirrhosis. *Hepatology* 2008;48:871-7.

Wolf C, Quinn PJ. Lipidomics in diagnosis of lipidoses. *Subcell Biochem* 2008;49:567-88.

Staneva G, Chachaty C, Wolf C, Koumanov K, Quinn PJ. The role of sphingomyelin in regulating phase coexistence in complex lipid model membranes: competition between ceramide and cholesterol. *Biochim Biophys Acta* 2008;1778:2727-39.

Xu Y, Lefèvre M, Périé S, Tao L, Callard P, Bernaudin JF, *et al.* Clinical significance of micrometastases detection in lymph nodes from head and neck squamous cell carcinoma. *Otolaryngol Head Neck Surg* 2008;139:436-41.

Evans AJ, Henry PC, Van der Kwast TH, Tkachuk DC, Watson K, Lockwood GA, *et al.* Interobserver variability between expert urologic pathologists for extraprostatic extension and surgical margin status in radical prostatectomy specimens. *Am J Surg Pathol* 2008;32:1503-12.

Debourdeau P, Elalamy I, de Raignac A, Meria P, Gornet JM, Amah Y, *et al.* Long-term use of daily subcutaneous low molecular weight heparin in cancer patients with venous thromboembolism: why hesitate any longer? *Support Care Cancer* 2008;16:1333-41.

Pacanowski J, Lalande V, Lacombe K, Boudraa C, Lesprit P, Legrand P, *et al.* *Campylobacter* bacteremia: clinical features and factors associated with fatal outcome. *Clin Infect Dis* 2008;47:790-6.

Gaillard C, Borde C, Gozlan J, Maréchal V, Strauss F. A high-sensitivity method for detection and measurement of HMGB1 protein concentration by high-affinity binding to DNA hemicatenanes. *PLoS One* 2008;3:e2855.

Parrot A, Antoine M, Khalil A, Théodore J, Mangiapan G, Bazelly B, *et al.* Approach to diagnosis and pathological examination in bronchial Dieulafoy disease: a case series. *Respir Res* 2008;9:58.

Kaci R, Atienza P, Fléjou JF. Un nodule du périnée chez une femme. *Ann Pathol* 2008;28:162-4.

Allias F, Lebreton F, Collardeau-Frachon S, Vasiljevic A, Rossignol S, Massardier J, *et al.* La dysplasie mésoenchymateuse du placenta. *Ann Pathol* 2008;28:85-94.

Lionnet F, Bachmeyer C, Stankovic K, Tharaux PL, Girot R, Aractingi S. Efficacy of the endothelin receptor blocker bosentan for refractory sickle cell leg ulcers. *Br J Haematol* 2008;142:991-2.

De Pontual L, Trochet D, Caillat-Zucman S, Abou Shenab OA, Bougnères P, Crow Y, *et al.* Delineation of late onset hypoventilation associated with hypothalamic dysfunction syndrome. *Pediatr Res* 2008;64:689-94.

Flejou JF. Histological assessment of oesophageal columnar mucosa. *Best Pract Res Clin Gastroenterol* 2008;22:671-86.

Charbit B, Alvarez JC, Dasque E, Abe E, Démolis JL, Funck-Brentano C. Droperidol and ondansetron-induced QT interval prolongation: a clinical drug interaction study. *Anesthesiology* 2008;109:206-12.

Kriegel I, Desruennes E, Douard MC, Grange C, Renaudin JM, Meyer G, *et al.* Standards, Options: recommandations 2008; traitement curatif de la maladie thromboembolique veineuse, prévention et traitement des thromboses veineuses sur cathéter chez les patients atteints de cancer. *Ann Fr Anesth Reanim* 2008;27:521-33.

Egevad L, Algaba F, Berney DM, Boccon-Gibod L, Griffiths DF, Lopez-Beltran A, *et al.* Handling and reporting of radical prostatectomy specimens in Europe: a web-based survey by the European Network of Uro pathology (ENUP). *Histopathology* 2008;53:333-9.

Diebold J, Le Tourneau A, Marmey B, Prevot S, Müller-Hermelink HK, Sevestre H, *et al.* Is sclerosing angiomatoid nodular transformation (SANT) of the splenic red pulp identical to inflammatory pseudotumour? Report of 16 cases. *Histopathology* 2008;53:299-310.

Tokarska-Schlattner M, Boissan M, Munier A, Borot C, Mailleau C, Speer O, *et al.* The nucleoside diphosphate kinase D (NM23-H4) binds the inner mitochondrial membrane with high affinity to cardiolipin and couples nucleotide transfer with respiration. *J Biol Chem* 2008;283:26198-207.

Audard V, Georges B, Vanhille P, Toly C, Deroure B, Fakhouri F, *et al.* Renal lesions associated with IgM-secreting monoclonal proliferations: revisiting the disease spectrum. *Clin J Am Soc Nephrol* 2008;3:1339-49.

Marcelin AG, Masquelier B, Descamps D, Izopet J, Charpentier C, Alloui C, *et al.* Tipranavir-ritonavir genotypic resistance score in protease inhibitor-experienced patients. *Antimicrob Agents Chemother* 2008;52:3237-43.

Pialoux G, Vimont S, Moulignier A, Buteux M, Abraham B, Bonnard P. Effect of HIV infection on the course of syphilis. *AIDS Rev* 2008;10:85-92.

Larrouy D, Barbe P, Valle C, Déjean S, Pelloux V, Thalamas C, *et al.* Gene expression profiling of human skeletal muscle in response to stabilized weight loss. *Am J Clin Nutr* 2008;88:125-32.

El-Bchiri J, Guilloux A, Dartigues P, Loire E, Mercier D, Buhard O, *et al.* Nonsense-mediated mRNA decay impacts MSI-driven carcinogenesis and anti-tumor immunity in colorectal cancers. *PLoS One* 2008;3:e2583.

James C, Mazurier F, Dupont S, Chaligne R, Lamrissi-Garcia I, Tulliez M, *et al.* The hematopoietic stem cell compartment of JAK2V617F-positive myeloproliferative disorders is a reflection of disease heterogeneity. *Blood* 2008;112:2429-38.

Villapol S, Gelot A, Renolleau S, Charriaut-Marlangue C. Astrocyte responses after neonatal ischemia: the yin and the yang. *Neuroscientist* 2008;14:339-44.

Danchin N, Coste P, Ferrières J, Steg PG, Cottin Y, Blanchard D, *et al.* Comparison of thrombolysis followed by broad use of percutaneous coronary intervention with primary percutaneous coronary intervention for ST-segment-elevation acute myocardial infarction: data from the french registry on acute ST-elevation myocardial infarction (FAST-MI). *Circulation* 2008;118:268-76.

Messai Y, Iabadene H, Benhassine T, Alouache S, Tazir M, Gautier V, *et al.* Prevalence and characterization of extended-spectrum beta-lactamases in *Klebsiella pneumoniae* in Algiers hospitals (Algeria). *Pathol Biol (Paris)*

2008;56:319-25.

Weber-Schoendorfer C, Hannemann D, Meister R, Eléfant E, Cuppers-Maarschalkerweerd B, Arnon J, *et al.* The safety of calcium channel blockers during pregnancy: a prospective, multicenter, observational study. *Reprod Toxicol* 2008;26:24-30.

Renault F. Exploration des troubles de la déglutition. *Arch Pediatr* 2008;15:834-6.

Thomassin-Naggara I, Daraï E, Cuenod CA, Rouzier R, Callard P, Bazot M. Dynamic contrast-enhanced magnetic resonance imaging: a useful tool for characterizing ovarian epithelial tumors. *J Magn Reson Imaging* 2008;28:111-20.

Lavoué V, Nos C, Clough KB, Baghaie F, Zerbib E, Poulet B, *et al.* Simplified technique of radioguided occult lesion localization (ROLL) plus sentinel lymph node biopsy (SNOLL) in breast carcinoma. *Ann Surg Oncol* 2008;15:2556-61.

Sena A, Pedrosa R, Ferret-Sena V, Cascais MJ, Roque R, Araújo C, *et al.* Interferon beta therapy increases serum ferritin levels in patients with relapsing-remitting multiple sclerosis. *Mult Scler* 2008;14:857-9.

Lefevre JH, Rondelli F, Mourra N, Bennis M, Tiret E, Parc R, *et al.* Lumboaortic and iliac lymphadenectomy for lymph node recurrence of colorectal cancer: prognostic value of the MSI phenotype. *Ann Surg Oncol* 2008;15:2433-8.

Aflalo-Hazan V, Rousset P, Mourra N, Lewin M, Azizi L, Hoeffel C. Tailgut cysts: MRI findings. *Eur Radiol* 2008;18:2586-93.

Sacquin A, Bergot AS, Aucouturier P, Bruley-Rosset M. Contribution of antibody and T cell-specific responses to the progression of 139A-scrapie in C57BL/6 mice immunized with prion protein peptides. *J Immunol* 2008;181:768-75.

Botterel F, Gross K, Ibrahim-Granet O, Khoufache K, Escabasse V, Coste A, *et al.* Phagocytosis of *Aspergillus fumigatus* conidia by primary nasal epithelial cells in vitro. *BMC Microbiol* 2008;8:97.

Nachury C, Krebs M, Rozand I, Lefevre G, Sapin V. Evaluation analytique du dosage du NT-proBNP sur Cardiac Reader. *Ann Biol Clin (Paris)* 2008;66:255-60.

Descamps D, Assoumou L, Masquelier B, Marcelin AG, Saidi S, Tamalet C, *et al.* HIV-1-infected patients from the French National Observatory experiencing virological failure while receiving enfuvirtide. *J Antimicrob Chemother* 2008;62:451-5.

McElreavey K, Chantot-Bastarud S, Ravel C, Mandelbaum J, Siffroi JP. Chromosome Y et infertilité masculine: qu'est-ce qu'un chromosome Y normal? *J Soc Biol* 2008;202:135-41.

Rossignol S, Netchine I, Le Bouc Y, Gicquel C. Epigenetics in Silver-Russell syndrome. *Best Pract Res Clin Endocrinol Metab* 2008;22:403-14.

Thibault F, Mouton A, Sibony M, Cussenot O, Sebe P, Gattegno B, *et al.* Cancer de l'urètre féminin, à propos de trois cas et revue de la littérature. *Prog Urol* 2008;18:318-22.

Marchal C, Misset JL, Casadevall N, Marec-Bérard P, Chastagner P, Kassab-Chahmi D, *et al.* Standards, Options : recommandations 2007 indication des agents stimulant l'érythropièse (ASE) dans la prise en charge de l'anémie induite par la radiothérapie (mise à jour). *Cancer Radiother* 2008;12:126-33.

Soussan P, Pol J, Garreau F, Schneider V, Le Pendeven C, Nalpas B, *et al.* Expression of defective hepatitis B virus particles derived from singly spliced RNA is related to liver disease. *J Infect Dis* 2008;198:218-25.

Gervais C, Murati A, Helias C, Struski S, Eischen A, Lippert E, *et al.* Acute myeloid leukaemia with 8p11 (MYST3) rearrangement: an integrated cytologic, cytogenetic and molecular study by the groupe francophone de cytogénétique hématologique. *Leukemia* 2008;22:1567-75.

Bellucci S, Cassinat B, Bonnin N, Marzac C, Crassard I. The V617F JAK 2 mutation is not a frequent event in patients with cerebral venous thrombosis without overt chronic myeloproliferative disorder. *Thromb Haemost* 2008;99:1119-20.

Lascols C, Podglajen I, Verdet C, Gautier V, Gutmann L, Soussy CJ, *et al.* A plasmid-borne *Shewanella* algae Gene, *qnrA3*, and its possible transfer in vivo between *Kluyvera ascorbata* and *Klebsiella pneumoniae*. *J Bacteriol* 2008;190:5217-23.

Viola S, Boulé M, Tounian P, Huyn Thi Hong L, Medjadi M, Fauroux B, *et al.* Prévalence et conséquences de la dénutrition au cours de la bronchite chronique de l'enfant. *Arch Pediatr* 2008;15:1270-5.

Berthaut I, Guignedoux G, Kirsch-Noir F, de Larouziere V, Ravel C, Bachir D, *et al.* Influence of sickle cell disease and treatment with hydroxyurea on sperm parameters and fertility of human males. *Haematologica* 2008;93:988-93.

Kouroupi E, Zoi K, Parquet N, Zoi C, Kiladjian JJ, Grigoraki V, *et al.* Mutations in exon 12 of JAK2 are mainly found in JAK2 V617F-negative polycythaemia vera patients. *Br J Haematol* 2008;142:676-9.

Crowley SD, Frey CW, Gould SK, Griffiths R, Ruiz P, Burchette JL, *et al.* Stimulation of lymphocyte responses by angiotensin II promotes kidney injury in hypertension. *Am J Physiol Renal Physiol* 2008;295:F515-24.

Ray-Coquard I, Kassab-Chahmi D, Casadevall N, Chastagner P, Marchal C, Marec-Bérard P, *et al.* Standards, Options: recommandations 2007. Indication des agents stimulant l'érythropoïèse (ASE: époétine alpha, époétine bêta et darbépoétine) dans la prise en charge de l'anémie en cancérologie (mise à jour), rapport abrégé. *Bull Cancer* 2008;95:433-41.

Berrebi D, Leclerc J, Schleiermacher G, Zaccaria I, Boccon-Gibod L, Fabre M, *et al.* High cyclin E staining index in blastemal, stromal or epithelial cells is correlated with tumor aggressiveness in patients with nephroblastoma. *PLoS One* 2008;3:e2216.

Al-Sheikh M, Mazurier E, Gardie B, Casadevall N, Galactéros F, Goossens M, *et al.* A study of 36 unrelated cases with pure erythrocytosis revealed three new mutations in the erythropoietin receptor gene. *Haematologica* 2008;93:1072-5.

Masserot C, Adjaoud D, Haouy S, Deswarte C, Ballerini P, Landman-Parker J. Acute lymphoblastic leukemia and cutaneous mastocytosis in two children. *Pediatr Blood Cancer* 2008;51:444-5.

Goatly A, Bacon CM, Nakamura S, Ye H, Kim I, Brown PJ, *et al.* FOXP1 abnormalities in lymphoma: translocation breakpoint mapping reveals insights into deregulated transcriptional control. *Mod Pathol* 2008;21:902-11.

Brun JL, Cortez A, Rouzier R, Callard P, Bazot M, Uzan S, *et al.* Factors influencing the use and accuracy of frozen section diagnosis of epithelial ovarian tumors. *Am J Obstet Gynecol* 2008;199:244.e1-7.

Elalamy I, Verdy E, Gerotziafas G, Hatmi M. Physiopathogénie de la maladie thromboembolique veineuse au cours du cancer. *Pathol Biol (Paris)* 2008;56:184-94.

Colombat M, Mal H, Copie-Bergman C, Diebold J, Damotte D, Callard P, *et al.* Primary cystic lung light chain deposition disease: a clinicopathologic entity derived from unmutated B cells with a stereotyped IGHV4-34/IGKV1 receptor. *Blood* 2008;112:2004-12.

Ziol M, Barbu V, Rosmorduc O, Frassati-Biaggi A, Barget N, Hermelin B, *et al.* ABCB4 heterozygous gene mutations associated with fibrosing cholestatic liver disease in adults. *Gastroenterology* 2008;135:131-41.

McKoy JM, Stonecash RE, Cournoyer D, Rossert J, Nissenson AR, Raisch DW, *et al.* Epoetin-associated pure red cell aplasia: past, present, and future considerations. *Transfusion* 2008;48:1754-62.

Spigaglia P, Barbanti F, Mastrantonio P, Brazier JS, Barbut F, Delmée M, *et al.* Fluoroquinolone resistance in *Clostridium difficile* isolates from a prospective study of *C. difficile* infections in Europe. *J Med Microbiol* 2008;57:784-9.

Mourra N, Flejou JF, Arrive L. Clinical challenges and images in GI. Extrahepatic biliary cystadenoma with mesenchymal stroma. *Gastroenterology* 2008;134:1295, 1637.

Antuna-Puente B, Faraj M, Karelis AD, Garrel D, Prud'homme D, Rabasa-Lhoret R, *et al.* HOMA or QUICKI: is it useful to test the reproducibility of formulas? *Diabetes Metab* 2008;34:294-6.

Ait-Oufella H, Pouresmail V, Simon T, Blanc-Brude O, Kinugawa K, Merval R, *et al.* Defective mer receptor tyrosine kinase signaling in bone marrow cells promotes apoptotic cell accumulation and accelerates atherosclerosis. *Arterioscler Thromb Vasc Biol* 2008;28:1429-31.

Pierron D, Rocher C, Amati-Bonneau P, Reynier P, Martin-Négrier ML, Allouche S, *et al.* New evidence of a mitochondrial genetic background paradox: impact of the J haplogroup on the A3243G mutation. *BMC Med Genet* 2008;9:41.

Achour A, Malet I, Le Gal F, Dehée A, Gautheret-Dejean A, Bonnafous P, *et al.* Variability of gB and gH genes of human herpesvirus-6 among clinical specimens. *J Med Virol* 2008;80:1211-21.

Coulet A, Smaïl-Tabbone M, Benlian P, Napoli A, Devignes MD. Ontology-guided data preparation for discovering genotype-phenotype relationships. *BMC Bioinformatics* 2008;9 Suppl 4:S3.

Lapillonne H, Leclerc A, Ulinski T, Balu L, Garnier A, Dereuddre-Bosquet N, *et al.* Stem cell mobilization in idiopathic steroid-sensitive nephrotic syndrome. *Pediatr Nephrol* 2008;23:1251-6.

Thomassin-Naggara I, Bazot M, Darai E, Callard P, Thomassin J, Cuenod CA. Epithelial ovarian tumors: value of dynamic contrast-enhanced MR imaging and correlation with tumor angiogenesis. *Radiology* 2008;248:148-59.

Brisse HJ, Schleiermacher G, Sarnacki S, Helfre S, Philippe-Chomette P, Boccon-Gibod L, *et al.* Preoperative Wilms tumor rupture: a retrospective study of 57 patients. *Cancer* 2008;113:202-13.

Wamelink MM, Struys EA, Valayannopoulos V, Gonzales M, Saudubray JM, Jakobs C. Retrospective detection of transaldolase deficiency in amniotic fluid: implications for prenatal diagnosis. *Prenat Diagn* 2008;28:460-2.

Mourra N, Lebrette MG, Hoeffel C, Paye F. Gallbladder adenocarcinoma: first report in a patient with AIDS. *J Clin Pathol* 2008;61:688.

Sakr R, Rouzier R, Salem C, Antoine M, Chopier J, Darai E, *et al.* Risk of breast cancer associated with papilloma. *Eur J Surg Oncol* 2008;34:1304-8.

Colombat M, Deleuze S, Callard P. Lésions élémentaires des glomérules chez l'adulte. *Nephrol Ther* 2008;4:617-27.

Poirier JM, Robidou P, Jaillon P. Quantification of the HIV-integrase inhibitor raltegravir (MK-0518) in human plasma by high-performance liquid chromatography with fluorescence detection. *J Chromatogr B Analyt Technol Biomed Life Sci* 2008;867:277-81.

Bouhemad B, Nicolas-Robin A, Arbelot C, Arthaud M, Féger F, Rouby JJ. Isolated and reversible impairment of ventricular relaxation in patients with septic shock. *Crit Care Med* 2008;36:766-74.

Droitcourt C, Khosrotehrani K, Girot R, Aractingi S. Healing of sickle cell ulcers during pregnancy: a favourable effect of foetal cell transfer? *J Eur Acad Dermatol Venereol* 2008;22:1256-7.

Durand-Gasselín L, Pruvost A, Dehée A, Vaudre G, Tabone MD, Grassi J, *et al.* High levels of zidovudine (AZT) and its intracellular phosphate metabolites in AZT- and AZT-lamivudine-treated newborns of human immunodeficiency virus-infected mothers. *Antimicrob Agents Chemother* 2008;52:2555-63.

Oort PJ, Knotts TA, Grino M, Naour N, Bastard JP, Clément K, *et al.* Gamma-synuclein is an adipocyte-neuron gene coordinately expressed with leptin and increased in human obesity. *J Nutr* 2008;138:841-8.

Famà F, Le Bouc Y, Barrande G, Villeneuve A, Berry MG, Pidoto RR, *et al.* Solitary fibrous tumour of the liver with IGF-II-related hypoglycaemia. A case report. *Langenbecks Arch Surg* 2008;393:611-6.

Vibert-Guigue C, Gonzales M, Gouellet N, Zirah C, Milliez J, Carbonne B. Vaginal delivery using cranioclasia following prenatal diagnosis of a giant fetal intracranial teratoma. *Fetal Diagn Ther* 2008;23:222-7.

Rupnik M, Widmer A, Zimmermann O, Eckert C, Barbut F. Clostridium difficile toxinotype V, ribotype 078, in animals and humans. *J Clin Microbiol* 2008;46:2146.

Blustajn J, Kirsch CF, Panigrahy A, Netchine I. Olfactory anomalies in CHARGE syndrome: imaging findings of a potential major diagnostic criterion. *AJNR Am J Neuroradiol* 2008;29:1266-9.

Chantot-Bastaraud S, Ravel C, Siffroi JP. Underlying karyotype abnormalities in IVF/ICSI patients. *Reprod Biomed Online* 2008;16:514-22.

Vonberg RP, Kuijper EJ, Wilcox MH, Barbut F, Tüll P, Gastmeier P, *et al.* Infection control measures to limit the spread of *Clostridium difficile*. *Clin Microbiol Infect* 2008;14 Suppl 5:2-20.

Richebourg S, Eclache V, Perot C, Portnoi MF, Van den Akker J, Terré C, *et al.* Mechanisms of genesis of variant translocation in chronic myeloid leukemia are not correlated with ABL1 or BCR deletion status or response to imatinib therapy. *Cancer Genet Cytogenet* 2008;182:95-102.

Lanternier F, Cohen-Akenine A, Palmerini F, Feger F, Yang Y, Zermati Y, *et al.* Phenotypic and genotypic characteristics of mastocytosis according to the age of onset. *PLoS One* 2008;3:e1906.

Delbosc S, Glorian M, Le Port AS, Béréziat G, Andréani M, Limon I. The benefit of docosahexanoic acid on the migration of vascular smooth muscle cells is partially dependent on Notch regulation of MMP-2/-9. *Am J Pathol* 2008;172:1430-40.

Rosmorduc O, Wendum D, Arrivé L, Elnaggar A, Ennibi K, Hannoun L, *et al.* Phenotypic expression of ferroportin disease in a family with the N144H mutation. *Gastroenterol Clin Biol* 2008;32:321-7.

Lamazière A, Wolf C, Lambert O, Chassaing G, Trugnan G, Ayala-Sanmartin J. The homeodomain derived peptide Penetratin induces curvature of fluid membrane domains. *PLoS One* 2008;3:e1938.

MacGrogan G, Arnould L, de Mascarel I, Vincent-Salomon A, Penault-Llorca F, Lacroix-Triki M, *et al.* Impact of immunohistochemical markers, CK5/6 and E-cadherin on diagnostic agreement in non-invasive proliferative breast lesions. *Histopathology* 2008;52:689-97.

Lescure FX, Canestri A, Melliez H, Jauréguiberry S, Develoux M, Dorent R, *et al.* Chagas disease, France. *Emerg Infect Dis* 2008;14:644-6.

Masquelier B, Assoumou KL, Descamps D, Bocket L, Cottalorda J, Ruffault A, *et al.* Clinically validated mutation scores for HIV-1 resistance to fosamprenavir/ritonavir. *J Antimicrob Chemother* 2008;61:1362-8.

Rota M, Nguyen-Khoa T, Marchand M, Feldmann D, Dumont J, Khalfon D, *et al.* Recommandations pour l'exécution et l'interprétation du test de la sueur. *Ann Biol Clin (Paris)* 2008;66:221-7.

Slama L, Lanoy E, Valantin MA, Bastard JP, Chermak A, Boutekajirt A, *et al.* Effect of pioglitazone on HIV-1-related lipodystrophy: a randomized double-blind placebo-controlled trial (ANRS 113). *Antivir Ther* 2008;13:67-76.

Caron M, Auclair M, Vissian A, Vigouroux C, Capeau J. Contribution of mitochondrial dysfunction and oxidative stress to cellular premature senescence induced by antiretroviral thymidine analogues. *Antivir Ther* 2008;13:27-38.

Belaid-Choucair Z, Lepelletier Y, Poncin G, Thiry A, Humblet C, Maachi M, *et al.* Human bone marrow adipocytes block granulopoiesis through neuropilin-1-induced granulocyte colony-stimulating factor inhibition. *Stem Cells* 2008;26:1556-64.

Viron B, Dupuy CA, Kolta A, Casadevall N. Successful re-challenge with darbepoetin in a patient with rHu-EPO-induced pure red cell aplasia refractory to immunosuppressive drugs. *Nephrol Dial Transplant* 2008;23:2416-8.

Bachmeyer C, Elalamy I, Tassart M, Cormier F, Khalil A, Vayssairat M. Des douleurs abdominales. *Rev Med Interne* 2008;29:1028-9.

Thabuy F, Marzac C, Renaud MC, Fardet L, Tiev K, Tolédano C, *et al.* Pseudoleucémie par falsification d'examens biologiques: genèse d'un syndrome de Münchhausen. *Rev Med Interne* 2008;29:924-8.

Lainas P, Boudechiche L, Osorio A, Coulomb A, Weber A, Pariente D, *et al.* Liver regeneration and recanalization time course following reversible portal vein embolization. *J Hepatol* 2008;49:354-62.

Iabadene H, Messai Y, Ammari H, Ramdani-Bouguessa N, Lounes S, Bakour R, *et al.* Dissemination of ESBL and Qnr determinants in *Enterobacter cloacae* in Algeria. *J Antimicrob Chemother* 2008;62:133-6.

Hassan-Khabbar S, Cottart CH, Wendum D, Vibert F, Clot JP, Savouret JF, *et al.* Postischemic treatment by trans-resveratrol in rat liver ischemia-reperfusion: a possible strategy in liver surgery. *Liver Transpl* 2008;14:451-9.

Sabaa N, de Franceschi L, Bonnin P, Castier Y, Malpeli G, Debbabi H, *et al.* Endothelin receptor antagonism prevents hypoxia-induced mortality and morbidity in a mouse model of sickle-cell disease. *J Clin Invest* 2008;118:1924-33.

Mourra N, Zeitoun G, Portier G, Blanche H, Tubacher E, Gressin L, *et al.* High-resolution genotyping of chromosome 8 in colon adenocarcinomas reveals recurrent break point but no gene mutation in the 8p21 region. *Diagn Mol Pathol* 2008;17:90-3.

Dunoyer-Geindre S, Boehlen F, Favier R, Wahl D, Musial J, Korte W, *et al.* Endothelial cell activation by immunoglobulins from patients with immune thrombocytopenic purpura or with antiphospholipid syndrome. *Haematologica* 2008;93:635-6.

Muller H, Hennequin C, Gallaud J, Dujon B, Fairhead C. The asexual yeast *Candida glabrata* maintains distinct a and alpha haploid mating types. *Eukaryot Cell* 2008;7:848-58.

Vantyghem MC, Vincent-Desplanques D, Defrance-Faivre F, Capeau J, Fermon C, Valat AS, *et al.* Fertility and obstetrical complications in women with LMNA-related familial partial lipodystrophy. *J Clin Endocrinol Metab* 2008;93:2223-9.

Farhi D, Zizi N, Moguelet P, Wislez M, Cadranet J, Aractingi S. Hypodermal 'pseudo-cellulitic' infiltrate heralding Churg and Strauss syndrome flares in two patients. *J Eur Acad Dermatol Venereol* 2008;22:1380-2.

Leveziel N, Zerbib J, Richard F, Querques G, Morineau G, Fremeaux-Bacchi V, *et al.* Genotype-phenotype correlations for exudative age-related macular degeneration associated with homozygous HTRA1 and CFH genotypes. *Invest Ophthalmol Vis Sci* 2008;49:3090-4.

Delaugerre C, Flandre P, Marcelin AG, Descamps D, Tamalet C, Cottalorda J, *et al.* National survey of the prevalence and conditions of selection of HIV-1 reverse transcriptase K70E mutation. *J Med Virol* 2008;80:762-5.

Amzallag J, Vialle R, Josset P, Maillet M, Thomsen L, Ducou le Pointe H. Scapulothoracic cystic lymphatic malformation in a thirteen-year-old child: a case report. *J Shoulder Elbow Surg* 2008;17:e19-21.

Kraemer A, Lewin M, Balladur P, Mourra N, Tiret E, Paye F. Pancréatite auto-immune mimant une tumeur intracanalair papillaire et mucineuse : une observation originale et trompeuse. *Gastroenterol Clin Biol* 2008;32:635-9.

Maes P, Clement J, Cauwe B, Bonnet V, Keyaerts E, Robert A, *et al.* Truncated recombinant puumala virus nucleocapsid proteins protect mice against challenge in vivo. *Viral Immunol* 2008;21:49-60.

Begrliche K, Lettéron P, Abbey-Toby A, Vadrot N, Robin MA, Bado A, *et al.* Partial leptin deficiency favors diet-induced obesity and related metabolic disorders in mice. *Am J Physiol Endocrinol Metab* 2008;294:E939-51.

Combadière C, Potteaux S, Rodero M, Simon T, Pezard A, Esposito B, *et al.* Combined inhibition of CCL2, CX3CR1, and CCR5 abrogates Ly6C(hi) and Ly6C(lo) monocytosis and almost abolishes atherosclerosis in hypercholesterolemic mice. *Circulation* 2008;117:1649-57.

Camparo P, Vasiliu V, Molinie V, Couturier J, Dykema KJ, Petillo D, *et al.* Renal translocation carcinomas: clinicopathologic, immunohistochemical, and gene expression profiling analysis of 31 cases with a review of the literature. *Am J Surg Pathol* 2008;32:656-70.

Clermont O, Lavollay M, Vimont S, Deschamps C, Forestier C, Branger C, *et al.* The CTX-M-15-producing *Escherichia coli* diffusing clone belongs to a highly virulent B2 phylogenetic subgroup. *J Antimicrob Chemother* 2008;61:1024-8.

Jaillon P, Demarez JP. L'histoire de la genèse de la loi Huriet-Sérusclat de décembre 1988: loi sur la protection des personnes qui se prêtent à des recherches biomédicales. *Med Sci (Paris)* 2008;24:323-7.

Bernheim A, Toujani S, Saulnier P, Robert T, Casiraghi O, Validire P, *et al.* High-resolution array comparative genomic hybridization analysis of human bronchial and salivary adenoid cystic carcinoma. *Lab Invest* 2008;88:464-73.

Kim MJ, Jardel C, Barthélémy C, Jan V, Bastard JP, Fillaut-Chapin S, *et al.* Mitochondrial DNA content, an inaccurate biomarker of mitochondrial alteration in human immunodeficiency virus-related lipodystrophy. *Antimicrob Agents Chemother* 2008;52:1670-6.

Cardot-Bauters C, Leteurtre E, Leclerc L, Vantyghem MC, Do Cao C, Wemeau JL, *et al.* Does the RET variant G691S influence the features of sporadic medullary thyroid carcinoma? *Clin Endocrinol (Oxf)* 2008;69:506-10.

Abuaf N, Rostane H, Rajoely B, Gaouar H, Autegarden JE, Leynadier F, *et al.* Comparison of two basophil activation markers CD63 and CD203c in the diagnosis of amoxicillin allergy. *Clin Exp Allergy* 2008;38:921-8.

Hennequin C, Ancelle T, Beretta S, 41 French Biologists. Outbreaks of nosocomial candidiasis in France 1996-2006. *J Hosp Infect* 2008;68:377-80.

Mourra N, Lewin M, Parc Y. Clinical challenges and images in GI. Esophageal tubular duplication. *Gastroenterology* 2008;134:669, 899.

Mourra N, Hoeffel C, Duvillard P, Guettier C, Flejou JF, Tiret E. Adrenalectomy for clinically isolated metastasis from colorectal carcinoma: report of eight cases. *Dis Colon Rectum* 2008;51:1846-9.

Buot G, Bachmeyer C, Haettich-Pialoux B, Bélangé G, Thiébaud JB, Dupont B, *et al.* Coccidioïdomycose révélée par des lésions cutanées spécifiques survenues après une dérivation ventriculo-cardiaque pour méningite chronique. *Presse Med* 2008;37:970-4.

Tahiri F, Le Naour F, Huguet S, Lai-Kuen R, Samuel D, Johanet C, *et al.* Identification of plasma membrane autoantigens in autoimmune hepatitis type 1 using a proteomics tool. *Hepatology* 2008;47:937-48.

Lefevre JH, Parc Y, Bennis M, Carbonnel N, Mourra N, Tiret E, *et al.* Multiple stomas for recurrent life-threatening gastrointestinal bleeding: report of a case. *Dis Colon Rectum* 2008;51:1714-8.

Seror E, Coquerel B, Gautheret-Dejean A, Ballerini P, Landman-Parker J, Leverger G, *et al.* Quantitation of Human herpes virus 6 genome in children with acute lymphoblastic leukemia. *J Med Virol* 2008;80:689-93.

Hilal L, Hajaji Y, Vie-Luton MP, Ajaltouni Z, Benazzouz B, Chana M, *et al.* Unusual phenotypic features in a patient with a novel splice mutation in the GHRHR gene. *Mol Med* 2008;14:286-92.

Muleris M, Chalastanis A, Meyer N, Lae M, Dutrillaux B, Sastre-Garau X, *et al.* Chromosomal instability in near-diploid colorectal cancer: a link between numbers and structure. *PLoS One* 2008;3:e1632.

Barrail-Tran A, Morand-Joubert L, Poizat G, Raguin G, Le Tiec C, Clavel F, *et al.* Predictive values of the human immunodeficiency virus phenotype and genotype and of amprenavir and lopinavir inhibitory quotients in heavily pretreated patients on a ritonavir-boosted dual-protease-inhibitor regimen. *Antimicrob Agents Chemother* 2008;52:1642-6.

Loundon N, Leboulanger N, Maillet J, Riggouzzo A, Richard P, Marlin S, *et al.* Cochlear implant and inner ear malformation. Proposal for an hyperosmolar therapy at surgery. *Int J Pediatr Otorhinolaryngol* 2008;72:541-7.

Jammal M, Tiev KP, Lenglet T, Marzac C, Gain M, Permal S, *et al.* Des lésions bulleuses des doigts. *Rev Med Interne* 2008;29:821-2.

Tessier C, Nuss P, Staneva G, Wolf C. Modification of membrane heterogeneity by antipsychotic drugs: an X-ray diffraction comparative study. *J Colloid Interface Sci* 2008;320:469-75.

Gicquel C, El-Osta A, Le Bouc Y. Epigenetic regulation and fetal programming. *Best Pract Res Clin Endocrinol Metab* 2008;22:1-16.

Gilles L, Guièze R, Bluteau D, Cordette-Lagarde V, Lacout C, Favier R, *et al.* P19INK4D links endomitotic arrest and megakaryocyte maturation and is regulated by AML-1. *Blood* 2008;111:4081-91.

Dufernez F, Derelle E, Noël C, Sancier G, Mantini C, Dive D, *et al.* Molecular characterization of iron-containing superoxide dismutases in the heterotrophic dinoflagellate *Cryptothecodinium cohnii*. *Protist* 2008;159:223-38.

Demarez JP. De Nuremberg à aujourd'hui: les << Comités d'éthique >> dans l'expérimentation humaine. *Med Sci (Paris)* 2008;24:208-12.

Myara A, Guechot J, Lasnier E, Imbert-Bismut F, Voitot H, Ferard G. The use of enzyme results for liver fibrosis evaluation necessitates standardization. *Hepatology* 2008;47:1100-1.

Sène D, Elalamy I, Ancrì A, Cacoub P. JAK2V617F mutation is not associated with unexplained recurrent arterial and venous thrombosis. *Thromb Res* 2008;122:427-8.

Bonnin P, Sabaa N, Flamant M, Debbabi H, Tharaux PL. Ultrasound imaging of renal vaso-occlusive events in transgenic sickle mice exposed to hypoxic stress. *Ultrasound Med Biol* 2008;34:1076-84.

Kiladjian JJ, Cervantes F, Leebeek FW, Marzac C, Cassinat B, Chevret S, *et al.* The impact of JAK2 and MPL mutations on diagnosis and prognosis of splanchnic vein thrombosis: a report on 241 cases. *Blood* 2008;111:4922-9.

Fabien N, Olsson NO, Goetz J, Johanet C, Escande A, Bardin N, *et al.* Prevalence of autoantibodies to cyclic citrullinated peptide in patients with rheumatic diseases other than rheumatoid arthritis: a French multicenter study. *Clin Rev Allergy Immunol* 2008;34:40-4.

Kauffmann-Lacroix C, Bousseau A, Dalle F, Brenier-Pinchart MP, Delhaes L, Machouart M, *et al.* Surveillance mycologique de l'eau pour la prévention des mycoses invasives dans les établissements de santé: propositions de standardisation des méthodologies. *Presse Med* 2008;37:751-9.

Ratbi I, Génin E, Legendre M, Le Floch A, Costa C, Cherkaoui-Deqqaqi S, *et al.* Cystic fibrosis carrier frequency and estimated prevalence of the disease in Morocco. *J Cyst Fibros* 2008;7:440-3.

Marlin S, Lacombe D, Jonard L, Leboulanger N, Bonneau D, Goizet C, *et al.* Perrault syndrome: report of four new cases, review and exclusion of candidate genes. *Am J Med Genet A* 2008;146A:661-4.

Cauchi S, Choquet H, Gutiérrez-Aguilar R, Capel F, Grau K, Proença C, *et al.* Effects of TCF7L2 polymorphisms on obesity in European populations. *Obesity (Silver Spring)* 2008;16:476-82.

Jéru I, Duquesnoy P, Fernandes-Alnemri T, Cochet E, Yu JW, Lackmy-Port-Lis M, *et al.* Mutations in NALP12 cause hereditary periodic fever syndromes. *Proc Natl Acad Sci U S A* 2008;105:1614-9.

Hamelin R, Chalastanis A, Colas C, El Bchiri J, Mercier D, Schreurs AS, *et al.* Conséquences cliniques et moléculaires de l'instabilité des microsatellites dans les cancers humains. *Bull Cancer* 2008;95:121-32.

Thuillier F, Demarquilly C, Szymanowicz A, Gaillard C, Boniface M, Braidy C, *et al.* Turbidimétrie ou néphélométrie: quel choix pour les dosages de l'albumine,

l'ApoA, la CRP, l'haptoglobine, l'IgM et la transthyrétine? Ann Biol Clin (Paris) 2008;66:63-78.

Biondi O, Grondard C, Lécolle S, Deforges S, Pariset C, Lopes P, *et al.* Exercise-induced activation of NMDA receptor promotes motor unit development and survival in a type 2 spinal muscular atrophy model mouse. J Neurosci 2008;28:953-62.

Schnepf N, Deback C, Dehee A, Gault E, Perez N, Garbarg-Chenon A. Rearrangements of rotavirus genomic segment 11 are generated during acute infection of immunocompetent children and do not occur at random. J Virol 2008;82:3689-96.

Lenoir C, Sapin C, Broquet AH, Jouniaux AM, Bardin S, Gasnereau I, *et al.* MD-2 controls bacterial lipopolysaccharide hyporesponsiveness in human intestinal epithelial cells. Life Sci 2008;82:519-28.

Mounier CM, Wendum D, Greenspan E, Fléjou JF, Rosenberg DW, Lambeau G. Distinct expression pattern of the full set of secreted phospholipases A2 in human colorectal adenocarcinomas: sPLA2-III as a biomarker candidate. Br J Cancer 2008;98:587-95.

Kim CA, Delépine M, Boutet E, El Mourabit H, Le Lay S, Meier M, *et al.* Association of a homozygous nonsense caveolin-1 mutation with Berardinelli-Seip congenital lipodystrophy. J Clin Endocrinol Metab 2008;93:1129-34.

De La Cochetière MF, Durand T, Lalande V, Petit JC, Potel G, Beaugerie L. Effect of antibiotic therapy on human fecal microbiota and the relation to the development of Clostridium difficile. Microb Ecol 2008;56:395-402.

Guillemot N, Chadelat K, Nathan N, Aubertin G, Ducou le Pointe H, Clément A, *et al.* Tuméfaction sternale chez un enfant de neuf ans. *Med Mal Infect* 2008;38:278-80.

Moudouni SM, Tligui M, Sibony M, Doublet JD, Haab F, Gattegno B, *et al.* Malignant epithelioid renal angiomyolipoma involving the inferior vena cava in a patient with tuberous sclerosis. *Urol Int* 2008;80:102-4; discussion 104.

Sidorkiewicz M, Jais JP, Tralhao G, Morosan S, Giannini C, Brezillon N, *et al.* Gene modulation associated with inhibition of liver regeneration in hepatitis B virus X transgenic mice. *World J Gastroenterol* 2008;14:574-81.

Encha-Razavi F, Gonzalès M, Laquerrière A, Martinovic J, Sinico M, Allias F, *et al.* A practical approach to the examination of the malformed fetal brain: impact on genetic counselling. *Pathology* 2008;40:180-7.

Nathan N, Guillemot N, Aubertin G, Blanchon S, Chadelat K, Epaud R, *et al.* Chronic eosinophilic pneumonia in a 13-year-old child. *Eur J Pediatr* 2008;167:1203-7.

Audard V, Cavard C, Richa H, Infante M, Couvelard A, Sauvanet A, *et al.* Impaired E-cadherin expression and glutamine synthetase overexpression in solid pseudopapillary neoplasm of the pancreas. *Pancreas* 2008;36:80-3.

Sakr R, Antoine M, Barranger E, Dubernard G, Salem C, Darai E, *et al.* Value of sentinel lymph node biopsy in breast ductal carcinoma in situ upstaged to invasive carcinoma. *Breast J* 2008;14:55-60.

Quenum-Miraillet G, Malan V, Martinovic J, Encha-Razavi F, Aral B, Texier I, *et al.*
Prenatal diagnosis of a ring chromosome 14 in a fetus with a severe skeletal dysplasia. *Prenat Diagn* 2008;28:69-71.

Pialoux G, Quercia RP, Gahery H, Daniel N, Slama L, Girard PM, *et al.*
Immunological responses and long-term treatment interruption after human immunodeficiency virus type 1 (HIV-1) lipopeptide immunization of HIV-1-infected patients: the LIPATHERA study. *Clin Vaccine Immunol* 2008;15:562-8.

Lefrère JJ, Laperche S, Girot R. Repository of blood samples from recipients of red blood cell transfusions in France. *Transfusion* 2008;48:195; author reply 195-6.

Khosrotehrani K, Leduc M, Bachy V, Nguyen Huu S, Oster M, Abbas A, *et al.*
Pregnancy allows the transfer and differentiation of fetal lymphoid progenitors into functional T and B cells in mothers. *J Immunol* 2008;180:889-97.

Pollock C, Johnson DW, Hörl WH, Rossert J, Casadevall N, Schellekens H, *et al.*
Pure red cell aplasia induced by erythropoiesis-stimulating agents. *Clin J Am Soc Nephrol* 2008;3:193-9.

Barbut F. Infections à *Clostridium difficile*: une ré-émergence inattendue. *Pathol Biol (Paris)* 2008;56:6-9.

Marpeau O, Ancel PY, Antoine M, Uzan S, Barranger E. Cancers du sein bilatéraux synchrones: facteurs de risque, diagnostic, histologie, traitement. *Gynecol Obstet Fertil* 2008;36:35-44.

Valeyre P, Favier R, Adam M, Quinet B, Grimpel E, Parez N. Tolérance et efficacité de la méfloquine dans le traitement de première intention de l'accès palustre simple à *P. falciparum* d'importation chez l'enfant. *Pathol Biol (Paris)* 2008;56:21-8.

Salenave S, Chanson P, Bry H, Pugeat M, Cabrol S, Carel JC, *et al.* Kallmann's syndrome: a comparison of the reproductive phenotypes in men carrying KAL1 and FGFR1/KAL2 mutations. *J Clin Endocrinol Metab* 2008;93:758-63.

Soon PS, Libe R, Benn DE, Gill A, Shaw J, Sywak MS, *et al.* Loss of heterozygosity of 17p13, with possible involvement of ACADVL and ALOX15B, in the pathogenesis of adrenocortical tumors. *Ann Surg* 2008;247:157-64.

Mourra N, Marceau C, Pacanowski J, Tiret E, Flejou JF. Massive haematemesis in an African male. *Gut* 2008;57:49, 58.

Antuna-Puente B, Feve B, Fellahi S, Bastard JP. Adipokines: the missing link between insulin resistance and obesity. *Diabetes Metab* 2008;34:2-11.

Iughetti L, Sobrier ML, Predieri B, Netchine I, Carani C, Bernasconi S, *et al.* Complex disease phenotype revealed by GH deficiency associated with a novel and unusual defect in the GH-1 gene. *Clin Endocrinol (Oxf)* 2008;69:170-2.

Renault F, Nicot F, Liptai Z, Benharrats T, Fauroux B. Congenital diaphragm weakness without neuromuscular disease. *Muscle Nerve* 2008;38:1201-5.

Leboulanger N, Rouillon I, Papon JF, Josset P, Roger G, Garabédian EN. Childhood granular cell tumors: two case reports. *Int J Pediatr Otorhinolaryngol*

2008;72:279-83.

Ravery V, Dominique S, Panhard X, Toublanc M, Boccon-Gibod L, Boccon-Gibod L. The 20-core prostate biopsy protocol--a new gold standard? *J Urol* 2008;179:504-7.

Bénéteau-Burnat B, Pernet P, Pilon A, Latour D, Goujon S, Feuillu A, *et al.* Evaluation of the GEM Premier 4000: a compact blood gas CO-Oximeter and electrolyte analyzer for point-of-care and laboratory testing. *Clin Chem Lab Med* 2008;46:271-9.

Graesslin O, Chantot-Bastarud S, Lorenzato M, Birembaut P, Quéreux C, Daraï E. Fluorescence in situ hybridization and immunohistochemical analysis of p53 expression in endometrial cancer: prognostic value and relation to ploidy. *Ann Surg Oncol* 2008;15:484-92.

Dannaoui E, Lortholary O, Raoux D, Bougnoux ME, Galeazzi G, Lawrence C, *et al.* Comparative in vitro activities of caspofungin and micafungin, determined using the method of the European Committee on Antimicrobial Susceptibility Testing, against yeast isolates obtained in France in 2005-2006. *Antimicrob Agents Chemother* 2008;52:778-81.

Meziane-Cherif D, Decré D, Høiby EA, Courvalin P, Périchon B. Genetic and biochemical characterization of CAD-1, a chromosomally encoded new class A penicillinase from *Carnobacterium divergens*. *Antimicrob Agents Chemother* 2008;52:551-6.

Tnani N, Massoumi A, Lortholary O, Soussan P, Prinseau J, Baglin A, *et al.* Prise en charge de l'infection à cytomégalovirus symptomatique chez les patients traités par immunosuppresseurs pour une maladie inflammatoire chronique. *Rev Med Interne* 2008;29:305-10.

Qureshi T, Barbut F, Pernet P, Neyme D, Maury E, Offenstadt G. Laryngoscope handles in a medical intensive care unit: the level of bacterial and occult blood contamination. *J Hosp Infect* 2008;68:94-5.

McDermott WG, Boissan M, Lacombe ML, Steeg PS, Horak CE. Nm23-H1 homologs suppress tumor cell motility and anchorage independent growth. *Clin Exp Metastasis* 2008;25:131-8.

Halabi-Tawil M, Lionnet F, Girot R, Bachmeyer C, Lévy PP, Aractingi S. Sickle cell leg ulcers: a frequently disabling complication and a marker of severity. *Br J Dermatol* 2008;158:339-44.

Flores Guevara R, Giannuzzi R, Nosralla Mde O, Vignolo P, Moriette G, Maier MA. Positive slow waves in the EEG of premature infants between 24 and 36 weeks of conceptional age. *Clin Neurophysiol* 2008;119:180-9.

Bachmeyer C, Entressengle H, Khosrotehrani K, Goldman G, Delisle F, Arlet G, *et al.* Cellulitis due to *Myroides odoratimimus* in a patient with alcoholic cirrhosis. *Clin Exp Dermatol* 2008;33:97-8.

Cariou A, Claessens YE, Pène F, Marx JS, Spaulding C, Hababou C, *et al.* Early high-dose erythropoietin therapy and hypothermia after out-of-hospital cardiac arrest: a matched control study. *Resuscitation* 2008;76:397-404.

Allory Y, Bazille C, Vieillefond A, Molinié V, Cochand-Priollet B, Cussenot O, *et al.* Profiling and classification tree applied to renal epithelial tumours. *Histopathology* 2008;52:158-66.

Meyer P, Pernet P, Hejblum G, Baudel JL, Maury E, Offenstadt G, *et al.*
Haemodilution induced by hydroxyethyl starches 130/0.4 is similar in septic and non-septic patients. *Acta Anaesthesiol Scand* 2008;52:229-35.

Dortet L, Radu I, Gautier V, Blot F, Chachaty E, Arlet G. Intercontinental travels of patients and dissemination of plasmid-mediated carbapenemase KPC-3 associated with OXA-9 and TEM-1. *J Antimicrob Chemother* 2008;61:455-7.

Bahi-Buisson N, Guttierrez-Delgado E, Soufflet C, Rio M, Daire VC, Lacombe D, *et al.* Spectrum of epilepsy in terminal 1p36 deletion syndrome. *Epilepsia* 2008;49:509-15.

Jonard L, Feldmann D, Parsy C, Freitag S, Sinico M, Koval C, *et al.* A familial case of Keratitis-Ichthyosis-Deafness (KID) syndrome with the GJB2 mutation G45E. *Eur J Med Genet* 2008;51:35-43.

Blanckaert K, Coignard B, Grandbastien B, Astagneau P, Barbut F. Actualités sur les infections à *Clostridium difficile*. *Rev Med Interne* 2008;29:209-14.

Carbonne B, Castaigne-Meary V, Cynober E, Gougeul-Tesnière V, Cortey A, Soulié JC, *et al.* Intérêt pratique du pic systolique de vélocité à l'artère cérébrale moyenne dans la prise en charge des anémies foetales par allo-immunisation érythrocytaire. *J Gynecol Obstet Biol Reprod (Paris)* 2008;37:163-9.

Gaujoux-Viala C, Cervera P, Lepeule R, Kettaneh A, Toledano C, Svrek M, *et al.* Schwannome kystique de l'angle duodénojejunal. *Rev Med Interne* 2008;29:68-70.

Tachdjian G, Aboura A, Portnoi MF, Pasquier M, Bourcigaux N, Simon T, *et al.* Cryptic Xp duplication including the SHOX gene in a woman with 46,X, del(X)(q21.31) and premature ovarian failure. *Hum Reprod* 2008;23:222-6.

Wolf C, Quinn PJ. Lipidomics: practical aspects and applications. *Prog Lipid Res* 2008;47:15-36.

Delaunay JL, Breton M, Trugnan G, Maurice M. Differential solubilization of inner plasma membrane leaflet components by Lubrol WX and Triton X-100. *Biochim Biophys Acta* 2008;1778:105-12.

Witsch-Baumgartner M, Schwentner I, Gruber M, Benlian P, Bertranpetit J, Bieth E, *et al.* Age and origin of major Smith-Lemli-Opitz syndrome (SLOS) mutations in European populations. *J Med Genet* 2008;45:200-9.

Hertig A, Lefevre G, Toumi K, Rondeau E, Capeau J, Uzan S, *et al.* Soluble endoglin levels during normotensive and hypertensive pregnancies. *Eur J Obstet Gynecol Reprod Biol* 2008;140:138-40.

Luquet I, Laï JL, Barin C, Baranger L, Bilhou-Nabera C, Lippert E, *et al.* Hyperdiploid karyotypes in acute myeloid leukemia define a novel entity: a study of 38 patients from the Groupe Francophone de Cytogenetique Hematologique (GFCH). *Leukemia* 2008;22:132-7.

Luciani A, Parouchev A, Smirnov P, Braga G, Wilhelm C, Gazeau F, *et al.* In vivo imaging of transplanted hepatocytes with a 1.5-T clinical MRI system--initial experience in mice. *Eur Radiol* 2008;18:59-69.

Elalamy I, Chakroun T, Gerotziapas GT, Petropoulou A, Robert F, Karroum A, *et al.* Circulating platelet-leukocyte aggregates: a marker of microvascular injury in diabetic patients. *Thromb Res* 2008;121:843-8.

Esteyries S, Perot C, Adelaide J, Imbert M, Lagarde A, Pautas C, *et al.* NCOA3, a new fusion partner for MOZ/MYST3 in M5 acute myeloid leukemia. *Leukemia* 2008;22:663-5.

Guebre-Egziabher F, Rabasa-Lhoret R, Bonnet F, Bastard JP, Desage M, Skilton MR, *et al.* Nutritional intervention to reduce the n-6/n-3 fatty acid ratio increases adiponectin concentration and fatty acid oxidation in healthy subjects. *Eur J Clin Nutr* 2008;62:1287-93.

Rad FH, Ulusakarya A, Gad S, Sibony M, Juin F, Richard S, *et al.* Novel somatic mutations of the VHL gene in an erythropoietin-producing renal carcinoma associated with secondary polycythemia and elevated circulating endothelial progenitor cells. *Am J Hematol* 2008;83:155-8.

Petropoulou AD, Gerotziapas GT, Samama MM, Hatmi M, Rendu F, Elalamy I. In vitro study of the hypercoagulable state in multiple myeloma patients treated or not with thalidomide. *Thromb Res* 2008;121:493-7.

Dagnon K, Heudes D, Bernaudin JF, Callard P. Computerized morphometric analysis of microvasculature in non-small cell lung carcinoma. *Microvasc Res* 2008;75:112-8.

Grondard C, Biondi O, Pariset C, Lopes P, Deforges S, Lécolle S, *et al.* Exercise-induced modulation of calcineurin activity parallels the time course of myofibre transitions. *J Cell Physiol* 2008;214:126-35.

Ravery V, Dominique S, Hupertan V, Ben Rhouma S, Toub Blanc M, Boccon-Gibod L, *et al.* Prostate cancer characteristics in a multiracial community. *Eur Urol* 2008;53:533-8.

Strupler M, Pena AM, Hernest M, Tharaux PL, Martin JL, Beaurepaire E, *et al.* Second harmonic imaging and scoring of collagen in fibrotic tissues. *Opt Express* 2007;15:4054-65.

Caron M, Vigouroux C, Bastard JP, Capeau J. Adipocyte dysfunction in response to antiretroviral therapy: clinical, tissue and in-vitro studies. *Curr Opin HIV AIDS* 2007;2:268-73.

Capeau J. From lipodystrophy and insulin resistance to metabolic syndrome: HIV infection, treatment and aging. *Curr Opin HIV AIDS* 2007;2:247-52.

Chatelain D, Mokrani N, Fléjou JF. Pathologie tumorale anale et péri-anale. *Ann Pathol* 2007;27:459-75.

Chatelain D, Mokrani N, Fléjou JF. Les colites microscopiques : colite collagène et colite lymphocytaire. *Ann Pathol* 2007;27:448-58.

Chatelain D, Mokrani N, Fléjou JF. Entérocolites médicamenteuses. *Ann Pathol* 2007;27:439-47.

Scoazec JY, Fléjou JF. Pathologie digestive. *Ann Pathol* 2007;27:397.

Rouillac-Le Sciellour C, Sérazin V, Brossard Y, Oudin O, Le Van Kim C, Colin Y, *et al.* Noninvasive fetal RHD genotyping from maternal plasma. Use of a new developed Free DNA Fetal Kit RhD. *Transfus Clin Biol* 2007;14:572-7.

Grupa Robocza Europejskiego Towarzystwa Kardiologicznego ds. stymulacji serca i resynchronizacji we współpracy, Europejskim Towarzystwem Rytmu Serca, Vardas PE, Auricchio A, Blanc JJ, Daubert JC, *et al.* Wytyczne dotyczące stymulacji serca i resynchronizacji. *Kardiol Pol* 2007;65:1449-87; discussion 1488-9.

Collins P, Rosano G, Casey C, Daly C, Gambacciani M, Hadji P, *et al.* Zwalczanie czynników ryzyka chorób układu sercowo-naczyniowego u kobiet w okresie okołomenopauzalnym--wspólne stanowisko kardiologów i ginekologów europejskich. *Kardiol Pol* 2007;65:1331-46; discussion 1347-49.

Chaix ML, Desquilbet L, Descamps D, Costagliola D, Deveau C, Galimand J, *et al.* Response to HAART in French patients with resistant HIV-1 treated at primary infection: ANRS Resistance Network. *Antivir Ther* 2007;12:1305-10.

Kim MJ, Leclercq P, Lanoy E, Cervera P, Antuna-Puente B, Maachi M, *et al.* A 6-month interruption of antiretroviral therapy improves adipose tissue function in HIV-infected patients: the ANRS EP29 Lipostop Study. *Antivir Ther* 2007;12:1273-83.

Wislez M, Antoine M, Lavolé A, Gounant V, Milleron B, Cadranel J. Prédiction de la réponse à la chimiothérapie dans les CBNPC : applications pratiques. *Rev Mal*

Respir 2007;24:6S206-10.

Coutant C, Morel O, Antoine M, Uzan S, Barranger E. Ganglion sentinelle métastatique d'un cancer du sein: peut-on éviter le curage axillaire complémentaire? J Chir (Paris) 2007;144:492-501.

Lemerle J, Barsaoui S, Harif M, Hireche K, Ladjadj Y, Moreira C, *et al.* Le traitement des cancers de l'enfant en Afrique. Travaux du groupe franco-africain d'oncologie pédiatrique. Med Trop (Mars) 2007;67:497-504.

Jaillon P. L'essai clinique contrôlé randomisé. Bull Acad Natl Med 2007;191:739-56; discussion 756-8.

Kolosnjaj J, Szwarc H, Moussa F. Toxicity studies of carbon nanotubes. Adv Exp Med Biol 2007;620:181-204.

Kolosnjaj J, Szwarc H, Moussa F. Toxicity studies of fullerenes and derivatives. Adv Exp Med Biol 2007;620:168-80.

Cohen R, Levy C, Thollot F, de La Rocque F, Koskas M, Bonnet E, *et al.* Pneumococcal conjugate vaccine does not influence Staphylococcus aureus carriage in young children with acute otitis media. Clin Infect Dis 2007;45:1583-7.

Margery J, Martin C, Epaud C, Colombat M, Bazelly B, Milleron B. Pneumopathie lipidique exogène associée à une sarcoïdose systémique avec atteinte hépatique nodulaire. Rev Mal Respir 2007;24:1125-8.

Tankovic J, Chaumette-Planckaert MT, Deforges L, Launay N, Le Glaunec JM, Soussy CJ, *et al.* Routine use of real-time PCR for detection of *Helicobacter pylori* and of clarithromycin resistance mutations. *Gastroenterol Clin Biol* 2007;31:792-5.

Boissan M, Poupon MF, Lacombe ML. NM23 et les gènes suppresseurs de métastases. *Med Sci (Paris)* 2007;23:1115-23.

Leveziel N, Souied EH, Richard F, Barbu V, Zourdani A, Morineau G, *et al.* PLEKHA1-LOC387715-HTRA1 polymorphisms and exudative age-related macular degeneration in the French population. *Mol Vis* 2007;13:2153-9.

Duclos M, Guinot M, Le Bouc Y. Cortisol and GH: odd and controversial ideas. *Appl Physiol Nutr Metab* 2007;32:895-903.

Héron E, Marzac C, Feldman-Billard S, Girmens JF, Paques M, Delarue R, *et al.* Endogenous erythroid colony formation in patients with retinal vein occlusion. *Ophthalmology* 2007;114:2155-61.

Laziz I, Armand AS, Pariset C, Lecolle S, Della Gaspera B, Charbonnier F, *et al.* Sprouty gene expression is regulated by nerve and FGF6 during regeneration of mouse muscles. *Growth Factors* 2007;25:151-9.

Collins P, Rosano G, Casey C, Daly C, Gambacciani M, Hadji P, *et al.* Management of cardiovascular risk in the perimenopausal women: a consensus statement of European cardiologists and gynecologists. *Climacteric* 2007;10:508-26.

Corvol H, Nathan N, Charlier C, Chadelat K, Le Rouzic P, Tabary O, *et al.* Glucocorticoid receptor gene polymorphisms associated with progression of lung disease in young patients with cystic fibrosis. *Respir Res* 2007;8:88.

Chamlou R, Parc Y, Simon T, Bennis M, Dehni N, Parc R, *et al.* Long-term results of intersphincteric resection for low rectal cancer. *Ann Surg* 2007;246:916-21; discussion 921-2.

Faguer S, Bouissou F, Dumazer P, Guitard J, Bellanné-Chantelot C, Chauveau D. Massively enlarged polycystic kidneys in monozygotic twins with TCF2/HNF-1beta (hepatocyte nuclear factor-1beta) heterozygous whole-gene deletion. *Am J Kidney Dis* 2007;50:1023-7.

Guerrier L, Claverol S, Finzi L, Paye F, Fortis F, Boschetti E, *et al.* Contribution of solid-phase hexapeptide ligand libraries to the repertoire of human bile proteins. *J Chromatogr A* 2007;1176:192-205.

Samama MM, Le Flem L, Guinet C, Gerotziapas G, Depasse F. Three different patterns of calibrated automated thrombogram obtained with six different anticoagulants. *J Thromb Haemost* 2007;5:2554-6.

Komajda M, Amouyel P, Johnson N, Bergougnoux L, Laperche T, de Groote P, *et al.* Traitement par carvedilol dans l'insuffisance cardiaque en pratique libérale (initiation du traitement et suivi à un an). Etude KEOPS. *Arch Mal Coeur Vaiss* 2007;100:818-26.

Lacombe K, Boyd A, Desvarieux M, Serfaty L, Bonnord P, Gozlan J, *et al.* Impact of chronic hepatitis C and/or D on liver fibrosis severity in patients co-infected with HIV and hepatitis B virus. *AIDS* 2007;21:2546-9.

Raymond CR, Aucouturier P, Mabbott NA. In vivo depletion of CD11c+ cells impairs scrapie agent neuroinvasion from the intestine. *J Immunol* 2007;179:7758-66.

Rouprêt M, Cancel-Tassin G, Comperat E, Fromont G, Sibony M, Molinié V, *et al.* Phenol sulfotransferase SULT1A1*2 allele and enhanced risk of upper urinary tract urothelial cell carcinoma. *Cancer Epidemiol Biomarkers Prev* 2007;16:2500-3.

Bondurand N, Dastot-Le Moal F, Stanchina L, Collot N, Baral V, Marlin S, *et al.* Deletions at the SOX10 gene locus cause Waardenburg syndrome types 2 and 4. *Am J Hum Genet* 2007;81:1169-85.

Moguelet P. Histopathologie de la Borréliose de Lyme. *Med Mal Infect* 2007;37 Suppl 3:S189-93.

Le Moguen K, Lincet H, Marcelo P, Lemoisson E, Heutte N, Duval M, *et al.* A proteomic kinetic analysis of IGROV1 ovarian carcinoma cell line response to cisplatin treatment. *Proteomics* 2007;7:4090-101.

Lirussi F, Jonard L, Gaston V, Sanlaville D, Kooy RF, Winnepenninckx B, *et al.* Beckwith-Wiedemann-like macroglossia and 18q23 haploinsufficiency. *Am J Med Genet A* 2007;143A:2796-803.

Bazot M, Malzy P, Cortez A, Roseau G, Amouyal P, Darai E. Accuracy of transvaginal sonography and rectal endoscopic sonography in the diagnosis of deep infiltrating endometriosis. *Ultrasound Obstet Gynecol* 2007;30:994-1001.

Kuijper EJ, Coignard B, Brazier JS, Suetens C, Drudy D, Wiuff C, *et al.* Update of Clostridium difficile-associated disease due to PCR ribotype 027 in Europe. Euro Surveill 2007;12:E1-2.

Antuna-Puente B, Feve B, Fellahi S, Bastard JP. Obésité, inflammation et insulino-résistance: quel rôle pour les adipokines ? Therapie 2007;62:285-92.

Bachmeyer C, Moguelet P. Adiponécrose enkystée et calcifiée. Ann Dermatol Venereol 2007;134:801-2.

Albertini AF, Fléjou JF, Wendum D. Un diagnostic brillant. Ann Pathol 2007;27:251-2.

Arnould L, Arveux P, Couturier J, Gelly-Marty M, Loustalot C, Ettore F, *et al.* Pathologic complete response to trastuzumab-based neoadjuvant therapy is related to the level of HER-2 amplification. Clin Cancer Res 2007;13:6404-9.

Chassin C, Hornef MW, Bens M, Lotz M, Goujon JM, Vimont S, *et al.* Hormonal control of the renal immune response and antibacterial host defense by arginine vasopressin. J Exp Med 2007;204:2837-52.

Poulain C, Johanet C, Delcroix C, Lévy-Marchal C, Tubiana-Rufi N. Prevalence and clinical features of celiac disease in 950 children with type 1 diabetes in France. Diabetes Metab 2007;33:453-8.

Parez N, Garbarg-Chenon A. Des caractéristiques structurales et antigéniques des rotavirus au développement des vaccins. Arch Pediatr 2007;14 Suppl 3:S186-93.

Tamouza R, Busson M, Fortier C, Diagne I, Diallo D, Sloma I, *et al.* HLA-E*0101 allele in homozygous state favors severe bacterial infections in sickle cell anemia. *Hum Immunol* 2007;68:849-53.

Thygesen K, Alpert JS, White HD, Joint ESC/ACCF/AHA/WHF Task Force for the Redefinition of Myocardial Infarction, Jaffe AS, Apple FS, *et al.* Universal definition of myocardial infarction. *Circulation* 2007;116:2634-53.

Moreau F, Boullu-Sanchis S, Vigouroux C, Lucescu C, Lascols O, Sapin R, *et al.* Efficacy of pioglitazone in familial partial lipodystrophy of the Dunnigan type: a case report. *Diabetes Metab* 2007;33:385-9.

Adjaoud D, Boudjemaa S, Boccon-Gibod L, Leverger G. Maladie de Kikuchi-Fujimoto: à propos de 5 cas et revue de la littérature. *Arch Pediatr* 2007;14:1333-6.

Giton F, Urien S, Born C, Tichet J, Guéchet J, Callebert J, *et al.* Determination of bioavailable testosterone [non sex hormone binding globulin (SHBG)-bound testosterone] in a population of healthy French men: influence of androstenediol on testosterone binding to SHBG. *Clin Chem* 2007;53:2160-8.

Bonnard P, Lescure FX, Amiel C, Guiard-Schmid JB, Callard P, Gharakhanian S, *et al.* Documented rapid course of hepatic fibrosis between two biopsies in patients coinfecting by HIV and HCV despite high CD4 cell count. *J Viral Hepat* 2007;14:806-11.

Viengchareun S, Caron M, Auclair M, Kim MJ, Frachon P, Capeau J, *et al.* Mitochondrial toxicity of indinavir, stavudine and zidovudine involves multiple cellular targets in white and brown adipocytes. *Antivir Ther* 2007;12:919-29.

Mefford HC, Clauin S, Sharp AJ, Moller RS, Ullmann R, Kapur R, *et al.* Recurrent reciprocal genomic rearrangements of 17q12 are associated with renal disease, diabetes, and epilepsy. *Am J Hum Genet* 2007;81:1057-69.

Ribeiro MJ, Boddaert N, Delzescaux T, Valayannopoulos V, Bellanné-Chantelot C, Jaubert F, *et al.* Functional imaging of the pancreas: the role of [18F]fluoro-L-DOPA PET in the diagnosis of hyperinsulinism of infancy. *Endocr Dev* 2007;12:55-66.

Grupo de Trabajo para el Tratamiento de la Hipertensión Arterial de la Sociedad Europea, Sociedad Europea de Cardiología, Mancia G, De Backer G, Dominiczak A, Cifkova R, *et al.* Guías de práctica clínica para el tratamiento de la hipertensión arterial 2007. *Rev Esp Cardiol* 2007;60:968.e1-94.

Adam M, Vincenot A, Gouraud F, Harvel C, Perot C, Portnoi MF, *et al.* Syndrome myélo-prolifératif transitoire chez un nouveau-né indemne de toute pathologie constitutionnelle. *Ann Biol Clin (Paris)* 2007;65:569-73.

Lehmann S, Dupuy A, Peoc'h K, Roche S, Baudin B, Quillard M, *et al.* Présent et futur de la Protéomique clinique. *Ann Biol Clin (Paris)* 2007;65:463-71.

Hoppé E, de Ybarlucéa LR, Collet J, Dupont J, Fabiani B, Puéchal X. Isolated vasculitis of the female genital tract: a case series and review of literature. *Virchows Arch* 2007;451:1083-9.

Le Bozec C, Henin D, Fabiani B, Schrader T, Garcia-Rojo M, Beckwith B. Refining DICOM for pathology--progress from the IHE and DICOM pathology working groups. *Stud Health Technol Inform* 2007;129:434-8.

Farhi D, Duriez P, Aractingi S, Cosnes J, Khosrotehrani K. Misleading pustular plaques of the lower limbs during Crohn's disease: two case reports. *J Med Case Reports* 2007;1:109.

Fléjou JF. Histoséminaires: une FMC multimédia. *Ann Pathol* 2007;27:68.

de Gennes JL, Benlian P, Dreux C, Pelegrin P. Dépistage des anomalies sanguines glucidolipidiques à risque coronarien, de 16 à 19-20 ans. A propos d'une enquête menée chez 599 jeunes volontaires. *Ann Endocrinol (Paris)* 2007;68:372-83.

Vauloup-Fellous C, Ducroux A, Couloigner V, Marlin S, Picone O, Galimand J, *et al.* Evaluation of cytomegalovirus (CMV) DNA quantification in dried blood spots: retrospective study of CMV congenital infection. *J Clin Microbiol* 2007;45:3804-6.

Cambou JP, Simon T, Mulak G, Bataille V, Danchin N. The French registry of Acute ST elevation or non-ST-elevation Myocardial Infarction (FAST-MI): study design and baseline characteristics. *Arch Mal Coeur Vaiss* 2007;100:524-34.

Charbit B, Funck-Brentano C. Droperidol-induced proarrhythmia: the beginning of an answer? *Anesthesiology* 2007;107:524-6.

St-Pierre DH, Bastard JP, Coderre L, Brochu M, Karelis AD, Lavoie ME, *et al.* Association of acylated ghrelin profiles with chronic inflammatory markers in overweight and obese postmenopausal women: a MONET study. *Eur J Endocrinol*

2007;157:419-26.

Carbonne B, Marpeau L, Brossard Y. Recommandations concernant la prévention de l'allo-immunisation anti-RhD: des critiques précipitées? J Gynecol Obstet Biol Reprod (Paris) 2007;36:526-8.

Bahi-Buisson N, Eisermann M, Nivot S, Bellanné-Chantelot C, Dulac O, Bach N, *et al.* Infantile spasms as an epileptic feature of DEND syndrome associated with an activating mutation in the potassium adenosine triphosphate (ATP) channel, Kir6.2. J Child Neurol 2007;22:1147-50.

Prulière-Escabasse V, Planès C, Escudier E, Fanen P, Coste A, Clerici C. Modulation of epithelial sodium channel trafficking and function by sodium 4-phenylbutyrate in human nasal epithelial cells. J Biol Chem 2007;282:34048-57.

Lacombe C, Lewin M, Monnier-Cholley L, Pacanowski J, Poirot JL, Arrivé L, *et al.* Imagerie des pathologies thoraciques chez le patient VIH au stade sida. J Radiol 2007;88:1145-54.

Svrcek M, El-Bchiri J, Chalastanis A, Capel E, Dumont S, Buhard O, *et al.* Specific clinical and biological features characterize inflammatory bowel disease associated colorectal cancers showing microsatellite instability. J Clin Oncol 2007;25:4231-8.

Bartoli M, Boisson RC, Chevenne F, Gelineau MC, Guéchet J, Guerber F, *et al.* Evaluation non invasive de la fibrose hépatique : présentation des avis de la Haute autorité de santé (HAS) et commentaires du groupe de travail "Marqueurs biologiques de fibrose hépatique" de la Société Française de Biologie Clinique (SFBC). Ann Biol Clin (Paris) 2007;65:449-52.

Sézeur A, Châtelet FP, Cywiner Ch, de Labriolle-Vaylet C, Chastang C, Billotey C, *et al.* Pathology underrates colon cancer extranodal and nodal metastases; ex vivo radioimmunodetection helps staging. *Clin Cancer Res* 2007;13:5592s-5597s.

Viola S, Dray X, Boudjemaa S, Meklati M, Challier P, Kotobi H, *et al.* Pediatric jejunal gastrointestinal stromal tumor diagnosed by wireless capsule endoscopy. *J Pediatr Gastroenterol Nutr* 2007;45:358-60.

Chiminggi M, Moutereau S, Pernet P, Conti M, Barbu V, Lemant J, *et al.* Specific real-time PCR vs. fluorescent dyes for serum free DNA quantification. *Clin Chem Lab Med* 2007;45:993-5.

Gruchy N, Jacquemont ML, Lyonnet S, Labrune P, El Kamel I, Siffroi JP, *et al.* Recurrent inverted duplication of 2p with terminal deletion in a patient with the classical phenotype of trisomy 2p23-pter. *Am J Med Genet A* 2007;143A:2417-22.

de Castro N, Pavie J, Lagrange-Xélot M, Bouvry D, Delisle F, Parrot A, *et al.* Severe *Actinobacillus ureae* meningitis in an immunocompromised patient: report of one case and review of the literature. *Scand J Infect Dis* 2007;39:1076-9.

Barbut F, Mastrantonio P, Delmée M, Brazier J, Kuijper E, Poxton I, *et al.* Prospective study of *Clostridium difficile* infections in Europe with phenotypic and genotypic characterisation of the isolates. *Clin Microbiol Infect* 2007;13:1048-57.

Cuilliere-Dartigues P, Fabiani B, Dumont S, Copie-Bergman C, Couvelard A, Molina T, *et al.* Absence of mismatch repair deficiency in gastric lymphoma: an immunohistochemical study of mlh1 and msh2 protein expression. *Virchows Arch* 2007;451:983-4.

Bergeron V, Reboux G, Poirot JL, Laudinet N. Decreasing airborne contamination levels in high-risk hospital areas using a novel mobile air-treatment unit. *Infect Control Hosp Epidemiol* 2007;28:1181-6.

Fauroux B, Renault F, Boelle PY, Donzel-Raynaud C, Nicot F, Clément A, *et al.* Impaired cortical processing of inspiratory loads in children with chronic respiratory defects. *Respir Res* 2007;8:61.

Algaba F, Mikuz G, Boccon-Gibod L, Trias I, Arce Y, Montironi R, *et al.* Pseudoneoplastic lesions of the testis and paratesticular structures. *Virchows Arch* 2007;451:987-97.

Cottart CH, Bonvin E, Rey C, Wendum D, Bernaudin JF, Dumont S, *et al.* Impact of nutrition on phenotype in CFTR-deficient mice. *Pediatr Res* 2007;62:528-32.

Vimont S, Aubert D, Mazoit JX, Poirel L, Nordmann P. Broad-spectrum beta-lactams for treating experimental peritonitis in mice due to *Escherichia coli* producing plasmid-encoded cephalosporinases. *J Antimicrob Chemother* 2007;60:1045-50.

Van Den Akker J, Coppo P, Portnoi MF, Barbu V, Bories D, Gorin NC. Simultaneous regression of Philadelphia chromosome and multiple nonrecurrent clonal chromosomal abnormalities with imatinib mesylate in a patient autografted 22 years before for chronic myelogenous leukemia. *Leuk Lymphoma* 2007;48:1858-65.

Azoulay S, Vieillefond A, Paraf F, Pasquier D, Cussenot O, Callard P, *et al.* Tubulocystic carcinoma of the kidney: a new entity among renal tumors. *Virchows Arch* 2007;451:905-9.

Portnoï MF, Gruchy N, Marlin S, Finkel L, Denoyelle F, Dubourg C, *et al.* Midline defects in deletion 18p syndrome: clinical and molecular characterization of three patients. *Clin Dysmorphol* 2007;16:247-52.

Ghillani P, Rouquette AM, Desgruelles C, Hauguel N, Le Pendeven C, Piette JC, *et al.* Evaluation of the LIAISON ANA screen assay for antinuclear antibody testing in autoimmune diseases. *Ann N Y Acad Sci* 2007;1109:407-13.

Huguet S, Vinh J, Johanet C, Samuel D, Gigou M, Zamfir O, *et al.* Identification by proteomic tool of atypical anti-liver/kidney microsome autoantibodies targets in de novo autoimmune hepatitis after liver transplantation. *Ann N Y Acad Sci* 2007;1109:345-57.

Poirot JL, Gangneux JP, Fischer A, Malbernard M, Challier S, Laudinet N, *et al.* Evaluation of a new mobile system for protecting immune-suppressed patients against airborne contamination. *Am J Infect Control* 2007;35:460-6.

Coutant C, Barranger E, Cortez A, Dabit D, Uzan S, Bernaudin JF, *et al.* Frequency and prognostic significance of HPV DNA in sentinel lymph nodes of patients with cervical cancer. *Ann Oncol* 2007;18:1513-7.

Yazdanpanah Y, Vray M, Meynard J, Losina E, Weinstein MC, Morand-Joubert L, *et al.* The long-term benefits of genotypic resistance testing in patients with extensive prior antiretroviral therapy: a model-based approach. *HIV Med* 2007;8:439-50.

Mourra N, Zeitoun G, Buecher B, Finetti P, Lagarde A, Adelaide J, *et al.* High frequency of chromosome 14 deletion in early-onset colon cancer. *Dis Colon Rectum* 2007;50:1881-6.

Graham I, Atar D, Borch-Johnsen K, Boysen G, Burell G, Cifkova R, *et al.* European guidelines on cardiovascular disease prevention in clinical practice: full text. Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine societies and by invited experts). *Eur J Cardiovasc Prev Rehabil* 2007;14 Suppl 2:S1-113.

Graham I, Atar D, Borch-Johnsen K, Boysen G, Burell G, Cifkova R, *et al.* European guidelines on cardiovascular disease prevention in clinical practice: executive summary. Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine societies and by invited experts). *Eur J Cardiovasc Prev Rehabil* 2007;14 Suppl 2:E1-40.

Lionnet F, Bachmeyer C, Sloma I, Rossier A, Thioliere B, Maier M, *et al.* Tuberculosis in adult patients with sickle cell disease. *J Infect* 2007;55:439-44.

Prade-Houdellier N, Frébet E, Demur C, Gautier EF, Delhommeau F, Bennaceur-Griscelli AL, *et al.* Human telomerase is regulated by erythropoietin and transforming growth factor-beta in human erythroid progenitor cells. *Leukemia* 2007;21:2304-10.

Decaudain A, Vantyghem MC, Guerci B, Hécart AC, Auclair M, Reznik Y, *et al.* New metabolic phenotypes in laminopathies: LMNA mutations in patients with severe metabolic syndrome. *J Clin Endocrinol Metab* 2007;92:4835-44.

Delpech Y, Cortez A, Coutant C, Callard P, Uzan S, Darai E, *et al.* The sentinel node concept in endometrial cancer: histopathologic validation by serial section and immunohistochemistry. *Ann Oncol* 2007;18:1799-803.

Colmant C, Mirlesse V, Beaujard MP, Bessières B, Daffos F. Place du caryotype placentaire dans l'enquête étiologique des retards de croissance intra-utérins sévères précoces. A propos d'un cas. *Gynecol Obstet Fertil* 2007;35:780-4.

Gerard-Blanluet M, Pipiras E, Levallant JM, Joye N, Koubi V, Kanafani S, *et al.* Prenatal detection of Pierre Robin sequence with deletion Xp and additional trisomy 14q by telomere screening. *Prenat Diagn* 2007;27:1062-3.

Carmona MC, Louche K, Lefebvre B, Pilon A, Hennuyer N, Audinot-Bouchez V, *et al.* S 26948: a new specific peroxisome proliferator activated receptor gamma modulator with potent antidiabetes and antiatherogenic effects. *Diabetes* 2007;56:2797-808.

Saintigny P, Besse B, Callard P, Vergnaud AC, Czernichow S, Colombat M, *et al.* Erythropoietin and erythropoietin receptor coexpression is associated with poor survival in stage I non-small cell lung cancer. *Clin Cancer Res* 2007;13:4825-31.

Zhang Z, Zariwala MA, Mahadevan MM, Caballero-Campo P, Shen X, Escudier E, *et al.* A heterozygous mutation disrupting the SPAG16 gene results in biochemical instability of central apparatus components of the human sperm axoneme. *Biol Reprod* 2007;77:864-71.

Vu-Thien H, Corbiveau G, Hormigos K, Fauroux B, Corvol H, Clément A, *et al.* Multiple-locus variable-number tandem-repeat analysis for longitudinal survey of sources of *Pseudomonas aeruginosa* infection in cystic fibrosis patients. *J Clin Microbiol* 2007;45:3175-83.

Gluckman E, Rocha V, Ionescu I, Bierings M, Harris RE, Wagner J, *et al.* Results of unrelated cord blood transplant in fanconi anemia patients: risk factor analysis for engraftment and survival. *Biol Blood Marrow Transplant* 2007;13:1073-82.

Cappellini MD, Bejaoui M, Agaoglu L, Porter J, Coates T, Jeng M, *et al.* Prospective evaluation of patient-reported outcomes during treatment with deferasirox or deferoxamine for iron overload in patients with beta-thalassemia. *Clin Ther* 2007;29:909-17.

Senechal B, Elain G, Jeziorski E, Grondin V, Patey-Mariaud de Serre N, Jaubert F, *et al.* Expansion of regulatory T cells in patients with Langerhans cell histiocytosis. *PLoS Med* 2007;4:e253.

Mancia G, De Backer G, Dominiczak A, Cifkova R, Fagard R, Germanò G, *et al.* Linee guida 2007 per il trattamento dell'ipertensione arteriosa. *G Ital Cardiol (Rome)* 2007;8:389-479.

Wumba R, Enache-Angoulvant A, Develoux M, Mulumba A, Mulumba PM, Hennequin C, *et al.* Prévalence des infections opportunistes digestives parasitaires a Kinshasa (République Démocratique du Congo), résultats d'une enquête préliminaire chez 50 patients au stade sida. *Med Trop (Mars)* 2007;67:145-8.

Lécuyer H, Audibert J, Bobigny A, Eckert C, Jannièrè-Nartey C, Buu-Hoï A, *et al.* *Dolosigranulum pigrum* causing nosocomial pneumonia and septicemia. *J Clin Microbiol* 2007;45:3474-5.

Svrcek M, Garderet L, Sebbagh V, Rosenzweig M, Parc Y, Lagrange M, *et al.* Small intestinal CD4+ T-cell lymphoma: a rare distinctive clinicopathological entity associated with prolonged survival. *Virchows Arch* 2007;451:1091-3.

Antoine M. Qu'apporte l'immunohistochimie à la prise en charge du cancer bronchique? De la morphologie au diagnostic et au traitement. *Rev Pneumol Clin* 2007;63:183-92.

Wislez M, Antoine M, Bellocq A, Carette MF, Cadranel J. Lymphome pulmonaire de type MALT: mise au point. *Rev Pneumol Clin* 2007;63:177-82.

Cadranel J, Wislez M, Gounant V, Lavolé A, Antoine M, Milleron B. Prise en charge thérapeutique des adénocarcinomes de type bronchiolo-alvéolaires étendus: chimiothérapie ou inhibiteurs de la tyrosine kinase du récepteur de l'épidermal growth factor? *Rev Pneumol Clin* 2007;63:147-54.

Biran V, Fau S, Jamal T, Veinberg F, Renolleau S, Gold F, *et al.* Perinatal asphyxia may present with features of neonatal atypical hemolytic uremic syndrome. *Pediatr Nephrol* 2007;22:2129-32.

Horak CE, Lee JH, Elkahloun AG, Boissan M, Dumont S, Maga TK, *et al.* Nm23-H1 suppresses tumor cell motility by down-regulating the lysophosphatidic acid receptor EDG2. *Cancer Res* 2007;67:7238-46.

Lagathu C, Eustace B, Prot M, Frantz D, Gu Y, Bastard JP, *et al.* Some HIV antiretrovirals increase oxidative stress and alter chemokine, cytokine or adiponectin production in human adipocytes and macrophages. *Antivir Ther* 2007;12:489-500.

Lewin M, Poujol-Robert A, Boëlle PY, Wendum D, Lasnier E, Viallon M, *et al.* Diffusion-weighted magnetic resonance imaging for the assessment of fibrosis in chronic hepatitis C. *Hepatology* 2007;46:658-65.

Woodburn KW, Fan Q, Winslow S, Chen MJ, Mortensen RB, Casadevall N, *et al.* Hematide is immunologically distinct from erythropoietin and corrects anemia induced by antierythropoietin antibodies in a rat pure red cell aplasia model. *Exp Hematol* 2007;35:1201-8.

Ribeiro MJ, Boddaert N, Bellanné-Chantelot C, Bourgeois S, Valayannopoulos V, Delzescaux T, *et al.* The added value of [18F]fluoro-L-DOPA PET in the diagnosis of hyperinsulinism of infancy: a retrospective study involving 49 children. *Eur J Nucl Med Mol Imaging* 2007;34:2120-8.

Coulomb-L'Herminé A, Larousserie F, Pflanz S, Bardel E, Kastelein RA, Devergne O. Expression of interleukin-27 by human trophoblast cells. *Placenta* 2007;28:1133-40.

Bellest L, Eschwège V, Poupon R, Chazouillères O, Robert A. A modified international normalized ratio as an effective way of prothrombin time standardization in hepatology. *Hepatology* 2007;46:528-34.

Ben Salem C, Biour M, Hmouda H, Bouraoui A. Valproic acid-induced pancreatitis. *J Gastroenterol* 2007;42:598-9.

Mochel F, Charles P, Seguin F, Barritault J, Coussieu C, Perin L, *et al.* Early energy deficit in Huntington disease: identification of a plasma biomarker traceable during disease progression. *PLoS One* 2007;2:e647.

Dugué-Pujol S, Rousset X, Château D, Pastier D, Klein C, Demeurie J, *et al.* Apolipoprotein A-II is catabolized in the kidney as a function of its plasma concentration. *J Lipid Res* 2007;48:2151-61.

Le Pendeven C, Cuzon G, Fontaine H, Zatlá F, Schneider V, Amiel C, *et al.* Hepatitis B escape mutant reactivation in a renal transplant patient. *J Clin Virol* 2007;40:74-6.

Bachmeyer C, Entressengle H, Gibeault M, Nédellec G, M'Bappé P, Delisle F, *et al.* Bilateral tibial chronic osteomyelitis due to *Pantoea agglomerans* in a patient with sickle cell disease. *Rheumatology (Oxford)* 2007;46:1247.

Passemard S, Gelot A, Fogli A, N'Guyen S, Barnerias C, Niel F, *et al.* Progressive megalencephaly due to specific EIF2Bepsilon mutations in two unrelated families. *Neurology* 2007;69:400-2.

Collins P, Rosano G, Casey C, Daly C, Gambacciani M, Hadji P, *et al.* Management of cardiovascular risk in the peri-menopausal woman: a consensus statement of European cardiologists and gynaecologists. *Eur Heart J* 2007;28:2028-40.

Lévêque M, Marlin S, Jonard L, Procaccio V, Reynier P, Amati-Bonneau P, *et al.* Whole mitochondrial genome screening in maternally inherited non-syndromic hearing impairment using a microarray resequencing mitochondrial DNA chip. *Eur J Hum Genet* 2007;15:1145-55.

Ferbas J, Thomas J, Hodgson J, Gaur A, Casadevall N, Swanson SJ. Feasibility of a multiplex flow cytometric bead immunoassay for detection of anti-epoetin alfa antibodies. *Clin Vaccine Immunol* 2007;14:1165-72.

Graine H, Toumi K, Roullier V, Capeau J, Lefèvre G. Interférences des métabolites de l'éthylène glycol avec les dosages du lactate. *Ann Biol Clin (Paris)* 2007;65:421-4.

Lefèvre G, Fayet JM, Graïne H, Berny C, Maupas-Schwalm F, Capolaghi B, *et al.* Evaluation multicentrique du dosage semi-quantitatif de la h-FABP (Cardio Detect) au laboratoire central : intérêt dans le diagnostic de l'infarctus du myocarde. *Ann Biol Clin (Paris)* 2007;65:377-84.

Levavasseur E, Metharom P, Dorban G, Nakano H, Kakiuchi T, Carnaud C, *et al.* Experimental scrapie in 'plt' mice: an assessment of the role of dendritic-cell migration in the pathogenesis of prion diseases. *J Gen Virol* 2007;88:2353-60.

Sentilhes L, Vivet-Lefébure A, Patrier S, Lefebvre-Lacoeuille C, Zanati J, Boussion F, *et al.* Umbilical artery aneurysm in a severe growth-restricted fetus with normal karyotype. *Prenat Diagn* 2007;27:1059-61.

Barbut F, Djamdjian L, Neyme D, Passot C, Petit JC. Efficacy of 2 alcohol-based gels and 1 alcohol-based rinse for surgical hand disinfection. *Infect Control Hosp Epidemiol* 2007;28:1013-5.

Berkane N, Lefevre G, Hertig A. Angiogenic factors in preeclampsia: so complex, so simple? *Nephrol Dial Transplant* 2007;22:2753-6.

Fouassier L, Beaussier M, Schiffer E, Rey C, Barbu V, Mergey M, *et al.* Hypoxia-induced changes in the expression of rat hepatobiliary transporter genes. *Am J Physiol Gastrointest Liver Physiol* 2007;293:G25-35.

Caron M, Auclair M, Donadille B, Béréziat V, Guerci B, Laville M, *et al.* Human lipodystrophies linked to mutations in A-type lamins and to HIV protease inhibitor therapy are both associated with prelamin A accumulation, oxidative stress and premature cellular senescence. *Cell Death Differ* 2007;14:1759-67.

Greiner O, Bornhauser BC, Delabesse E, Ballerini P, Landman-Parker J, Bourquin JP. The CALM-AF10 fusion is a rare event in acute megakaryoblastic leukemia. *Leukemia* 2007;21:2568-9.

Bergeron J, Clappier E, Radford I, Buzyn A, Millien C, Soler G, *et al.* Prognostic and oncogenic relevance of TLX1/HOX11 expression level in T-ALLs. *Blood* 2007;110:2324-30.

Johar M, Manning T, Tse C, Desroches N, Agrawal B, Kunimoto DY, *et al.* Growth inhibition of *Mycobacterium bovis*, *Mycobacterium tuberculosis* and *Mycobacterium avium* in vitro: effect of 1-beta-D-2'-arabinofuranosyl and 1-(2'-deoxy-2'-fluoro-beta-D-2'-ribofuranosyl) pyrimidine nucleoside analogs. *J Med Chem* 2007;50:3696-705.

Capeau J. The story of adiponectin and its receptors AdipoR1 and R2: to follow. *J Hepatol* 2007;47:736-8.

Duclos M, Guinot M, Colsy M, Merle F, Baudot C, Corcuff JB, *et al.* High risk of adrenal insufficiency after a single articular steroid injection in athletes. *Med Sci Sports Exerc* 2007;39:1036-43.

Bastard JP, Faraj M, Karelis AD, Lavasseur J, Garrel D, Prud'homme D, *et al.* Muscle and liver insulin resistance indexes derived from the oral glucose tolerance test: response to Abdul-Ghani *et al.* *Diabetes Care* 2007;30:e83; author reply e84.

Loulergue P, Callard P, Bonnard P, Pialoux G. Hepatic steatosis as an emerging cause of cirrhosis in HIV-infected patients. *J Acquir Immune Defic Syndr* 2007;45:365.

Igoudjil A, Abbey-Toby A, Begriche K, Grodet A, Chataigner K, Peytavin G, *et al.* High doses of stavudine induce fat wasting and mild liver damage without impairing mitochondrial respiration in mice. *Antivir Ther* 2007;12:389-400.

Bachmeyer C, Cervera P, Marro B, Ammouri W, Bouvard E, Favrole P, *et al.* Thoracic spinal cord compression indicating Wegener's granulomatosis in a patient with a previous presumptive diagnosis of microscopic polyangiitis. *Joint Bone Spine* 2007;74:382-4.

Diebolt V, Jaillon P. GIP CeNGEPS, un collectif des opérateurs de recherche clinique pour une organisation des essais cliniques industriels plus performante. *Thérapie* 2007;62:129-35.

Grohs P, Mainardi JL, Podglajen I, Hanras X, Eckert C, Buu-Hoï A, *et al.* Relevance of routine use of the anaerobic blood culture bottle. *J Clin Microbiol* 2007;45:2711-5.

de Fonclare AL, Khosrotehrani K, Aractingi S, Duriez P, Cosnes J, Beaugerie L. Erythema nodosum-like eruption as a manifestation of azathioprine hypersensitivity in patients with inflammatory bowel disease. *Arch Dermatol* 2007;143:744-8.

Lortholary O, Dannaoui E, Raoux D, Hoinard D, Datry A, Paugam A, *et al.* In vitro susceptibility to posaconazole of 1,903 yeast isolates recovered in France from 2003 to 2006 and tested by the method of the European committee on antimicrobial susceptibility testing. *Antimicrob Agents Chemother* 2007;51:3378-80.

Wislez M, Antoine M, Rabbe N, Gounant V, Poulot V, Lavolé A, *et al.* Neutrophils promote aerogenous spread of lung adenocarcinoma with bronchioloalveolar

carcinoma features. Clin Cancer Res 2007;13:3518-27.

Lessard M, Hélias C, Struski S, Perrusson N, Uettwiller F, Mozziconacci MJ, *et al.* Fluorescence in situ hybridization analysis of 110 hematopoietic disorders with chromosome 5 abnormalities: do de novo and therapy-related myelodysplastic syndrome-acute myeloid leukemia actually differ? Cancer Genet Cytogenet 2007;176:1-21.

Verloes A, Elmaleh M, Gonzales M, Laquerrière A, Gressens P. Lissencéphalies: aspects cliniques et génétiques. Rev Neurol (Paris) 2007;163:533-47.

Svrcek M, de Mauroy C, Fléjou JF. Une lésion gastrique rare et trompeuse. Ann Pathol 2007;27:49-51.

Forgue-Lafitte ME, Fabiani B, Levy PP, Maurin N, Fléjou JF, Bara J. Abnormal expression of M1/MUC5AC mucin in distal colon of patients with diverticulitis, ulcerative colitis and cancer. Int J Cancer 2007;121:1543-9.

Saugier-veber P, Bonnet C, Afejar A, Drouin-Garraud V, Coubes C, Fehrenbach S, *et al.* Heterogeneity of NSD1 alterations in 116 patients with Sotos syndrome. Hum Mutat 2007;28:1098-107.

Baala L, Audollent S, Martinovic J, Ozilou C, Babron MC, Sivanandamoorthy S, *et al.* Pleiotropic effects of CEP290 (NPHP6) mutations extend to Meckel syndrome. Am J Hum Genet 2007;81:170-9.

Mancia G, De Backer G, Dominiczak A, Cifkova R, Fagard R, Germano G, *et al.* 2007 Guidelines for the Management of Arterial Hypertension: The Task Force for

the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). *J Hypertens* 2007;25:1105-87.

Mancia G, De Backer G, Dominiczak A, Cifkova R, Fagard R, Germano G, *et al.* 2007 Guidelines for the management of arterial hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). *Eur Heart J* 2007;28:1462-536.

Lefort A, Arlet G, Join-Lambert OF, Lecuit M, Lortholary O. Novel extended-spectrum beta-lactamase in *Shigella sonnei*. *Emerg Infect Dis* 2007;13:653-4.

Bachmeyer C, Turc Y, Moguelet P, Terrier P, Cazier A. Des nodules sous-cutanés. *Rev Med Interne* 2007;28:875-6.

Bouchet C, Gonzales M, Vuillaumier-Barrot S, Devisme L, Lebizec C, Alanio E, *et al.* Molecular heterogeneity in fetal forms of type II lissencephaly. *Hum Mutat* 2007;28:1020-7.

Delous M, Baala L, Salomon R, Laclef C, Vierkotten J, Tory K, *et al.* The ciliary gene *RPGRIP1L* is mutated in cerebello-oculo-renal syndrome (Joubert syndrome type B) and Meckel syndrome. *Nat Genet* 2007;39:875-81.

Chakroun T, Addad F, Abderazek F, Ben-Farhat M, Hamdi S, Gamra H, *et al.* Screening for aspirin resistance in stable coronary artery patients by three different tests. *Thromb Res* 2007;121:413-8.

Capel E, Fléjou JF, Hamelin R. Assessment of MLH1 promoter methylation in relation to gene expression requires specific analysis. *Oncogene* 2007;26:7596-600.

Delaugerre C, Marcelin AG, Soulié C, Chaix ML, Katlama C, Girard PM, *et al.* Transmission of multidrug-resistant HIV-1: 5 years of immunological and virological survey. *AIDS* 2007;21:1365-7.

Svrcek M, Meignin V, Brière J, Quillard J, Mariette X, Audouin J, *et al.* Multiple myeloma with loss of CD138 expression in two rare metastatic localizations, peritoneum and skin. *Histopathology* 2007;50:952-4.

de Fornel P, Delisle F, Devauchelle P, Rosenberg D. Effects of radiotherapy on pituitary corticotroph macrotumors in dogs: a retrospective study of 12 cases. *Can Vet J* 2007;48:481-6.

Svrcek M, Lesurtel M, Lewin M, Afchain P, Fabre M, Scoazec JY, *et al.* Carcinome à cellules acineuses du pancréas, de développement essentiellement intracanalair: à propos d'un cas. *Gastroenterol Clin Biol* 2007;31:543-6.

Kchaou I, Boccon-Gibod L, Ducou Le Pointe H. Lipoblastome de la paroi thoracique chez un nourrisson de 11 mois. *Arch Pediatr* 2007;14:908, 915-6.

Svrcek M, Jeannot E, Arrivé L, Poupon R, Fromont G, Fléjou JF, *et al.* Regressive liver adenomatosis following androgenic progestin therapy withdrawal: a case report with a 10-year follow-up and a molecular analysis. *Eur J Endocrinol* 2007;156:617-21.

Vantghem MC, Faivre-Defrance F, Marcelli-Tourvieille S, Fermon C, Evrard A, Bourdelle-Hego MF, *et al.* Familial partial lipodystrophy due to the LMNA R482W mutation with multinodular goitre, extrapyramidal syndrome and primary hyperaldosteronism. *Clin Endocrinol (Oxf)* 2007;67:247-9.

Darai E, Tulpin L, Prugnotte H, Cortez A, Dubernard G. Laparoscopic restaging of borderline ovarian tumors. *Surg Endosc* 2007;21:2039-43.

Costagliola D, Descamps D, Assoumou L, Morand-Joubert L, Marcelin AG, Brodard V, *et al.* Prevalence of HIV-1 drug resistance in treated patients: a French nationwide study. *J Acquir Immune Defic Syndr* 2007;46:12-8.

Barbut F, Maury E, Goldwirt L, Boëlle PY, Neyme D, Aman R, *et al.* Comparison of the antibacterial efficacy and acceptability of an alcohol-based hand rinse with two alcohol-based hand gels during routine patient care. *J Hosp Infect* 2007;66:167-73.

Desplat-Jégo S, Johanet C, Escande A, Goetz J, Fabien N, Olsson N, *et al.* Update on Anti-Saccharomyces cerevisiae antibodies, anti-nuclear associated anti-neutrophil antibodies and antibodies to exocrine pancreas detected by indirect immunofluorescence as biomarkers in chronic inflammatory bowel diseases: results of a multicenter study. *World J Gastroenterol* 2007;13:2312-8.

Javaud N, Belenfant X, Stirnemann J, Laederich J, Ziol M, Callard P, *et al.* Renal granulomatoses: a retrospective study of 40 cases and review of the literature. *Medicine (Baltimore)* 2007;86:170-80.

Netchine I, Rossignol S, Dufourg MN, Azzi S, Rousseau A, Perin L, *et al.* 11p15 imprinting center region 1 loss of methylation is a common and specific cause of typical Russell-Silver syndrome: clinical scoring system and epigenetic-phenotypic correlations. *J Clin Endocrinol Metab* 2007;92:3148-54.

Bastard JP, Vandernotte JM, Faraj M, Karelis AD, Messier L, Malita FM, *et al.* Relationship between the hyperinsulinemic-euglycaemic clamp and a new simple index assessing insulin sensitivity in overweight and obese postmenopausal women. *Diabetes Metab* 2007;33:261-8.

Link DC, Kunter G, Kasai Y, Zhao Y, Miner T, McLellan MD, *et al.* Distinct patterns of mutations occurring in de novo AML versus AML arising in the setting of severe congenital neutropenia. *Blood* 2007;110:1648-55.

Ravel C, Chantot-Bastarud S, El Houate B, Berthaut I, Verstraete L, De Larouziere V, *et al.* Mutations in the protamine 1 gene associated with male infertility. *Mol Hum Reprod* 2007;13:461-4.

Cohen R, Thollot F, Lécuyer A, Koskas M, Touitou R, Boucherat M, *et al.* Impact des tests de diagnostic rapide en ville dans la prise en charge des enfants en période de grippe. *Arch Pediatr* 2007;14:926-31.

Grijelmo C, Rodrigue C, Svrcek M, Bruyneel E, Hendrix A, de Wever O, *et al.* Proinvasive activity of BMP-7 through SMAD4/src-independent and ERK/Rac/JNK-dependent signaling pathways in colon cancer cells. *Cell Signal* 2007;19:1722-32.

Besson C, Roetyncck S, Williams F, Orsi L, Amiel C, Lependeven C, *et al.* Association of killer cell immunoglobulin-like receptor genes with Hodgkin's lymphoma in a familial study. *PLoS One* 2007;2:e406.

Colombat M, Gounant V, Mal H, Callard P, Milleron B. Light chain deposition disease involving the airways: diagnosis by fiberoptic bronchoscopy. *Eur Respir J*

2007;29:1057-60.

Gerotziapas GT, Petropoulou AD, Verdy E, Samama MM, Elalamy I. Effect of the anti-factor Xa and anti-factor IIa activities of low-molecular-weight heparins upon the phases of thrombin generation. *J Thromb Haemost* 2007;5:955-62.

Monassier L, Manoury B, Bellocq C, Weissenburger J, Greney H, Zimmermann D, *et al.* sigma(2)-receptor ligand-mediated inhibition of inwardly rectifying K(+) channels in the heart. *J Pharmacol Exp Ther* 2007;322:341-50.

Ewald J, Rodrigue CM, Mourra N, Lefèvre JH, Fléjou JF, Tiret E, *et al.* Immunohistochemical staining for mismatch repair proteins, and its relevance in the diagnosis of hereditary non-polyposis colorectal cancer. *Br J Surg* 2007;94:1020-7.

Carette C, Vaury C, Barthélémy A, Clauin S, Grünfeld JP, Timsit J, *et al.* Exonic duplication of the hepatocyte nuclear factor-1beta gene (transcription factor 2, hepatic) as a cause of maturity onset diabetes of the young type 5. *J Clin Endocrinol Metab* 2007;92:2844-7.

Catto JW, Yates DR, Rehman I, Azzouzi AR, Patterson J, Sibony M, *et al.* Behavior of urothelial carcinoma with respect to anatomical location. *J Urol* 2007;177:1715-20.

Andreani T, Serfaty L, Mohand D, Dernaika S, Wendum D, Chazouillères O, *et al.* Chronic hepatitis B virus carriers in the immunotolerant phase of infection: histologic findings and outcome. *Clin Gastroenterol Hepatol* 2007;5:636-41.

Groussin L, Bertherat J, Gicquel C, le Bouc Y, Bertagna X. Insights into the molecular biology of adrenocortical tumors. *Exp Clin Endocrinol Diabetes* 2007;115:175-8.

Ait-Oufella H, Kinugawa K, Zoll J, Simon T, Boddaert J, Heeneman S, *et al.* Lactadherin deficiency leads to apoptotic cell accumulation and accelerated atherosclerosis in mice. *Circulation* 2007;115:2168-77.

Muselet-Charlier C, Roque T, Boncoeur E, Chadelat K, Clement A, Jacquot J, *et al.* Enhanced IL-1beta-induced IL-8 production in cystic fibrosis lung epithelial cells is dependent of both mitogen-activated protein kinases and NF-kappaB signaling. *Biochem Biophys Res Commun* 2007;357:402-7.

Nurden P, Dreyfus M, Favier R, Négrier C, Schlégel N, Sie P, *et al.* Centre de référence des pathologies plaquettaires. *Arch Pediatr* 2007;14:679-82.

M'kacher R, Bennaceur-Griscelli A, Girinsky T, Koscielny S, Delhommeau F, Dossou J, *et al.* Telomere shortening and associated chromosomal instability in peripheral blood lymphocytes of patients with Hodgkin's lymphoma prior to any treatment are predictive of second cancers. *Int J Radiat Oncol Biol Phys* 2007;68:465-71.

Nicot F, Renault F, Clément A, Fauroux B. Respiratory-related evoked potentials in children with asthma. *Neurophysiol Clin* 2007;37:29-33.

Dixmier A, Meynard JL, Lalande V, Lebeau B, Chouaïd C. Les infections pulmonaires à *Mycobacterium xenopi* en dehors du VIH/SIDA: étude rétrospective sur dix cas. *Rev Mal Respir* 2007;24:299-304.

Moussa N, Decré D, Baudel JL, Offenstadt G, Maury E. A fulminant enterocolitis. *Dig Dis Sci* 2007;52:1479-80.

Thomassin-Naggara I, Daraï E, Nassar-Slaba J, Cortez A, Marsault C, Bazot M. Value of dynamic enhanced magnetic resonance imaging for distinguishing between ovarian fibroma and subserous uterine leiomyoma. *J Comput Assist Tomogr* 2007;31:236-42.

Afenjar A, Moutard ML, Doummar D, Guët A, Rabier D, Vermersch AI, *et al.* Early neurological phenotype in 4 children with biallelic PRODH mutations. *Brain Dev* 2007;29:547-52.

Tory K, Lacoste T, Burglen L, Morinière V, Boddaert N, Macher MA, *et al.* High NPHP1 and NPHP6 mutation rate in patients with Joubert syndrome and nephronophthisis: potential epistatic effect of NPHP6 and AHI1 mutations in patients with NPHP1 mutations. *J Am Soc Nephrol* 2007;18:1566-75.

Baudin B, Bruneel A, Bosselut N, Vaubourdolle M. A protocol for isolation and culture of human umbilical vein endothelial cells. *Nat Protoc* 2007;2:481-5.

Fang P, Riedl S, Amselem S, Pratt KL, Little BM, Haeusler G, *et al.* Primary growth hormone (GH) insensitivity and insulin-like growth factor deficiency caused by novel compound heterozygous mutations of the GH receptor gene: genetic and functional studies of simple and compound heterozygous states. *J Clin Endocrinol Metab* 2007;92:2223-31.

Terrier B, Ittah M, Tourneur L, Louache F, Soumelis V, Lavie F, *et al.* Late-onset neutropenia following rituximab results from a hematopoietic lineage competition due to an excessive BAFF-induced B-cell recovery. *Haematologica* 2007;92:e20-3.

Garderet L, Santacruz R, Barbu V, van den Akker J, Carbonne B, Gorin NC. Two successful pregnancies in a chronic myeloid leukemia patient treated with imatinib. *Haematologica* 2007;92:e9-10.

Comets E, Verstuyft C, Lavielle M, Jaillon P, Becquemont L, Mentré F. Modelling the influence of MDR1 polymorphism on digoxin pharmacokinetic parameters. *Eur J Clin Pharmacol* 2007;63:437-49.

Ait-Oufella H, Tharaux PL, Baudel JL, Vandermeersch S, Meyer P, Tonnellier M, *et al.* Variation in natriuretic peptides and mitral flow indexes during successful ventilatory weaning: a preliminary study. *Intensive Care Med* 2007;33:1183-6.

Samama MM, Gerotziapas G. Les nouveaux anticoagulants. *Ann Pharm Fr* 2007;65:85-94.

Raymond J, Nordmann P, Doit C, Vu Thien H, Guibert M, Ferroni A, *et al.* Multidrug-resistant bacteria in hospitalized children: a 5-year multicenter study. *Pediatrics* 2007;119:e798-803.

Douay L, Andreu G. Ex vivo production of human red blood cells from hematopoietic stem cells: what is the future in transfusion? *Transfus Med Rev* 2007;21:91-100.

Svrcek M, Cosnes J, Beaugierie L, Parc R, Bennis M, Tiret E, *et al.* Colorectal neoplasia in Crohn's colitis: a retrospective comparative study with ulcerative colitis. *Histopathology* 2007;50:574-83.

Girot R, Lionnet F. La drépanocytose: de l'enfance à l'âge adulte. Arch Pediatr 2007;14:605-6.

Rasmusen C, Moinard C, Martin C, Tricottet V, Cynober L, Couderc R. L-arginine plus atorvastatin for prevention of atheroma formation in genetically hypercholesterolaemic rabbits. Br J Nutr 2007;97:1083-9.

Dupont S, Massé A, James C, Teyssandier I, Lécluse Y, Larbret F, *et al.* The JAK2 617V>F mutation triggers erythropoietin hypersensitivity and terminal erythroid amplification in primary cells from patients with polycythemia vera. Blood 2007;110:1013-21.

Gerotziafas GT, Elalamy I, Depasse F, Perzborn E, Samama MM. In vitro inhibition of thrombin generation, after tissue factor pathway activation, by the oral, direct factor Xa inhibitor rivaroxaban. J Thromb Haemost 2007;5:886-8.

Miquel C, Jacob S, Grandjouan S, Aimé A, Viguier J, Sabourin JC, *et al.* Frequent alteration of DNA damage signalling and repair pathways in human colorectal cancers with microsatellite instability. Oncogene 2007;26:5919-26.

Bachmeyer C, Ammouri W, Moguelet P, Charoud A, Buot G, Grateau G, *et al.* Abscès tuberculeux métastatiques (gommés tuberculeuses): un diagnostic rare en France. Ann Dermatol Venereol 2007;134:49-52.

Valayannopoulos V, Vaxillaire M, Aigrain Y, Jaubert F, Bellanné-Chantelot C, Ribeiro MJ, *et al.* Coexistence in the same family of both focal and diffuse forms of hyperinsulinism. Diabetes Care 2007;30:1590-2.

Varnous S, Ben Ayed S, Masliah J, Leprince P, Gandjbakhch I, Bernard M, *et al.* Secretory phospholipase A(2) activity and release kinetics of vascular tissue remodelling biomarkers after coronary artery bypass grafting with and without cardiopulmonary bypass. *Clin Chem Lab Med* 2007;45:372-5.

Kettaneh A, Mario N, Fardet L, Flick D, Fozing T, Tiev K, *et al.* Mortalité hospitalière et durée de séjour des patients non programmés en médecine interne: valeur pronostique de paramètres biochimiques usuels à l'admission. *Rev Med Interne* 2007;28:443-9.

Jaillon P, Simon T. Polymorphisme génétique des récepteurs bêta-adrénergiques et mortalité dans l'ischémie myocardique. *Thérapie* 2007;62:1-7.

Jeannot E, Poussin K, Chiche L, Bacq Y, Sturm N, Scoazec JY, *et al.* Association of CYP1B1 germ line mutations with hepatocyte nuclear factor 1alpha-mutated hepatocellular adenoma. *Cancer Res* 2007;67:2611-6.

Mancini-Bourgine M, Bayard F, Soussan P, Deng Q, Lone YC, Kremsdorf D, *et al.* Hepatitis B virus splice-generated protein induces T-cell responses in HLA-transgenic mice and hepatitis B virus-infected patients. *J Virol* 2007;81:4963-72.

Duriez B, Duquesnoy P, Escudier E, Bridoux AM, Escalier D, Rayet I, *et al.* A common variant in combination with a nonsense mutation in a member of the thioredoxin family causes primary ciliary dyskinesia. *Proc Natl Acad Sci U S A* 2007;104:3336-41.

Papagiannitsis CC, Loli A, Tzouvelekis LS, Tzelepi E, Arlet G, Miriagou V. SCO-1, a novel plasmid-mediated class A beta-lactamase with carbenicillinase characteristics from *Escherichia coli*. *Antimicrob Agents Chemother* 2007;51:2185-8.

Frank T, Gautier V, Talarmin A, Bercion R, Arlet G. Characterization of sulphonamide resistance genes and class 1 integron gene cassettes in Enterobacteriaceae, Central African Republic (CAR). *J Antimicrob Chemother* 2007;59:742-5.

Daniel F, Mahmoudi A, de Parades V, Fléjou JF, Atienza P. An uncommon perianal nodule: hidradenoma papilliferum. *Gastroenterol Clin Biol* 2007;31:166-8.

de Parades V, Bauer P, Benbunan JL, Bouillet T, Cottu PH, Cuenod CA, *et al.* Bilan préthérapeutique initial du carcinome épidermoïde invasif de l'anus. *Gastroenterol Clin Biol* 2007;31:157-65.

Lefevre JH, Svrcek M, Frileux P, Paye F. Métastase endobiliaire métachrone de cancer colique. *Gastroenterol Clin Biol* 2007;31:146-8.

Olschwang S, Paraf F, Laurent-Puig P, Wang Q, Lecuru F, Hamelin R, *et al.* Contributions récentes pour l'identification et le dépistage du syndrome de Lynch. *Gastroenterol Clin Biol* 2007;31:136-40.

Bachmeyer C, Orlandini V, Grimaldi D, Bonnard P, Moguelet P, Aractingi S. Skin lesions as another possible clinical manifestation of mitochondrial toxicity in an HIV-infected patient. *Dermatology* 2007;214:189-90.

Couillard S, Benkerrou M, Girot R, Brousse V, Ferster A, Bader-Meunier B. Steroid treatment in children with sickle-cell disease. *Haematologica* 2007;92:425-6.

Savale L, Parrot A, Khalil A, Antoine M, Théodore J, Carette MF, *et al.* Cryptogenic hemoptysis: from a benign to a life-threatening pathologic vascular condition. *Am J Respir Crit Care Med* 2007;175:1181-5.

Ratbi I, Legendre M, Niel F, Martin J, Soufir JC, Izard V, *et al.* Detection of cystic fibrosis transmembrane conductance regulator (CFTR) gene rearrangements enriches the mutation spectrum in congenital bilateral absence of the vas deferens and impacts on genetic counselling. *Hum Reprod* 2007;22:1285-91.

Letestu R, Marzac C, Audat F, Belhocine R, Tondeur S, Baccini V, *et al.* Use of hematopoietic progenitor cell count on the Sysmex XE-2100 for peripheral blood stem cell harvest monitoring. *Leuk Lymphoma* 2007;48:89-96.

Cloeckaert A, Praud K, Doublet B, Bertini A, Carattoli A, Butaye P, *et al.* Dissemination of an extended-spectrum-beta-lactamase blaTEM-52 gene-carrying IncI1 plasmid in various *Salmonella enterica* serovars isolated from poultry and humans in Belgium and France between 2001 and 2005. *Antimicrob Agents Chemother* 2007;51:1872-5.

Bastard JP, Lagathu C, Caron M, Capeau J. Point-counterpoint: Interleukin-6 does/does not have a beneficial role in insulin sensitivity and glucose homeostasis. *J Appl Physiol* 2007;102:821-2; author reply 825.

Cabrol S. Le syndrome de Turner. *Ann Endocrinol (Paris)* 2007;68:2-9.

Capeau J, Magré J, Lascols O, Caron M, Béréziat V, Vigouroux C. Les lipodystrophies primitives. *Ann Endocrinol (Paris)* 2007;68:10-20.

Aguiar Bujanda D, Rivero Vera JC, Cabrera Suárez MA, Aguiar Morales J, Christol R, Bohn Sarmiento U, *et al.* Hypoglycemic coma secondary to big insulin-like growth factor II secretion by a giant phyllodes tumor of the breast. *Breast J* 2007;13:189-91.

Momtchilova M, Pelosse B, Rocher F, Renault F, Laroche L. Syndrome de Möbius: manifestations ophtalmologiques et cliniques. *J Fr Ophtalmol* 2007;30:177-82.

Delaunay JL, Breton M, Goding JW, Trugnan G, Maurice M. Differential detergent resistance of the apical and basolateral NPPases: relationship with polarized targeting. *J Cell Sci* 2007;120:1009-16.

Beckers D, Bellanné-Chantelot C, Maes M. Neonatal cholestatic jaundice as the first symptom of a mutation in the hepatocyte nuclear factor-1beta gene (HNF-1beta). *J Pediatr* 2007;150:313-4.

Lazard DS, Prulière-Escabasse V, Papon JF, Escudier E, Coste A. Blessure et réparation épithéliale: une hypothèse physiopathologique de la polypose nasosinusienne. *Presse Med* 2007;36:1104-8.

Mallat Z, Benessiano J, Simon T, Ederhy S, Sebella-Arguelles C, Cohen A, *et al.* Circulating secretory phospholipase A2 activity and risk of incident coronary events in healthy men and women: the EPIC-Norfolk study. *Arterioscler Thromb Vasc Biol* 2007;27:1177-83.

Bazot M, Bornier C, Dubernard G, Roseau G, Cortez A, Daraï E. Accuracy of magnetic resonance imaging and rectal endoscopic sonography for the prediction of location of deep pelvic endometriosis. *Hum Reprod* 2007;22:1457-63.

Delonlay P, Simon A, Galmiche-Rolland L, Giurgea I, Verkarre V, Aigrain Y, *et al.* Neonatal hyperinsulinism: clinicopathologic correlation. *Hum Pathol* 2007;38:387-99.

Verdy E, Debrix I, Benomar A, Becker A, Flahault A. Impact d'une organisation pluridisciplinaire pour la "juste prescription" du danaparoïde sodique en cas de suspicion de thrombopénie immuno-allergique à l'héparine. *Presse Med* 2007;36:786-93.

Becquemont L, Neuvonen M, Verstuyft C, Jaillon P, Letierce A, Neuvonen PJ, *et al.* Amiodarone interacts with simvastatin but not with pravastatin disposition kinetics. *Clin Pharmacol Ther* 2007;81:679-84.

Gardet A, Breton M, Trugnan G, Chwetzoff S. Role for actin in the polarized release of rotavirus. *J Virol* 2007;81:4892-4.

Lamazière A, Burlina F, Wolf C, Chassaing G, Trugnan G, Ayala-Sanmartin J. Non-metabolic membrane tubulation and permeability induced by bioactive peptides. *PLoS One* 2007;2:e201.

Grateau G, Valleix S, Callard P. Les amyloses multisystémiques en 2007. *Rev Med Interne* 2007;28:281-3.

Libè R, Groussin L, Tissier F, Elie C, René-Corail F, Fratticci A, *et al.* Somatic TP53 mutations are relatively rare among adrenocortical cancers with the frequent 17p13 loss of heterozygosity. *Clin Cancer Res* 2007;13:844-50.

Enache-Angoulvant A, Chandenier J, Symoens F, Lacube P, Bolognini J, Douchet C, *et al.* Molecular identification of *Cryptococcus neoformans* serotypes. *J Clin Microbiol* 2007;45:1261-5.

Pellé G, Vimont S, Levy PP, Hertig A, Ouali N, Chassin C, *et al.* Acute pyelonephritis represents a risk factor impairing long-term kidney graft function. *Am J Transplant* 2007;7:899-907.

Hummel M, Vasseur F, Mathieu C, Bellanne-Chantelot C, Froguel P, Standl E, *et al.* Two Caucasian families with the hepatocyte nuclear factor-1alpha mutation Tyr218Cys. *Exp Clin Endocrinol Diabetes* 2007;115:62-4.

Larosche I, Lettéron P, Fromenty B, Vadrot N, Abbey-Toby A, Feldmann G, *et al.* Tamoxifen inhibits topoisomerases, depletes mitochondrial DNA, and triggers steatosis in mouse liver. *J Pharmacol Exp Ther* 2007;321:526-35.

Decramer S, Parant O, Beaufils S, Clauin S, Guillou C, Kessler S, *et al.* Anomalies of the TCF2 gene are the main cause of fetal bilateral hyperechogenic kidneys. *J Am Soc Nephrol* 2007;18:923-33.

Barbut F, Gariazzo B, Bonné L, Lalande V, Burghoffer B, Luiuz R, *et al.* Clinical features of *Clostridium difficile*-associated infections and molecular characterization of strains: results of a retrospective study, 2000-2004. *Infect Control Hosp Epidemiol* 2007;28:131-9.

Beaussier M, Wendum D, Schiffer E, Dumont S, Rey C, Lienhart A, *et al.* Prominent contribution of portal mesenchymal cells to liver fibrosis in ischemic and obstructive cholestatic injuries. *Lab Invest* 2007;87:292-303.

Eckert C, Magnet S, Mesnage S. The *Enterococcus hirae* Mur-2 enzyme displays N-acetylglucosaminidase activity. *FEBS Lett* 2007;581:693-6.

Mourra N, Couvelard A, Tiret E, Olschwang S, Flejou JF. Clusterin is highly expressed in pancreatic endocrine tumours but not in solid pseudopapillary tumours. *Histopathology* 2007;50:331-7.

Chakvetadze C, Bani-Sadr F, Le Pendeven C, Lamontagne F, Vincensini JP, Pialoux G. Reactivation of hepatitis B virus replication during peginterferon-ribavirin therapy in an HIV/hepatitis C virus-co-infected patient with isolated anti-hepatitis B core antibodies. *AIDS* 2007;21:393-4.

Dautremer J, Pacanowski J, Girard PM, Lalande V, Sivignon F, Meynard JL. A new presentation of immune reconstitution inflammatory syndrome followed by a severe paradoxical reaction in an HIV-1-infected patient with tuberculous meningitis. *AIDS* 2007;21:381-2.

Thierry S, Gozlan J, Jaulmes A, Boniface R, Nasreddine N, Strauss F, *et al.* High-mobility group box 1 protein induces HIV-1 expression from persistently infected cells. *AIDS* 2007;21:283-92.

Khouchache K, Puel O, Loiseau N, Delaforge M, Rivollet D, Coste A, *et al.* Verruculogen associated with *Aspergillus fumigatus* hyphae and conidia modifies the electrophysiological properties of human nasal epithelial cells. *BMC Microbiol* 2007;7:5.

Kluger N, Moguelet P, Khosrotehrani K, Aractingi S. Idiopathic recurrent palmoplantar hidradenitis: a case with late onset and long-lasting course. *Clin Exp Dermatol* 2007;32:217-8.

Blacher J, Czernichow S, Raphaël M, Roussel C, Chadeaux-Vekemans B, Morineau G, *et al.* Very low oral doses of vitamin B-12 increase serum concentrations in elderly subjects with food-bound vitamin B-12 malabsorption. *J Nutr* 2007;137:373-8.

Cynober L, Lasnier E, Le Boucher J, Jardel A, Coudray-Lucas C. Effect of ornithine alpha-ketoglutarate on glutamine pools in burn injury: evidence of component interaction. *Intensive Care Med* 2007;33:538-41.

Ratbi I, Hajji S, Ouldin K, Aboussair N, Feldmann D, Sefiani A. La mutation 35delG du gène de la connexine 26, une cause fréquente des surdités non syndromiques autosomiques récessives au Maroc. *Arch Pediatr* 2007;14:450-3.

Botzenhart EM, Bartalini G, Blair E, Brady AF, Elmslie F, Chong KL, *et al.* Townes-Brocks syndrome: twenty novel SALL1 mutations in sporadic and familial cases and refinement of the SALL1 hot spot region. *Hum Mutat* 2007;28:204-5.

Fléjou JF, Svrcek M. Barrett's oesophagus--a pathologist's view. *Histopathology* 2007;50:3-14.

Costedoat-Chalumeau N, Hulot JS, Amoura Z, Leroux G, Lechat P, Funck-Brentano C, *et al.* Heart conduction disorders related to antimalarials toxicity: an analysis of electrocardiograms in 85 patients treated with hydroxychloroquine for connective tissue diseases. *Rheumatology (Oxford)* 2007;46:808-10.

Konstantinidis K, Gerasimidis T, Verdy E, Elalamy I, Samama MM, Gerotziapas GT. Inhibition of clot formation process by treatment with the low-molecular-weight heparin nadroparin in patients with carotid artery disease undergoing angioplasty and stenting. A thromboelastography study on whole blood. *Thromb Haemost* 2007;97:109-18.

Bachmeyer C, Khosrotehrani K, Moguelet P, Aractingi S. Primary cutaneous follicular B-cell lymphoma arising at the site of radiotherapy for breast cancer. *Br J Dermatol* 2007;156:198-9.

Raguin G, Poizat G, Morand-Joubert L, Taburet AM, Le Tiec C, Clavel F, *et al.* Salvage therapy with amprenavir, lopinavir and ritonavir is durably potent in HIV-infected patients in virological failure: 1-year results. *AIDS* 2007;21:241-3.

Bachmeyer C, Thiolière B, Khosrotehrani K, Cattan E. Acute myelogenous leukemia in a patient receiving etanercept for psoriasis. *J Am Acad Dermatol* 2007;56:169-70.

Durand CM, Betancur C, Boeckers TM, Bockmann J, Chaste P, Fauchereau F, *et al.* Mutations in the gene encoding the synaptic scaffolding protein SHANK3 are associated with autism spectrum disorders. *Nat Genet* 2007;39:25-7.

Vandeputte P, Tronchin G, Bergès T, Hennequin C, Chabasse D, Bouchara JP. Reduced susceptibility to polyenes associated with a missense mutation in the ERG6 gene in a clinical isolate of *Candida glabrata* with pseudohyphal growth. *Antimicrob Agents Chemother* 2007;51:982-90.

Livermore DM, Canton R, Gniadkowski M, Nordmann P, Rossolini GM, Arlet G, *et al.* CTX-M: changing the face of ESBLs in Europe. *J Antimicrob Chemother* 2007;59:165-74.

Verstraete L, Costa JM, Chantot-Bastaraud S, Siffroi JP, Fiori O, Uzan S, *et al.* Finding a single XY cell among XX cells in amniotic fluid by FISH: a possible

consequence of a vanishing male twin? *Prenat Diagn* 2007;27:85-6.

Guilluy C, Rolli-Derkinderen M, Tharaux PL, Melino G, Pacaud P, Loirand G. Transglutaminase-dependent RhoA activation and depletion by serotonin in vascular smooth muscle cells. *J Biol Chem* 2007;282:2918-28.

Chéreau E, Lejeune V, Gonzales M, Carbonne B. Voluminous fetal chylous ascites: a case of complete spontaneous prenatal regression. *Fetal Diagn Ther* 2007;22:81-4.

Delmas O, Breton M, Sapin C, Le Bivic A, Colard O, Trugnan G. Heterogeneity of Raft-type membrane microdomains associated with VP4, the rotavirus spike protein, in Caco-2 and MA 104 cells. *J Virol* 2007;81:1610-8.

Svrcek M, Cosnes J, Tiret E, Bennis M, Parc Y, Fléjou JF. Expression of epidermal growth factor receptor (EGFR) is frequent in inflammatory bowel disease (IBD)-associated intestinal cancer. *Virchows Arch* 2007;450:243-4.

Robins T, Bellanne-Chantelot C, Barbaro M, Cabrol S, Wedell A, Lajic S. Characterization of novel missense mutations in CYP21 causing congenital adrenal hyperplasia. *J Mol Med* 2007;85:247-55.

Ravel C, Letur H, Le Lannou D, Barthélémy C, Bresson JL, Siffroi JP, *et al.* High incidence of chromosomal abnormalities in oocyte donors. *Fertil Steril* 2007;87:439-41.

Cauchi S, Vaxillaire M, Choquet H, Durand E, Duval A, Polak M, *et al.* No major contribution of TCF7L2 sequence variants to maturity onset of diabetes of the

young (MODY) or neonatal diabetes mellitus in French white subjects. *Diabetologia* 2007;50:214-6.

Guinot M, Duclos M, Idres N, Souberbielle JC, Megret A, Le Bouc Y. Value of basal serum cortisol to detect corticosteroid-induced adrenal insufficiency in elite cyclists. *Eur J Appl Physiol* 2007;99:205-16.

Broquet AH, Lenoir C, Gardet A, Sapin C, Chwetzoff S, Jouniaux AM, *et al.* Hsp70 negatively controls rotavirus protein bioavailability in caco-2 cells infected by the rotavirus RF strain. *J Virol* 2007;81:1297-304.

Bouchet C, Vuillaumier-Barrot S, Gonzales M, Boukari S, Bizec CL, Fallet C, *et al.* Detection of an Alu insertion in the POMT1 gene from three French Walker Warburg syndrome families. *Mol Genet Metab* 2007;90:93-6.

Chantot-Bastarud S, Ravel C, Berthaut I, McElreavey K, Bouchard P, Mandelbaum J, *et al.* Sperm-FISH analysis in a pericentric chromosome 1 inversion, 46,XY,inv(1)(p22q42), associated with infertility. *Mol Hum Reprod* 2007;13:55-9.

Assié G, Antoni G, Tissier F, Caillou B, Abiven G, Gicquel C, *et al.* Prognostic parameters of metastatic adrenocortical carcinoma. *J Clin Endocrinol Metab* 2007;92:148-54.

St-Pierre DH, Karelis AD, Coderre L, Malita F, Fontaine J, Mignault D, *et al.* Association of acylated and nonacylated ghrelin with insulin sensitivity in overweight and obese postmenopausal women. *J Clin Endocrinol Metab* 2007;92:264-9.

Lorton F, Veinberg F, Ielsch D, Deschênes G, Bensman A, Ulinski T. Procalcitonin serum levels in children undergoing chronic haemodialysis. *Pediatr Nephrol* 2007;22:430-5.

Barrier A, Roser F, Boëlle PY, Franc B, Tse C, Brault D, *et al.* Prognosis of stage II colon cancer by non-neoplastic mucosa gene expression profiling. *Oncogene* 2007;26:2642-8.

Cauwelier B, Cavé H, Gervais C, Lessard M, Barin C, Perot C, *et al.* Clinical, cytogenetic and molecular characteristics of 14 T-ALL patients carrying the TCRbeta-HOXA rearrangement: a study of the Groupe Francophone de Cytogénétique Hématologique. *Leukemia* 2007;21:121-8.

Sentilhes L, Patrier S, Chouchene S, Diguët A, Berthier A, Marpeau L, *et al.* Amniotic band syndrome with limb amputation after exposure to mifepristone in early pregnancy. *Fetal Diagn Ther* 2007;22:51-4.

Diatloff-Zito C, Nicole A, Marcelin G, Labit H, Marquis E, Bellanné-Chantelot C, *et al.* Genetic and epigenetic defects at the 6q24 imprinted locus in a cohort of 13 patients with transient neonatal diabetes: new hypothesis raised by the finding of a unique case with hemizygotic deletion in the critical region. *J Med Genet* 2007;44:31-7.

Alyanakian MA, Taes Y, Bensaïd M, Segovia B, Aucouturier P, Rain JD, *et al.* Monoclonal immunoglobulin with antitransferrin activity: A rare cause of hypersideremia with increased transferrin saturation. *Blood* 2007;109:359-61.

Delhommeau F, Dupont S, Tonetti C, Massé A, Godin I, Le Couedic JP, *et al.* Evidence that the JAK2 G1849T (V617F) mutation occurs in a lymphomyeloid progenitor in polycythemia vera and idiopathic myelofibrosis. *Blood* 2007;109:71-7.

Oliveira C, Velho S, Moutinho C, Ferreira A, Preto A, Domingo E, *et al.* KRAS and BRAF oncogenic mutations in MSS colorectal carcinoma progression. *Oncogene* 2007;26:158-63.

Colombat M, Mal H, Groussard O, Capron F, Thabut G, Jebrak G, *et al.* Pulmonary vascular lesions in end-stage idiopathic pulmonary fibrosis: Histopathologic study on lung explant specimens and correlations with pulmonary hemodynamics. *Hum Pathol* 2007;38:60-5.

Emilie S, Bachmeyer C, Moguelet P, Pecquet C. Des lésions eczématiformes sous héparine. *Rev Med Interne* 2007;28:259-60.

Bachmeyer C, Ammouri W, M'Bappé P, Combescure L, Lionnet F, Girot R, *et al.* Unusual sites of Salmonella osteoarthritis in patients with sickle cell disease: two cases. *Clin Rheumatol* 2007;26:1356-8.

Ducarme G, Seince N, Poulet B, Jeantils V, Uzan M. Breast: a rare localization of schistosomiasis. *Eur J Obstet Gynecol Reprod Biol* 2007;133:247-8.

Bachmeyer C, Moguelet P. Une lésion érythémateuse infiltrée de l'épaule. *Rev Med Interne* 2007;28:179-80.

Kiladjian JJ, Casadevall N, Vainchenker W, Fenaux P. The first international meeting on V617F JAK2 mutation and its relevance in Philadelphia-negative myeloproliferative disorders. *Pathol Biol (Paris)* 2007;55:85-7.

Fuchs F, Guillot E, Salama S, Vige P, Coulomb L'hermine A, Raynal P. Giant congenital scalp blue nevus, a neonatal case report. *Eur J Obstet Gynecol Reprod Biol* 2007;132:243-4.

Fardet L, Génèreau T, Poirot JL, Guidet B, Kettaneh A, Cabane J. Severe strongyloidiasis in corticosteroid-treated patients: case series and literature review. *J Infect* 2007;54:18-27.

Tédong L, Dzeufiet PD, Dimo T, Asongalem EA, Sokeng SN, Flejou JF, *et al.* Acute and subchronic toxicity of *Anacardium occidentale* Linn (Anacardiaceae) leaves hexane extract in mice. *Afr J Tradit Complement Altern Med* 2006;4:140-7.

Ronco P, Plaisier E, Mougnot B, Aucouturier P. Immunoglobulin light (heavy)-chain deposition disease: from molecular medicine to pathophysiology-driven therapy. *Clin J Am Soc Nephrol* 2006;1:1342-50.

Lamazière A, Chassaing G, Trugnan G, Ayala-Sanmartin J. Peptides de transduction: analyse des relations "structure-fonction" à l'aide de membranes modèles. *J Soc Biol* 2006;200:229-33.

Rossert J, Casadevall N. Diagnostic et traitement des erythroblastopénies induites par les agents stimulant l'erythropoïèse. *Nephrol Ther* 2006;2 Suppl 4:S283-6.

Bordet R, Jolliet P, Jaillon P. Medical pharmacology: from review to planning. *Therapie* 2006;61:457-61.

Ulinski T, Charpentier A, Colombat M, Desconclois C, Mougenot B, Fremaux-Bacchi V, *et al.* From humoral rejection to generalized thrombotic microangiopathy--role of acquired ADAMTS13 deficiency in a renal allograft recipient. *Am J Transplant* 2006;6:3030-6.

Barbut F, Coignard B. Infections nosocomiales. *Rev Prat* 2006;56:2065-71.

Vaubourdolle M, Guéchet J, Marqueurs Biologiques de Fibrose Hépatique, Société Française de Biologie Clinique, Association Française pour l'Etude du Foie, Bartoli M, *et al.* Actualités en biologie clinique. Les marqueurs biologiques d'évaluation de la fibrose hépatique au cours des maladies chroniques du foie. *Ann Biol Clin (Paris)* 2006;64:603-7.

Jaillon P. Teaching basic and clinical pharmacology to medical students: a 2006 survey in French schools of medicine. *Thérapie* 2006;61:439-46.

Diop ME, Bastard JP, Meunier N, Thévenet S, Maachi M, Capeau J, *et al.* Inappropriately low glycosylated hemoglobin values and hemolysis in HIV-infected patients. *AIDS Res Hum Retroviruses* 2006;22:1242-7.

Mahieux F, Couderc R, Fénelon G, Maachi M. Amaigrissement et cytokines circulantes chez des patients souffrant d'une maladie d'Alzheimer. *Psychol Neuropsychiatr Vieil* 2006;4:281-6.

Salmi L, Elalamy I, Leroy-Matheron C, Houel R, Thébert D, Duvaldestin P. Thrombose d'un circuit de circulation extracorporelle sous danaparoiide sodique à la phase aiguë d'une thrombopénie induite par l'héparine de type II en dépit d'une hypocoagulation recommandée. *Ann Fr Anesth Reanim* 2006;25:1144-8.

Magne D, Lacube P, Angoulvant A, Meliani L, Botterel F, Bougnoux ME, *et al.* Pneumocystosis: survey and DHPS genotype analysis in 14 Parisian hospitals in 2003 and 2004. *J Eukaryot Microbiol* 2006;53 Suppl 1:S106-7.

Totet A, Gresillon K, Matos O, Lundgren B, Larsen HH, Roux P, *et al.* Pneumocystis jirovecii genotypes in European patients with chronic obstructive pulmonary diseases. *J Eukaryot Microbiol* 2006;53 Suppl 1:S102-3.

Finzi L, Barbu V, Burgel PR, Mergey M, Kirkwood KS, Wick EC, *et al.* MUC5AC, a gel-forming mucin accumulating in gallstone disease, is overproduced via an epidermal growth factor receptor pathway in the human gallbladder. *Am J Pathol* 2006;169:2031-41.

Marzac C, Teyssandier I, Calendini O, Perrot JY, Faussat AM, Tang R, *et al.* Flt3 internal tandem duplication and P-glycoprotein functionality in 171 patients with acute myeloid leukemia. *Clin Cancer Res* 2006;12:7018-24.

Beaussier M, Weickmans H, Parc Y, Delpierre E, Camus Y, Funck-Brentano C, *et al.* Postoperative analgesia and recovery course after major colorectal surgery in elderly patients: a randomized comparison between intrathecal morphine and intravenous PCA morphine. *Reg Anesth Pain Med* 2006;31:531-8.

Delhommeau F, Pisani DF, James C, Casadevall N, Constantinescu S, Vainchenker W. Oncogenic mechanisms in myeloproliferative disorders. *Cell Mol Life Sci* 2006;63:2939-53.

Lefevre JH, Rodrigue CM, Mourra N, Bennis M, Flejou JF, Parc R, *et al.* Implication of MYH in colorectal polyposis. *Ann Surg* 2006;244:874-9; discussion 879-80.

Boccarda F, Simon T, Lacombe K, Cohen A, Laloux B, Bozec E, *et al.* Influence of pravastatin on carotid artery structure and function in dyslipidemic HIV-infected patients receiving antiretroviral therapy. *AIDS* 2006;20:2395-8.

Daniel-Le Bozec C, Henin D, Fabiani B, Bourquard K, Ouagne D, Degoulet P, *et al.* Integrating anatomical pathology to the healthcare enterprise. *Stud Health Technol Inform* 2006;124:371-6.

Ben Mena N, Zalinski S, Svrcek M, Lewin M, Fléjou JF, Wendum D, *et al.* Ciliated hepatic foregut cyst with extensive squamous metaplasia: report of a case. *Virchows Arch* 2006;449:730-3.

Valayannopoulos V, Verhoeven NM, Mention K, Salomons GS, Sommelet D, Gonzales M, *et al.* Transaldolase deficiency: a new cause of hydrops fetalis and neonatal multi-organ disease. *J Pediatr* 2006;149:713-7.

Zenaty D, Dijoud F, Morel Y, Cabrol S, Mouriquand P, Nicolino M, *et al.* Bilateral anorchia in infancy: occurrence of micropenis and the effect of testosterone treatment. *J Pediatr* 2006;149:687-91.

Veyssier P, Voirot P, Begaud B, Funck-Brentano C. Tolérance cardiaque de la moxifloxacine: expérience clinique issue d'une large étude observationnelle française en pratique médicale usuelle (étude IMMEDIAT). *Med Mal Infect* 2006;36:505-12.

Brusco S, Bergeron C, Boccon-Gibod L, Claude L, Coze C, Leclair MD, *et al.* Comprendre le néphroblastome. Information à l'usage des parents et des proches d'un enfant malade. *Cancer Radiother* 2006;10:296-312.

Lacombe K, Ollivet A, Gozlan J, Durantel S, Tran N, Girard PM, *et al.* A novel hepatitis B virus mutation with resistance to adefovir but not to tenofovir in an HIV-hepatitis B virus-co-infected patient. *AIDS* 2006;20:2229-31.

Hoeffel C, Tissier F, Mourra N, Oudjit A, Tubiana JM, Fornes P. Unusual adrenal incidentalomas: magnetic resonance imaging features with pathological correlation. *J Comput Assist Tomogr* 2006;30:917-25.

Sezeur A, Schielke A, Larue L, Fléjou JF. Cancer gastrique héréditaire diffus. *Gastroenterol Clin Biol* 2006;30:1205-13.

Coignard B, Barbut F, Blanckaert K, Thiolet JM, Poujol I, Carbonne A, *et al.* Emergence of *Clostridium difficile* toxinotype III, PCR-ribotype 027-associated disease, France, 2006. *Euro Surveill* 2006;11:E060914.1.

Bachmeyer C, Eacute Milie S, Moguelet P. Hyperkératose filiforme palmo-plantaire. *Ann Dermatol Venereol* 2006;133:827-8.

Mourra N, Hoeffel C, Gaujoux S, Coindre JM, Flejou JF. Myxoid perineal tumour in a 25-year-old woman. *Histopathology* 2006;49:533-6.

Mirand A, Archimbaud C, Henquell C, Michel Y, Chambon M, Peigue-Lafeuille H, *et al.* Prospective identification of HEV-B enteroviruses during the 2005 outbreak. *J Med Virol* 2006;78:1624-34.

Simon A, Chalumeau M, Mougnot B, Gendrel D, Bensman A, Ulinski T. Severe hypercalcaemia and acute renal failure: atypical complications of generalized tuberculosis. *Acta Paediatr* 2006;95:1517-8.

Hertig A, Verine J, Mougenot B, Jouanneau C, Ouali N, Sebe P, *et al.* Risk factors for early epithelial to mesenchymal transition in renal grafts. *Am J Transplant* 2006;6:2937-46.

Funck-Brentano C, Charbit B. Prolonged ventricular repolarization in hypertension: is it heart rate? *Arch Intern Med* 2006;166:2157; author reply 2157-8.

Falguières T, Römer W, Amessou M, Afonso C, Wolf C, Tabet JC, *et al.* Functionally different pools of Shiga toxin receptor, globotriaosyl ceramide, in HeLa cells. *FEBS J* 2006;273:5205-18.

Maury E, Moussa N, Lakermi C, Barbut F, Offenstadt G. Compliance of health care workers to hand hygiene: awareness of being observed is important. *Intensive Care Med* 2006;32:2088-9.

Martínez del Hoyo G, López-Bravo M, Metharom P, Ardavín C, Aucouturier P. Prion protein expression by mouse dendritic cells is restricted to the nonplasmacytoid subsets and correlates with the maturation state. *J Immunol* 2006;177:6137-42.

Pacanowski J, Poirier JM, Petit I, Meynard JL, Girard PM. Atazanavir urinary stones in an HIV-infected patient. *AIDS* 2006;20:2131.

Jeannot E, Wendum D, Paye F, Mourra N, de Toma C, Fléjou JF, *et al.* Hepatocellular adenoma displaying a HNF1alpha inactivation in a patient with familial adenomatous polyposis coli. *J Hepatol* 2006;45:883-6.

Morineau G, Sulmont V, Salomon R, Fiquet-Kempf B, Jeunemaître X, Nicod J, *et al.* Apparent mineralocorticoid excess: report of six new cases and extensive personal experience. *J Am Soc Nephrol* 2006;17:3176-84.

Kluger N, Moguelet P, Chaslin-Ferbus D, Khosrotherani K, Aractingi S. Generalized interstitial granuloma annulare induced by pegylated interferon-alpha. *Dermatology* 2006;213:248-9.

Vialard F, Nouchy M, Malan V, Taillemite JL, Selva J, Portnoï MF. Whole-arm translocations between chromosome 1 and acrocentric G chromosomes are associated with a poor prognosis for spermatogenesis: two new cases and review of the literature. *Fertil Steril* 2006;86:1001.e1-5.

Loulergue P, Callard P, Bonnard P, Pialoux G. La stéatose hépatique: une maladie émergente chez les patients infectés par le VIH. *Pathol Biol (Paris)* 2006;54:587-90.

Hernest M, Pena AM, Strupler M, Beaurepaire E, Martin JL, Schanne-Klein MC, *et al.* Nouvelle approche des fibroses par microscopie multiphotonique avec génération de second harmonique. *Med Sci (Paris)* 2006;22:820-1.

Ktari S, Arlet G, Mnif B, Gautier V, Mahjoubi F, Ben Jmeaa M, *et al.* Emergence of multidrug-resistant *Klebsiella pneumoniae* isolates producing VIM-4 metallo-beta-lactamase, CTX-M-15 extended-spectrum beta-lactamase, and CMY-4 AmpC beta-lactamase in a Tunisian university hospital. *Antimicrob Agents Chemother* 2006;50:4198-201.

Graesslin O, Cortez A, Uzan C, Birembaut P, Quereux C, Daraï E. Endometrial tumor invasiveness is related to metalloproteinase 2 and tissue inhibitor of metalloproteinase 2 expressions. *Int J Gynecol Cancer* 2006;16:1911-7.

Satgé D, Sasco AJ, Vekemans MJ, Portal ML, Fléjou JF. Aspects of digestive tract tumors in Down syndrome: a literature review. *Dig Dis Sci* 2006;51:2053-61.

Daugas E, Plaisier E, Boffa JJ, Guiard-Schmid JB, Pacanowski J, Mougenot B, *et al.* Acute renal failure associated with immune restoration inflammatory syndrome. *Nat Clin Pract Nephrol* 2006;2:594-8; quiz 599.

Giurgea I, Bellanné-Chantelot C, Ribeiro M, Hubert L, Sempoux C, Robert JJ, *et al.* Molecular mechanisms of neonatal hyperinsulinism. *Horm Res* 2006;66:289-96.

Chakvetadze C, Bani-Sadr F, Develoux M, Le Breton C, Pialoux G. Limb swelling with hypereosinophilia. *Lancet* 2006;368:1126.

Serpaggi J, Carnot F, Nalpas B, Canioni D, Guéchet J, Lebray P, *et al.* Direct and indirect evidence for the reversibility of cirrhosis. *Hum Pathol* 2006;37:1519-26.

Desbois-Mouthon C, Cacheux W, Blivet-Van Eggelpoël MJ, Barbu V, Fartoux L, Poupon R, *et al.* Impact of IGF-1R/EGFR cross-talks on hepatoma cell sensitivity to gefitinib. *Int J Cancer* 2006;119:2557-66.

Galland F, Kamenicky P, Affres H, Reznik Y, Pontvert D, Le Bouc Y, *et al.* McCune-Albright syndrome and acromegaly: effects of hypothalamopituitary radiotherapy and/or pegvisomant in somatostatin analog-resistant patients. *J Clin Endocrinol Metab* 2006;91:4957-61.

Doloy A, Verdet C, Gautier V, Decré D, Ronco E, Hammami A, *et al.* Genetic environment of acquired bla(ACC-1) beta-lactamase gene in Enterobacteriaceae isolates. *Antimicrob Agents Chemother* 2006;50:4177-81.

Khonsari H, Catala M. Embryologie et croissance du crâne. *Neurochirurgie* 2006;52:151-9.

Zafatayeff-Hasbani S, Ducou Le Pointe H, Josset P, Damsin JP, Montagne JP. Intra-articular recurrence of benign chondroblastoma with articular involvement at initial presentation--a case report. *Eur J Pediatr Surg* 2006;16:291-3.

Schleinitz N, Favier R, Mazodier K, Difeo A, Ebbo M, Veit V, *et al.* Le syndrome MYH9: à propos d'une nouvelle observation et de la mise en évidence d'une nouvelle mutation du gène MYH9. *Rev Med Interne* 2006;27:783-6.

Hoeffel C, Arrivé L, Mourra N, Azizi L, Lewin M, Tubiana JM. Anatomic and pathologic findings at external phased-array pelvic MR imaging after surgery for anorectal disease. *Radiographics* 2006;26:1391-407.

Ruppé E, Bidet P, Verdet C, Arlet G, Bingen E. First detection of the Ambler class C 1 AmpC beta-lactamase in *Citrobacter freundii* by a new, simple double-disk synergy test. *J Clin Microbiol* 2006;44:4204-7.

Pernet P, Bruneel A, Baudin B, Vaubourdolle M. PHProteomicDB: a module for two-dimensional gel electrophoresis database creation on personal web sites. *Genomics Proteomics Bioinformatics* 2006;4:134-6.

Guéchet J, Groupe de Travail "Marqueurs Biologiques de Fibrose Hépatique". Evaluation non invasive de la fibrose hépatique au cours des hépatites chroniques virales C. *Presse Med* 2006;35:1317-26.

Sakr R, Barranger E, Antoine M, Prugnotte H, Daraï E, Uzan S. Ductal carcinoma in situ: value of sentinel lymph node biopsy. *J Surg Oncol* 2006;94:426-30.

Barrier A, Boelle PY, Roser F, Gregg J, Tse C, Brault D, *et al.* Stage II colon cancer prognosis prediction by tumor gene expression profiling. *J Clin Oncol* 2006;24:4685-91.

Lewin M, Handra-Luca A, Arrivé L, Wendum D, Paradis V, Bridel E, *et al.* Liver adenomatosis: classification of MR imaging features and comparison with pathologic findings. *Radiology* 2006;241:433-40.

Mamlouk K, Boutiba-Ben Boubaker I, Gautier V, Vimont S, Picard B, Ben Redjeb S, *et al.* Emergence and outbreaks of CTX-M beta-lactamase-producing *Escherichia coli* and *Klebsiella pneumoniae* strains in a Tunisian hospital. *J Clin Microbiol* 2006;44:4049-56.

Corpechot C, Ping C, Wendum D, Matsuda F, Barbu V, Poupon R. Identification of a novel 974C-->G nonsense mutation of the MRP2/ABCC2 gene in a patient with Dubin-Johnson syndrome and analysis of the effects of rifampicin and ursodeoxycholic acid on serum bilirubin and bile acids. *Am J Gastroenterol* 2006;101:2427-32.

Tao L, Lefèvre M, Callard P, Périé S, Bernaudin JF, St Guily JL. Reappraisal of metastatic lymph node topography in head and neck squamous cell carcinomas. *Otolaryngol Head Neck Surg* 2006;135:445-50.

Borensztajn K, Sobrier ML, Duquesnoy P, Fischer AM, Tapon-Bretonnière J, Amselem S. Oriented scanning is the leading mechanism underlying 5' splice site selection in mammals. *PLoS Genet* 2006;2:e138.

Kobari L, Giarratana MC, Gluckman JC, Douay L, Rosenzweig M. Ex vivo expansion does not alter the capacity of umbilical cord blood CD34+ cells to generate functional T lymphocytes and dendritic cells. *Stem Cells* 2006;24:2150-7.

Boissan M, Lacombe ML. Nm23/NDP kinases in hepatocellular carcinoma. *J Bioenerg Biomembr* 2006;38:169-75.

Le Moguen K, Lincet H, Deslandes E, Hubert-Roux M, Lange C, Poulain L, *et al.* Comparative proteomic analysis of cisplatin sensitive IGROV1 ovarian carcinoma cell line and its resistant counterpart IGROV1-R10. *Proteomics* 2006;6:5183-92.

Sobrier ML, Maghnie M, Vié-Luton MP, Secco A, di Iorgi N, Lorini R, *et al.* Novel HESX1 mutations associated with a life-threatening neonatal phenotype, pituitary aplasia, but normally located posterior pituitary and no optic nerve abnormalities. *J Clin Endocrinol Metab* 2006;91:4528-36.

Lorton F, Raynot J, Letavernier B, Isapof A, Debiec H, Pressac M, *et al.* Gross proteinuria post transplant in a child with nephrotic syndrome of the Finnish type -mechanical vs immunological pathogenesis. *Nephrol Dial Transplant* 2006;21:3579-82.

Hoeffel CC, Azizi L, Mourra N, Lewin M, Arrivé L, Tubiana JM. MRI of rectal disorders. *AJR Am J Roentgenol* 2006;187:W275-84.

Poujol-Robert A, Boëlle PY, Wendum D, Poupon R, Robert A. Association between ABO blood group and fibrosis severity in chronic hepatitis C infection. *Dig Dis Sci* 2006;51:1633-6.

Su XY, Della-Valle V, Andre-Schmutz I, Lemerrier C, Radford-Weiss I, Ballerini P, *et al.* HOX11L2/TLX3 is transcriptionally activated through T-cell regulatory elements downstream of BCL11B as a result of the t(5;14)(q35;q32). *Blood* 2006;108:4198-201.

Garderet L, Mazurier C, Pellat-Deceunynck C, Karim A, Baudin B, Funck-Brentano C, *et al.* Poor ex vivo induction of T-cell responses to idiotypic or tumor cell lysate-pulsed autologous dendritic cells in advanced pre-treated multiple myeloma. *Leuk Lymphoma* 2006;47:1340-7.

Labrosse B, Morand-Joubert L, Goubard A, Rochas S, Labernardière JL, Pacanowski J, *et al.* Role of the envelope genetic context in the development of enfuvirtide resistance in human immunodeficiency virus type 1-infected patients. *J Virol* 2006;80:8807-19.

Chwetzoff S, Trugnan G. Rotavirus assembly: an alternative model that utilizes an atypical trafficking pathway. *Curr Top Microbiol Immunol* 2006;309:245-61.

Delarasse C, Della Gaspera B, Lu CW, Lachapelle F, Gelot A, Rodriguez D, *et al.* Complex alternative splicing of the myelin oligodendrocyte glycoprotein gene is unique to human and non-human primates. *J Neurochem* 2006;98:1707-17.

Ledoux S, Msika S, Moussa F, Larger E, Boudou P, Salomon L, *et al.* Comparison of nutritional consequences of conventional therapy of obesity, adjustable gastric banding, and gastric bypass. *Obes Surg* 2006;16:1041-9.

Nortier JL, Debiec H, Tournay Y, Mougnot B, Noël JC, Deschodt-Lanckman MM, *et al.* Neonatal disease in neutral endopeptidase alloimmunization: lessons for immunological monitoring. *Pediatr Nephrol* 2006;21:1399-405.

Lhermitte L, de Labarthe A, Dupret C, Lapillonne H, Millien C, Landman-Parker J, *et al.* Most immature T-ALLs express Ra-IL3 (CD123): possible target for DT-IL3 therapy. *Leukemia* 2006;20:1908-10.

Lelièvre H, Cervera N, Finetti P, Delhommeau F, Vainchenker W, Bertucci F, *et al.* Oncogenic kinases of myeloproliferative disorders induce both protein synthesis and G1 activators. *Leukemia* 2006;20:1885-8.

Simon T. Why is cardiovascular health important in menopausal women? *Climacteric* 2006;9 Suppl 1:13-8.

Rouquette AM, Desgruelles C. Detection of antibodies to dsDNA: an overview of laboratory assays. *Lupus* 2006;15:403-7.

Bachmeyer C, Barrier A, Frazier A, Fulgencio JP, Lecomte I, Grateau G, *et al.* Diffuse large and small bowel necrosis in catastrophic antiphospholipid syndrome. *Eur J Gastroenterol Hepatol* 2006;18:1011-4.

Boccon-Gibod LM, de Longchamps NB, Toublanc M, Boccon-Gibod LA, Ravery V. Prostate saturation biopsy in the reevaluation of microfocal prostate cancer. *J Urol* 2006;176:961-3; discussion 963-4.

Funck-Brentano C, Raphaël M, Lafontaine M, Arnould JP, Verstuyft C, Lebot M, *et al.* Effects of type of smoking (pipe, cigars or cigarettes) on biological indices of tobacco exposure and toxicity. *Lung Cancer* 2006;54:11-8.

Giurgea I, Sempoux C, Bellanné-Chantelot C, Ribeiro M, Hubert L, Boddaert N, *et al.* The Knudson's two-hit model and timing of somatic mutation may account for the phenotypic diversity of focal congenital hyperinsulinism. *J Clin Endocrinol Metab* 2006;91:4118-23.

Becquemont L, Verstuyft C, Jaillon P. Pharmacogénétique et variabilité inter individuelle de la réponse aux traitements: l'exemple du cytochrome P-450 2C9 et des anticoagulants coumariniques. *Bull Acad Natl Med* 2006;190:37-49; discussion 50-3.

Jaillon P. Tests pharmacogénétiques: leur place en pratique médicale courante et dans le développement des médicaments. *Bull Acad Natl Med* 2006;190:25-34; discussion 34-6.

Chansel D, Ciroldi M, Vandermeersch S, Jackson LF, Gomez AM, Henrion D, *et al.* Heparin binding EGF is necessary for vasospastic response to endothelin. *FASEB J* 2006;20:1936-8.

Peacock F, Morris DL, Anwaruddin S, Christenson RH, Collinson PO, Goodacre SW, *et al.* Meta-analysis of ischemia-modified albumin to rule out acute coronary syndromes in the emergency department. *Am Heart J* 2006;152:253-62.

Boulanger E, Fuentes V, Meignin V, Mougnot B, Labaume S, Gouilleux-Gruart V, *et al.* Polyclonal IgG4 hypergammaglobulinemia associated with plasmacytic lymphadenopathy, anemia and nephropathy. *Ann Hematol* 2006;85:833-40.

Fontaine C, Bonnard P, Mary-Krause M, Callard P, Pialoux G. Pulmonary pneumocystosis in a patient with greater than 500 CD4 cells/microl: a role for IL-2 therapy? *AIDS* 2006;20:1680-1.

Blum WF, Machinis K, Shavrikova EP, Keller A, Stobbe H, Pfaeffle RW, *et al.* The growth response to growth hormone (GH) treatment in children with isolated GH deficiency is independent of the presence of the exon 3-minus isoform of the GH receptor. *J Clin Endocrinol Metab* 2006;91:4171-4.

Lagathu C, Yvan-Charvet L, Bastard JP, Maachi M, Quignard-Boulangé A, Capeau J, *et al.* Long-term treatment with interleukin-1beta induces insulin resistance in murine and human adipocytes. *Diabetologia* 2006;49:2162-73.

Verkauskiene R, Dollfus C, Levine M, Faye A, Deghmoun S, Houang M, *et al.* Serum adiponectin and leptin concentrations in HIV-infected children with fat redistribution syndrome. *Pediatr Res* 2006;60:225-30.

Augustin P, Généreau T, Cervera P, Heron E, Cabane J. Visual loss mimicking a treated temporal arteritis relapse. *Eur J Intern Med* 2006;17:375-6.

Jacob A, Sandhu K, Nicholas J, Jones H, Odum J, Rylance P, *et al.* Antibody-mediated pure red cell aplasia in a dialysis patient receiving darbepoetin alfa as the sole erythropoietic agent. *Nephrol Dial Transplant* 2006;21:2963-5.

Capeau J, Vigouroux C, Magré J, Lascols O, Caron M, Bastard JP. Les syndromes lipodystrophiques : des adipopathies congénitales ou acquises. *C R Biol* 2006;329:639-52; discussion 653-5.

Fève B, Bastard JP, Vidal H. Les relations entre obésité, inflammation et insulino-résistance: acquisitions récentes. *C R Biol* 2006;329:587-97; discussion 653-5.

Shapiro S, Robin M, Espérou H, Devergie A, Rocha V, Garnier F, *et al.* Polyomavirus nephropathy in the native kidneys of an unrelated cord blood transplant recipient followed by a disseminated polyomavirus infection. *Transplantation* 2006;82:292-3.

Zariwala MA, Leigh MW, Ceppa F, Kennedy MP, Noone PG, Carson JL, *et al.* Mutations of DNAI1 in primary ciliary dyskinesia: evidence of founder effect in a common mutation. *Am J Respir Crit Care Med* 2006;174:858-66.

Lemarié CA, Tharaux PL, Esposito B, Tedgui A, Lehoux S. Transforming growth factor- α mediates nuclear factor κ B activation in strained arteries. *Circ Res* 2006;99:434-41.

Labauge P, Gelot A, Fogli A, Boespflug-Tanguy O, Rodriguez D. Autosomal dominant leukodystrophy and childhood ataxia with central nervous system hypomyelination syndrome. *Ann Neurol* 2006;60:485; author reply 485-6.

Fredouille C, Morice JE, Delbecq K, Liprandi A, Piercecchi-Marti MD, Gonzales M, *et al.* Nouvelle coupe du coeur en foetopathologie. Corrélée à la coupe échographique des 4 cavités chez le fœtus. *Ann Pathol* 2006;26:60-5.

Quercia R, Bani Sadr F, Cortez A, Arlet G, Pialoux G. Genital tract actinomycosis caused by *Actinomyces israelii*. *Med Mal Infect* 2006;36:393-5.

Garderet L, Baudel JL, Cervera P, Azizi L, Maury E, Guidet B, *et al.* 'Indolent' Waldenstrom's macroglobulinemia and a cerebrospinal fluid protein level of 16 g/L. *Eur J Haematol* 2006;77:80-2.

Rossignol S, Steunou V, Chalas C, Kerjean A, Rigolet M, Viegas-Pequignot E, *et al.* The epigenetic imprinting defect of patients with Beckwith-Wiedemann syndrome born after assisted reproductive technology is not restricted to the 11p15 region. *J Med Genet* 2006;43:902-7.

de Montalembert M, Girot R, Galactéros F. La drépanocytose en France en 2006: acquis et défis. *Arch Pediatr* 2006;13:1191-4.

Khen-Dunlop N, Girot R, Brunelle F, Révillon Y, Nihoul-Fékété C, Sarnacki S. Surgical treatment of an unusual case of pelvic extramedullary hematopoiesis. *J Pediatr Surg* 2006;41:e13-5.

Tachon M, Cattoen C, Blanckaert K, Poujol I, Carbonne A, Barbut F, *et al.* First cluster of *C. difficile* toxinotype III, PCR-ribotype 027 associated disease in France: preliminary report. *Euro Surveill* 2006;11:E060504.1.

Badens C, Lacoste C, Philip N, Martini N, Courrier S, Giuliano F, *et al.* Mutations in PHD-like domain of the ATRX gene correlate with severe psychomotor impairment and severe urogenital abnormalities in patients with ATRX syndrome. *Clin Genet* 2006;70:57-62.

Villeval JL, James C, Pisani DF, Casadevall N, Vainchenker W. New insights into the pathogenesis of JAK2 V617F-positive myeloproliferative disorders and

consequences for the management of patients. *Semin Thromb Hemost* 2006;32:341-51.

Ben Lagha N, Seurin D, Le Bouc Y, Binoux M, Berdal A, Menuelle P, *et al.* Insulin-like growth factor binding protein (IGFBP-1) involvement in intrauterine growth retardation: study on IGFBP-1 overexpressing transgenic mice. *Endocrinology* 2006;147:4730-7.

Giansily-Blaizot M, Flory-Pigagniol L, Favier R, Farah RA, Martin-Toutain I, Verdy E, *et al.* Accurate characterization of the IVS7 repeat polymorphism of FVII gene and identification of three novel allelic forms. *Thromb Haemost* 2006;96:95-7.

Stefanescu C, Mathieu N, Bouarioua N, Abbey-Toby A, Karila Cohen P, Chosidow D, *et al.* Comment traiter les carcinomes endocrines bien différenciés avec indice de prolifération élevé? A propos d'un cas de carcinome endocrine gastrique. *Gastroenterol Clin Biol* 2006;30:798-800.

Lavollay M, Mamlouk K, Frank T, Akpabie A, Burghoffer B, Ben Redjeb S, *et al.* Clonal dissemination of a CTX-M-15 beta-lactamase-producing *Escherichia coli* strain in the Paris area, Tunis, and Bangui. *Antimicrob Agents Chemother* 2006;50:2433-8.

Kremsdorf D, Soussan P, Paterlini-Brechot P, Brechot C. Hepatitis B virus-related hepatocellular carcinoma: paradigms for viral-related human carcinogenesis. *Oncogene* 2006;25:3823-33.

Malita FM, Karelis AD, St-Pierre DH, Garrel D, Bastard JP, Tardif A, *et al.* Surrogate indexes vs. euglycaemic-hyperinsulinemic clamp as an indicator of insulin resistance and cardiovascular risk factors in overweight and obese postmenopausal women. *Diabetes Metab* 2006;32:251-5.

Kim MJ, Maachi M, Debard C, Loizon E, Clément K, Bruckert E, *et al.* Increased adiponectin receptor-1 expression in adipose tissue of impaired glucose-tolerant obese subjects during weight loss. *Eur J Endocrinol* 2006;155:161-5.

Liard F, Le Heuzey JY, Jaillon P, Lièvre M, Danchin N. Etude de l'usage de l'acétate de flécainide auprès des médecins généralistes et des cardiologues hospitaliers ou libéraux en France. OBEPINE: étude observationnelle des prescriptions de flécaïnide. *Ann Cardiol Angeiol (Paris)* 2006;55:113-22.

Chatelain D, Terris B, Fléjou JF. Les tumeurs festonnées du tube digestif. *Ann Pathol* 2006;26:86-96; quiz 85.

Lacoste M, Cai Y, Guicharnaud L, Mounier F, Dumez Y, Bouvier R, *et al.* Renal tubular dysgenesis, a not uncommon autosomal recessive disorder leading to oligohydramnios: Role of the Renin-Angiotensin system. *J Am Soc Nephrol* 2006;17:2253-63.

Fartoukh M, Prigent H, Thiolière B, Enache-Angoulvant A, Garbarg-Chenon A, Girot R. Fatal fungal superinfection complicating B19 virus-induced massive bone marrow necrosis in sickle-cell disease. *Haematologica* 2006;91:ECR18.

Beretta S, Fulgencio JP, Enache-Angoulvant A, Bernard C, El Metaoua S, Ancelle T, *et al.* Application of microsatellite typing for the investigation of a cluster of cases of *Candida albicans* candidaemia. *Clin Microbiol Infect* 2006;12:674-6.

Pariante A, Etcharry F, Cales V, Laborde Y, Ferrari S, Biour M. Imatinib mesylate-induced acute hepatitis in a patient treated for gastrointestinal stromal tumour. *Eur J Gastroenterol Hepatol* 2006;18:785-7.

Häberle J, Görg B, Toutain A, Rutsch F, Benoist JF, Gelot A, *et al.* Inborn error of amino acid synthesis: human glutamine synthetase deficiency. *J Inher Metab Dis* 2006;29:352-8.

Quercia R, Amiel C, Marechal Eda S, Lebrette MG, Thevenet S, Renaud S, *et al.* Virologic and immunologic efficacy of the tenofovir/didanosine/lamivudine regimen. *J Acquir Immune Defic Syndr* 2006;42:389-90.

Bard JM, Lassalle R, Capeau J, Bach-Ngohou K, Nazih-Sanderson F, Rémy G, *et al.* Association of apolipoproteins C3 and E with metabolic changes in HIV-infected adults treated with a protease-inhibitor-containing antiretroviral therapy. *Antivir Ther* 2006;11:361-70.

Ferroni A, Vu-Thien H, Lanotte P, Le Bourgeois M, Sermet-Gaudelus I, Fauroux B, *et al.* Value of the chlorhexidine decontamination method for recovery of nontuberculous mycobacteria from sputum samples of patients with cystic fibrosis. *J Clin Microbiol* 2006;44:2237-9.

Barbut F, Kosmann MJ, Lalande V, Neyme D, Coppo P, Gorin NC. Outbreak of *Ralstonia pickettii* pseudobacteremia among patients with hematological malignancies. *Infect Control Hosp Epidemiol* 2006;27:642-4.

Faraj M, Messier L, Bastard JP, Tardif A, Godbout A, Prud'homme D, *et al.* Apolipoprotein B: a predictor of inflammatory status in postmenopausal overweight and obese women. *Diabetologia* 2006;49:1637-46.

Portnoi MF, Aboura A, Tachdjian G, Bouchard P, Dewailly D, Bourcigaux N, *et al.* Molecular cytogenetic studies of Xq critical regions in premature ovarian failure patients. *Hum Reprod* 2006;21:2329-34.

Ballerini C, Gourdain P, Bachy V, Blanchard N, Levavasseur E, Grégoire S, *et al.* Functional implication of cellular prion protein in antigen-driven interactions between T cells and dendritic cells. *J Immunol* 2006;176:7254-62.

Souques M, Lassalle M, Guldner L, Asselain B, Barres D, Pavis C, *et al.* Colorectal polyps and cancers diagnosed by pathologists in Ile de France Region. Crisapif-Petri Study. *Gastroenterol Clin Biol* 2006;30:587-93.

Schaefer C, Hannemann D, Meister R, Eléfant E, Paulus W, Vial T, *et al.* Vitamin K antagonists and pregnancy outcome. A multi-centre prospective study. *Thromb Haemost* 2006;95:949-57.

Berkova Z, Crawford SE, Trugnan G, Yoshimori T, Morris AP, Estes MK. Rotavirus NSP4 induces a novel vesicular compartment regulated by calcium and associated with viroplasms. *J Virol* 2006;80:6061-71.

Develoux M, Dekumyoy P, Baygon E, Aractingi S. Gnathostomose d'importation contractée au Myanmar. *Med Mal Infect* 2006;36:340-2.

Maystadt I, Zarhrate M, Leclair-Richard D, Estournet B, Barois A, Renault F, *et al.* A gene for an autosomal recessive lower motor neuron disease with childhood onset maps to 1p36. *Neurology* 2006;67:120-4.

Saada V, Cynober T, Brossard Y, Schischmanoff PO, Sender A, Cohen H, *et al.* Incidence of hereditary spherocytosis in a population of jaundiced neonates. *Pediatr Hematol Oncol* 2006;23:387-97.

Handra-Luca A, Fléjou JF, Rufat P, Corcos O, Belghiti J, Ruzniewski P, *et al.* Human pancreatic mucinous cystadenoma is characterized by distinct mucin, cytokeratin and CD10 expression compared with intraductal papillary-mucinous adenoma. *Histopathology* 2006;48:813-21.

Carel JC, Elie C, Ecosse E, Tauber M, Léger J, Cabrol S, *et al.* Self-esteem and social adjustment in young women with Turner syndrome--influence of pubertal management and sexuality: population-based cohort study. *J Clin Endocrinol Metab* 2006;91:2972-9.

Rodrigues S, Rodrigue CM, Attoub S, Fléjou JF, Bruyneel E, Bracke M, *et al.* Induction of the adenoma-carcinoma progression and Cdc25A-B phosphatases by the trefoil factor TFF1 in human colon epithelial cells. *Oncogene* 2006;25:6628-36.

Raux Demay MC, Magny JP, Idrès N, Grimfeld A, Le Bouc Y. Use of the low-dose corticotropin stimulation test for the monitoring of children with asthma treated with inhaled corticosteroids. *Horm Res* 2006;66:51-60.

Arlet G, Barrett TJ, Butaye P, Cloeckeaert A, Mulvey MR, White DG. Salmonella resistant to extended-spectrum cephalosporins: prevalence and epidemiology. *Microbes Infect* 2006;8:1945-54.

Frank T, Arlet G, Gautier V, Talarmin A, Bercion R. Extended-spectrum beta-lactamase-producing Enterobacteriaceae, Central African Republic. *Emerg Infect Dis* 2006;12:863-5.

Barbut F, Parzybut B, Boëlle PY, Neyme D, Farid R, Kosmann MJ, *et al.* Escarres dans un hôpital universitaire de court séjour. *Presse Med* 2006;35:769-78.

Cavaillé F, Neau E, Vouters M, Bry-Gauillard H, Colombel A, Milliez J, *et al.* IGFBP-1 inhibits EGF mitogenic activity in cultured endometrial stromal cells. *Biochem Biophys Res Commun* 2006;345:754-60.

Douard R, Moutereau S, Pernet P, Chimingqi M, Allory Y, Manivet P, *et al.* Sonic Hedgehog-dependent proliferation in a series of patients with colorectal cancer. *Surgery* 2006;139:665-70.

Larramendy-Gozaolo C, Yang JQ, Verstuyft C, Bodin L, Dubert L, Zhang Y, *et al.* Genetic polymorphism of vitamin K epoxide reductase (VKORC1) 1173C>T in a Chinese and a Caucasian population. *Basic Clin Pharmacol Toxicol* 2006;98:611-3.

Eschwège V, Catillon C, Robert A. Evaluation de l'automate d'hémostase ACL TOP (Instrumentation Laboratory). *Ann Biol Clin (Paris)* 2006;64:259-64.

Moutard ML, Gélot A, Rodriguez D, Guët A, Mignot C, Ponsot G, *et al.* Neurologie foetale: situations d'incertitude diagnostique. *Arch Pediatr* 2006;13:825-7.

Dubern B, Tounian P, Medjadhi N, Maingot L, Girardet JP, Boulé M. Pulmonary function and sleep-related breathing disorders in severely obese children. *Clin Nutr* 2006;25:803-9.

Tardy B, Lecompte T, Boelhen F, Tardy-Poncet B, Elalamy I, Morange P, *et al.* Predictive factors for thrombosis and major bleeding in an observational study in 181 patients with heparin-induced thrombocytopenia treated with lepirudin. *Blood*

2006;108:1492-6.

Capeau J, Caron M, Vigouroux C, Cervera P, Kim M, Maachi M, *et al.* Les lipodystrophies secondaires aux traitements antirétroviraux de l'infection par le VIH. *Med Sci (Paris)* 2006;22:531-6.

Bachmeyer C, Buot G, Binet O, Beltzer-Garely E, Avram A. Fixed cutaneous sporotrichosis: an unusual diagnosis in West Europe. *Clin Exp Dermatol* 2006;31:479-81.

Chakroun T, Gerotziapas GT, Seghatchian J, Samama MM, Hatmi M, Elalamy I. The influence of fibrin polymerization and platelet-mediated contractile forces on citrated whole blood thromboelastography profile. *Thromb Haemost* 2006;95:822-8.

Gloyn AL, Diatloff-Zito C, Edghill EL, Bellanné-Chantelot C, Nivot S, Coutant R, *et al.* KCNJ11 activating mutations are associated with developmental delay, epilepsy and neonatal diabetes syndrome and other neurological features. *Eur J Hum Genet* 2006;14:824-30.

Vey N, Bosly A, Guerci A, Feremans W, Dombret H, Dreyfus F, *et al.* Arsenic trioxide in patients with myelodysplastic syndromes: a phase II multicenter study. *J Clin Oncol* 2006;24:2465-71.

Ropero S, Fraga MF, Ballestar E, Hamelin R, Yamamoto H, Boix-Chornet M, *et al.* A truncating mutation of HDAC2 in human cancers confers resistance to histone deacetylase inhibition. *Nat Genet* 2006;38:566-9.

Morand-Joubert L, Charpentier C, Poizat G, Chêne G, Dam E, Raguin G, *et al.* Low genetic barrier to large increases in HIV-1 cross-resistance to protease inhibitors during salvage therapy. *Antivir Ther* 2006;11:143-54.

Mongiart-Artus P, Miquel C, Fléjou JF, Coulet F, Verine J, Buhard O, *et al.* Spectrum of molecular alterations in colorectal, upper urinary tract, endocervical, and renal carcinomas arising in a patient with hereditary non-polyposis colorectal cancer. *Virchows Arch* 2006;449:238-43.

Hautem JY, Morel C, Couderc R, Moussa F. Liquid chromatographic determination of B(2) vitamers in human plasma and whole blood. *Clin Chem* 2006;52:907-8.

Corpechot C, El Naggar A, Poujol-Robert A, Ziol M, Wendum D, Chazouillères O, *et al.* Assessment of biliary fibrosis by transient elastography in patients with PBC and PSC. *Hepatology* 2006;43:1118-24.

Demeilliers C, Jacquemin E, Barbu V, Mergey M, Paye F, Fouassier L, *et al.* Altered hepatobiliary gene expressions in PFIC1: ATP8B1 gene defect is associated with CFTR downregulation. *Hepatology* 2006;43:1125-34.

Dupuis J, Boye K, Martin N, Copie-Bergman C, Plonquet A, Fabiani B, *et al.* Expression of CXCL13 by neoplastic cells in angioimmunoblastic T-cell lymphoma (AITL): a new diagnostic marker providing evidence that AITL derives from follicular helper T cells. *Am J Surg Pathol* 2006;30:490-4.

Carette MF, Antoine M, Bazelly B, Cadranet J, Khalil A. Primary pulmonary artery aneurysm in tuberous sclerosis: CT, angiography and pathological study. *Eur Radiol* 2006;16:2369-70.

Tao L, Lefèvre M, Ricci S, Saintigny P, Callard P, Périé S, *et al.* Detection of occult carcinomatous diffusion in lymph nodes from head and neck squamous cell carcinoma using real-time RT-PCR detection of cytokeratin 19 mRNA. *Br J Cancer* 2006;94:1164-9.

Berson A, Cazanave S, Descatoire V, Tinel M, Grodet A, Wolf C, *et al.* The anti-inflammatory drug, nimesulide (4-nitro-2-phenoxy methane-sulfoanilide), uncouples mitochondria and induces mitochondrial permeability transition in human hepatoma cells: protection by albumin. *J Pharmacol Exp Ther* 2006;318:444-54.

Jeandidier E, Dastugue N, Mugneret F, Lafage-Pochitaloff M, Mozziconacci MJ, Herens C, *et al.* Abnormalities of the long arm of chromosome 21 in 107 patients with hematopoietic disorders: a collaborative retrospective study of the Groupe Français de Cytogénétique Hématologique. *Cancer Genet Cytogenet* 2006;166:1-11.

Bastard JP, Maachi M, Lagathu C, Kim MJ, Caron M, Vidal H, *et al.* Recent advances in the relationship between obesity, inflammation, and insulin resistance. *Eur Cytokine Netw* 2006;17:4-12.

Gicquel C, Le Bouc Y. Hormonal regulation of fetal growth. *Horm Res* 2006;65 Suppl 3:28-33.

Degeorges R, Reynaud C, Welby F, Belkheyar Z, Abbey-Toby A, Alnot JY. Le carcinome cutané de Merkel: revue de la littérature à propos de deux localisations à la main. *Chir Main* 2006;25:22-6.

Hatmi M, Samama MM, Elalamy I. Prévention de la thrombose et de l'inflammation vasculaire: place des inhibiteurs mixtes des cyclooxygénases et de la 5-lipoxygénase. *J Mal Vasc* 2006;31:4-9.

Poirier JM, Guiard-Schmid JB, Meynard JL, Bonnard P, Zouai O, Lukiana T, *et al.* Critical drug interaction between ritonavir-boosted atazanavir regimen and non-nucleoside reverse transcriptase inhibitors. *AIDS* 2006;20:1087-9.

Gharakhanian S, Boccara F, Capeau J. Statins in HIV-associated lipodystrophy and metabolic syndrome: is there a missing link? *AIDS* 2006;20:1061-3.

Calhabeu F, Lafont J, Le Dreau G, Laurent M, Kazazian C, Schaeffer L, *et al.* NOV/CCN3 impairs muscle cell commitment and differentiation. *Exp Cell Res* 2006;312:1876-89.

Gérard-Blanluet M, Sheen V, Machinis K, Neal J, Apse K, Danan C, *et al.* Bilateral periventricular heterotopias in an X-linked dominant transmission in a family with two affected males. *Am J Med Genet A* 2006;140:1041-6.

Coulbault L, Beaussier M, Verstuyft C, Weickmans H, Dubert L, Trégouet D, *et al.* Environmental and genetic factors associated with morphine response in the postoperative period. *Clin Pharmacol Ther* 2006;79:316-24.

Carbonne B, Marpeau L, Brossard Y. A propos de l'éditorial: "Prévention de l'allo-immunisation Rhésus-D foeto-maternelle: faut-il systématiser dès aujourd'hui le génotypage foetal non invasif?", publié dans le no 1/2006. *J Gynecol Obstet Biol Reprod (Paris)* 2006;35:200-1.

Lapillonne H, Renneville A, Auvrignon A, Flamant C, Blaise A, Perot C, *et al.* High WT1 expression after induction therapy predicts high risk of relapse and death in pediatric acute myeloid leukemia. *J Clin Oncol* 2006;24:1507-15.

Claessens YE, Fontenay M, Pene F, Chiche JD, Guesnu M, Hababou C, *et al.* Erythropoiesis abnormalities contribute to early-onset anemia in patients with septic shock. *Am J Respir Crit Care Med* 2006;174:51-7.

Nicot F, Hart N, Forin V, Boulé M, Clément A, Polkey MI, *et al.* Respiratory muscle testing: a valuable tool for children with neuromuscular disorders. *Am J Respir Crit Care Med* 2006;174:67-74.

Gardet A, Breton M, Fontanges P, Trugnan G, Chwetzoff S. Rotavirus spike protein VP4 binds to and remodels actin bundles of the epithelial brush border into actin bodies. *J Virol* 2006;80:3947-56.

Albert S, Blons H, Jonard L, Feldmann D, Chauvin P, Loundon N, *et al.* SLC26A4 gene is frequently involved in nonsyndromic hearing impairment with enlarged vestibular aqueduct in Caucasian populations. *Eur J Hum Genet* 2006;14:773-9.

Shibata D, Mori Y, Cai K, Zhang L, Yin J, Elahi A, *et al.* RAB32 hypermethylation and microsatellite instability in gastric and endometrial adenocarcinomas. *Int J Cancer* 2006;119:801-6.

Simon T, Mary-Krause M, Chatelin A, Thuault M, Jaillon P, EPIFLEC. Acétate de flécaïnide a libération prolongée et prévention des récives de fibrillation auriculaire: etude pharmaco-epidémiologique EPIFLEC dans une cohorte de 1 294 patients. *Arch Mal Coeur Vaiss* 2006;99:109-16.

Bazot M, Nassar-Slaba J, Thomassin-Naggara I, Cortez A, Uzan S, Daraï E. MR imaging compared with intraoperative frozen-section examination for the

diagnosis of adnexal tumors; correlation with final histology. *Eur Radiol* 2006;16:2687-99.

Cuilliere-Dartigues P, El-Bchiri J, Krimi A, Buhard O, Fontanges P, Fléjou JF, *et al.* TCF-4 isoforms absent in TCF-4 mutated MSI-H colorectal cancer cells colocalize with nuclear CtBP and repress TCF-4-mediated transcription. *Oncogene* 2006;25:4441-8.

Tang R, Faussat AM, Majdak P, Marzac C, Dubrulle S, Marjanovic Z, *et al.* Semisynthetic homoharringtonine induces apoptosis via inhibition of protein synthesis and triggers rapid myeloid cell leukemia-1 down-regulation in myeloid leukemia cells. *Mol Cancer Ther* 2006;5:723-31.

Guiard-Schmid JB, Poirier JM, Bonnard P, Meynard JL. Lack of interaction between atazanavir and proton pump inhibitors in HIV-infected patients treated with ritonavir-boosted atazanavir. *J Acquir Immune Defic Syndr* 2006;41:393-4; author reply 394.

Bardet V, Adam M, Yvart J, Wajcman H, Galacteros F, Favier R. Hb Calais [beta76(E20)Ala --> Pro]: a family study of a variant with decreased oxygen affinity. *Hemoglobin* 2006;30:35-8.

Bellanné-Chantelot C, Chaumarel I, Labopin M, Bellanger F, Barbu V, De Toma C, *et al.* Genetic and clinical implications of the Val617Phe JAK2 mutation in 72 families with myeloproliferative disorders. *Blood* 2006;108:346-52.

Larghero J, Rea D, Brossard Y, Van Nifterik J, Delasse V, Robert I, *et al.* Prospective flow cytometric evaluation of nucleated red blood cells in cord blood units and relationship with nucleated and CD34(+) cell quantification. *Transfusion* 2006;46:403-6.

Héron E, Augustin P, Cervera P, Girmens JF, Généreau T, Lortholary O, *et al.* Systemic nocardiosis mimicking an ocular relapse of giant-cell arteritis. *Rheumatology (Oxford)* 2006;45:641-3.

Brethon B, Auvrignon A, Cayuela JM, Lapillonne H, Leverger G, Baruchel A. Molecular response in two children with relapsed acute myeloid leukemia treated with a combination of gemtuzumab ozogamicin and cytarabine. *Haematologica* 2006;91:419-21.

Kappeler L, De Magalhaes Filho C, Le Bouc Y, Holzenberger M. Durée de vie, génétique et axe somatotrope. *Med Sci (Paris)* 2006;22:259-65.

Walker UA, Auclair M, Lebrecht D, Kornprobst M, Capeau J, Caron M. Uridine abrogates the adverse effects of antiretroviral pyrimidine analogues on adipose cell functions. *Antivir Ther* 2006;11:25-34.

Capovilla M, Birembaut P, Cucherousset J, Ploton D, de Saint-Maur PP, Fléjou JF, *et al.* Pleomorphic hyalinizing angiectatic tumor of soft parts: ultrastructural analysis of a case with original features. *Ultrastruct Pathol* 2006;30:59-64.

Pantel J, Legendre M, Cabrol S, Hilal L, Hajaji Y, Morisset S, *et al.* Loss of constitutive activity of the growth hormone secretagogue receptor in familial short stature. *J Clin Invest* 2006;116:760-8.

Montravers P, Dupont H, Gauzit R, Veber B, Auboyer C, Blin P, *et al.* Candida as a risk factor for mortality in peritonitis. *Crit Care Med* 2006;34:646-52.

Weissenburger J. A lingering mistake. *CMAJ* 2006;174:664.

Mnjoyan Z, Yoon D, Li J, Delhommeau F, Afshar-Kharghan V. The effect of the JAK2 V617F mutation on PRV-1 expression. *Haematologica* 2006;91:411-2.

Lotz JP, Pautier P, Selle F, Viens P, Fabbro M, Lokiec F, *et al.* Phase I study of high-dose topotecan with haematopoietic stem cell support in the treatment of ovarian carcinomas: the ITOV 01 protocol. *Bone Marrow Transplant* 2006;37:669-75.

Zucman-Rossi J, Jeannot E, Nhieu JT, Scoazec JY, Guettier C, Rebouissou S, *et al.* Genotype-phenotype correlation in hepatocellular adenoma: new classification and relationship with HCC. *Hepatology* 2006;43:515-24.

Develoux M, Dieng MT, Ndiaye B, Raphenon G, Lepers JP. Chromomycose à *Exophiala spinifera* en Afrique sahélienne. *Ann Dermatol Venereol* 2006;133:68-9.

Cortey A, Brossard Y. Aspects pratiques. *J Gynecol Obstet Biol Reprod (Paris)* 2006;35:1S123-1S130.

Cortey A, Brossard Y, Beliard R, Bourel D. Perspectives. *J Gynecol Obstet Biol Reprod (Paris)* 2006;35:1S119-1S122.

Cortey A, Brossard Y. Effets indésirables et information des patientes. *J Gynecol Obstet Biol Reprod (Paris)* 2006;35:1S112-1S118.

Bourquin JP, Subramanian A, Langebrake C, Reinhardt D, Bernard O, Ballerini P, *et al.* Identification of distinct molecular phenotypes in acute megakaryoblastic leukemia by gene expression profiling. *Proc Natl Acad Sci U S A* 2006;103:3339-44.

Wong YF, Cheung TH, Lo KW, Yim SF, Chan LK, Buhard O, *et al.* Detection of microsatellite instability in endometrial cancer: advantages of a panel of five mononucleotide repeats over the National Cancer Institute panel of markers. *Carcinogenesis* 2006;27:951-5.

Willenheimer R, Krum H, van Veldhuisen DJ, Funck-Brentano C, Erdmann E, Meyer WR, *et al.* Comment on "Clinical trials update from the European Society of Cardiology meeting 2005: CIBIS-III, by JGF Cleland and others". *Eur J Heart Fail* 2006;8:219-20.

Elalamy I, Hatmi M. Platelet function analyser-100 testing and primary haemostasis analysis. *Br J Haematol* 2006;132:796-7; author reply 797-8.

Lehmann C, Mourra N, Tubiana JM, Arrivé L. Tumeur fibreuse solitaire du foie. *J Radiol* 2006;87:139-42.

Pernet P, Cuzon G, Lim SK, Labau N, Laghzal A, Vaubourdolle M. Plasma homocysteine measurement with ion exchange chromatography (Jeol Aminotac 500): a comparison with the Abbott IMx assay. *Med Princ Pract* 2006;15:149-52.

Desbois-Mouthon C, Wendum D, Cadoret A, Rey C, Leneuve P, Blaise A, *et al.* Hepatocyte proliferation during liver regeneration is impaired in mice with liver-specific IGF-1R knockout. *FASEB J* 2006;20:773-5.

Montironi R, Mazzucchelli R, Scarpelli M, Lopez-Beltran A, Mikuz G, Algaba F, *et al.* Prostate carcinoma II: prognostic factors in prostate needle biopsies. *BJU Int* 2006;97:492-7.

Romana SP, Radford-Weiss I, Ben Abdelali R, Schluth C, Petit A, Dastugue N, *et al.* NUP98 rearrangements in hematopoietic malignancies: a study of the Groupe Francophone de Cytogénétique Hématologique. *Leukemia* 2006;20:696-706.

Zahar JR, Tankovic J, Catherinot E, Meshaka P, Nitenberg G. Méningite à *Enterococcus faecalis* au cours d'une anguillulose disséminée. *Presse Med* 2006;35:64-6.

Arcese W, Rocha V, Labopin M, Sanz G, Iori AP, de Lima M, *et al.* Unrelated cord blood transplants in adults with hematologic malignancies. *Haematologica* 2006;91:223-30.

Panel V, Boëlle PY, Ayala-Sanmartin J, Jouniaux AM, Hamelin R, Masliah J, *et al.* Cytoplasmic phospholipase A2 expression in human colon adenocarcinoma is correlated with cyclooxygenase-2 expression and contributes to prostaglandin E2 production. *Cancer Lett* 2006;243:255-63.

Jéru I, Hayrapetyan H, Duquesnoy P, Sarkisian T, Amselem S. PYPAF1 nonsense mutation in a patient with an unusual autoinflammatory syndrome: role of PYPAF1 in inflammation. *Arthritis Rheum* 2006;54:508-14.

Fouillard L, Serfaty L, Gozlan J. Adefovir therapy for lamivudine escape and hepatitis B virus reactivation after reduced intensity conditioning allogeneic stem cell transplantation. *Bone Marrow Transplant* 2006;37:625-6.

Lacombe K, Massari V, Girard PM, Serfaty L, Gozlan J, Pialoux G, *et al.* Major role of hepatitis B genotypes in liver fibrosis during coinfection with HIV. *AIDS* 2006;20:419-27.

Lemoine M, Barbu V, Girard PM, Kim M, Bastard JP, Wendum D, *et al.* Altered hepatic expression of SREBP-1 and PPARgamma is associated with liver injury in insulin-resistant lipodystrophic HIV-infected patients. *AIDS* 2006;20:387-95.

Parez N, Fourgeux C, Mohamed A, Dubuquoy C, Pillot M, Dehee A, *et al.* Rectal immunization with rotavirus virus-like particles induces systemic and mucosal humoral immune responses and protects mice against rotavirus infection. *J Virol* 2006;80:1752-61.

Tchernitchko DO, Gérard-Blanluet M, Legendre M, Cazeneuve C, Grateau G, Amselem S. Intrafamilial segregation analysis of the p.E148Q MEFV allele in familial Mediterranean fever. *Ann Rheum Dis* 2006;65:1154-7.

Charbit B, Samain E, Merckx P, Funck-Brentano C. QT interval measurement: evaluation of automatic QTc measurement and new simple method to calculate and interpret corrected QT interval. *Anesthesiology* 2006;104:255-60.

Verdet C, Benzerara Y, Gautier V, Adam O, Ould-Hocine Z, Arlet G. Emergence of DHA-1-producing *Klebsiella* spp. in the Parisian region: genetic organization of the ampC and ampR genes originating from *Morganella morganii*. *Antimicrob Agents Chemother* 2006;50:607-17.

Moureau-Zabotto L, Ricci S, Lefranc JP, Coulet F, Genestie C, Antoine M, *et al.* Prognostic impact of multidrug resistance gene expression on the management of breast cancer in the context of adjuvant therapy based on a series of 171 patients. *Br J Cancer* 2006;94:473-80.

Khoury N, de Beauregard MA, Tassart M, Callard P, Verdet C, Rossier A, *et al.* An unusual case of dramatic acute bilateral pyelonephritis with systemic bacterial dissemination caused by uropathogenic *Escherichia coli*. *Nephrol Dial Transplant* 2006;21:1423-6.

Adélaïde J, Pérot C, Gelsi-Boyer V, Pautas C, Murati A, Copie-Bergman C, *et al.* A t(8;9) translocation with PCM1-JAK2 fusion in a patient with T-cell lymphoma. *Leukemia* 2006;20:536-7.

Philippon A, Arlet G. Beta-lactamases de bacilles à Gram négatif: le mouvement perpétuel! *Ann Biol Clin (Paris)* 2006;64:37-51.

Mongiat-Artus P, Miquel C, van der Aa M, Buhard O, Hamelin R, Bangma C, *et al.* Infrequent microsatellite instability in urothelial cell carcinoma of the bladder in young patients. *Eur Urol* 2006;49:685-90.

Simon T, Beau Yon de Jonage-Canonico M, Oger E, Wahl D, Conard J, Meyer G, *et al.* Indicators of lifetime endogenous estrogen exposure and risk of venous thromboembolism. *J Thromb Haemost* 2006;4:71-6.

Graesslin O, Cortez A, Fauvet R, Lorenzato M, Birembaut P, Daraï E. Metalloproteinase-2, -7 and -9 and tissue inhibitor of metalloproteinase-1 and -2 expression in normal, hyperplastic and neoplastic endometrium: a clinical-pathological correlation study. *Ann Oncol* 2006;17:637-45.

Lafontaine M, Champmartin C, Simon P, Delsaut P, Funck-Brentano C. 3-Hydroxybenzo[a]pyrene in the urine of smokers and non-smokers. *Toxicol Lett*

2006;162:181-5.

de Lonlay P, Simon-Carre A, Ribeiro MJ, Boddaert N, Giurgea I, Laborde K, *et al.* Congenital hyperinsulinism: pancreatic [18F]fluoro-L-dihydroxyphenylalanine (DOPA) positron emission tomography and immunohistochemistry study of DOPA decarboxylase and insulin secretion. *J Clin Endocrinol Metab* 2006;91:933-40.

Clouzeau-Girard H, Guyot C, Combe C, Moronville-Halley V, Housset C, Lamireau T, *et al.* Effects of bile acids on biliary epithelial cell proliferation and portal fibroblast activation using rat liver slices. *Lab Invest* 2006;86:275-85.

Allory Y, Commo F, Boccon-Gibod L, Sibony M, Callard P, Ronco P, *et al.* Sulfated HNK-1 epitope in developing and mature kidney: a new marker for thin ascending loop of Henle and tubular injury in acute tubular necrosis. *J Histochem Cytochem* 2006;54:575-84.

Simon T, Mary-Krause M, Cambou JP, Hanania G, Guéret P, Lablanche JM, *et al.* Impact of age and gender on in-hospital and late mortality after acute myocardial infarction: increased early risk in younger women: results from the French nationwide USIC registries. *Eur Heart J* 2006;27:1282-8.

Mourra N, Lesurtel M, Paye F, Flejou JF. Chronic schistosomiasis: an incidental finding in sigmoid volvulus. *J Clin Pathol* 2006;59:111.

Besson C, Amiel C, Le-Pendeven C, Brice P, Fermé C, Carde P, *et al.* Positive correlation between Epstein-Barr virus viral load and anti-viral capsid immunoglobulin G titers determined for Hodgkin's lymphoma patients and their relatives. *J Clin Microbiol* 2006;44:47-50.

Giton F, Fiet J, Guéchet J, Ibrahim F, Bronsard F, Chopin D, *et al.* Serum bioavailable testosterone: assayed or calculated? *Clin Chem* 2006;52:474-81.

Barcat D, Amadio A, Palos-Pinto A, Daret D, Benlian P, Darmon M, *et al.* Combined hyperlipidemia/hyperalphalipoproteinemia associated with premature spontaneous atherosclerosis in mice lacking hepatic lipase and low density lipoprotein receptor. *Atherosclerosis* 2006;188:347-55.

Dufournet C, Uzan C, Fauvet R, Cortez A, Siffroi JP, Daraï E. Expression of apoptosis-related proteins in peritoneal, ovarian and colorectal endometriosis. *J Reprod Immunol* 2006;70:151-62.

Fauroux B, Nicot F, Boelle PY, Boulé M, Clément A, Lofaso F, *et al.* Mechanical limitation during CO₂ rebreathing in young patients with cystic fibrosis. *Respir Physiol Neurobiol* 2006;153:217-25.

Ulinski T, Lescure S, Beaufils S, Guignonis V, Decramer S, Morin D, *et al.* Renal phenotypes related to hepatocyte nuclear factor-1beta (TCF2) mutations in a pediatric cohort. *J Am Soc Nephrol* 2006;17:497-503.

Ciubotaru V, Poinsignon Y, Bellané-Chantelot C, Saout L, Mussini JM, Klein V. Surdit , diab te et cancer: association fortuite ou lien  tiopathog nique ? *Rev Med Interne* 2006;27:159-60.

Chazouill res O, Wendum D, Serfaty L, Rosmorduc O, Poupon R. Long term outcome and response to therapy of primary biliary cirrhosis-autoimmune hepatitis overlap syndrome. *J Hepatol* 2006;44:400-6.

James C, Delhommeau F, Marzac C, Teyssandier I, Couédic JP, Giraudier S, *et al.* Detection of JAK2 V617F as a first intention diagnostic test for erythrocytosis. *Leukemia* 2006;20:350-3.

Tredano M, Cooper DN, Stuhmann M, Christodoulou J, Chuzhanova NA, Roudot-Thoraval F, *et al.* Origin of the prevalent SFTPB indel g.1549C > GAA (121ins2) mutation causing surfactant protein B (SP-B) deficiency. *Am J Med Genet A* 2006;140:62-9.

Buhard O, Cattaneo F, Wong YF, Yim SF, Friedman E, Flejou JF, *et al.* Multipopulation analysis of polymorphisms in five mononucleotide repeats used to determine the microsatellite instability status of human tumors. *J Clin Oncol* 2006;24:241-51.

Slama L, Le Camus C, Amiel C, Pialoux G, Gharakhanian S. "L'observance thérapeutique au cours de l'infection VIH, une approche multidisciplinaire". *Med Mal Infect* 2006;36:16-26.

Fogg DK, Sibon C, Miled C, Jung S, Aucoeur P, Littman DR, *et al.* A clonogenic bone marrow progenitor specific for macrophages and dendritic cells. *Science* 2006;311:83-7.

Dandia A, Singh R, Khaturia S, Mérienne C, Morgant G, Loupy A. Efficient microwave enhanced regioselective synthesis of a series of benzimidazolyl/triazolyl spiro [indole-thiazolidinones] as potent antifungal agents and crystal structure of spiro[3H-indole-3,2'-thiazolidine]-3'(1,2,4-triazol-3-yl)-2,4'(1H)-dione. *Bioorg Med Chem* 2006;14:2409-17.

Lavolé A, Wislez M, Antoine M, Mayaud C, Milleron B, Cadranel J. Lung cancer, a new challenge in the HIV-infected population. *Lung Cancer* 2006;51:1-11.

Souazé F, Viardot-Foucault V, Roullet N, Toy-Miou-Leong M, Gompel A, Bruyneel E, *et al.* Neurotensin receptor 1 gene activation by the Tcf/beta-catenin pathway is an early event in human colonic adenomas. *Carcinogenesis* 2006;27:708-16.

Eckert C, Gautier V, Arlet G. DNA sequence analysis of the genetic environment of various blaCTX-M genes. *J Antimicrob Chemother* 2006;57:14-23.

Mongiat-Artus P, Miquel C, Van der Aa M, Buhard O, Hamelin R, Soliman H, *et al.* Microsatellite instability and mutation analysis of candidate genes in urothelial cell carcinomas of upper urinary tract. *Oncogene* 2006;25:2113-8.

Kassis-Chikhani N, Decré D, Gautier V, Burghoffer B, Saliba F, Mathieu D, *et al.* First outbreak of multidrug-resistant *Klebsiella pneumoniae* carrying blaVIM-1 and blaSHV-5 in a French university hospital. *J Antimicrob Chemother* 2006;57:142-5.

Limal JM, Parfait B, Cabrol S, Bonnet D, Leheup B, Lyonnet S, *et al.* Noonan syndrome: relationships between genotype, growth, and growth factors. *J Clin Endocrinol Metab* 2006;91:300-6.

Ulinski T, Perrin L, Morris M, Houang M, Cabrol S, Grapin C, *et al.* Autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy syndrome with renal failure: impact of posttransplant immunosuppression on disease activity. *J Clin Endocrinol Metab* 2006;91:192-5.

Rouillon I, Marcolla A, Roux I, Marlin S, Feldmann D, Couderc R, *et al.* Results of cochlear implantation in two children with mutations in the OTOF gene. *Int J Pediatr Otorhinolaryngol* 2006;70:689-96.

Grimaldi D, Daugas E, Mougenot B, Rossert J, Ronco P. Immuno-allergic interstitial nephritis related to fluindione: first biopsy proven cases. *Nephrol Dial Transplant* 2006;21:237.

Abbey-Toby A, Vullierme MP, Sauvanet A, Ruszniewski P, Bedossa P, Couvelard A. A clear cell malignant gastrinoma of the pancreas with cytoplasmic accumulation of lipid droplets. *Virchows Arch* 2006;448:105-6.

Sanlaville D, Etchevers HC, Gonzales M, Martinovic J, Clément-Ziza M, Delezoide AL, *et al.* Phenotypic spectrum of CHARGE syndrome in fetuses with CHD7 truncating mutations correlates with expression during human development. *J Med Genet* 2006;43:211-217.

Lollivier V, Marnet PG, Delpal S, Rainteau D, Achard C, Rabot A, *et al.* Oxytocin stimulates secretory processes in lactating rabbit mammary epithelial cells. *J Physiol* 2006;570:125-40.

Moore A, Escudier E, Roger G, Tamalet A, Pelosse B, Marlin S, *et al.* RPGR is mutated in patients with a complex X linked phenotype combining primary ciliary dyskinesia and retinitis pigmentosa. *J Med Genet* 2006;43:326-33.

Giurgea I, Sanlaville D, Fournet JC, Sempoux C, Bellanné-Chantelot C, Touati G, *et al.* Congenital hyperinsulinism and mosaic abnormalities of the ploidy. *J Med Genet* 2006;43:248-54.

Lewin M, Mourra N, Honigman I, Fléjou JF, Parc R, Arrivé L, *et al.* Assessment of MRI and MRCP in diagnosis of biliary cystadenoma and cystadenocarcinoma. *Eur Radiol* 2006;16:407-13.

Lebrun G, Vasiliu V, Bellanné-Chantelot C, Bensman A, Ulinski T, Chrétien Y, *et al.* Cystic kidney disease, chromophobe renal cell carcinoma and TCF2 (HNF1 beta) mutations. *Nat Clin Pract Nephrol* 2005;1:115-9.

Mongiat-Artus P, Miquel C, van der Aa M, Buhard O, Hamelin R, Soliman H, *et al.* Analyse des mutations des gènes cibles de l'instabilité microsatellite dans les tumeurs urothéliales du haut appareil urinaire. *Prog Urol* 2005;15:1286-92.

Capeau J. Voies de signalisation de l'insuline: mécanismes affectés dans l'insulino- résistance. *Med Sci (Paris)* 2005;21 Spec No:34-9.

Rocha V, Garnier F, Ionescu I, Gluckman E, Eurocord and European Blood and Marrow Transplant Group. Hematopoietic stem-cell transplantation using umbilical-cord blood cells. *Rev Invest Clin* 2005;57:314-23.

Houmani Z, Imbert A, Duchmann JC, Messerschmitt C, Barbare JC, Latrive JP, *et al.* Colite aiguë apparue dans les jours suivant le début d'un traitement par célécoxib. *Gastroenterol Clin Biol* 2005;29:1294-5.

Duclos-Vallée JC, Ballot E, Huguet S, Johanet C. Hépatites autoimmunes. *Gastroenterol Clin Biol* 2005;29:1236-43; quiz 1234-5.

Duclos-Vallée JC, Di Martino V, Cazier A, Ballot E, Johanet C, Yamamoto AM, *et al.* Remission with ursodeoxycholic acid of type 1 autoimmune hepatitis resistant to azathioprine and steroids. *Gastroenterol Clin Biol* 2005;29:1173-6.

Baudon JJ, Chevalier J, Boccon-Gibod L, Le Bars MA, Johanet C, Cosnes J.
Outcome of infants with celiac disease. *Gastroenterol Clin Biol* 2005;29:1097-102.

Rampini C, Barrou B, Kornprobst M, Nicolas JC. Inhibition de la synthèse de la phosphatidylethanolamine et du phosphatidylinositol, altération des phases G0 et G1 et apoptose spontanée chez les lymphocytes de sujets sous traitement immunosuppresseur. *J Soc Biol* 2005;199:279-83.

Girot R. Actualité de la drépanocytose. *Rev Med Brux* 2005;26 Spec no:Sp13-22.

Douay L, Giarratana MC. Génération in vitro de globules rouges humains matures et fonctionnels: un modèle d'étude aux perspectives multidisciplinaires. *Bull Acad Natl Med* 2005;189:903-13; discussion 914-5.

Boccon-Gibod L, Valton M, Ibrahim H, Boccon-Gibod L, Comenducci A. Effet du dutastéride sur la réduction des saignements per-opératoires liés à la résection transurétrale de prostate. *Prog Urol* 2005;15:1085-9.

Snoeckx RL, Huygen PL, Feldmann D, Marlin S, Denoyelle F, Waligora J, *et al.*
GJB2 mutations and degree of hearing loss: a multicenter study. *Am J Hum Genet* 2005;77:945-57.

Souied EH, Leveziel N, Richard F, Dragon-Durey MA, Coscas G, Soubrane G, *et al.*
Y402H complement factor H polymorphism associated with exudative age-related macular degeneration in the French population. *Mol Vis* 2005;11:1135-40.

Dubernard G, Galtier-Fougairolles M, Cortez A, Uzan S, Challier JC.
Immunohistochemistry of adhesion molecules, metalloproteinases and NO-

synthases in extravillous trophoblast of tubal pregnancy. *Cell Mol Biol (Noisy-le-grand)* 2005;51 Suppl:OL829-37.

Lafont J, Thibout H, Dubois C, Laurent M, Martinerie C. NOV/CCN3 induces adhesion of muscle skeletal cells and cooperates with FGF2 and IGF-1 to promote proliferation and survival. *Cell Commun Adhes* 2005;12:41-57.

Casares N, Pequignot MO, Tesniere A, Ghiringhelli F, Roux S, Chaput N, *et al.* Caspase-dependent immunogenicity of doxorubicin-induced tumor cell death. *J Exp Med* 2005;202:1691-701.

Donadille B, Lascols O, Capeau J, Vigouroux C. Etiological investigations in apparent type 2 diabetes: when to search for lamin A/C mutations? *Diabetes Metab* 2005;31:527-32.

Vahedi K, Atlan P, Joly F, Le Brun A, Evard D, Perennec V, *et al.* A 3-month double-blind randomised study comparing an olive oil- with a soyabean oil-based intravenous lipid emulsion in home parenteral nutrition patients. *Br J Nutr* 2005;94:909-16.

Gharbi N, Pressac M, Hadchouel M, Szwarc H, Wilson SR, Moussa F. [60]fullerene is a powerful antioxidant in vivo with no acute or subacute toxicity. *Nano Lett* 2005;5:2578-85.

Abdelmoula NB, Landman-Parker J, Pakker JL, Tourniaire B, Josset P, Boccon-Gibod L, *et al.* An aggressive Ewing sarcoma associated with a new variant translocation, t(4;11;22)(q25;q24;q12), hyperdiploid karyotype, and tetrasomy 8. *Cancer Genet Cytogenet* 2005;163:186-8.

Pelluard-Nehmé F, Carles D, Alberti EM, Saura R, Wong C, Wolf C. Syndrome de Smith-Lemli-Opitz. *Ann Pathol* 2005;25:318-21.

Lassalle S, Cervera P, Hofman V, Mari M, Dellamonica P, Hofman P. Le syndrome lipodystrophique associé aux traitements antirétroviraux: aspects anatomocliniques. *Ann Pathol* 2005;25:309-17.

Lefèvre M, Couturier J, Sibony M, Bazille C, Boyer K, Callard P, *et al.* Adult papillary renal tumor with oncocytic cells: clinicopathologic, immunohistochemical, and cytogenetic features of 10 cases. *Am J Surg Pathol* 2005;29:1576-81.

Inda MM, Perot C, Guillaud-Bataille M, Danglot G, Rey JA, Bello MJ, *et al.* Genetic heterogeneity in supratentorial and infratentorial primitive neuroectodermal tumours of the central nervous system. *Histopathology* 2005;47:631-7.

Carbonne B, Chéreau E, Larsen M, Kaplan C, Brossard Y. Concomitant fetal anemia and thrombocytopenia due to anti-D and anti-HPA1a alloimmunization. *Prenat Diagn* 2005;25:1172-4.

Funck-Brentano C, Boëlle PY, Verstuyft C, Bornert C, Becquemont L, Poirier JM. Measurement of CYP2D6 and CYP3A4 activity in vivo with dextromethorphan: sources of variability and predictors of adverse effects in 419 healthy subjects. *Eur J Clin Pharmacol* 2005;61:821-9.

Cacheux W, Carbonell N, Rosmorduc O, Wendum D, Paye F, Poupon R, *et al.* HHV-6-related acute liver failure in two immunocompetent adults: favourable outcome after liver transplantation and/or ganciclovir therapy. *J Intern Med* 2005;258:573-8.

Pellé G, Xu Y, Khoury N, Mougnot B, Rondeau E. Thrombotic microangiopathy in marginal kidneys after sirolimus use. *Am J Kidney Dis* 2005;46:1124-8.

Samama MM, Horellou MH, Elalamy I, Mathieux V, Ombandza-Moussa E, Conard J. D-dimer levels, constitutional thrombophilia, and venous thrombosis prediction: clinical aspects and implications. *Semin Vasc Med* 2005;5:371-4.

Addad F, Hassine M, Ben Farhat M, Abderrazak F, Chakroun T, Gamra H, *et al.* Variabilité intra-individuelle de l'effet antiagrégant plaquettaire de l'aspirine chez le coronarien. *Arch Mal Coeur Vaiss* 2005;98:979-83.

Lafont J, Jacques C, Le Dreau G, Calhabeu F, Thibout H, Dubois C, *et al.* New target genes for NOV/CCN3 in chondrocytes: TGF-beta2 and type X collagen. *J Bone Miner Res* 2005;20:2213-23.

Housset C. Maladies kystiques du foie. Génétique et biologie cellulaire. *Gastroenterol Clin Biol* 2005;29:861-9.

Verstuyft C, Marcellin F, Morand-Joubert L, Launay O, Brendel K, Mentré F, *et al.* Absence of association between MDR1 genetic polymorphisms, indinavir pharmacokinetics and response to highly active antiretroviral therapy. *AIDS* 2005;19:2127-31.

Krahn M, Julia S, Sigaudy S, Liprandi A, Bernard R, Gonnet K, *et al.* Tetra-amelia and lung aplasia syndrome: report of a new family and exclusion of candidate genes. *Clin Genet* 2005;68:558-60.

Epaud R, Girodon E, Corvol H, Niel F, Guignon V, Clement A, *et al.* Mild cystic fibrosis revealed by persistent hyponatremia during the French 2003 heat wave, associated with the S1455X C-terminus CFTR mutation. *Clin Genet* 2005;68:552-3.

Senderek J, Krieger M, Stendel C, Bergmann C, Moser M, Breitbach-Faller N, *et al.* Mutations in SIL1 cause Marinesco-Sjögren syndrome, a cerebellar ataxia with cataract and myopathy. *Nat Genet* 2005;37:1312-4.

Benderra Z, Faussat AM, Sayada L, Perrot JY, Tang R, Chaoui D, *et al.* MRP3, BCRP, and P-glycoprotein activities are prognostic factors in adult acute myeloid leukemia. *Clin Cancer Res* 2005;11:7764-72.

Théou N, Gil S, Devocelle A, Julié C, Lavergne-Slove A, Beauchet A, *et al.* Multidrug resistance proteins in gastrointestinal stromal tumors: site-dependent expression and initial response to imatinib. *Clin Cancer Res* 2005;11:7593-8.

Achkar A, Horellou MH, Parent F, Elalamy I, Conard J, Samama MM, *et al.* Le traitement antithrombotique de la maladie thromboembolique veineuse. A propos de la VIIe conférence de l'American College of Chest Physicians. *Rev Mal Respir* 2005;22:833-5.

Cracco C, Demoule A, Harb A, Taright N, Lefort Y, Derenne JP, *et al.* Trachéotomie en réanimation: pronostic et rôle d'une insuffisance respiratoire chronique. *Rev Mal Respir* 2005;22:751-7.

Grégoire S, Bergot AS, Féraudet C, Carnaud C, Aucouturier P, Rosset MB. The murine B cell repertoire is severely selected against endogenous cellular prion protein. *J Immunol* 2005;175:6443-9.

Quteineh L, Verstuyft C, Descot C, Dubert L, Robert A, Jaillon P, *et al.* Vitamin K epoxide reductase (VKORC1) genetic polymorphism is associated to oral anticoagulant overdose. *Thromb Haemost* 2005;94:690-1.

Vray M, Hamelin B, Jaillon P, Round Table No.2, Giens XX. The respective roles of controlled clinical trials and cohort monitoring studies in the pre- and postmarketing assessment of drugs. *Therapie* 2005;60:339-44, 345-9.

Brion N, Demarez JP, Belorgey C, Round Table No.1, Giens XX. Committee for the protection of persons. *Therapie* 2005;60:319-28, 329-37.

Enache-Angoulvant A, Hennequin C. Invasive *Saccharomyces* infection: a comprehensive review. *Clin Infect Dis* 2005;41:1559-68.

Häberle J, Görg B, Rutsch F, Schmidt E, Toutain A, Benoist JF, *et al.* Congenital glutamine deficiency with glutamine synthetase mutations. *N Engl J Med* 2005;353:1926-33.

Tchernitchko D, Moutereau S, Legendre M, Delahaye A, Cazeneuve C, Lacombe C, *et al.* MEFV analysis is of particularly weak diagnostic value for recurrent fevers in Western European Caucasian patients. *Arthritis Rheum* 2005;52:3603-5.

Abraham B, Marih L, Thevenet S, Marechal Eda S, Verdet C, Rozenbaum W, *et al.* Outbreak of syphilis among HIV-infected patients: descriptive data from a Parisian hospital. *Sex Transm Dis* 2005;32:718-9.

Gerotziafas GT, Depasse F, Busson J, Leflem L, Elalamy I, Samama MM. Towards a standardization of thrombin generation assessment: the influence of tissue factor, platelets and phospholipids concentration on the normal values of Thrombogram-Thrombinoscope assay. *Thromb J* 2005;3:16.

Bellanné-Chantelot C, Clauin S, Chauveau D, Collin P, Daumont M, Douillard C, *et al.* Large genomic rearrangements in the hepatocyte nuclear factor-1beta (TCF2) gene are the most frequent cause of maturity-onset diabetes of the young type 5. *Diabetes* 2005;54:3126-32.

Capeau J, Magré J, Lascols O, Caron M, Béréziat V, Vigouroux C, *et al.* Diseases of adipose tissue: genetic and acquired lipodystrophies. *Biochem Soc Trans* 2005;33:1073-7.

Moureau-Zabotto L, Bouchet C, Cesari D, Uzan S, Lefranc JP, Antoine M, *et al.* L'évaluation conjointe du contenu en ADN et de la fraction de cellules en phase S est un paramètre pronostique indépendant dans les cancers du sein de stades I et II. *Cancer Radiother* 2005;9:575-86.

Nahon Uzan K, Lévy P, O'Toole D, Belmatoug N, Vullierme MP, Couvelard A, *et al.* Is idiopathic chronic pancreatitis an autoimmune disease? *Clin Gastroenterol Hepatol* 2005;3:903-9.

Ferlicot S, Allory Y, Compérat E, Mege-Lechevalier F, Dimet S, Sibony M, *et al.* Mucinous tubular and spindle cell carcinoma: a report of 15 cases and a review of the literature. *Virchows Arch* 2005;447:978-83.

Baudin B, Bénétteau-Burnat B, Vaubourdolle M. Enzyme de conversion de l'angiotensine I dans le liquide céphalorachidien et neurosarcoïdose. *Ann Biol Clin (Paris)* 2005;63:475-80.

Rasmusen C, Cynober L, Couderc R. Arginine et statines: relation avec le métabolisme du monoxyde d'azote et perspectives dans le traitement de l'athérosclérose. *Ann Biol Clin (Paris)* 2005;63:443-55.

Barrier A, Boelle PY, Lemoine A, Tse C, Brault D, Chiappini F, *et al.* Gene expression profiling of nonneoplastic mucosa may predict clinical outcome of colon cancer patients. *Dis Colon Rectum* 2005;48:2238-48.

Guiard-Schmid JB, Poirier JM, Bonnard P, Meynard JL, Slama L, Lukiana T, *et al.* Proton pump inhibitors do not reduce atazanavir concentrations in HIV-infected patients treated with ritonavir-boosted atazanavir. *AIDS* 2005;19:1937-8.

Amiel C, Desire N, Schneider V, Delphin N, Race E, Clavel F, *et al.* A new insertion in the HIV-1 reverse transcriptase gene inducing major resistance to non-nucleoside reverse transcriptase inhibitors. *AIDS* 2005;19:1922-4.

Allard D, Amsellem S, Abifadel M, Trillard M, Devillers M, Luc G, *et al.* Novel mutations of the PCSK9 gene cause variable phenotype of autosomal dominant hypercholesterolemia. *Hum Mutat* 2005;26:497.

Mallat Z, Steg PG, Benessiano J, Tanguy ML, Fox KA, Collet JP, *et al.* Circulating secretory phospholipase A2 activity predicts recurrent events in patients with severe acute coronary syndromes. *J Am Coll Cardiol* 2005;46:1249-57.

Giurgea I, Ribeiro MJ, Boddaert N, Touati G, Robert JJ, Saudubray JM, *et al.* L'hyperinsulinisme congénital du nouveau-né et du nourrisson. *Arch Pediatr* 2005;12:1628-35.

Beregszaszi M, Dollfus C, Levine M, Faye A, Deghmoun S, Bellal N, *et al.*
Longitudinal evaluation and risk factors of lipodystrophy and associated metabolic changes in HIV-infected children. *J Acquir Immune Defic Syndr* 2005;40:161-8.

Bénéteau-Burnat B, Pernet P, Vaubourdolle M, Pelloux P, Casenove L.
Hypermethemoglobinemia in a substance abuser. *Am J Emerg Med* 2005;23:816-7.

Barranger E, Dubernard G, Fleurence J, Antoine M, Darai E, Uzan S. Subjective morbidity and quality of life after sentinel node biopsy and axillary lymph node dissection for breast cancer. *J Surg Oncol* 2005;92:17-22.

Peltekian C, Gordien E, Garreau F, Meas-Yedid V, Soussan P, Williams V, *et al.*
Human MxA protein participates to the interferon-related inhibition of hepatitis B virus replication in female transgenic mice. *J Hepatol* 2005;43:965-72.

Plaisier E, Mougnot B, Verpont MC, Jouanneau C, Archelos JJ, Martini R, *et al.*
Glomerular permeability is altered by loss of P0, a myelin protein expressed in glomerular epithelial cells. *J Am Soc Nephrol* 2005;16:3350-6.

Freitas M, Axelsson LG, Cayuela C, Midtvedt T, Trugnan G. Indigenous microbes and their soluble factors differentially modulate intestinal glycosylation steps in vivo. Use of a "lectin assay" to survey in vivo glycosylation changes. *Histochem Cell Biol* 2005;124:423-33.

Beydon N, Matran R, Wuyam B, Amsallem F, Boule M, Alberti C, *et al.* Test à la métacholine chez le jeune enfant: Mesure de la résistance par interruption. *Rev Mal Respir* 2005;22:959-66.

Handra-Luca A, Condroyer C, de Moncuit C, Tepper M, Fléjou JF, Thomas G, *et al.* Vessels' morphology in SMAD4 and BMPR1A-related juvenile polyposis. *Am J Med Genet A* 2005;138A:113-7.

Guillevin L, Mahr A, Callard P, Godmer P, Pagnoux C, Leray E, *et al.* Hepatitis B virus-associated polyarteritis nodosa: clinical characteristics, outcome, and impact of treatment in 115 patients. *Medicine (Baltimore)* 2005;84:313-22.

Duclos-Vallée JC, Yilmaz F, Johanet C, Roque-Afonso AM, Gigou M, Trichet C, *et al.* Could post-liver transplantation course be helpful for the diagnosis of so called cryptogenic cirrhosis? *Clin Transplant* 2005;19:591-9.

Tharaux PL, Hagége I, Placier S, Vayssairat M, Kanfer A, Girot R, *et al.* Urinary endothelin-1 as a marker of renal damage in sickle cell disease. *Nephrol Dial Transplant* 2005;20:2408-13.

Compérat EV, Vasiliu V, Ferlicot S, Camparo P, Sibony M, Vieillefond A. Tumeurs du rein: les nouvelles entités. *Ann Pathol* 2005;25:117-33.

Hiéronimus S, Benlian P, Bayer P, Bongain A, Fredenrich A. Combination of apolipoprotein E2 and lipoprotein lipase heterozygosity causes severe hypertriglyceridemia during pregnancy. *Diabetes Metab* 2005;31:295-7.

Tissier F, Cavard C, Groussin L, Perlemoine K, Fumey G, Hagneré AM, *et al.* Mutations of beta-catenin in adrenocortical tumors: activation of the Wnt signaling pathway is a frequent event in both benign and malignant adrenocortical tumors. *Cancer Res* 2005;65:7622-7.

Fauroux B, Aynie V, Larroquet M, Boccon-Gibod L, Ducou le Pointe H, Tamalet A, *et al.* Carcinoid and mucoepidermoid bronchial tumours in children. *Eur J Pediatr* 2005;164:748-52.

Harries LW, Bingham C, Bellanne-Chantelot C, Hattersley AT, Ellard S. The position of premature termination codons in the hepatocyte nuclear factor -1 beta gene determines susceptibility to nonsense-mediated decay. *Hum Genet* 2005;118:214-24.

Bruneel A, Labas V, Mailloux A, Sharma S, Royer N, Vinh J, *et al.* Proteomics of human umbilical vein endothelial cells applied to etoposide-induced apoptosis. *Proteomics* 2005;5:3876-84.

Boissan M, Beurel E, Wendum D, Rey C, Lécluse Y, Housset C, *et al.* Overexpression of insulin receptor substrate-2 in human and murine hepatocellular carcinoma. *Am J Pathol* 2005;167:869-77.

Catala M. La mort, un élément essentiel de la vie intra-utérine. *Gynecol Obstet Fertil* 2005;33:642-4.

Fromont G, Rouprêt M, Amira N, Sibony M, Vallancien G, Validire P, *et al.* Tissue microarray analysis of the prognostic value of E-cadherin, Ki67, p53, p27, survivin and MSH2 expression in upper urinary tract transitional cell carcinoma. *Eur Urol* 2005;48:764-70.

Boccon-Gibod LM, Dumonceau O, Toublanc M, Ravery V, Boccon-Gibod LA. Micro-focal prostate cancer: a comparison of biopsy and radical prostatectomy specimen features. *Eur Urol* 2005;48:895-9.

Gribouval O, Gonzales M, Neuhaus T, Aziza J, Bieth E, Laurent N, *et al.* Mutations in genes in the renin-angiotensin system are associated with autosomal recessive renal tubular dysgenesis. *Nat Genet* 2005;37:964-8.

García-de-Lorenzo A, Denia R, Atlan P, Martinez-Ratero S, Le Brun A, Evard D, *et al.* Parenteral nutrition providing a restricted amount of linoleic acid in severely burned patients: a randomised double-blind study of an olive oil-based lipid emulsion v. medium/long-chain triacylglycerols. *Br J Nutr* 2005;94:221-30.

Bazot M, Nassar J, Daraï E, Thomassin I, Cortez A, Buy JN, *et al.* Valeurs diagnostiques de l'échographie et de l'IRM pour l'évaluation de l'endométriose pelvienne profonde. *J Radiol* 2005;86:461-7.

Grondard C, Biondi O, Armand AS, Lécolle S, Della Gaspera B, Pariset C, *et al.* Regular exercise prolongs survival in a type 2 spinal muscular atrophy model mouse. *J Neurosci* 2005;25:7615-22.

Tubiana JM, Biour M, Bavoux F, Kalifa G, Dion E. Imagerie de la pathologie iatrogène médicamenteuse. *J Radiol* 2005;86:558-66.

Le Heuzey JY, Aliot E, Jaillon P, Kacet S, Leenhardt A, Mabo P. AFFIRM: ce que nous avons appris ... et les questions en suspens. *Ann Cardiol Angeiol (Paris)* 2005;54:190-3.

Bénit L, Cramer EM, Massé JM, Dusanter-Fourt I, Favier R. Molecular study of the hematopoietic zinc finger gene in three unrelated families with gray platelet syndrome. *J Thromb Haemost* 2005;3:2077-80.

Barrier A, Lemoine A, Boelle PY, Tse C, Brault D, Chiappini F, *et al.* Colon cancer prognosis prediction by gene expression profiling. *Oncogene* 2005;24:6155-64.

Bayrou O, Pecquet C, Flahault A, Artigou C, Abuaf N, Leynadier F. Head and neck atopic dermatitis and malassezia-furfur-specific IgE antibodies. *Dermatology* 2005;211:107-13.

Gicquel C, Rossignol S, Cabrol S, Houang M, Steunou V, Barbu V, *et al.* Epimutation of the telomeric imprinting center region on chromosome 11p15 in Silver-Russell syndrome. *Nat Genet* 2005;37:1003-7.

Moissenet D, Bingen E, Arlet G, Vu-Thien H. Mucoviscidose: identification des bacilles isolés d'infections bronchiques par séquençage du gène de l'ARN ribosomal 16S. *Pathol Biol (Paris)* 2005;53:500-2.

Feldmann D, Denoyelle F, Blons H, Lyonnet S, Loundon N, Rouillon I, *et al.* The GJB2 mutation R75Q can cause nonsyndromic hearing loss DFNA3 or hereditary palmoplantar keratoderma with deafness. *Am J Med Genet A* 2005;137:225-7.

Bidet P, Burghoffer B, Gautier V, Brahimi N, Mariani-Kurkdjian P, El-Ghoneimi A, *et al.* In vivo transfer of plasmid-encoded ACC-1 AmpC from *Klebsiella pneumoniae* to *Escherichia coli* in an infant and selection of impermeability to imipenem in *K. pneumoniae*. *Antimicrob Agents Chemother* 2005;49:3562-5.

Labauge P, Fogli A, Castelnovo G, Le Bayon A, Horzinski L, Nicoli F, *et al.* Dominant form of vanishing white matter-like leukoencephalopathy. *Ann Neurol* 2005;58:634-9.

Démolis JL, Strabach S, Vacheron F, Funck-Brentano C. Assessment of the effect of a single oral dose of telithromycin on sotalol-induced qt interval prolongation in healthy women. *Br J Clin Pharmacol* 2005;60:120-7.

Buot G, Bachmeyer C, Benazeraf C, Bourrat E, Beltzer-Garrelly E, Binet O. Chromoblastomycosis: an unusual diagnosis in Europe. *Acta Derm Venereol* 2005;85:259-60.

Chignard N, Mergey M, Barbu V, Finzi L, Tiret E, Paul A, *et al.* VPAC1 expression is regulated by FXR agonists in the human gallbladder epithelium. *Hepatology* 2005;42:549-57.

Murati A, Gelsi-Boyer V, Adélaïde J, Perot C, Talmant P, Giraudier S, *et al.* PCM1-JAK2 fusion in myeloproliferative disorders and acute erythroid leukemia with t(8;9) translocation. *Leukemia* 2005;19:1692-6.

Pinto G, Abadie V, Mesnage R, Blustajn J, Cabrol S, Amiel J, *et al.* CHARGE syndrome includes hypogonadotropic hypogonadism and abnormal olfactory bulb development. *J Clin Endocrinol Metab* 2005;90:5621-6.

Assémat E, Châtelet F, Chandellier J, Commo F, Cases O, Verroust P, *et al.* Overlapping expression patterns of the multiligand endocytic receptors cubilin and megalin in the CNS, sensory organs and developing epithelia of the rodent embryo. *Gene Expr Patterns* 2005;6:69-78.

Epstein JI, Amin M, Boccon-Gibod L, Egevad L, Humphrey PA, Mikuz G, *et al.* Prognostic factors and reporting of prostate carcinoma in radical prostatectomy and pelvic lymphadenectomy specimens. *Scand J Urol Nephrol Suppl* 2005:34-63.

Amin M, Boccon-Gibod L, Egevad L, Epstein JI, Humphrey PA, Mikuz G, *et al.*
Prognostic and predictive factors and reporting of prostate carcinoma in prostate
needle biopsy specimens. *Scand J Urol Nephrol Suppl* 2005;20-33.

Srigley JR, Amin M, Boccon-Gibod L, Egevad L, Epstein JI, Humphrey PA, *et al.*
Prognostic and predictive factors in prostate cancer: historical perspectives and
recent international consensus initiatives. *Scand J Urol Nephrol Suppl* 2005:8-19.

Faivre L, Portnoi MF, Pals G, Stoppa-Lyonnet D, Le Merrer M, Thauvin-Robinet C,
et al. Should chromosome breakage studies be performed in patients with
VACTERL association? *Am J Med Genet A* 2005;137:55-8.

Loundon N, Marcolla A, Roux I, Rouillon I, Denoyelle F, Feldmann D, *et al.*
Auditory neuropathy or endocochlear hearing loss? *Otol Neurotol* 2005;26:748-
54.

Chretien-Leprince P, Ballot E, Andre C, Olsson NO, Fabien N, Escande A, *et al.*
Diagnostic value of anti-F-actin antibodies in a French multicenter study. *Ann N Y
Acad Sci* 2005;1050:266-73.

Baujat G, Rio M, Rossignol S, Sanlaville D, Lyonnet S, Le Merrer M, *et al.* Clinical
and molecular overlap in overgrowth syndromes. *Am J Med Genet C Semin Med
Genet* 2005;137C:4-11.

Portnoi MF, Lebas F, Gruchy N, Ardalan A, Biran-Mucignat V, Malan V, *et al.*
22q11.2 duplication syndrome: two new familial cases with some overlapping
features with DiGeorge/velocardiofacial syndromes. *Am J Med Genet A*
2005;137:47-51.

Oliveira C, Velho S, Domingo E, Preto A, Hofstra RM, Hamelin R, *et al.*
Concomitant RASSF1A hypermethylation and KRAS/BRAF mutations occur preferentially in MSI sporadic colorectal cancer. *Oncogene* 2005;24:7630-4.

Bertin-Maghit SM, Capini CJ, Bessis N, Chomilier J, Muller S, Abbas A, *et al.*
Improvement of collagen-induced arthritis by active immunization against murine IL-1beta peptides designed by molecular modelling. *Vaccine* 2005;23:4228-35.

Antoine M. Pour le recours à l'histologie dans le diagnostic des tumeurs du sein.
Gynecol Obstet Fertil 2005;33:540-2.

Maury E, Tankovic J, Ebel A, Offenstadt G, Parisian Group of the Upper
Gastrointestinal Bleeding Survey. An observational study of upper gastrointestinal
bleeding in intensive care units: is *Helicobacter pylori* the culprit? *Crit Care Med*
2005;33:1513-8.

Pierre-Audigier C, Ferroni A, Sermet-Gaudelus I, Le Bourgeois M, Offredo C, Vu-
Thien H, *et al.* Age-related prevalence and distribution of nontuberculous
mycobacterial species among patients with cystic fibrosis. *J Clin Microbiol*
2005;43:3467-70.

El-Bchiri J, Buhard O, Penard-Lacronique V, Thomas G, Hamelin R, Duval A.
Differential nonsense mediated decay of mutated mRNAs in mismatch repair
deficient colorectal cancers. *Hum Mol Genet* 2005;14:2435-42.

Machinis K, Amselem S. Functional relationship between LHX4 and POU1F1 in light
of the LHX4 mutation identified in patients with pituitary defects. *J Clin Endocrinol
Metab* 2005;90:5456-62.

Soriano-Guillen L, Coste J, Ecosse E, Léger J, Tauber M, Cabrol S, *et al.* Adult height and pubertal growth in Turner syndrome after treatment with recombinant growth hormone. *J Clin Endocrinol Metab* 2005;90:5197-204.

Gonzales M, Heuertz S, Martinovic J, Delahaye S, Bazin A, Loget P, *et al.* Vertebral anomalies and cartilaginous tracheal sleeve in three patients with Pfeiffer syndrome carrying the S351C FGFR2 mutation. *Clin Genet* 2005;68:179-81.

Velho S, Oliveira C, Ferreira A, Ferreira AC, Suriano G, Schwartz S, *et al.* The prevalence of PIK3CA mutations in gastric and colon cancer. *Eur J Cancer* 2005;41:1649-54.

Pistone T, Lacombe K, Poirot JL, Girard PM, Meynard JL. Imported concomitant coccidioidomycosis and histoplasmosis in an HIV-infected Colombian migrant in France. *Trans R Soc Trop Med Hyg* 2005;99:712-5.

Gerotziafas GT, Chakroun T, Samama MM, Elalamy I. Les nouveaux anticoagulants: mécanisme d'action et cibles thérapeutiques. *Tunis Med* 2005;83 Suppl 2:29-35.

Gonzales M, Verloes A, Saint Frison MH, Perrotez C, Bourdet O, Encha-Razavi F, *et al.* Diaphanospondylodysostosis (DSD): confirmation of a recessive disorder with abnormal vertebral ossification and nephroblastomatosis. *Am J Med Genet A* 2005;136A:373-6.

Vigouroux C. Les laminopathies: lipodystrophies, insulino-résistance, syndromes de vieillissement accéléré... et les autres. *Ann Endocrinol (Paris)* 2005;66:270-8.

Bensouda-Grimaldi L, Jonville-Béra AP, Mouret E, Elefant E, Dhellot H, Delmas C, *et al.* Isotrétinoïne: suivi de l'application des recommandations des prescriptions chez les femmes en âge de procréer. *Ann Dermatol Venereol* 2005;132:415-23.

Taleb S, Lacasa D, Bastard JP, Poitou C, Canello R, Pelloux V, *et al.* Cathepsin S, a novel biomarker of adiposity: relevance to atherogenesis. *FASEB J* 2005;19:1540-2.

Payan C, Roudot-Thoraval F, Marcellin P, Bled N, Duverlie G, Fouchard-Hubert I, *et al.* Changing of hepatitis C virus genotype patterns in France at the beginning of the third millenium: The GEMHEP GenoCII Study. *J Viral Hepat* 2005;12:405-13.

Bittencourt H, Rocha V, Filion A, Ionescu I, Herr AL, Garnier F, *et al.* Granulocyte colony-stimulating factor for poor graft function after allogeneic stem cell transplantation: 3 days of G-CSF identifies long-term responders. *Bone Marrow Transplant* 2005;36:431-5.

Cournot MP, Assari-Merabtene F, Vauzelle-Gardier C, Eléfant E. Quels sont les risques d'embryo-foetopathie liés à l'exposition au tabagisme pendant la grossesse? *J Gynecol Obstet Biol Reprod (Paris)* 2005;34 Spec No 1:3S124-9.

Béréziat V, Moritz S, Klonjkowski B, Decaudain A, Auclair M, Eloit M, *et al.* Efficient adenoviral transduction of 3T3-F442A preadipocytes without affecting adipocyte differentiation. *Biochimie* 2005;87:951-8.

Masquelier B, Costagliola D, Schmuck A, Cottalorda J, Schneider V, Izopet J, *et al.* Prevalence of complete resistance to at least two classes of antiretroviral drugs in treated HIV-1-infected patients: a French nationwide study. *J Med Virol* 2005;76:441-6.

Lefrère JJ, Servant-Delmas A, Candotti D, Mariotti M, Thomas I, Brossard Y, *et al.* Persistent B19 infection in immunocompetent individuals: implications for transfusion safety. *Blood* 2005;106:2890-5.

Tse C, Brault D, Gligorov J, Antoine M, Neumann R, Lotz JP, *et al.* Evaluation of the quantitative analytical methods real-time PCR for HER-2 gene quantification and ELISA of serum HER-2 protein and comparison with fluorescence in situ hybridization and immunohistochemistry for determining HER-2 status in breast cancer patients. *Clin Chem* 2005;51:1093-101.

Coudroy G, Gburek J, Kozyraki R, Madsen M, Trugnan G, Moestrup SK, *et al.* Contribution of cubilin and amnionless to processing and membrane targeting of cubilin-amnionless complex. *J Am Soc Nephrol* 2005;16:2330-7.

Douay L, Giarratana MC. The cultured red blood cell: a study tool with therapeutic perspectives. *Cell Cycle* 2005;4:999-1000.

Marlin S, Feldmann D, Blons H, Loundon N, Rouillon I, Albert S, *et al.* GJB2 and GJB6 mutations: genotypic and phenotypic correlations in a large cohort of hearing-impaired patients. *Arch Otolaryngol Head Neck Surg* 2005;131:481-7.

Bidet P, Verdet C, Gautier V, Bingen E, Arlet G. First description of DHA-1 ampCbeta-lactamase in *Proteus mirabilis*. *Clin Microbiol Infect* 2005;11:591-2.

Fredouille C, Baschet N, Morice JE, Soulier M, Liprandi A, Piercecchi-Marti MD, *et al.* Insertion linéaire des valves atrioventriculaires sans défaut. A propos d'une nouvelle série anatomique de 213 coeurs de foetus trisomiques 21. *Arch Mal*

Coeur Vaiss 2005;98:549-55.

Beaujard MP, Jouannic JM, Bessières B, Borie C, Martin-Luis I, Fallet-Bianco C, *et al.* Prenatal detection of a de novo terminal inverted duplication 4p in a fetus with the Wolf-Hirschhorn syndrome phenotype. *Prenat Diagn* 2005;25:451-5.

Petit A, Tabone MD, Moissenet D, Auvrignon A, Landman-Parker J, Boccon-Gibod L, *et al.* Fusariose disséminée chez deux enfants neutropéniques. *Arch Pediatr* 2005;12:1116-9.

Quinn PJ, Tessier C, Rainteau D, Koumanov KS, Wolf C. Structure and thermotropic phase behaviour of detergent-resistant membrane raft fractions isolated from human and ruminant erythrocytes. *Biochim Biophys Acta* 2005;1713:5-14.

Munier A, Gras V, Andrejak M, Bernard N, Jean-Pastor MJ, Gautier S, *et al.* Zoledronic Acid and renal toxicity: data from French adverse effect reporting database. *Ann Pharmacother* 2005;39:1194-7.

Fartoux L, Poujol-Robert A, Guéchet J, Wendum D, Poupon R, Serfaty L. Insulin resistance is a cause of steatosis and fibrosis progression in chronic hepatitis C. *Gut* 2005;54:1003-8.

Antri-Bouzar L, Lefèvre G, Bonnard G, Khoury N, Rondeau E, Costa de Beauregard MA. Une acidocétose alcoolique? *Ann Biol Clin (Paris)* 2005;63:335-8.

Capolaghi B, Charbonnier B, Dumontet M, Hennache B, Henninot J, Laperche T, *et al.* Recommandations sur la prescription, le dosage et l'interprétation des

troponines cardiaques. *Ann Biol Clin (Paris)* 2005;63:245-61.

Kubis N, Catala M. Ou sont donc passées les cellules-souches neuronales de la couche sous-ependymaire chez l'etre humain? *Morphologie* 2005;89:49-54.

Beurel E, Kornprobst M, Blivet-Van Eggelpoël MJ, Cadoret A, Capeau J, Desbois-Mouthon C. GSK-3beta reactivation with LY294002 sensitizes hepatoma cells to chemotherapy-induced apoptosis. *Int J Oncol* 2005;27:215-22.

Debbia M, Brossard Y, Lambin P. Measurement of the affinity of anti-D in the serum of immunized mothers and in immunoglobulin preparations with unlabeled antibodies. *Transfusion* 2005;45:975-83.

Jéru I, Papin S, L'hoste S, Duquesnoy P, Cazeneuve C, Camonis J, *et al.* Interaction of pypin with 14.3.3 in an isoform-specific and phosphorylation-dependent manner regulates its translocation to the nucleus. *Arthritis Rheum* 2005;52:1848-57.

Boissan M, Wendum D, Arnaud-Dabernat S, Munier A, Debray M, Lascu I, *et al.* Increased lung metastasis in transgenic NM23-Null/SV40 mice with hepatocellular carcinoma. *J Natl Cancer Inst* 2005;97:836-45.

Staneva G, Seigneuret M, Koumanov K, Trugnan G, Angelova MI. Detergents induce raft-like domains budding and fission from giant unilamellar heterogeneous vesicles: a direct microscopy observation. *Chem Phys Lipids* 2005;136:55-66.

Sidhu S, Martin E, Gicquel C, Melki J, Clark SJ, Campbell P, *et al.* Mutation and methylation analysis of TP53 in adrenal carcinogenesis. *Eur J Surg Oncol*

2005;31:549-54.

Young J, Morbois-Trabut L, Couzinet B, Lascols O, Dion E, Béréziat V, *et al.* Type A insulin resistance syndrome revealing a novel lamin A mutation. *Diabetes* 2005;54:1873-8.

Tanné F, Gagnadoux F, Chazouillères O, Fleury B, Wendum D, Lasnier E, *et al.* Chronic liver injury during obstructive sleep apnea. *Hepatology* 2005;41:1290-6.

Charbit B, Albaladejo P, Funck-Brentano C, Legrand M, Samain E, Marty J. Prolongation of QTc interval after postoperative nausea and vomiting treatment by droperidol or ondansetron. *Anesthesiology* 2005;102:1094-100.

Bouancheau D, Buecher B, Jarry A, Simon B, Masson D, Cassagnau E, *et al.* The PPAR(gamma) K422Q mutation does not contribute to troglitazone inefficiency in colon cancer treatment. *Cancer Lett* 2005;224:111-6.

Saez-Lopez C, Ngambe-Tourere E, Rosenzweig M, Petit JC, Nicolas JC, Gozlan J. Immediate-early antigen expression and modulation of apoptosis after in vitro infection of polymorphonuclear leukocytes by human cytomegalovirus. *Microbes Infect* 2005;7:1139-49.

Lacombe K, Gozlan J, Boelle PY, Serfaty L, Zoulim F, Valleron AJ, *et al.* Long-term hepatitis B virus dynamics in HIV-hepatitis B virus-co-infected patients treated with tenofovir disoproxil fumarate. *AIDS* 2005;19:907-15.

Harif M, Barsaoui S, Benchekroun S, Boccon-Gibod L, Bouhas R, Doumbé P, *et al.* Traitement des cancers de l'enfant en Afrique: résultats préliminaires du groupe

francoafricain d'oncologie pédiatrique. Arch Pediatr 2005;12:851-3.

Auber F, Larroquet M, Bonnard A, Boudjemaa S, Landman-Parker J, Ducou Le Pointe H, *et al.* Neuroblastomes de diagnostic échographique anténatal. Gynecol Obstet Fertil 2005;33:228-31.

Wendum D, Nachury M, Yver M, Lemann M, Fléjou JF, Janin A, *et al.* Acute hepatitis E: a cause of lymphocytic destructive cholangitis. Hum Pathol 2005;36:436-8.

Mourra N, Lewin M, Sautet A, Parc R, Flejou JF. Epithelioid solitary fibrous tumor in the ischioanal fossa. Virchows Arch 2005;446:674-6.

Lukaszewicz AC, Mebazaa A, Callebort J, Matéo J, Gatecel C, Kechiche H, *et al.* Lack of alteration of endogenous nitric oxide pathway during prolonged nitric oxide inhalation in intensive care unit patients. Crit Care Med 2005;33:1008-14.

Barranger E, Coutant C, Cortez A, Uzan S, Darai E. Sentinel node biopsy is reliable in early-stage cervical cancer but not in locally advanced disease. Ann Oncol 2005;16:1237-42.

Bienvenu G, Seurin D, Le Bouc Y, Even P, Babajko S, Magnan C. Dysregulation of energy homeostasis in mice overexpressing insulin-like growth factor-binding protein 6 in the brain. Diabetologia 2005;48:1189-97.

Plaisier E, Alamowitch S, Gribouval O, Mougnot B, Gaudric A, Antignac C, *et al.* Autosomal-dominant familial hematuria with retinal arteriolar tortuosity and contractures: a novel syndrome. Kidney Int 2005;67:2354-60.

Mansour H, Cheval L, Elalouf JM, Aude JC, Alyanakian MA, Mougnot B, *et al.* T-cell transcriptome analysis points up a thymic disorder in idiopathic nephrotic syndrome. *Kidney Int* 2005;67:2168-77.

Fouassier L, Nichols MT, Gidey E, McWilliams RR, Robin H, Finnigan C, *et al.* Protein kinase C regulates the phosphorylation and oligomerization of ERM binding phosphoprotein 50. *Exp Cell Res* 2005;306:264-73.

European Genetics Foundation, Cardiovascular Disease Educational and Research Trust, International Union of Angiology, Mediterranean League on Thromboembolism, Nicolaidis AN, Breddin HK, *et al.* Thrombophilia and venous thromboembolism. International consensus statement. Guidelines according to scientific evidence. *Int Angiol* 2005;24:1-26.

Valin N, Antoun F, Chouaïd C, Renard M, Dautzenberg B, Lalande V, *et al.* Outbreak of tuberculosis in a migrants' shelter, Paris, France, 2002. *Int J Tuberc Lung Dis* 2005;9:528-33.

Barranger E, Marpeau O, Uzan S, Antoine M. Axillary sentinel node involvement by breast cancer coexisting with B-cell follicular lymphoma in nonsentinel nodes. *Breast J* 2005;11:227-8.

Brouard J, Knauer N, Boelle PY, Corvol H, Henrion-Caude A, Flamant C, *et al.* Influence of interleukin-10 on *Aspergillus fumigatus* infection in patients with cystic fibrosis. *J Infect Dis* 2005;191:1988-91.

Tabone S, Théou N, Wozniak A, Saffroy R, Deville L, Julié C, *et al.* KIT overexpression and amplification in gastrointestinal stromal tumors (GISTs). *Biochim Biophys Acta* 2005;1741:165-72.

de Lonlay P, Giurgea I, Sempoux C, Touati G, Jaubert F, Rahier J, *et al.* Dominantly inherited hyperinsulinaemic hypoglycaemia. *J Inherit Metab Dis* 2005;28:267-76.

Moureau-Zabotto L, Bouchet C, Cesari D, Uzan S, Lefranc JP, Antoine M, *et al.* Combined flow cytometry determination of S-phase fraction and DNA ploidy is an independent prognostic factor in node-negative invasive breast carcinoma: analysis of a series of 271 patients with stage I and II breast cancer. *Breast Cancer Res Treat* 2005;91:61-71.

Dikov D, Chatelet FP, Dimitrakov J. Pathologic features of necrotizing adenoviral prostatitis in an AIDS patient. *Int J Surg Pathol* 2005;13:227-31.

Biour M, Daoud H, Ben Salem C. Pancréatotoxicité des médicaments. Seconde mise à jour du fichier bibliographique des atteintes pancréatiques et des médicaments responsables. *Gastroenterol Clin Biol* 2005;29:353-9.

Marcelin AG, Cohen-Codar I, King MS, Colson P, Guillevic E, Descamps D, *et al.* Virological and pharmacological parameters predicting the response to lopinavir-ritonavir in heavily protease inhibitor-experienced patients. *Antimicrob Agents Chemother* 2005;49:1720-6.

Karelis AD, Faraj M, Bastard JP, St-Pierre DH, Brochu M, Prud'homme D, *et al.* The metabolically healthy but obese individual presents a favorable inflammation profile. *J Clin Endocrinol Metab* 2005;90:4145-50.

Chaoui D, Chakroun T, Robert F, Rio B, Belhocine R, Legrand O, *et al.* Reticulated platelets: a reliable measure to reduce prophylactic platelet transfusions after intensive chemotherapy. *Transfusion* 2005;45:766-72.

Douard R, Moutereau S, Serru V, Sales JP, Wind P, Cugnenc PH, *et al.* Immunobead multiplex RT-PCR detection of carcinoembryonic genes expressing cells in the blood of colorectal cancer patients. *Clin Chem Lab Med* 2005;43:127-32.

Mourra N, Duron F, Parc R, Flejou JF. Cervical ectopic thymoma: a diagnostic pitfall on frozen section. *Histopathology* 2005;46:583-5.

Marpeau O, Barranger E, Cortez A, Uzan S. Bilateral tubal pregnancy after natural conception: a case report. *J Reprod Med* 2005;50:222-4.

Sobrier ML, Netchine I, Heinrichs C, Thibaud N, Vié-Luton MP, Van Vliet G, *et al.* Alu-element insertion in the homeodomain of HESX1 and aplasia of the anterior pituitary. *Hum Mutat* 2005;25:503.

Stead D, Findon H, Yin Z, Walker J, Selway L, Cash P, *et al.* Proteomic changes associated with inactivation of the *Candida glabrata* ACE2 virulence-moderating gene. *Proteomics* 2005;5:1838-48.

Challier JC, Galtier M, Cortez A, Bintein T, Rabreau M, Uzan S. Immunocytological evidence for hematopoiesis in the early human placenta. *Placenta* 2005;26:282-8.

Ramuz O, Lelong B, Giovannini M, Delpero JR, Rochaix P, Xerri L, *et al.* "Sugar" tumor of the pancreas: a rare entity that is diagnosable on preoperative fine-needle biopsies. *Virchows Arch* 2005;446:555-9.

Ahamed K, Epaud R, Holzenberger M, Bonora M, Flejou JF, Puard J, *et al.* Deficiency in type 1 insulin-like growth factor receptor in mice protects against oxygen-induced lung injury. *Respir Res* 2005;6:31.

Bert F, Juvin M, Ould-Hocine Z, Clarebout G, Keller E, Lambert N, *et al.* Evaluation and updating of the Osiris expert system for identification of *Escherichia coli* beta-lactam resistance phenotypes. *J Clin Microbiol* 2005;43:1846-50.

Mourra N, Parc Y, McNamara D, Tiret E, Flejou JF, Parc R. Lymph node metastases of prostatic adenocarcinoma in the mesorectum in patients with adenocarcinoma or villous tumor of the rectum with collision phenomenon in a single lymph node: report of five cases. *Dis Colon Rectum* 2005;48:384-9.

Bourcigaux N, Arnault-Ouary G, Christol R, Périn L, Charbonnel B, Le Bouc Y. Treatment of hypoglycemia using combined glucocorticoid and recombinant human growth hormone in a patient with a metastatic non-islet cell tumor hypoglycemia. *Clin Ther* 2005;27:246-51.

Cohen D, Pichard N, Tordjman S, Baumann C, Burglen L, Excoffier E, *et al.* Specific genetic disorders and autism: clinical contribution towards their identification. *J Autism Dev Disord* 2005;35:103-16.

Poirier JM, Robidou P, Jaillon P. Simple and simultaneous determination of the hiv-protease inhibitors amprenavir, atazanavir, indinavir, lopinavir, nelfinavir, ritonavir and saquinavir plus M8 nelfinavir metabolite and the nonnucleoside reverse transcriptase inhibitors efavirenz and nevirapine in human plasma by reversed-phase liquid chromatography. *Ther Drug Monit* 2005;27:186-92.

James C, Ugo V, Le Couédic JP, Staerk J, Delhommeau F, Lacout C, *et al.* A unique clonal JAK2 mutation leading to constitutive signalling causes polycythaemia vera. *Nature* 2005;434:1144-8.

Descamps D, Chaix ML, André P, Brodard V, Cottalorda J, Deveau C, *et al.* French national sentinel survey of antiretroviral drug resistance in patients with HIV-1 primary infection and in antiretroviral-naive chronically infected patients in 2001-2002. *J Acquir Immune Defic Syndr* 2005;38:545-52.

Hantz S, Michel D, Fillet AM, Guignon V, Champier G, Mazon MC, *et al.* Early selection of a new UL97 mutant with a severe defect of ganciclovir phosphorylation after valaciclovir prophylaxis and short-term ganciclovir therapy in a renal transplant recipient. *Antimicrob Agents Chemother* 2005;49:1580-3.

Bodin L, Verstuyft C, Tregouet DA, Robert A, Dubert L, Funck-Brentano C, *et al.* Cytochrome P450 2C9 (CYP2C9) and vitamin K epoxide reductase (VKORC1) genotypes as determinants of acenocoumarol sensitivity. *Blood* 2005;106:135-40.

Aide N, Deux JF, Peretti I, Mabilhe L, Mandet J, Callard P, *et al.* Persistent foreign body reaction around inguinal mesh prostheses: a potential pitfall of FDG PET. *AJR Am J Roentgenol* 2005;184:1172-7.

Barranger E, Marpeau O, Chopier J, Antoine M, Uzan S. Site-select procedure for non-palpable breast lesions: feasibility study with a 15-mm cannula. *J Surg Oncol* 2005;90:14-9.

Baudin B. L'enzyme de conversion de l'angiotensine I (ECA) dans le diagnostic de la sarcoïdose. *Pathol Biol (Paris)* 2005;53:183-8.

Vigouroux C, Capeau J. A-type lamin-linked lipodystrophies. *Novartis Found Symp* 2005;264:166-77; discussion 177-82, 227-30.

Boyer J, Crosnier C, Driancourt C, Raynaud N, Gonzales M, Hadchouel M, *et al.* Expression of mutant JAGGED1 alleles in patients with Alagille syndrome. *Hum Genet* 2005;116:445-53.

Scarabin PY, Oger E, Simon T, Plu-Bureau G. Estrogen plus progestin and risk of venous thrombosis. *JAMA* 2005;293:1322; author reply 1322-3.

Chabernaud JL, Gicquel C, Ammar F, Jourdain G, Quentin P, Castel C, *et al.* Air ou oxygène pour le nouveau-né en salle de naissance? *J Gynecol Obstet Biol Reprod (Paris)* 2005;34:S25-32.

Chachaty C, Rainteau D, Tessier C, Quinn PJ, Wolf C. Building up of the liquid-ordered phase formed by sphingomyelin and cholesterol. *Biophys J* 2005;88:4032-44.

Guigonis V, Frémeaux-Bacchi V, Giraudier S, Favier R, Borderie D, Massy Z, *et al.* Late-onset thrombotic microangiopathy caused by cblC disease: association with a factor H mutation. *Am J Kidney Dis* 2005;45:588-95.

Catto JW, Azzouzi AR, Rehman I, Feeley KM, Cross SS, Amira N, *et al.* Promoter hypermethylation is associated with tumor location, stage, and subsequent progression in transitional cell carcinoma. *J Clin Oncol* 2005;23:2903-10.

Garbis H, Elefant E, Diav-Citrin O, Mastroiacovo P, Schaefer C, Vial T, *et al.* Pregnancy outcome after exposure to ranitidine and other H2-blockers. A collaborative study of the European Network of Teratology Information Services. *Reprod Toxicol* 2005;19:453-8.

Giarratana MC, Douay L. Le globule rouge de culture: une nouvelle étape dans l'ingénierie cellulaire. *Med Sci (Paris)* 2005;21:231-2.

Abbas A, Vasilescu A, Do H, Hendel H, Maachi M, Goutalier FX, *et al.* Analysis of IGG and IGG4 in HIV-1 seropositive patients and correlation with biological and genetic markers. *Biomed Pharmacother* 2005;59:38-46.

Mourra N, de Chaisemartin C, Goubin-Versini I, Parc R, Flejou JF. Malignant deciduoid mesothelioma: a diagnostic challenge. *Arch Pathol Lab Med* 2005;129:403-6.

Morand-Joubert L, Marcellin F, Launay O, Guiramand-Hugon S, Gérard L, Yeni P, *et al.* Contribution of cellular HIV-1 DNA quantification to the efficacy analysis of antiretroviral therapy: a randomized comparison of 2 regimens, including 3 drugs from 2 or 3 classes (TRIANON, ANRS 081). *J Acquir Immune Defic Syndr* 2005;38:268-76.

Lagathu C, Kim M, Maachi M, Vigouroux C, Cervera P, Capeau J, *et al.* HIV antiretroviral treatment alters adipokine expression and insulin sensitivity of adipose tissue in vitro and in vivo. *Biochimie* 2005;87:65-71.

Afonso ND, Catala M. Sonic hedgehog and retinoic acid are not sufficient to induce motoneuron generation in the avian caudal neural tube. *Dev Biol* 2005;279:356-67.

Darrasse-Jèze G, Marodon G, Salomon BL, Catala M, Klatzmann D. Ontogeny of CD4+CD25+ regulatory/suppressor T cells in human fetuses. *Blood* 2005;105:4715-21.

Hidri N, Barnaud G, Decré D, Cerceau C, Lalande V, Petit JC, *et al.* Resistance to ceftazidime is associated with a S220Y substitution in the omega loop of the AmpC beta-lactamase of a *Serratia marcescens* clinical isolate. *J Antimicrob Chemother* 2005;55:496-9.

Rodriguez S, Khabir A, Keryer C, Perrot C, Drira M, Ghorbel A, *et al.* Conventional and array-based comparative genomic hybridization analysis of nasopharyngeal carcinomas from the Mediterranean area. *Cancer Genet Cytogenet* 2005;157:140-7.

Mourra N, Nion-Larmurier I, Parc R, Flejou JF. Neutropenic enterocolitis in acute myeloblastic leukaemia. *Histopathology* 2005;46:353-5.

Grateau G, Jéru I, Rouaghe S, Cazeneuve C, Ravet N, Duquesnoy P, *et al.* Amyloidosis and auto-inflammatory syndromes. *Curr Drug Targets Inflamm Allergy* 2005;4:57-65.

Molina JM, Journot V, Morand-Joubert L, Yéni P, Rozenbaum W, Rancinan C, *et al.* Simplification therapy with once-daily emtricitabine, didanosine, and efavirenz in HIV-1-infected adults with viral suppression receiving a protease inhibitor-based regimen: a randomized trial. *J Infect Dis* 2005;191:830-9.

Delhommeau F, Dalla Venezia N, Morinière M, Collin H, Maillet P, Guerfali I, *et al.* Protein 4.1R expression in normal and dystrophic skeletal muscle. *C R Biol* 2005;328:43-56.

Fléjou JF. Barrett's oesophagus: from metaplasia to dysplasia and cancer. *Gut* 2005;54 Suppl 1:i6-12.

Dagnon K, Pacary E, Commo F, Antoine M, Bernaudin M, Bernaudin JF, *et al.* Expression of erythropoietin and erythropoietin receptor in non-small cell lung carcinomas. *Clin Cancer Res* 2005;11:993-9.

Branger C, Zamfir O, Geoffroy S, Laurans G, Arlet G, Thien HV, *et al.* Genetic background of *Escherichia coli* and extended-spectrum beta-lactamase type. *Emerg Infect Dis* 2005;11:54-61.

Darai E, Thomassin I, Barranger E, Detchev R, Cortez A, Houry S, *et al.* Feasibility and clinical outcome of laparoscopic colorectal resection for endometriosis. *Am J Obstet Gynecol* 2005;192:394-400.

Uzan C, Cortez A, Dufournet C, Fauvet R, Siffroi JP, Daraï E. Endometrium from women with and without endometriosis, and peritoneal, ovarian and bowel endometriosis, show different c-kit protein expression. *J Reprod Immunol* 2005;65:55-63.

Cohen R, Just J, Koskas M, Bingen E, Boucherat M, Bourrillon A, *et al.* Infections respiratoires récidivantes: quels bilans, quels traitements ? *Arch Pediatr* 2005;12:183-90.

Costedoat-Chalumeau N, Amoura Z, Hulot JS, Ghillani P, Lechat P, Funck-Brentano C, *et al.* Corrected QT interval in anti-SSA-positive adults with connective tissue disease: comment on the article by Lazzerini *et al.* *Arthritis Rheum* 2005;52:676-7; author reply 677-8.

Bell SW, Mourra N, Fléjou JF, Parc R, Tiret E. Ex vivo sentinel lymph node mapping in colorectal cancer. *Dis Colon Rectum* 2005;48:74-9.

Fartoux L, Chazouillères O, Wendum D, Poupon R, Serfaty L. Impact of steatosis on progression of fibrosis in patients with mild hepatitis C. *Hepatology* 2005;41:82-7.

Bayer P, Veinberg F, Couderc R, Cherfils C, Cambillau M, Cosson C, *et al.* Evaluation multicentrique de quatre méthodes de dosage direct du cholestérol-LDL. *Ann Biol Clin (Paris)* 2005;63:27-41.

Cauliez B, Berthe MC, Lavoine A. Le BNP: aspects physiologiques, biologiques et cliniques. *Ann Biol Clin (Paris)* 2005;63:15-25.

Castaño I, Pan SJ, Zupancic M, Hennequin C, Dujon B, Cormack BP. Telomere length control and transcriptional regulation of subtelomeric adhesins in *Candida glabrata*. *Mol Microbiol* 2005;55:1246-58.

Chbicheb M, Gelot A, Rivier F, Roubertie A, Humbertclaude V, Coubes P, *et al.* Syndrome de Parry-Romberg et épilepsie. *Rev Neurol (Paris)* 2005;161:92-7.

Ballerini P, Busson M, Fasola S, van den Akker J, Lapillonne H, Romana SP, *et al.* NUP214-ABL1 amplification in t(5;14)/HOX11L2-positive ALL present with several forms and may have a prognostic significance. *Leukemia* 2005;19:468-70.

Barbut F, Decré D, Lalande V, Burghoffer B, Noussair L, Gigandon A, *et al.* Clinical features of *Clostridium difficile*-associated diarrhoea due to binary toxin (actin-specific ADP-ribosyltransferase)-producing strains. *J Med Microbiol* 2005;54:181-5.

Armand AS, Pariset C, Laziz I, Launay T, Fiore F, Della Gaspera B, *et al.* FGF6 regulates muscle differentiation through a calcineurin-dependent pathway in regenerating soleus of adult mice. *J Cell Physiol* 2005;204:297-308.

Karmous-Benailly H, Martinovic J, Gubler MC, Sirot Y, Clech L, Ozilou C, *et al.* Antenatal presentation of Bardet-Biedl syndrome may mimic Meckel syndrome. *Am J Hum Genet* 2005;76:493-504.

Beaussier M, Wendum D, Fouassier L, Rey C, Barbu V, Lasnier E, *et al.* Adaptive bile duct proliferative response in experimental bile duct ischemia. *J Hepatol* 2005;42:257-65.

Schiffer E, Housset C, Cacheux W, Wendum D, Desbois-Mouthon C, Rey C, *et al.* Gefitinib, an EGFR inhibitor, prevents hepatocellular carcinoma development in the rat liver with cirrhosis. *Hepatology* 2005;41:307-14.

Tabone MD, Vaudre G, Dehée A, Dollfus C. Transmission maternofoetale du VIH: progrès et perspectives. *Arch Pediatr* 2005;12:1-3.

Isshiki I, Favier R, Moriki T, Uchida T, Ishihara H, Van Dreden P, *et al.* Genetic analysis of hereditary factor X deficiency in a French patient of Sri Lankan ancestry: in vitro expression study identified Gly366Ser substitution as the molecular basis of the dysfunctional factor X. *Blood Coagul Fibrinolysis* 2005;16:9-16.

Rebouissou S, Vasiliu V, Thomas C, Bellanné-Chantelot C, Bui H, Chrétien Y, *et al.* Germline hepatocyte nuclear factor 1alpha and 1beta mutations in renal cell carcinomas. *Hum Mol Genet* 2005;14:603-14.

Timsit J, Bellanné-Chantelot C, Dubois-Laforgue D, Velho G. Diagnosis and management of maturity-onset diabetes of the young. *Treat Endocrinol* 2005;4:9-18.

Carel JC, Ecosse E, Bastie-Sigeac I, Cabrol S, Tauber M, Léger J, *et al.* Quality of life determinants in young women with turner's syndrome after growth hormone treatment: results of the StaTur population-based cohort study. *J Clin Endocrinol Metab* 2005;90:1992-7.

Charrier JB, Rouillon I, Roger G, Denoyelle F, Josset P, Garabedian EN. Craniofacial dermoids: an embryological theory unifying nasal dermoid sinus cysts. *Cleft Palate Craniofac J* 2005;42:51-7.

Donadieu J, Leblanc T, Bader Meunier B, Barkaoui M, Fenneteau O, Bertrand Y, *et al.* Analysis of risk factors for myelodysplasias, leukemias and death from infection among patients with congenital neutropenia. Experience of the French Severe Chronic Neutropenia Study Group. *Haematologica* 2005;90:45-53.

Puff N, Lamazière A, Seigneuret M, Trugnan G, Angelova MI. HDLs induce raft domain vanishing in heterogeneous giant vesicles. *Chem Phys Lipids* 2005;133:195-202.

Baudin B. Polymorphism in angiotensin II receptor genes and hypertension. *Exp Physiol* 2005;90:277-82.

Pasquier L, Dubourg C, Gonzales M, Lazaro L, David V, Odent S, *et al.* First occurrence of aprosencephaly/atelencephaly and holoprosencephaly in a family with a SIX3 gene mutation and phenotype/genotype correlation in our series of SIX3 mutations. *J Med Genet* 2005;42:e4.

Bellucci S, Huisse MG, Boval B, Hainaud P, Robert A, Fauvel-Lafève F, *et al.* Defective collagen-induced platelet activation in two patients with malignant haemopathies is related to a defect in the GPVI-coupled signalling pathway. *Thromb Haemost* 2005;93:130-8.

Koumanov KS, Tessier C, Momchilova AB, Rainteau D, Wolf C, Quinn PJ. Comparative lipid analysis and structure of detergent-resistant membrane raft fractions isolated from human and ruminant erythrocytes. *Arch Biochem Biophys* 2005;434:150-8.

Viossat B, Greenaway FT, Morgant G, Daran JC, Dung NH, Sorenson JR. Low-temperature (180 K) crystal structures of tetrakis- μ -(niflumato)di(aqua)dicopper(II) N,N-dimethylformamide and N,N-dimethylacetamide solvates, their EPR properties, and anticonvulsant activities of these and other ternary binuclear copper(II)niflumate complexes. *J Inorg Biochem* 2005;99:355-67.

Giarratana MC, Kobari L, Lapillonne H, Chalmers D, Kiger L, Cynober T, *et al.* Ex vivo generation of fully mature human red blood cells from hematopoietic stem cells. *Nat Biotechnol* 2005;23:69-74.

Assémat E, Vinot S, Gofflot F, Linsel-Nitschke P, Illien F, Châtelet F, *et al.*
Expression and role of cubilin in the internalization of nutrients during the peri-implantation development of the rodent embryo. *Biol Reprod* 2005;72:1079-86.

de Fraipont F, El Atifi M, Cherradi N, Le Moigne G, Defaye G, Houlgatte R, *et al.*
Gene expression profiling of human adrenocortical tumors using complementary deoxyribonucleic Acid microarrays identifies several candidate genes as markers of malignancy. *J Clin Endocrinol Metab* 2005;90:1819-29.

Cadoret A, Desbois-Mouthon C, Wendum D, Leneuve P, Perret C, Tronche F, *et al.*
c-myc-induced hepatocarcinogenesis in the absence of IGF-I receptor. *Int J Cancer* 2005;114:668-72.

Lecossier D, Shulman NS, Morand-Joubert L, Shafer RW, Joly V, Zolopa AR, *et al.*
Detection of minority populations of HIV-1 expressing the K103N resistance mutation in patients failing nevirapine. *J Acquir Immune Defic Syndr* 2005;38:37-42.

Barranger E, Kerrou K, Petegnief Y, David-Montefiore E, Cortez A, Daraï E.
Laparoscopic resection of occult metastasis using the combination of FDG-positron emission tomography/computed tomography image fusion with intraoperative probe guidance in a woman with recurrent ovarian cancer. *Gynecol Oncol* 2005;96:241-4.

Bonnard P, Guiard-Schmid JB, Develoux M, Rozenbaum W, Pialoux G. Splenic infarction during acute malaria. *Trans R Soc Trop Med Hyg* 2005;99:82-6.

Phung-Koskas T, Pilon A, Poüs C, Betzina C, Sturm M, Bourguet-Kondracki ML, *et al.*
STAT5B-mediated growth hormone signaling is organized by highly dynamic microtubules in hepatic cells. *J Biol Chem* 2005;280:1123-31.

Boccon-Gibod L, Boman F, Josset P, Landman-Parker J. Mucoepidermoid carcinoma of the parotid gland in a child previously treated for acute lymphoblastic leukemia. *Pediatr Blood Cancer* 2005;44:673-5.

Wendum D, Comperat E, Boëlle PY, Parc R, Masliah J, Trugnan G, *et al.* Cytoplasmic phospholipase A2 alpha overexpression in stromal cells is correlated with angiogenesis in human colorectal cancer. *Mod Pathol* 2005;18:212-20.

Dobre H, Césari D, Mairovitz A, Bénac C, Chantot-Bastaraud S, Dagnon K, *et al.* Multidrug resistance-associated protein (MRP1) is overexpressed in DNA aneuploid carcinomatous cells in non-small cell lung cancer (NSCLC). *Int J Cancer* 2005;113:568-74.

Brennetot C, Buhard O, Jourdan F, Flejou JF, Duval A, Hamelin R. Mononucleotide repeats BAT-26 and BAT-25 accurately detect MSI-H tumors and predict tumor content: implications for population screening. *Int J Cancer* 2005;113:446-50.

Balu L, Gasc JM, Boccon-Gibod L, De Vries P, Blanc P, Guignon V, *et al.* Arterial hypertension and ovarian tumour in a girl: what is the link? *Nephrol Dial Transplant* 2005;20:231-4.

Hatjiharissi E, Terpos E, Papaioannou M, Hatjileontis C, Kaloutsi V, Galaktidou G, *et al.* The combination of intermediate doses of thalidomide and dexamethasone reduces bone marrow micro-vessel density but not serum levels of angiogenic cytokines in patients with refractory/relapsed multiple myeloma. *Hematol Oncol* 2004;22:159-68.

Samama MM, Rached RA, Conard J, Horellou MH, Elalamy I. Risque de thrombose lié à la grossesse chez les femmes porteuses d'une mutation hétérozygote du facteur V Leiden, du facteur II ou de leur association. Bull Acad Natl Med 2004;188:1377-93; discussion 1393-6.

Moreau A, Joubert M, Thomas C, Boccon-Gibod L. Une tumeur pédiatrique inhabituelle. Ann Pathol 2004;24:639-40.

Boman F, Boccon-Gibod L. Cellules épithéliales bénignes et protéine de Tamm-Horsfall dans les ganglions lymphatiques des pièces de néphrectomie pour néphroblastome: un piège diagnostique. Ann Pathol 2004;24:632-6.

Coffin C, Boccon-Gibod L. Proliférations fibroblastiques et myofibroblastiques de l'enfance et de l'adolescence. Ann Pathol 2004;24:605-20.

Perlman E, Boccon-Gibod L. Tumeurs du rein de l'enfant. Ann Pathol 2004;24:516-35.

Perlman E, Dijoud F, Boccon-Gibod L. Restes néphrogéniques et néphroblastomatose. Ann Pathol 2004;24:510-5.

Boccon-Gibod L. Numéro spécial de pathologie pédiatrique. Ann Pathol 2004;24:484-5.

Corsois L, Boman F, Sfeir R, Besson R, Gottrand F, Boccon-Gibod L. Anomalies d'expression de la synaptophysine dans la maladie de Hirschsprung. Ann Pathol 2004;24:407-15.

Bazille C, Allory Y, Molinié V, Vieillefond A, Cochand-Priollet B, Cussenot O, *et al.* Caractérisation immunohistochimique des principaux types histologiques de tumeurs rénales épithéliales étudiées par tissue-arrays sur une série de 310 cas. *Ann Pathol* 2004;24:395-406.

Ballot E, Marcelo P, Labas V, Doan S, Zamfir O, Chaumeil C, *et al.* Apport de l'analyse protéomique associant électrophorèse bi-dimensionnelle et spectrométrie de masse en lacrymologie. *J Fr Ophtalmol* 2004;27:1141-5.

Denavit TM, Malan V, Grillon C, Sanlaville D, Ardalan A, Jacquemont ML, *et al.* A new case of a severe clinical phenotype of the cat-eye syndrome. *Genet Couns* 2004;15:443-8.

Lagathu C, Bastard JP, Auclair M, Maachi M, Kornprobst M, Capeau J, *et al.* Antiretroviral drugs with adverse effects on adipocyte lipid metabolism and survival alter the expression and secretion of proinflammatory cytokines and adiponectin in vitro. *Antivir Ther* 2004;9:911-20.

Biour M, Ben Salem C, Chazouillères O, Grangé JD, Serfaty L, Poupon R. Hépatotoxicité des médicaments 14e mise à jour du fichier bibliographique des atteintes hépatiques et des médicaments responsables. *Gastroenterol Clin Biol* 2004;28:720-59.

Kaoutar B, Joly C, L'Hériveau F, Barbut F, Robert J, Denis M, *et al.* Nosocomial infections and hospital mortality: a multicentre epidemiology study. *J Hosp Infect* 2004;58:268-75.

Deschamps C, Lacombe K, Lalande V, Meyohas MC, Girard PM, Meynard JL. Utilisation des outils diagnostiques microbiologiques dans les infections pulmonaires communautaires. *Presse Med* 2004;33:1505-10.

Cheurfa N, Reis AF, Dubois-Laforgue D, Bellanné-Chantelot C, Timsit J, Velho G. The Gly482Ser polymorphism in the peroxisome proliferator-activated receptor-gamma coactivator-1 gene is associated with hypertension in type 2 diabetic men. *Diabetologia* 2004;47:1980-3.

Barbut F, Soukouna S, Lalande V, Garcia ML, Neyme D, de Gramont A, *et al.* Cathéters à chambre implantable: épidémiologie des complications et étude microbiologique des dispositifs après ablation. *Pathol Biol (Paris)* 2004;52:566-74.

Garderet L, Fabiani B, Lacombe K, Girard PM, Fléjou JF, Gorin NC. Hyperviscosity syndrome in an HIV-1-positive patient. *Am J Med* 2004;117:891-3.

Giroit R, Bégué P. La drépanocytose chez l'enfant en 2004. *Bull Acad Natl Med* 2004;188:491-505; discussion 505-6.

Gerotziafas GT, Chakroun T, Samama MM, Elalamy I. In vitro comparison of the effect of fondaparinux and enoxaparin on whole blood tissue factor-triggered thromboelastography profile. *Thromb Haemost* 2004;92:1296-302.

Fauroux B, Hart N, Belfar S, Boulé M, Tillous-Borde I, Bonnet D, *et al.* *Burkholderia cepacia* is associated with pulmonary hypertension and increased mortality among cystic fibrosis patients. *J Clin Microbiol* 2004;42:5537-41.

Poupon R, Chignard N, Rosmorduc O, Barbu V, Housset C. La fonction biliaire et sa régulation. *Med Sci (Paris)* 2004;20:1096-9.

Bliek J, Gicquel C, Maas S, Gaston V, Le Bouc Y, Mannens M. Epigenotyping as a tool for the prediction of tumor risk and tumor type in patients with Beckwith-Wiedemann syndrome (BWS). *J Pediatr* 2004;145:796-9.

Caron M, Auclair M, Lagathu C, Lombès A, Walker UA, Kornprobst M, *et al.* The HIV-1 nucleoside reverse transcriptase inhibitors stavudine and zidovudine alter adipocyte functions in vitro. *AIDS* 2004;18:2127-36.

Naccache JM, Kambouchner M, Girard F, Antoine M, Parrot A, Piquet J, *et al.* Relapse of respiratory insufficiency one year after organising pneumonia. *Eur Respir J* 2004;24:1062-5.

Kleivi K, Teixeira MR, Eknaes M, Diep CB, Jakobsen KS, Hamelin R, *et al.* Genome signatures of colon carcinoma cell lines. *Cancer Genet Cytogenet* 2004;155:119-31.

Lewden B, Vial T, Elefant E, Nelva A, Carlier P, Descotes J, *et al.* Low dose methotrexate in the first trimester of pregnancy: results of a French collaborative study. *J Rheumatol* 2004;31:2360-5.

Barbut F, Carbonne B, Truchot F, Spielvogel C, Jannet D, Goderel I, *et al.* Infections de site opératoire chez les patientes césarisées: bilan de 5 années de surveillance. *J Gynecol Obstet Biol Reprod (Paris)* 2004;33:487-96.

Sobrier ML, Attié-Bitach T, Netchine I, Encha-Razavi F, Vekemans M, Amselem S. Pathophysiology of syndromic combined pituitary hormone deficiency due to a LHX3 defect in light of LHX3 and LHX4 expression during early human development. *Gene Expr Patterns* 2004;5:279-84.

Bousserouel S, Raymondjean M, Brouillet A, Béréziat G, Andréani M. Modulation of cyclin D1 and early growth response factor-1 gene expression in interleukin-1beta-treated rat smooth muscle cells by n-6 and n-3 polyunsaturated fatty acids. *Eur J Biochem* 2004;271:4462-73.

Demarez JP. Argent et essais cliniques. *Therapie* 2004;59:385-7.

M'Bappé P, Girot R. Complications ostéo-articulaires de la drépanocytose chez l'adulte. *Rev Prat* 2004;54:1568-9, 1571-2.

Sloma I, Zilber MT, Charron D, Girot R, Tamouza R, Gelin C. Upregulation and atypical expression of the CD1 molecules on monocytes in sickle cell disease. *Hum Immunol* 2004;65:1370-6.

Challier JC, Landi M, Galtier M, Bintein T, Cortez A, Rabreau M. Separation of trophoblastic and vascular cell lineages and vascular maturation in early human placental development. *Cell Mol Biol (Noisy-le-grand)* 2004;50 Online Pub:OL527-31.

Gariod S, Brossard Y, Poissonnier MH, Vuilliez B, Deutsch V, Jouk PS, *et al.* Allo-immunisation anti-Kell et grossesse. *J Gynecol Obstet Biol Reprod (Paris)* 2004;33:637-48.

Mounier N, Gisselbrecht C, Brière J, Haioun C, Feugier P, Offner F, *et al.* All aggressive lymphoma subtypes do not share similar outcome after front-line autotransplantation: a matched-control analysis by the Groupe d'Etude des Lymphomes de l'Adulte (GELA). *Ann Oncol* 2004;15:1790-7.

Pernet P, Mario N, Vaubourdolle M. Development of an internal dynamic web site to promote quality assurance in a clinical laboratory. *Am J Med Qual* 2004;19:223-9.

Hart N, Tounian P, Clément A, Boulé M, Polkey MI, Lofaso F, *et al.* Nutritional status is an important predictor of diaphragm strength in young patients with cystic fibrosis. *Am J Clin Nutr* 2004;80:1201-6.

Vantyghem MC, Pigny P, Maurage CA, Rouaix-Emery N, Stojkovic T, Cuisset JM, *et al.* Patients with familial partial lipodystrophy of the Dunnigan type due to a LMNA R482W mutation show muscular and cardiac abnormalities. *J Clin Endocrinol Metab* 2004;89:5337-46.

Buhard O, Suraweera N, Lectard A, Duval A, Hamelin R. Quasimonomorphic mononucleotide repeats for high-level microsatellite instability analysis. *Dis Markers* 2004;20:251-7.

Trugnan G, Fontanges P, Delautier D, Ait-Slimane T. FRAP, FLIP, FRET, BRET, FLIM, PRIM...de nouvelles techniques pour voir la vie en couleur! *Med Sci (Paris)* 2004;20:1027-34.

Raslova H, Favier R, Albagli O, Vainchenker W. Une haplo-insuffisance de Fli1 à l'origine de la thrombopénie Paris-Trousseau. *Med Sci (Paris)* 2004;20:962-4.

Lemoine P, Viossat B, Dung NH, Tomas A, Morgant G, Greenaway FT, *et al.* Synthesis, crystal structures, and anti-convulsant activities of ternary [Zn(II)(3,5-diisopropylsalicylate)(2)], [Zn(II)(salicylate)(2)] and [Zn(II)(aspirinate)(2)] complexes. *J Inorg Biochem* 2004;98:1734-49.

Pernet P, Coudray-Lucas C, Schneid C, Jardel A, Cynober L. Dose dependency of the effect of ornithine alpha-ketoglutarate on tissue glutamine concentrations and hypercatabolic response in endotoxaemic rats. *Br J Nutr* 2004;92:627-34.

Fabiani B, Delmer A, Lepage E, Guettier C, Petrella T, Brière J, *et al.* CD10 expression in diffuse large B-cell lymphomas does not influence survival. *Virchows Arch* 2004;445:545-51.

Barbacci E, Chalkiadaki A, Masdeu C, Haumaitre C, Lokmane L, Loirat C, *et al.* HNF1beta/TCF2 mutations impair transactivation potential through altered co-regulator recruitment. *Hum Mol Genet* 2004;13:3139-49.

Truong K, Gibaud A, Zalzman G, Guilly MN, Antoine M, Commo F, *et al.* Quantitative fish determination of chromosome 3 arm imbalances in lung tumors by automated image cytometry. *Med Sci Monit* 2004;10:BR426-32.

Parez N, Garbarg-Chenon A, Fourgeux C, Le Deist F, Servant-Delmas A, Charpilienne A, *et al.* The VP6 protein of rotavirus interacts with a large fraction of human naive B cells via surface immunoglobulins. *J Virol* 2004;78:12489-96.

Thierry S, Marechal V, Rosenzweig M, Sabbah M, Redeuilh G, Nicolas JC, *et al.* Cell cycle arrest in G2 induces human immunodeficiency virus type 1 transcriptional activation through histone acetylation and recruitment of CBP, NF-kappaB, and c-Jun to the long terminal repeat promoter. *J Virol* 2004;78:12198-206.

Beard CB, Roux P, Nevez G, Hauser PM, Kovacs JA, Unnasch TR, *et al.* Strain typing methods and molecular epidemiology of *Pneumocystis pneumonia*. *Emerg Infect Dis* 2004;10:1729-35.

Kassis-Chikhani N, Vimont S, Asselat K, Trivalle C, Minassian B, Sengelin C, *et al.* CTX-M beta-lactamase-producing *Escherichia coli* in long-term care facilities, France. *Emerg Infect Dis* 2004;10:1697-8.

Jourdan M, Vaubourdolle M, Cynober L, Aussel C. Effect of aging on liver functions-an experimental study in a perfused rat liver model. *Exp Gerontol* 2004;39:1341-6.

Asnafi V, Beldjord K, Garand R, Millien C, Bahloul M, LeTutour P, *et al.* IgH DJ rearrangements within T-ALL correlate with cCD79a expression, an immature/TCRgammadelta phenotype and absence of IL7Ralpha/CD127 expression. *Leukemia* 2004;18:1997-2001.

Tissier F, Pressac M, Serres C, Louvel F, Bouvier R, Vieillefond A. Dépôt de protéine de Tamm-Horsfall para-épididymaire. *Ann Pathol* 2004;24:294-6.

Youssef N, Carbonell N, Bonte H, Serfaty L, Poupon R, Fléjou JF. Ulcère de type Dieulafoy d'évolution fatale dans un cas d'amylose AL gastrique. *Ann Pathol* 2004;24:256-8.

Lind GE, Thorstensen L, Løvig T, Meling GI, Hamelin R, Rognum TO, *et al.* A CpG island hypermethylation profile of primary colorectal carcinomas and colon cancer cell lines. *Mol Cancer* 2004;3:28.

Beurel E, Kornprobst M, Blivet-Van Eggelpoël MJ, Ruiz-Ruiz C, Cadoret A, Capeau J, *et al.* GSK-3beta inhibition by lithium confers resistance to chemotherapy-induced apoptosis through the repression of CD95 (Fas/APO-1) expression. *Exp Cell Res* 2004;300:354-64.

Decré D, Burghoffer B, Gautier V, Petit JC, Arlet G. Outbreak of multi-resistant *Klebsiella oxytoca* involving strains with extended-spectrum beta-lactamases and strains with extended-spectrum activity of the chromosomal beta-lactamase. *J Antimicrob Chemother* 2004;54:881-8.

Naas T, Aubert D, Vimont S, Nordmann P. Identification of a chromosome-borne class C beta-lactamase from *Erwinia rhapontici*. *J Antimicrob Chemother* 2004;54:932-5.

Charbit B, Funck-Brentano C, Samain E, Jannier-Guillou V, Albaladejo P, Marty J. QT interval prolongation after oxytocin bolus during surgical induced abortion. *Clin Pharmacol Ther* 2004;76:359-64.

Popot MA, Bonnaire Y, Guéchet J, Toutain PL. Hyaluronan in horses: physiological production rate, plasma and synovial fluid concentrations in control conditions and following sodium hyaluronate administration. *Equine Vet J* 2004;36:482-7.

Raguin G, Chêne G, Morand-Joubert L, Taburet AM, Droz C, Le Tiec C, *et al.* Salvage therapy with amprenavir, lopinavir and ritonavir 200 mg/d or 400 mg/d in HIV-infected patients in virological failure. *Antivir Ther* 2004;9:615-25.

Jan V, Cervera P, Maachi M, Baudrimont M, Kim M, Vidal H, *et al.* Altered fat differentiation and adipocytokine expression are inter-related and linked to morphological changes and insulin resistance in HIV-1-infected lipodystrophic patients. *Antivir Ther* 2004;9:555-64.

Sanmarco M, Roll P, Gayet S, Oksman F, Johanet C, Escande A, *et al.* Combined search for anti-beta2-glycoprotein I and anticardiolipin antibodies in antiphospholipid syndrome: contribution to diagnosis. *J Lab Clin Med* 2004;144:141-7.

Uzan C, Cortez A, Dufournet C, Fauvet R, Siffroi JP, Daraï E. Eutopic endometrium and peritoneal, ovarian and bowel endometriotic tissues express a different profile of matrix metalloproteinases-2, -3 and -11, and of tissue inhibitor metalloproteinases-1 and -2. *Virchows Arch* 2004;445:603-9.

Delmas O, Durand-Schneider AM, Cohen J, Colard O, Trugnan G. Spike protein VP4 assembly with maturing rotavirus requires a postendoplasmic reticulum event in polarized caco-2 cells. *J Virol* 2004;78:10987-94.

Maachi M, Fellahi S, Regeniter A, Diop ME, Capeau J, Rossert J, *et al.* Patterns of proteinuria: urinary sodium dodecyl sulfate electrophoresis versus immunonephelometric protein marker measurement followed by interpretation with the knowledge-based system MDI-LabLink. *Clin Chem* 2004;50:1834-7.

Boccon-Gibod L, Boman F, Boudjemaa S, Fabre M, Leverger G, Carney AJ. Separate occurrence of extra-adrenal paraganglioma and gastrointestinal stromal tumor in monozygotic twins: probable familial Carney syndrome. *Pediatr Dev Pathol* 2004;7:380-4.

Dridi L, Tankovic J, Petit JC. CdeA of *Clostridium difficile*, a new multidrug efflux transporter of the MATE family. *Microb Drug Resist* 2004;10:191-6.

Barranger E, Fay S, Cortez A, Uzan S, Daraï E. Place du prélèvement du ganglion sentinelle dans les cancers utérins. *Gynecol Obstet Fertil* 2004;32:694-702.

Wolf C, Quinn PJ. Membrane lipid homeostasis. *Subcell Biochem* 2004;37:317-57.

Koumanov KS, Wolf C, Quinn PJ. Lipid composition of membrane domains. *Subcell Biochem* 2004;37:153-63.

Gérard-Blanluet M, Birk-Møller L, Caubel I, Gélot A, Billette de Villemeur T, Horn N. Early development of occipital horns in a classical Menkes patient. *Am J Med Genet A* 2004;130A:211-3.

Mailloux A, Bruneel A, Vaubourdolle M, Baudin B. Cyclosporin A but not estradiol can protect endothelial cells against etoposide-induced apoptosis. *Endothelium* 2004;11:141-9.

Fonquernie L, Serfaty L, Charrois A, Wendum D, Lefebvre B, Girard PM, *et al.* Significance of hepatitis C virus coinfection with persistently normal alanine aminotransferase levels in HIV-1-infected patients. *HIV Med* 2004;5:385-90.

Hamon-Vilcot B, Simon T, Becquemont L, Poirier JM, Piette F, Jaillon P. Effects of malnutrition on cytochrome P450 1A2 activity in elderly patients. *Therapie* 2004;59:247-51.

Blons H, Feldmann D, Duval V, Messaz O, Denoyelle F, Loundon N, *et al.* Screening of SLC26A4 (PDS) gene in Pendred's syndrome: a large spectrum of mutations in France and phenotypic heterogeneity. *Clin Genet* 2004;66:333-40.

Bridoux-Henno L, Maggiore G, Johanet C, Fabre M, Vajro P, Dommergues JP, *et al.* Features and outcome of autoimmune hepatitis type 2 presenting with isolated positivity for anti-liver cytosol antibody. *Clin Gastroenterol Hepatol* 2004;2:825-30.

Meyohas MC, Lacombe K, Carbonne B, Morand-Joubert L, Girard PM. Enfuvirtide prescription at the end of pregnancy to a multi-treated HIV-infected woman with virological breakthrough. *AIDS* 2004;18:1966-8.

Delmas O, Gardet A, Chwetzoff S, Breton M, Cohen J, Colard O, *et al.* Different ways to reach the top of a cell. Analysis of rotavirus assembly and targeting in human intestinal cells reveals an original raft-dependent, Golgi-independent apical targeting pathway. *Virology* 2004;327:157-61.

Boyer J, Badis G, Fairhead C, Talla E, Hantraye F, Fabre E, *et al.* Large-scale exploration of growth inhibition caused by overexpression of genomic fragments in *Saccharomyces cerevisiae*. *Genome Biol* 2004;5:R72.

Domingo E, Laiho P, Ollikainen M, Pinto M, Wang L, French AJ, *et al.* BRAF screening as a low-cost effective strategy for simplifying HNPCC genetic testing. *J Med Genet* 2004;41:664-8.

Wendum D, Masliah J, Trugnan G, Fléjou JF. Cyclooxygenase-2 and its role in colorectal cancer development. *Virchows Arch* 2004;445:327-33.

Bouayed Abdelmoula N, Portnoï MF, Amouri A, Arladan A, Chakroun M, Saad A, *et al.* Turner syndrome female with a small ring X chromosome lacking the XIST, an

unexpectedly mild phenotype and an atypical association with alopecia universalis. *Ann Genet* 2004;47:305-13.

Chantot-Bastarud S, Muti C, Pipiras E, Routon MC, Roubergue A, Burglen L, *et al.* Clinical findings and cytogenetic analysis of small supernumerary ring chromosomes 7: report of two new cases. *Ann Genet* 2004;47:241-9.

Myara A, Guéchet J, Imbert-Bismut F, Lasnier E, Piton A, Voitot H, *et al.* Harmonization of liver enzyme results: calibration for aminotransferases and gamma glutamyltransferase. *J Hepatol* 2004;41:501-2.

Su XY, Busson M, Della Valle V, Ballerini P, Dastugue N, Talmant P, *et al.* Various types of rearrangements target TLX3 locus in T-cell acute lymphoblastic leukemia. *Genes Chromosomes Cancer* 2004;41:243-9.

Rieusset J, Bouzakri K, Chevillotte E, Ricard N, Jacquet D, Bastard JP, *et al.* Suppressor of cytokine signaling 3 expression and insulin resistance in skeletal muscle of obese and type 2 diabetic patients. *Diabetes* 2004;53:2232-41.

Hertig A, Berkane N, Lefevre G, Toumi K, Marti HP, Capeau J, *et al.* Maternal serum sFlt1 concentration is an early and reliable predictive marker of preeclampsia. *Clin Chem* 2004;50:1702-3.

Borie C, Raphaël M, Hamelin R, Duval A. Instabilité des microsatellites: un nouveau mécanisme de carcinogenèse associé à l'immunodépression dans les lymphomes non hodgkiniens chez l'homme. *Med Sci (Paris)* 2004;20:641-2.

Pagani F, Stefani F, Chapelle JP, Lefèvre G, Graïne H, Luthe H, *et al.* Multicenter evaluation of analytical performance of the Liaison troponin I assay. *Clin Biochem* 2004;37:750-7.

Hamelin R, Borie C, Raphaël M, Duval A. An immunogenic process leading to cancer in the context of immunodeficiency. *Cell Cycle* 2004;3:1130-2.

Lefrère JJ, Mariotti M, Laperche S, Brossard Y, Girot R, Lefrère F. Prevalence of Borna disease virus RNA in populations at high or low risk for blood-borne infections. *Transfusion* 2004;44:1396.

Develoux M. Ivermectine. *Ann Dermatol Venereol* 2004;131:561-70.

Sinico M, Touboul C, Haddad B, Encha-Razavi F, Paniel JB, Gicquel C, *et al.* Giant omphalocele and "prune belly" sequence as components of the Beckwith-Wiedemann syndrome. *Am J Med Genet A* 2004;129A:198-200.

Couvelard A, Paraf F, Vidaud D, Dubois S, Vidaud M, Fléjou JF, *et al.* Human chorionic gonadotrophin beta expression in malignant Barrett's oesophagus. *Virchows Arch* 2004;445:279-84.

Reis AF, Dubois-Laforgue D, Bellanné-Chantelot C, Timsit J, Velho G. A polymorphism in the promoter of UCP2 gene modulates lipid levels in patients with type 2 diabetes. *Mol Genet Metab* 2004;82:339-44.

Daraï E, Bazot M, Barranger E, Detchev R, Cortez A. Epithelioid angiomyolipoma of the uterus: a case report. *J Reprod Med* 2004;49:578-81.

Huguet S, Sghiri R, Ballot E, Johanet C. Etude analytique d'un dot blot pour la détection des auto-anticorps anti-Jo-1, anti-M2, anti-ribosomes et anti-LKM1. *Ann Biol Clin (Paris)* 2004;62:423-9.

Oliveira C, Westra JL, Arango D, Ollikainen M, Domingo E, Ferreira A, *et al.* Distinct patterns of KRAS mutations in colorectal carcinomas according to germline mismatch repair defects and hMLH1 methylation status. *Hum Mol Genet* 2004;13:2303-11.

Bollens D, Guiguet M, Tangre P, Rollinat L, Rachline A, Meynard JL, *et al.* Major hypertriglyceridemia in HIV-infected patients on antiretroviral therapy: a role of the personal and family history. *Infection* 2004;32:217-21.

Moore A, Amselem S, Duriez B, Escudier E. Bases moléculaires des dyskinésies ciliaires primitives. *Rev Mal Respir* 2004;21:521-6.

Bazot M, Thomassin I, Hourani R, Cortez A, Darai E. Diagnostic accuracy of transvaginal sonography for deep pelvic endometriosis. *Ultrasound Obstet Gynecol* 2004;24:180-5.

Cassinat B, Bellanné-Chantelot C, Notz-Carrère A, Menot ML, Vaury C, Micheau M, *et al.* Screening for G-CSF receptor mutations in patients with secondary myeloid or lymphoid transformation of severe congenital neutropenia. A report from the French neutropenia register. *Leukemia* 2004;18:1553-5.

Guillaud-Bataille M, Valent A, Soularue P, Perot C, Inda MM, Receveur A, *et al.* Detecting single DNA copy number variations in complex genomes using one

nanogram of starting DNA and BAC-array CGH. *Nucleic Acids Res* 2004;32:e112.

Crowley SD, Tharaux PL, Audoly LP, Coffman TM. Exploring type I angiotensin (AT1) receptor functions through gene targeting. *Acta Physiol Scand* 2004;181:561-70.

Grossfeld PD, Mattina T, Lai Z, Favier R, Jones KL, Cotter F, *et al.* The 11q terminal deletion disorder: a prospective study of 110 cases. *Am J Med Genet A* 2004;129A:51-61.

Barranger E, Cortez A, Uzan S, Callard P, Darai E. Value of intraoperative imprint cytology of sentinel nodes in patients with cervical cancer. *Gynecol Oncol* 2004;94:175-80.

Delaugerre C, Morand-Joubert L, Chaix ML, Picard O, Marcelin AG, Schneider V, *et al.* Persistence of multidrug-resistant HIV-1 without antiretroviral treatment 2 years after sexual transmission. *Antivir Ther* 2004;9:415-21.

Masquelier B, Tamalet C, Montès B, Descamps D, Peytavin G, Bocket L, *et al.* Genotypic determinants of the virological response to tenofovir disoproxil fumarate in nucleoside reverse transcriptase inhibitor-experienced patients. *Antivir Ther* 2004;9:315-23.

Bastard JP, Lagathu C, Maachi M, Kim M, Vigouroux C, Caron M, *et al.* Adipocytokines et résistance à l'insuline. *Journ Annu Diabetol Hotel Dieu* 2004:29-37.

Mounier N, Gisselbrecht C, Brière J, Haioun C, Feugier P, Offner F, *et al.* Prognostic factors in patients with aggressive non-Hodgkin's lymphoma treated by front-line autotransplantation after complete remission: a cohort study by the Groupe d'Etude des Lymphomes de l'Adulte. *J Clin Oncol* 2004;22:2826-34.

Boccon-Gibod L, van der Kwast TH, Montironi R, Boccon-Gibod L, Bono A, European Society of Urology, *et al.* Handling and pathology reporting of prostate biopsies. *Eur Urol* 2004;46:177-81.

Renault F. Place de l'ENMG dans le diagnostic de l'hypotonie du nouveau-né et du nourrisson. *Rev Med Liege* 2004;59 Suppl 1:190-7.

De Armas R, Sindou P, Gelot A, Routon MC, Ponsot G, Vallat JM. Demyelinating peripheral neuropathy associated with hemophagocytic lymphohistiocytosis. An immuno-electron microscopic study. *Acta Neuropathol* 2004;108:341-4.

Pellerin P, Elefant E. Un rôle difficile pour le pharmacien d'officine, le conseil en matière de médicament et grossesse. *Ann Pharm Fr* 2004;62:253-9.

Romney R, Biour M, Belloula D, Elbaz D, Carriere J, Cadranel JF. Hépatite aiguë à l'amoxicilline. *Gastroenterol Clin Biol* 2004;28:505-6.

Piercecchi-Marti MD, Liprandi A, Sigaudy S, Fredouille C, Adalian P, Figarella-Branger D, *et al.* Value of fetal autopsy after medical termination of pregnancy. *Forensic Sci Int* 2004;144:7-10.

Eholié SP, Lacombe K, Serfaty L, Wendum D, Girard PM. Acute hepatic cytolysis in an HIV-infected patient taking atazanavir. *AIDS* 2004;18:1610-1.

Merviel P, Antoine JM, Mathieu E, Millot F, Mandelbaum J, Uzan S. Luteinizing hormone concentrations after gonadotropin-releasing hormone antagonist administration do not influence pregnancy rates in in vitro fertilization-embryo transfer. *Fertil Steril* 2004;82:119-25.

Roupret M, Catto J, Coulet F, Azzouzi AR, Amira N, Karmouni T, *et al.* Microsatellite instability as indicator of MSH2 gene mutation in patients with upper urinary tract transitional cell carcinoma. *J Med Genet* 2004;41:e91.

Raslova H, Komura E, Le Couédic JP, Larbret F, Debili N, Feunteun J, *et al.* FLI1 monoallelic expression combined with its hemizygous loss underlies Paris-Trousseau/Jacobsen thrombopenia. *J Clin Invest* 2004;114:77-84.

Rouillac-Le Sciellour C, Puillandre P, Gillot R, Baulard C, Métral S, Le Van Kim C, *et al.* Large-scale pre-diagnosis study of fetal RHD genotyping by PCR on plasma DNA from RhD-negative pregnant women. *Mol Diagn* 2004;8:23-31.

Dujon B, Sherman D, Fischer G, Durrens P, Casaregola S, Lafontaine I, *et al.* Genome evolution in yeasts. *Nature* 2004;430:35-44.

Desmaële D, Delarue-Cochin S, Cavé C, D'Angelo J, Morgant G. Asymmetric Michael reaction involving chiral imines/secondary enamines: stereocontrolled synthesis of 2,2-disubstituted tetrahydrothiophen-3-ones. *Org Lett* 2004;6:2421-4.

Bridoux F, Kyndt X, Abou-Ayache R, Mougnot B, Baillet S, Bauwens M, *et al.* Proximal tubular dysfunction in primary Sjögren's syndrome: a clinicopathological

study of 2 cases. Clin Nephrol 2004;61:434-9.

Audard V, Damaj G, Rubio MT, Aucouturier P, Hermine O, Varet B. Idiopathic light-chain proteinuria: case report and review of the literature. Am J Hematol 2004;76:293-4.

Emile JF, Théou N, Tabone S, Cortez A, Terrier P, Chaumette MT, *et al.* Clinicopathologic, phenotypic, and genotypic characteristics of gastrointestinal mesenchymal tumors. Clin Gastroenterol Hepatol 2004;2:597-605.

Guillausseau PJ, Dubois-Laforgue D, Massin P, Laloi-Michelin M, Bellanné-Chantelot C, Gin H, *et al.* Heterogeneity of diabetes phenotype in patients with 3243 bp mutation of mitochondrial DNA (Maternally Inherited Diabetes and Deafness or MIDD). Diabetes Metab 2004;30:181-6.

Maier-Redelsperger M, Flahault A, Neonato MG, Girot R, Labie D. Automated analysis of mature red blood cells and reticulocytes in SS and SC disease. Blood Cells Mol Dis 2004;33:15-24.

Handra-Luca A, Couvelard A, Sauvanet A, Fléjou JF, Degott C. Mucinous cystadenoma with mesenchymal over-growth: a new variant among pancreatic mucinous cystadenomas? Virchows Arch 2004;445:203-5.

Mario N, Pernet P, Lasnier E, Hermand C, Vaubourdolle M. Impact de la vague de chaleur d'août 2003 sur l'activité d'un laboratoire hospitalier parisien de biochimie. Ann Biol Clin (Paris) 2004;62:356-60.

Lerouge D, Touboul E, Lefranc JP, Uzan S, Jannet D, Moureau-Zabotto L, *et al.* Association concomitante préopératoire de radiothérapie et de chimiothérapie dans les cancers du col utérin opérables de stades IB2, IIA et IIB proximal de gros volume. *Cancer Radiother* 2004;8:168-77.

Sanlaville D, Vialard F, Thépot F, Vue-Droy L, Ardalan A, Nizard P, *et al.* Functional disomy of Xp including duplication of DAX1 gene with sex reversal due to t(X;Y)(p21.2;p11.3). *Am J Med Genet A* 2004;128A:325-30.

Flejou JF. Lésions précancéreuses et MICI Aspects anatomopathologiques. *Gastroenterol Clin Biol* 2004;28:D140-8.

Maachi M, Piéroni L, Bruckert E, Jardel C, Fellahi S, Hainque B, *et al.* Systemic low-grade inflammation is related to both circulating and adipose tissue TNFalpha, leptin and IL-6 levels in obese women. *Int J Obes Relat Metab Disord* 2004;28:993-7.

Molinié V, Fromont G, Sibony M, Vieillefond A, Vassiliu V, Cochand-Priollet B, *et al.* Diagnostic utility of a p63/alpha-methyl-CoA-racemase (p504s) cocktail in atypical foci in the prostate. *Mod Pathol* 2004;17:1180-90.

Bazot M, Darai E, Hourani R, Thomassin I, Cortez A, Uzan S, *et al.* Deep pelvic endometriosis: MR imaging for diagnosis and prediction of extension of disease. *Radiology* 2004;232:379-89.

Pizzonero M, Keller L, Dumas F, Ourevitch M, Morgant G, Spasojevi?-de Biré A, *et al.* Crystallographic/experimental electron density characterizations and reactions with nucleophiles of beta-enaminonitriles possessing a pyrrolobenzazepine core. *J Org Chem* 2004;69:4336-50.

Baudouin V, Dehée A, Pédrón-Grossetete B, Ansart-Pirenne H, Haddad E, Maisin A, *et al.* Relationship between CD8+ T-cell phenotype and function, Epstein-Barr virus load, and clinical outcome in pediatric renal transplant recipients: a prospective study. *Transplantation* 2004;77:1706-13.

Totet A, Latouche S, Lacube P, Pautard JC, Jounieaux V, Raccurt C, *et al.* Pneumocystis jirovecii dihydropteroate synthase genotypes in immunocompetent infants and immunosuppressed adults, Amiens, France. *Emerg Infect Dis* 2004;10:667-73.

Simon T, Jaillon P. Controverses sur le risque artériel du traitement hormonal substitutif. *Thérapie* 2004;59:63-70.

Pinet F, Poirier F, Fuchs S, Tharaux PL, Caron M, Corvol P, *et al.* Analyse protéomique des protéines impliquées dans le phénotype rénal en hypertension rénovasculaire. *Thérapie* 2004;59:13-20.

Rosa I, Serpaggi J, Delacroix I, Hagège H, Chousterman M, Bitar I, *et al.* An unusual case of bowel obstruction. *Gut* 2004;53:964, 979.

Lehours P, Dupouy S, Bergey B, Ruskoné-Foumestraux A, Delchier JC, Rad R, *et al.* Identification of a genetic marker of Helicobacter pylori strains involved in gastric extranodal marginal zone B cell lymphoma of the MALT-type. *Gut* 2004;53:931-7.

Giansily-Blaizot M, Verdier R, Biron-Adréani C, Schved JF, Bertrand MA, Borg JY, *et al.* Analysis of biological phenotypes from 42 patients with inherited factor VII deficiency: can biological tests predict the bleeding risk? *Haematologica* 2004;89:704-9.

Armand AS, Lécolle S, Launay T, Pariset C, Fiore F, Della Gaspera B, *et al.* IGF-II is up-regulated and myofibres are hypertrophied in regenerating soleus of mice lacking FGF6. *Exp Cell Res* 2004;297:27-38.

Poulet B, Kettaneh A, Barrat C, Fain O, Prévot S. Une cause rare de colite ischémique nécrosante. *Ann Pathol* 2004;24:75-6.

Tissier F, Louvel A, Grabar S, Hagnéré AM, Bertherat J, Vacher-Lavenu MC, *et al.* Cyclin E correlates with malignancy and adverse prognosis in adrenocortical tumors. *Eur J Endocrinol* 2004;150:809-17.

Terre C, Eclache V, Rousselot P, Imbert M, Charrin C, Gervais C, *et al.* Report of 34 patients with clonal chromosomal abnormalities in Philadelphia-negative cells during imatinib treatment of Philadelphia-positive chronic myeloid leukemia. *Leukemia* 2004;18:1340-6.

Corpechot C, Poujol-Robert A, Wendum D, Galotte M, Chrétien Y, Poupon RE, *et al.* Biochemical markers of liver fibrosis and lymphocytic piecemeal necrosis in UDCA-treated patients with primary biliary cirrhosis. *Liver Int* 2004;24:187-93.

Huguet S, Labas V, Duclos-Vallee JC, Bruneel A, Vinh J, Samuel D, *et al.* Heterogeneous nuclear ribonucleoprotein A2/B1 identified as an autoantigen in autoimmune hepatitis by proteome analysis. *Proteomics* 2004;4:1341-5.

Mourra N, Nion I, Parc R, Flejou JF. Squamous metaplasia of the peritoneum: a potential diagnostic pitfall. *Histopathology* 2004;44:621-2.

Baudon JJ, Johanet C, Absalon YB, Morgant G, Cabrol S, Mougnot JF. Diagnosing celiac disease: a comparison of human tissue transglutaminase antibodies with antigliadin and antiendomysium antibodies. *Arch Pediatr Adolesc Med* 2004;158:584-8.

Abdelmoula NB, Amouri A, Portnoi MF, Saad A, Boudawara T, Mhiri MN, *et al.* Cytogenetics and fluorescence in situ hybridization assessment of sex-chromosome mosaicism in Klinefelter's syndrome. *Ann Genet* 2004;47:163-75.

Liu YM, Moldes M, Bastard JP, Bruckert E, Viguerie N, Hainque B, *et al.* Adiponutrin: A new gene regulated by energy balance in human adipose tissue. *J Clin Endocrinol Metab* 2004;89:2684-9.

Etienne J, Dorme N, Bourg-Heckly G, Raimbert P, Fléjou JF, Flijou JF. Photodynamic therapy with green light and m-tetrahydroxyphenyl chlorin for intramucosal adenocarcinoma and high-grade dysplasia in Barrett's esophagus. *Gastrointest Endosc* 2004;59:880-9.

Barranger E, Montravers F, Kerrou K, Marpeau O, Raileanu I, Antoine M, *et al.* Contralateral axillary sentinel lymph node drainage in breast cancer: a case report. *J Surg Oncol* 2004;86:167-9.

Barranger E, Antoine M, Grahek D, Callard P, Uzan S. Intraoperative imprint cytology of sentinel nodes in breast cancer. *J Surg Oncol* 2004;86:128-33.

Reijasse D, Le Pendeven C, Cosnes J, Dehee A, Gendre JP, Nicolas JC, *et al.* Epstein-Barr virus viral load in Crohn's disease: effect of immunosuppressive

therapy. *Inflamm Bowel Dis* 2004;10:85-90.

Thomassin I, Bazot M, Detchev R, Barranger E, Cortez A, Darai E. Symptoms before and after surgical removal of colorectal endometriosis that are assessed by magnetic resonance imaging and rectal endoscopic sonography. *Am J Obstet Gynecol* 2004;190:1264-71.

Fouquet C, Antoine M, Tisserand P, Favis R, Wislez M, Commo F, *et al.* Rapid and sensitive p53 alteration analysis in biopsies from lung cancer patients using a functional assay and a universal oligonucleotide array: a prospective study. *Clin Cancer Res* 2004;10:3479-89.

Tchovelidze C, Sibony M, Callard P, Guetta T, Lababidi H, Arvis G. The testicular biopsy and spermatogenesis disturbance of infertile patients with bilateral varicocele. *Arkh Patol* 2004;66:40-5.

Barranger E, Cortez A, Commo F, Marpeau O, Uzan S, Darai E, *et al.* Histopathological validation of the sentinel node concept in cervical cancer. *Ann Oncol* 2004;15:870-4.

Génissel P, Chodjania Y, Demolis JL, Ragueneau I, Jaillon P. Assessment of the sustained release properties of a new oral formulation of trimetazidine in pigs and dogs and confirmation in healthy human volunteers. *Eur J Drug Metab Pharmacokinet* 2004;29:61-8.

Feldmann D, Denoyelle F, Chauvin P, Garabédian EN, Couderc R, Odent S, *et al.* Large deletion of the GJB6 gene in deaf patients heterozygous for the GJB2 gene mutation: genotypic and phenotypic analysis. *Am J Med Genet A* 2004;127A:263-7.

Stemmer-Rachamimov AO, Louis DN, Nielsen GP, Antonescu CR, Borowsky AD, Bronson RT, *et al.* Comparative pathology of nerve sheath tumors in mouse models and humans. *Cancer Res* 2004;64:3718-24.

Deux JF, Salomon L, Barrier A, Callard P, Bazot M. Acute torsion of wandering spleen: MRI findings. *AJR Am J Roentgenol* 2004;182:1607-8.

Bazot M, Cortez A, Sananes S, Buy JN. Imaging of pure primary ovarian choriocarcinoma. *AJR Am J Roentgenol* 2004;182:1603-4.

Boudjemaa S, Boman F, Guigonis V, Boccon-Gibod L. Brain involvement in multicentric Epstein-Barr virus-associated smooth muscle tumours in a child after kidney transplantation. *Virchows Arch* 2004;444:387-91.

Bats AS, Lejeune V, Cynober E, Safar E, Gonzales M, Milliez J, *et al.* Antiphospholipid syndrome and second- or third-trimester fetal death: follow-up in the next pregnancy. *Eur J Obstet Gynecol Reprod Biol* 2004;114:125-9.

Youssef N, Petitjean B, Bonte H, Terris B, de Saint Maur PP, Fléjou JF. Non-alcoholic duct destructive chronic pancreatitis: a histological, immunohistochemical and in-situ apoptosis study of 18 cases. *Histopathology* 2004;44:453-61.

Stacher E, Ullmann R, Halbwedl I, Gogg-Kammerer M, Boccon-Gibod L, Nicholson AG, *et al.* Atypical goblet cell hyperplasia in congenital cystic adenomatoid malformation as a possible preneoplasia for pulmonary adenocarcinoma in childhood: A genetic analysis. *Hum Pathol* 2004;35:565-70.

Le Guyader N, Auvrignon A, Vu-Thien H, Portier E, Tabone MD, Leverger G. Piperacillin-tazobactam and netilmicin as a safe and efficacious empirical treatment of febrile neutropenic children. *Support Care Cancer* 2004;12:720-4.

Nizard S, Barthez-Carpentier MA, Gelot A, Hebert C, Abimelech M, Esperandieu O. Les agénésies isolées et familiales du corps calleux sont-elles de bon pronostic? *Arch Pediatr* 2004;11:429-31.

Gougeon ML, Pénicaud L, Fromenty B, Leclercq P, Viard JP, Capeau J. Adipocytes targets and actors in the pathogenesis of HIV-associated lipodystrophy and metabolic alterations. *Antivir Ther* 2004;9:161-77.

Totet A, Duwat H, Magois E, Jounieaux V, Roux P, Raccurt C, *et al.* Similar genotypes of *Pneumocystis jirovecii* in different forms of *Pneumocystis* infection. *Microbiology* 2004;150:1173-8.

Lefrère JJ, Roudot-Thoraval F, Lunel F, Alain S, Chaix ML, Dussaix E, *et al.* Expertise of French laboratories in detection, genotyping, and quantification of hepatitis C virus RNA in serum. *J Clin Microbiol* 2004;42:2027-30.

Hokynar K, Norja P, Laitinen H, Palomäki P, Garbarg-Chenon A, Ranki A, *et al.* Detection and differentiation of human parvovirus variants by commercial quantitative real-time PCR tests. *J Clin Microbiol* 2004;42:2013-9.

Gonçalves C, Decré D, Barbut F, Burghoffer B, Petit JC. Prevalence and characterization of a binary toxin (actin-specific ADP-ribosyltransferase) from *Clostridium difficile*. *J Clin Microbiol* 2004;42:1933-9.

Beaugerie L, Petit JC. Microbial-gut interactions in health and disease. Antibiotic-associated diarrhoea. *Best Pract Res Clin Gastroenterol* 2004;18:337-52.

de Lonlay P, Giurgea I, Robert JJ, Fournet JC, Touati G, Nihoul-Fékété C, *et al.* Hyperinsulinemic hypoglycemia in children. *Ann Endocrinol (Paris)* 2004;65:96-8.

Le Ray C, Coulomb A, Elefant E, Frydman R, Audibert F. Mycophenolate mofetil in pregnancy after renal transplantation: a case of major fetal malformations. *Obstet Gynecol* 2004;103:1091-4.

Gerotziafas GT, Chakroun T, Depasse F, Arzoglou P, Samama MM, Elalamy I. The role of platelets and recombinant factor VIIa on thrombin generation, platelet activation and clot formation. *Thromb Haemost* 2004;91:977-85.

Morin S, Bodin L, Lorient MA, Thijssen HH, Robert A, Strabach S, *et al.* Pharmacogenetics of acenocoumarol pharmacodynamics. *Clin Pharmacol Ther* 2004;75:403-14.

Flamant C, Henrion-Caude A, Boëlle PY, Brémont F, Brouard J, Delaisi B, *et al.* Glutathione-S-transferase M1, M3, P1 and T1 polymorphisms and severity of lung disease in children with cystic fibrosis. *Pharmacogenetics* 2004;14:295-301.

Chatziantoniou C, Boffa JJ, Tharaux PL, Flamant M, Ronco P, Dussaule JC. Progression and regression in renal vascular and glomerular fibrosis. *Int J Exp Pathol* 2004;85:1-11.

Ugo V, Marzac C, Teyssandier I, Larbret F, Lécluse Y, Debili N, *et al.* Multiple signaling pathways are involved in erythropoietin-independent differentiation of erythroid progenitors in polycythemia vera. *Exp Hematol* 2004;32:179-87.

Rosset MB, Ballerini C, Gregoire S, Metharom P, Carnaud C, Aucouturier P. Breaking immune tolerance to the prion protein using prion protein peptides plus oligodeoxynucleotide-CpG in mice. *J Immunol* 2004;172:5168-74.

Lepreux S, Bioulac-Sage P, Gabbiani G, Sapin V, Housset C, Rosenbaum J, *et al.* Cellular retinol-binding protein-1 expression in normal and fibrotic/cirrhotic human liver: different patterns of expression in hepatic stellate cells and (myo)fibroblast subpopulations. *J Hepatol* 2004;40:774-80.

Gerotziafas GT, Depasse F, Chakroun T, Van Dreden P, Samama MM, Elalamy I. Comparison of the effect of fondaparinux and enoxaparin on thrombin generation during in-vitro clotting of whole blood and platelet-rich plasma. *Blood Coagul Fibrinolysis* 2004;15:149-56.

Flandre P, Alcais A, Descamps D, Morand-Joubert L, Joly V. Estimating and comparing reduction in HIV-1 RNA in clinical trials using methods for interval censored data. *J Acquir Immune Defic Syndr* 2004;35:286-92.

Gregoire S, Logre C, Metharom P, Loing E, Chomilier J, Rosset MB, *et al.* Identification of two immunogenic domains of the prion protein--PrP--which activate class II-restricted T cells and elicit antibody responses against the native molecule. *J Leukoc Biol* 2004;76:125-34.

Zompi S, Couderc LJ, Cadranet J, Antoine M, Epardeau B, Fleury-Feith J, *et al.* Clonality analysis of alveolar B lymphocytes contributes to the diagnostic strategy in clinical suspicion of pulmonary lymphoma. *Blood* 2004;103:3208-15.

Barranger E, Cortez A, Grahek D, Callard P, Uzan S, Darai E. Laparoscopic sentinel node procedure for cervical cancer: impact of neoadjuvant chemoradiotherapy. *Ann Surg Oncol* 2004;11:445-52.

Bellanné-Chantelot C, Chauveau D, Gautier JF, Dubois-Laforgue D, Clauin S, Beaufile S, *et al.* Clinical spectrum associated with hepatocyte nuclear factor-1beta mutations. *Ann Intern Med* 2004;140:510-7.

Théou N, Tabone S, Saffroy R, Le Cesne A, Julié C, Cortez A, *et al.* High expression of both mutant and wild-type alleles of c-kit in gastrointestinal stromal tumors. *Biochim Biophys Acta* 2004;1688:250-6.

Bénéteau-Burnat B, Bocque MC, Lorin A, Martin C, Vaubourdolle M. Evaluation of the blood gas analyzer Gem PREMIER 3000. *Clin Chem Lab Med* 2004;42:96-101.

Tse C, Lefevre G, Berkane N, Flahault A, Toumi K, Brault D, *et al.* Increased serum maternal levels of the HER2 oncoprotein p105 ectodomain in preeclampsia. *Clin Chem Lab Med* 2004;42:142-6.

Taburet AM, Raguin G, Le Tiec C, Droz C, Barrail A, Vincent I, *et al.* Interactions between amprenavir and the lopinavir-ritonavir combination in heavily pretreated patients infected with human immunodeficiency virus. *Clin Pharmacol Ther* 2004;75:310-23.

Compérat E, De Saint-Maur PP, Kharsa G, Fléjou JF. Ossification hétérotopique du mésentère: une cause rare d'occlusion post-opératoire. *Gastroenterol Clin Biol* 2004;28:188-9.

Le Caignec C, Gicquel C, Gubler MC, Guyot C, You MC, Laurent A, *et al.* Sonographic findings in Beckwith-Wiedemann syndrome related to H19 hypermethylation. *Prenat Diagn* 2004;24:165-8.

Poujol-Robert A, Boëlle PY, Poupon R, Robert A. Factor V Leiden as a risk factor for cirrhosis in chronic hepatitis C. *Hepatology* 2004;39:1174-5.

Méry L, Girot R, Aractingi S. Topical effectiveness of molgramostim (GM-CSF) in sickle cell leg ulcers. *Dermatology* 2004;208:135-7.

Poujol-Robert A, Rosmorduc O, Serfaty L, Coulet F, Poupon R, Robert A. Genetic and acquired thrombotic factors in chronic hepatitis C. *Am J Gastroenterol* 2004;99:527-31.

Alyanakian MA, Abbas A, Delarue R, Arnulf B, Aucouturier P. Free immunoglobulin light-chain serum levels in the follow-up of patients with monoclonal gammopathies: correlation with 24-hr urinary light-chain excretion. *Am J Hematol* 2004;75:246-8.

Asnafi V, Beldjord K, Libura M, Villarese P, Millien C, Ballerini P, *et al.* Age-related phenotypic and oncogenic differences in T-cell acute lymphoblastic leukemias may reflect thymic atrophy. *Blood* 2004;104:4173-80.

Pedersen RS, Verstuyft C, Becquemont L, Jaillon P, Brøsen K. Cytochrome P4502C9 (CYP2C9) genotypes in a Nordic population in Denmark. *Basic Clin Pharmacol Toxicol* 2004;94:151-2.

Lacombe M, Esteva B, Tillous-Borde I, Lesèche G. Anévrisme sous-clavier associé à un syndrome de Turner. Arch Pediatr 2004;11:344-6.

Gluckman E, Rocha V, Arcese W, Michel G, Sanz G, Chan KW, *et al.* Factors associated with outcomes of unrelated cord blood transplant: guidelines for donor choice. Exp Hematol 2004;32:397-407.

Duval A, Raphael M, Brennetot C, Poirel H, Buhard O, Aubry A, *et al.* The mutator pathway is a feature of immunodeficiency-related lymphomas. Proc Natl Acad Sci U S A 2004;101:5002-7.

Eckert C, Gautier V, Saladin-Allard M, Hidri N, Verdet C, Ould-Hocine Z, *et al.* Dissemination of CTX-M-type beta-lactamases among clinical isolates of Enterobacteriaceae in Paris, France. Antimicrob Agents Chemother 2004;48:1249-55.

Bastard JP. Résistance à l'insuline et expression des gènes du tissu adipeux chez l'homme. Ann Biol Clin (Paris) 2004;62:25-31.

Bayle M, Chevenne D, Dousset B, Lahlou N, Le Bouc Y, Massart C, *et al.* Recommandations pour l'harmonisation des techniques de dosage sérique d'hormone de croissance. Ann Biol Clin (Paris) 2004;62:155-63.

Lagorce-Pagès C, Paraf F, Wendum D, Martin A, Fléjou JF. Expression of inflammatory secretory phospholipase A2 and cytosolic phospholipase A2 in premalignant and malignant Barrett's oesophagus. Virchows Arch 2004;444:426-35.

Eschwege V, Trillard M, Robert A. Overestimation of plasma level of factor V coagulant activity due to unrecognised preanalytical coagulation. *Thromb Haemost* 2004;91:827-8.

Lefrère JJ, Morand-Joubert L. Non-progression of HIV infection 20 years after diagnosis. *Transfusion* 2004;44:623-4.

Boëlle PY, Fagnani F, Valleron AJ, Detournay B, El Hasnaoui A, Halioua B, *et al.* Un modèle épidémiologique de l'herpès génital pour l'évaluation des interventions thérapeutiques et prophylactiques. *Ann Dermatol Venereol* 2004;131:17-26.

Sockeel P, Abbey-Toby A, Regimbeau JM, Cazals-Hatem D, Belghiti J, Sauvanet A. Adénocarcinome hépatoïde du bas oesophage. *Gastroenterol Clin Biol* 2004;28:84-6.

Wendum D, Prevot S, Poujol-Robert A, Rosmorduc O, Cabane J, Fouillard L, *et al.* Mastocytose systémique avec atteinte hépatique révélatrice. *Gastroenterol Clin Biol* 2004;28:80-3.

Feng Y, Rainteau D, Chachaty C, Yu ZW, Wolf C, Quinn PJ. Characterization of a quasicrystalline phase in codispersions of phosphatidylethanolamine and glucocerebroside. *Biophys J* 2004;86:2208-17.

Algaba F, Trias I, Scarpelli M, Boccon-Gibod L, Kirkali Z, Van Poppel H. Handling and pathology reporting of renal tumor specimens. *Eur Urol* 2004;45:437-43.

Amiel C, Ostertag A, Slama L, Baudoin C, N'Guyen T, Lajeunie E, *et al.* BMD is reduced in HIV-infected men irrespective of treatment. *J Bone Miner Res*

2004;19:402-9.

Tredano M, Griese M, Brasch F, Schumacher S, de Blic J, Marque S, *et al.* Mutation of SFTPC in infantile pulmonary alveolar proteinosis with or without fibrosing lung disease. *Am J Med Genet A* 2004;126A:18-26.

Charrin C, Thomas X, Ffrench M, Le QH, Andrieux J, Mozziconacci MJ, *et al.* A report from the LALA-94 and LALA-SA groups on hypodiploidy with 30 to 39 chromosomes and near-triploidy: 2 possible expressions of a sole entity conferring poor prognosis in adult acute lymphoblastic leukemia (ALL). *Blood* 2004;104:2444-51.

François H, Placier S, Flamant M, Tharaux PL, Chansel D, Dussaule JC, *et al.* Prevention of renal vascular and glomerular fibrosis by epidermal growth factor receptor inhibition. *FASEB J* 2004;18:926-8.

Estrade V, Traxer O, Sibony M, Haab F. Fibrose rétroperitonéale. *Ann Urol (Paris)* 2004;38:3-13.

Boman F, Bossard C, Fabre M, Diab N, Bonnevalle M, Boccon-Gibod L. Mesenchymal hamartomas of the liver may be associated with increased serum alpha foetoprotein concentrations and mimic hepatoblastomas. *Eur J Pediatr Surg* 2004;14:63-6.

Legoff J, Amiel C, Calisonni O, Fromentin D, Rajoely B, Abuaf N, *et al.* Early impairment of CD8+ T cells immune response against Epstein-Barr virus (EBV) antigens associated with high level of circulating mononuclear EBV DNA load in HIV infection. *J Clin Immunol* 2004;24:125-34.

Wislez M, Philippe C, Antoine M, Rabbe N, Moreau J, Bellocq A, *et al.* Upregulation of bronchioloalveolar carcinoma-derived C-X-C chemokines by tumor infiltrating inflammatory cells. *Inflamm Res* 2004;53:4-12.

Bassez G, Camand OJ, Cacheux V, Kobetz A, Dastot-Le Moal F, Marchant D, *et al.* Pleiotropic and diverse expression of ZFH1B gene transcripts during mouse and human development supports the various clinical manifestations of the "Mowat-Wilson" syndrome. *Neurobiol Dis* 2004;15:240-50.

Donadieu J, Rolon MA, Thomas C, Brugieres L, Plantaz D, Emile JF, *et al.* Endocrine involvement in pediatric-onset Langerhans' cell histiocytosis: a population-based study. *J Pediatr* 2004;144:344-50.

Reznik Y, Dao T, Coutant R, Chiche L, Jeannot E, Clauin S, *et al.* Hepatocyte nuclear factor-1 alpha gene inactivation: cosegregation between liver adenomatosis and diabetes phenotypes in two maturity-onset diabetes of the young (MODY)3 families. *J Clin Endocrinol Metab* 2004;89:1476-80.

Baujat G, Rio M, Rossignol S, Sanlaville D, Lyonnet S, Le Merrer M, *et al.* Paradoxical NSD1 mutations in Beckwith-Wiedemann syndrome and 11p15 anomalies in Sotos syndrome. *Am J Hum Genet* 2004;74:715-20.

Tessier C, Quinn P, Koumanov K, Trugnan G, Rainteau D, Wolf C. Modulation of the phase heterogeneity of aminoglycerophospholipid mixtures by sphingomyelin and monovalent cations: maintenance of the lamellar arrangement in the biological membranes. *Eur Biophys J* 2004;33:513-21.

Lebray P, Zylberberg H, Hue S, Poulet B, Carnot F, Martin S, *et al.* Influence of HFE gene polymorphism on the progression and treatment of chronic hepatitis C. *J Viral Hepat* 2004;11:175-82.

Lefrère JJ, Girot R, Lefrère F, Guillaume N, Lerable J, Le Marrec N, *et al.* Complete or partial seroreversion in immunocompetent individuals after self-limited HCV infection: consequences for transfusion. *Transfusion* 2004;44:343-8.

Barranger E, Cortez A, Grahek D, Callard P, Uzan S, Darai E. Laparoscopic sentinel node procedure using a combination of patent blue and radiocolloid in women with endometrial cancer. *Ann Surg Oncol* 2004;11:344-9.

Ballot E, Bandin O, Chazouilleres O, Johanet C, Poupon R. Immune response to lipopolysaccharide in primary biliary cirrhosis and autoimmune diseases. *J Autoimmun* 2004;22:153-8.

Cazeneuve C, Papin S, Jéru I, Duquesnoy P, Amselem S. Subcellular localisation of marenostriin/pyrin isoforms carrying the most common mutations involved in familial Mediterranean fever in the presence or absence of its binding partner ASC. *J Med Genet* 2004;41:e24.

Gerotziafas GT, Depasse F, Chakroun T, Samama MM, Elalamy I. Recombinant factor VIIa partially reverses the inhibitory effect of fondaparinux on thrombin generation after tissue factor activation in platelet rich plasma and whole blood. *Thromb Haemost* 2004;91:531-7.

Barnaud G, Benzerara Y, Gravisse J, Raskine L, Sanson-Le Pors MJ, Labia R, *et al.* Selection during cefepime treatment of a new cephalosporinase variant with extended-spectrum resistance to cefepime in an *Enterobacter aerogenes* clinical isolate. *Antimicrob Agents Chemother* 2004;48:1040-2.

Elefteriou F, Takeda S, Ebihara K, Magre J, Patano N, Kim CA, *et al.* Serum leptin level is a regulator of bone mass. *Proc Natl Acad Sci U S A* 2004;101:3258-63.

Umar A, Boland CR, Terdiman JP, Syngal S, de la Chapelle A, Rüschoff J, *et al.* Revised Bethesda Guidelines for hereditary nonpolyposis colorectal cancer (Lynch syndrome) and microsatellite instability. *J Natl Cancer Inst* 2004;96:261-8.

Bavoux F, Elefant E. Risques des médicaments. *J Gynecol Obstet Biol Reprod (Paris)* 2004;33:S29-32.

Bellanné-Chantelot C, Clauin S, Leblanc T, Cassinat B, Rodrigues-Lima F, Beaufile S, *et al.* Mutations in the ELA2 gene correlate with more severe expression of neutropenia: a study of 81 patients from the French Neutropenia Register. *Blood* 2004;103:4119-25.

Parc Y, Gueroult S, Mourra N, Serfaty L, Fléjou JF, Tiret E, *et al.* Prognostic significance of microsatellite instability determined by immunohistochemical staining of MSH2 and MLH1 in sporadic T3N0M0 colon cancer. *Gut* 2004;53:371-5.

Mignot C, Boespflug-Tanguy O, Gelot A, Dautigny A, Pham-Dinh D, Rodriguez D. Alexander disease: putative mechanisms of an astrocytic encephalopathy. *Cell Mol Life Sci* 2004;61:369-85.

Giurgea I, Laborde K, Touati G, Bellanné-Chantelot C, Nassogne MC, Sempoux C, *et al.* Acute insulin responses to calcium and tolbutamide do not differentiate focal from diffuse congenital hyperinsulinism. *J Clin Endocrinol Metab* 2004;89:925-9.

Donadieu J, Rolon MA, Pion I, Thomas C, Doz F, Barkaoui M, *et al.* Incidence of growth hormone deficiency in pediatric-onset Langerhans cell histiocytosis: efficacy and safety of growth hormone treatment. *J Clin Endocrinol Metab*

2004;89:604-9.

Gervois P, Kleemann R, Pilon A, Percevault F, Koenig W, Staels B, *et al.* Global suppression of IL-6-induced acute phase response gene expression after chronic in vivo treatment with the peroxisome proliferator-activated receptor- α activator fenofibrate. *J Biol Chem* 2004;279:16154-60.

Marivingt-Mounir C, Norez C, Dérand R, Bulteau-Pignoux L, Nguyen-Huy D, Viossat B, *et al.* Synthesis, SAR, crystal structure, and biological evaluation of benzoquinoliziniums as activators of wild-type and mutant cystic fibrosis transmembrane conductance regulator channels. *J Med Chem* 2004;47:962-72.

Handra-Luca A, Couvelard A, Degott C, Fléjou JF. Correlation between patterns of DNA mismatch repair hmlh1 and hmsh2 protein expression and progression of dysplasia in intraductal papillary mucinous neoplasms of the pancreas. *Virchows Arch* 2004;444:235-8.

Schneider V, Legoff J, Bélec L, Delphin N, Dutreuil C, Kara-Mostefa A, *et al.* Peptide insertions in reverse transcriptase pol gene of human immunodeficiency virus type 1 as a rare cause of persistent antiretroviral therapeutic failure. *Clin Microbiol Infect* 2004;10:127-36.

Quijano-Roy S, Renault F, Romero N, Guicheney P, Fardeau M, Estournet B. EMG and nerve conduction studies in children with congenital muscular dystrophy. *Muscle Nerve* 2004;29:292-9.

Bienvenu G, Seurin D, Grellier P, Froment P, Baudrimont M, Monget P, *et al.* Insulin-like growth factor binding protein-6 transgenic mice: postnatal growth, brain development, and reproduction abnormalities. *Endocrinology* 2004;145:2412-20.

Simon T, Boutouyrie P, Gompel A, Christin-Maitre S, Laurent S, Thuillez C, *et al.* Rationale, design and methods of the CASHMERE study. *Fundam Clin Pharmacol* 2004;18:131-8.

Trout H, Mentré F, Panhard X, Kodjo A, Escaut L, Pernet P, *et al.* Enhanced saquinavir exposure in human immunodeficiency virus type 1-infected patients with diarrhea and/or wasting syndrome. *Antimicrob Agents Chemother* 2004;48:538-45.

Goldenberg A, Wolf C, Chevy F, Benachi A, Dumez Y, Munnich A, *et al.* Antenatal manifestations of Smith-Lemli-Opitz (RSH) syndrome: a retrospective survey of 30 cases. *Am J Med Genet A* 2004;124A:423-6.

Salomon LJ, Detchev R, Barranger E, Cortez A, Callard P, Darai E. Treatment of anterior vaginal wall prolapse with porcine skin collagen implant by the transobturator route: preliminary results. *Eur Urol* 2004;45:219-25.

Gicquel C, Weiss J, Amiel J, Gaston V, Le Bouc Y, Scott CD. Epigenetic abnormalities of the mannose-6-phosphate/IGF2 receptor gene are uncommon in human overgrowth syndromes. *J Med Genet* 2004;41:e4.

Mosnier I, Rondini-Gilli E, Crosara PT, Belmatoug N, Cyna-Gorse F, Cazals-Hatem D, *et al.* Langerhans' cell histiocytosis of the labyrinth in adults. *Otol Neurotol* 2004;25:27-32.

Mourra N, Bell S, Parc R, Flejou JF. Calcifying fibrous pseudotumour: first case report in the gallbladder. *Histopathology* 2004;44:84-6.

Pinet F, Poirier F, Fuchs S, Tharaux PL, Caron M, Corvol P, *et al.* Troponin T as a marker of differentiation revealed by proteomic analysis in renal arterioles. *FASEB J* 2004;18:585-6.

Soma J, Sato K, Sakuma T, Saito H, Sato H, Sato T, *et al.* Immunoglobulin gamma3-heavy-chain deposition disease: report of a case and relationship with hypocomplementemia. *Am J Kidney Dis* 2004;43:E10-6.

Domingo E, Espín E, Armengol M, Oliveira C, Pinto M, Duval A, *et al.* Activated BRAF targets proximal colon tumors with mismatch repair deficiency and MLH1 inactivation. *Genes Chromosomes Cancer* 2004;39:138-42.

Feldmann D, Denoyelle F, Loundon N, Weil D, Garabedian EN, Couderc R, *et al.* Clinical evidence of the nonpathogenic nature of the M34T variant in the connexin 26 gene. *Eur J Hum Genet* 2004;12:279-84.

Césaire R, Kérob-Bauchet B, Bourdonné O, Maier H, Amar KO, Halbout P, *et al.* Evaluation of HTLV-I removal by filtration of blood cell components in a routine setting. *Transfusion* 2004;44:42-8.

Chakroun T, Gerotziapas G, Robert F, Lecrubier C, Samama MM, Hatmi M, *et al.* In vitro aspirin resistance detected by PFA-100 closure time: pivotal role of plasma von Willebrand factor. *Br J Haematol* 2004;124:80-5.

Nasr SH, Markowitz GS, Stokes MB, Seshan SV, Valderrama E, Appel GB, *et al.* Proliferative glomerulonephritis with monoclonal IgG deposits: a distinct entity mimicking immune-complex glomerulonephritis. *Kidney Int* 2004;65:85-96.

Wlachovska B, Abraham B, Deux JF, Sibony M, Marsault C, Le Breton C. Proliferative myositis in a patient with AIDS. *Skeletal Radiol* 2004;33:237-40.

Gaben AM, Saucier C, Bedin M, Barbu V, Mester J. Rapamycin inhibits cdk4 activation, p 21(WAF1/CIP1) expression and G1-phase progression in transformed mouse fibroblasts. *Int J Cancer* 2004;108:200-6.

Bailleux A, Wendum D, Audubert F, Jouniaux AM, Koumanov K, Trugnan G, *et al.* Cytosolic phospholipase A2-p11 interaction controls arachidonic acid release as a function of epithelial cell confluence. *Biochem J* 2004;378:307-15.

Davy JM, Raczka F, Beck L, Cung TT, Piot C, Weissenburger J. Effets arythmogènes des médicaments non cardiovasculaires. *Arch Mal Coeur Vaiss* 2003;96 Spec No 7:37-45.

Ombandza-Moussa E, Samama MM, Horellou MH, Elalamy I, Conard J. Potential use of D-dimer measurement in patients treated with oral anticoagulant for a venous thromboembolic episode. *Int Angiol* 2003;22:364-9.

Le Bouc Y, Gicquel C, Holzenberger M. Physiologie de l'axe somatotrope: intérêt des expériences d'inactivation génique. *Bull Acad Natl Med* 2003;187:1225-43; discussion 1244-7.

Denoux Y, Arnould L, Fiche M, Lannes B, Couturier J, Vincent-Salomon A, *et al.* Recherche de l'amplification du gène HER2: la CISH est-elle une alternative à la technique FISH? *Ann Pathol* 2003;23:617-22.

Beaugerie L, Metz M, Barbut F, Bellaiche G, Bouhnik Y, Raskine L, *et al.* Klebsiella oxytoca as an agent of antibiotic-associated hemorrhagic colitis. Clin Gastroenterol Hepatol 2003;1:370-6.

Develoux M, Dieng MT, Kane A, Ndiaye B. Prise en charge des mycétomes en Afrique de l'Ouest. Bull Soc Pathol Exot 2003;96:376-82.

Jaurand MC, Fléjou JF. Virus et oncogénèse humaine. Ann Pathol 2003;Spec No 1:S76-82.

Debiec H, Guignonis V, Mougnot B, Haymann JP, Bensman A, Deschênes G, *et al.* Les glomérulonéphrites extra-membraneuses: histoire d'une famille et nouveaux concepts physiopathologiques. Bull Acad Natl Med 2003;187:921-32; discussion 932-4.

Compérat E, Balladur P, Fléjou JF. Une hémorragie digestive de diagnostic difficile. Ann Pathol 2003;23:455-6.

Wendum D, Fléjou JF. Evaluation qualitative des examens extemporanés dans un service hospitalo-universitaire: analyse de 847 examens consécutifs. Ann Pathol 2003;23:393-9.

Totet A, Latouche S, Duwat H, Magois E, Lacube P, Pautard JC, *et al.* Multilocus genotyping of Pneumocystis jirovecii in patients developing diverse forms of parasitism: implication for a wide human reservoir for the fungus. J Eukaryot Microbiol 2003;50 Suppl:670-1.

Totet A, Meliani L, Lacube P, Pautard JC, Raccurt C, Roux P, *et al.*
Immunocompetent infants as a human reservoir for *Pneumocystis jirovecii*: rapid screening by non-invasive sampling and real-time PCR at the mitochondrial large subunit rRNA gene. *J Eukaryot Microbiol* 2003;50 Suppl:668-9.

Ndam NG, Dumont B, Demanche C, Chapel A, Lacube P, Guillot J, *et al.*
Development of a real-time PCR-based fluorescence assay for rapid detection of point mutations in *Pneumocystis jirovecii* dihydropteroate synthase gene. *J Eukaryot Microbiol* 2003;50 Suppl:658-60.

Meliani L, Develoux M, Marteau-Miltgen M, Magne D, Barbu V, Poirot JL, *et al.* Real time quantitative PCR assay for *Pneumocystis jirovecii* detection. *J Eukaryot Microbiol* 2003;50 Suppl:651.

Latouche S, Lacube P, Maury E, Bolognini J, Develoux M, Girard PM, *et al.*
Pneumocystis jirovecii dihydropteroate synthase genotypes in French patients with pneumocystosis: a 1998-2001 prospective study. *Med Mycol* 2003;41:533-7.

Vermeulen C, Mathelier-Fusade P, Rouquette AM, Bayrou O, Pecquet C, Leynadier F. Urticaire chronique, thyroïdite auto-immune et test au sérum autologue. *Ann Dermatol Venereol* 2003;130:1115-8.

Elefant E, Bavoux F. Tératogénèse et foetotoxicité médicamenteuse. *Rev Prat* 2003;53:1920-5.

Quillard M, Berthe MC, Sauger F, Lavoine A. Dosage plasmatique de l'homocystéine sur l'Immulite 2000 DPC: comparaison avec le dosage sur l'IMX Abbott. *Ann Biol Clin (Paris)* 2003;61:699-704.

Cavé H, Acquaviva C, Bièche I, Brault D, de Fraipont F, Fina F, *et al.* La RT-PCR en diagnostic clinique. *Ann Biol Clin (Paris)* 2003;61:635-44.

Slimane TA, Trugnan G. Mécanismes de tri et d'adressage des protéines vers les deux domaines membranaires des cellules épithéliales polarisées. *J Soc Biol* 2003;197:211-6.

Shao ZY, Massiani MA, Bazelly B, Antoine M, Khalil A, Carette MF. Rupture intrapulmonaire d'un kyste dermoïde du médiastin: aspect IRM. *Rev Pneumol Clin* 2003;59:311-6.

Barranger E, Cortez A, Grahek D, Callard P, Uzan S, Daraï E. Technique du ganglion sentinelle dans les cancers utérins : revue de la littérature. *Ann Chir* 2003;128:680-7.

Sandrin L, Fourquet B, Hasquenoph JM, Yon S, Fournier C, Mal F, *et al.* Transient elastography: a new noninvasive method for assessment of hepatic fibrosis. *Ultrasound Med Biol* 2003;29:1705-13.

Chaix ML, Descamps D, Harzic M, Schneider V, Deveau C, Tamalet C, *et al.* Stable prevalence of genotypic drug resistance mutations but increase in non-B virus among patients with primary HIV-1 infection in France. *AIDS* 2003;17:2635-43.

Bazot M, Detchev R, Cortez A, Uzan S, Daraï E. Massive ovarian edema revealing gastric carcinoma: a case report. *Gynecol Oncol* 2003;91:648-50.

Araújo MT, Ouayoun M, Poirier JM, Bayle MM, Vasquez EC, Fleury B. Transitory increased blood pressure after upper airway surgery for snoring and sleep apnea

correlates with the apnea-hypopnea respiratory disturbance index. *Braz J Med Biol Res* 2003;36:1741-9.

Moissenet D, Vu-Thien H, Benzerara Y, Arlet G. DNA fingerprinting of *Ralstonia paucula* by infrequent-restriction-site PCR and randomly amplified polymorphic DNA analysis. *J Clin Microbiol* 2003;41:5747-9.

Plétan Y, Zannad F, Jaillon P. Public information about clinical trials and research. *Therapie* 2003;58:185-208.

Catto JW, Azzouzi AR, Amira N, Rehman I, Feeley KM, Cross SS, *et al.* Distinct patterns of microsatellite instability are seen in tumours of the urinary tract. *Oncogene* 2003;22:8699-706.

Afonso ND, Catala M. Développement de la moelle épinière, du rachis et de la fosse postérieure. *Neurochirurgie* 2003;49:503-10.

Catala M. Les principaux modèles animaux utilisés en biologie du développement. *Neurochirurgie* 2003;49:495-502.

Catala M. Calendrier du développement du système nerveux central chez l'humain. *Neurochirurgie* 2003;49:486-94.

Tharaux PL. Conséquences du syndrome d'apnées du sommeil sur l'endothélium vasculaire. *Rev Neurol (Paris)* 2003;159:6S102-6.

Svrcek M, Jourdan F, Sebbagh N, Couvelard A, Chatelain D, Mourra N, *et al.*
Immunohistochemical analysis of adenocarcinoma of the small intestine: a tissue
microarray study. *J Clin Pathol* 2003;56:898-903.

Montironi R, van der Kwast T, Boccon-Gibod L, Bono AV, Boccon-Gibod L.
Handling and pathology reporting of radical prostatectomy specimens. *Eur Urol*
2003;44:626-36.

Vray M, Meynard JL, Dalban C, Morand-Joubert L, Clavel F, Brun-Vézinet F, *et al.*
Predictors of the virological response to a change in the antiretroviral treatment
regimen in HIV-1-infected patients enrolled in a randomized trial comparing
genotyping, phenotyping and standard of care (Narval trial, ANRS 088). *Antivir
Ther* 2003;8:427-34.

Tankovic J, Lascols C, Sculo Q, Petit JC, Soussy CJ. Single and double mutations
in *gyrA* but not in *gyrB* are associated with low- and high-level fluoroquinolone
resistance in *Helicobacter pylori*. *Antimicrob Agents Chemother* 2003;47:3942-4.

Gharbi N, Burghardt S, Brettreich M, Herrenknecht C, Tamisier-Karolak S,
Bensasson RV, *et al.* Chromatographic separation and identification of a water-
soluble dendritic methano[60]fullerene octadecaacid. *Anal Chem* 2003;75:4217-
22.

Abbey-Toby A, Cazals-Hatem D, Colombat M, Belghiti J, Vilgrain V, Degott C.
Pseudo-tumeur inflammatoire du foie: le diagnostic pré-opératoire est-il possible?
Gastroenterol Clin Biol 2003;27:883-90.

Freitas M, Tavan E, Cayuela C, Diop L, Sapin C, Trugnan G. Host-pathogens cross-
talk. Indigenous bacteria and probiotics also play the game. *Biol Cell*
2003;95:503-6.

Barbut F, Delmée M, Brazier JS, Petit JC, Poxton IR, Rupnik M, *et al.* A European survey of diagnostic methods and testing protocols for *Clostridium difficile*. *Clin Microbiol Infect* 2003;9:989-96.

Vigouroux C, Caux F, Capeau J, Christin-Maitre S, Cohen A. LMNA mutations in atypical Werner's syndrome. *Lancet* 2003;362:1585; author reply 1586.

Bara J, Forgue-Lafitte ME, Maurin N, Fléjou JF, Zimber A. Abnormal expression of gastric mucin in human and rat aberrant crypt foci during colon carcinogenesis. *Tumour Biol* 2003;24:109-15.

Rouquette AM, Desgruelles C, Laroche P. Evaluation of the new multiplexed immunoassay, FIDIS, for simultaneous quantitative determination of antinuclear antibodies and comparison with conventional methods. *Am J Clin Pathol* 2003;120:676-81.

Caron M, Auclair M, Sterlingot H, Kornprobst M, Capeau J. Some HIV protease inhibitors alter lamin A/C maturation and stability, SREBP-1 nuclear localization and adipocyte differentiation. *AIDS* 2003;17:2437-44.

Favier R, Jondeau K, Boutard P, Grossfeld P, Reinert P, Jones C, *et al.* Paris-Trousseau syndrome : clinical, hematological, molecular data of ten new cases. *Thromb Haemost* 2003;90:893-7.

Compérat E, de Saint-Maur PP, Chatelain D, Parc R, Fléjou JF. Tumeur fibreuse solitaire rétrorectale. Une localisation exceptionnelle de diagnostic difficile. *Ann Pathol* 2003;23:379-80.

Fléjou JF, Mourra N. Etude macroscopique des pièces opératoires d'oesophagectomie. *Ann Pathol* 2003;23:371-8.

Wendum D, Corpechot C, Fléjou JF. Une cholestase qui augmente. *Ann Pathol* 2003;23:366-7.

Poirier K, Chalas C, Tissier F, Couvert P, Mallet V, Carrié A, *et al.* Loss of parental-specific methylation at the IGF2 locus in human hepatocellular carcinoma. *J Pathol* 2003;201:473-9.

Duchez P, Dazey B, Douay L, Vezon G, Ivanovic Z. An efficient large-scale thawing procedure for cord blood cells destined for selection and ex vivo expansion of CD34+ cells. *J Hematother Stem Cell Res* 2003;12:587-9.

Velho G, Bellanné-Chantelot C, Timsit J. Le MODY: modèle d'étude d'interactions génotype/phénotype dans le diabète de type 2. *Med Sci (Paris)* 2003;19:854-9.

Capeau J. Voies de signalisation de l'insuline: mécanismes affectés dans l'insulino-résistance. *Med Sci (Paris)* 2003;19:834-9.

Lagathu C, Bastard JP, Auclair M, Maachi M, Capeau J, Caron M. Chronic interleukin-6 (IL-6) treatment increased IL-6 secretion and induced insulin resistance in adipocyte: prevention by rosiglitazone. *Biochem Biophys Res Commun* 2003;311:372-9.

Tchernitchko D, Legendre M, Delahaye A, Cazeneuve C, Niel F, Goossens M, *et al.* Clinical evaluation of a reverse hybridization assay for the molecular detection of twelve MEFV gene mutations. *Clin Chem* 2003;49:1942-5.

Note R, Maisonneuve C, Lettéron P, Peytavin G, Djouadi F, Igoudjil A, *et al.* Mitochondrial and metabolic effects of nucleoside reverse transcriptase inhibitors (NRTIs) in mice receiving one of five single- and three dual-NRTI treatments. *Antimicrob Agents Chemother* 2003;47:3384-92.

Copie-Bergman C, Gaulard P, Lavergne-Slove A, Brousse N, Fléjou JF, Dordonne K, *et al.* Proposal for a new histological grading system for post-treatment evaluation of gastric MALT lymphoma. *Gut* 2003;52:1656.

Dahan K, Devuyst O, Smaers M, Vertommen D, Loute G, Poux JM, *et al.* A cluster of mutations in the UMOD gene causes familial juvenile hyperuricemic nephropathy with abnormal expression of uromodulin. *J Am Soc Nephrol* 2003;14:2883-93.

Lévy P, Robin H, Bertrand F, Kornprobst M, Capeau J. Butyrate-treated colonic Caco-2 cells exhibit defective integrin-mediated signaling together with increased apoptosis and differentiation. *J Cell Physiol* 2003;197:336-47.

Catala M. Développement embryonnaire du sphénoïde. *J Neuroradiol* 2003;30:196-200.

Poissonnier MH, Picone O, Brossard Y, Lepercq J. Intravenous fetal exchange transfusion before 22 weeks of gestation in early and severe red-cell fetomaternal alloimmunization. *Fetal Diagn Ther* 2003;18:467-71.

Rabasa-Lhoret R, Bastard JP, Jan V, Ducluzeau PH, Andreelli F, Guebre F, *et al.* Modified quantitative insulin sensitivity check index is better correlated to hyperinsulinemic glucose clamp than other fasting-based index of insulin sensitivity in different insulin-resistant states. *J Clin Endocrinol Metab* 2003;88:4917-23.

Moon C, Soria JC, Jang SJ, Lee J, Obaidul Hoque M, Sibony M, *et al.* Involvement of aquaporins in colorectal carcinogenesis. *Oncogene* 2003;22:6699-703.

Ragusa A, Amata S, Lombardo T, Castiglia L, Maier-Redelsperger M, Labie D, *et al.* Asymptomatic and mild beta-thalassemia in homozygotes and compound heterozygotes for the IVS2+1G-->A mutation: role of the beta-globin gene haplotype. *Haematologica* 2003;88:1099-105.

Boulé M. Explorations fonctionnelles respiratoires pédiatriques: (techniques et résultats selon l'âge). *Arch Pediatr* 2003;10:932-7.

Lamouliatte H, Mégraud F, Delchier JC, Bretagne JF, Courillon-Mallet A, De Korwin JD, *et al.* Second-line treatment for failure to eradicate *Helicobacter pylori*: a randomized trial comparing four treatment strategies. *Aliment Pharmacol Ther* 2003;18:791-7.

Lascols C, Lamarque D, Costa JM, Copie-Bergman C, Le Glaunec JM, Deforges L, *et al.* Fast and accurate quantitative detection of *Helicobacter pylori* and identification of clarithromycin resistance mutations in *H. pylori* isolates from gastric biopsy specimens by real-time PCR. *J Clin Microbiol* 2003;41:4573-7.

Samama MM, Rached RA, Horellou MH, Aquilanti S, Mathieux VG, Plu-Bureau G, *et al.* Pregnancy-associated venous thromboembolism (VTE) in combined heterozygous factor V Leiden (FVL) and prothrombin (FII) 20210 A mutation and

in heterozygous FII single gene mutation alone. *Br J Haematol* 2003;123:327-34.

Kubis N, Catala M. Les cellules-souches, un outil thérapeutique pour le futur? *Neurochirurgie* 2003;49:449-56.

Catala M. Contrôle moléculaire de l'embryogenèse du corps calleux. *Neurochirurgie* 2003;49:441-8.

Catala M. Données récentes sur le développement cortical normal et pathologique. *Neurochirurgie* 2003;49:431-40.

Catala M. Embryologie appliquée à la neurochirurgie. La différenciation cellulaire. *Neurochirurgie* 2003;49:421-30.

Lapillonne H, Konopleva M, Tsao T, Gold D, McQueen T, Sutherland RL, *et al.* Activation of peroxisome proliferator-activated receptor gamma by a novel synthetic triterpenoid 2-cyano-3,12-dioxooleana-1,9-dien-28-oic acid induces growth arrest and apoptosis in breast cancer cells. *Cancer Res* 2003;63:5926-39.

Laurent M, Martinerie C, Thibout H, Hoffman MP, Verrecchia F, Le Bouc Y, *et al.* NOVH increases MMP3 expression and cell migration in glioblastoma cells via a PDGFR-alpha-dependent mechanism. *FASEB J* 2003;17:1919-21.

Gerotziapas GT, Elalamy I, Depasse F, Chakroun T, Bara L, Arzoglou P, *et al.* On the mechanism of inhibition of tissue factor pathway by the synthetic pentasaccharide during coagulation of human plasma. *Blood Coagul Fibrinolysis* 2003;14:633-8.

Papin S, Cazeneuve C, Duquesnoy P, Jeru I, Sahali D, Amselem S. The tumor necrosis factor alpha-dependent activation of the human mediterranean fever (MEFV) promoter is mediated by a synergistic interaction between C/EBP beta and NF kappaB p65. *J Biol Chem* 2003;278:48839-47.

Sposito AC, Gonbert S, Bruckert E, Atassi M, Beucler I, Amselem S, *et al.* Magnitude of HDL cholesterol variation after high-dose atorvastatin is genetically determined at the LDL receptor locus in patients with homozygous familial hypercholesterolemia. *Arterioscler Thromb Vasc Biol* 2003;23:2078-82.

Lebrazi J, Elalamy I, Samama MM. In vitro effect of melagatran and lepirudin on clot-bound thrombin. *Thromb Res* 2003;110:249-52.

Duclos M, Barat P, Lebouc Y. Sport de haut niveau chez l'enfant et croissance. *Arch Pediatr* 2003;10 Suppl 1:207s-209s.

Smadja NV, Leroux D, Soulier J, Dumont S, Arnould C, Taviaux S, *et al.* Further cytogenetic characterization of multiple myeloma confirms that 14q32 translocations are a very rare event in hyperdiploid cases. *Genes Chromosomes Cancer* 2003;38:234-9.

Daniel N, Schneider V, Pialoux G, Krivine A, Grabar S, Nguyen TH, *et al.* Emergence of HIV-1 mutated strains after interruption of highly active antiretroviral therapy in chronically infected patients. *AIDS* 2003;17:2126-9.

Bertherat J, Groussin L, Sandrini F, Matyakhina L, Bei T, Stergiopoulos S, *et al.* Molecular and functional analysis of PRKAR1A and its locus (17q22-24) in sporadic

adrenocortical tumors: 17q losses, somatic mutations, and protein kinase A expression and activity. *Cancer Res* 2003;63:5308-19.

Mailloux A, Deslandes B, Vaubourdolle M, Baudin B. Captopril and enalaprilat decrease antioxidant defences in human endothelial cells and are unable to protect against apoptosis. *Cell Biol Int* 2003;27:825-30.

Munier A, Serres C, Kann ML, Boissan M, Lesaffre C, Capeau J, *et al.* Nm23/NDP kinases in human male germ cells: role in spermiogenesis and sperm motility? *Exp Cell Res* 2003;289:295-306.

Hulot JS, Démolis JL, Rivière R, Strabach S, Christin-Maitre S, Funck-Brentano C. Influence of endogenous oestrogens on QT interval duration. *Eur Heart J* 2003;24:1663-7.

Armand AS, Launay T, Pariset C, Della Gaspera B, Charbonnier F, Chanoine C. Injection of FGF6 accelerates regeneration of the soleus muscle in adult mice. *Biochim Biophys Acta* 2003;1642:97-105.

Berger R, Dastugue N, Busson M, Van Den Akker J, Pérot C, Ballerini P, *et al.* t(5;14)/HOX11L2-positive T-cell acute lymphoblastic leukemia. A collaborative study of the Groupe Français de Cytogénétique Hématologique (GFCH). *Leukemia* 2003;17:1851-7.

Piercecchi-Marti MD, Mohamed H, Chau C, Liprandi A, Fredouille C. Congenital atrioventricular block: histological aspects. *Forensic Sci Int* 2003;136:12-5.

Bourgoin C, Emiliani C, Kremer EJ, Gelot A, Tancini B, Gravel RA, *et al.*
Widespread distribution of beta-hexosaminidase activity in the brain of a Sandhoff mouse model after coinjection of adenoviral vector and mannitol. *Gene Ther* 2003;10:1841-9.

Sidhu S, Gicquel C, Bambach CP, Campbell P, Magarey C, Robinson BG, *et al.*
Clinical and molecular aspects of adrenocortical tumourigenesis. *ANZ J Surg* 2003;73:727-38.

Geneviève D, Sznajer Y, Raoul M, Sanlaville D, Verloes A, Portnoi MF, *et al.*
Clinical overlap of OFD type IX with Pallister-Killian syndrome (tetrasomy 12p). *Am J Med Genet A* 2003;122A:180-2.

Feldmann D, Couderc R, Audrezet MP, Ferec C, Bienvenu T, Desgeorges M, *et al.*
CFTR genotypes in patients with normal or borderline sweat chloride levels. *Hum Mutat* 2003;22:340.

Tchernitchko D, Legendre M, Cazeneuve C, Delahaye A, Niel F, Amselem S. The E148Q MEFV allele is not implicated in the development of familial Mediterranean fever. *Hum Mutat* 2003;22:339-40.

Nardelli J, Catala M, Charnay P. Establishment of embryonic neuroepithelial cell lines exhibiting an epiplastic expression pattern of region specific markers. *J Neurosci Res* 2003;73:737-52.

Kanold J, Halle P, Tchirkov A, Berger M, Giarratana MC, Kobari L, *et al.* Ex vivo expansion of autologous PB CD34+ cells provides a purging effect in children with neuroblastoma. *Bone Marrow Transplant* 2003;32:485-8.

Helft G, Elalamy I, Laudy C, Tran D, Beygui F, Le Feuvre C, *et al.* Clopidogrel et thrombopénie. A propos d'un cas. *Ann Cardiol Angeiol (Paris)* 2003;52:191-3.

Michel G, Rocha V, Chevret S, Arcese W, Chan KW, Filipovich A, *et al.* Unrelated cord blood transplantation for childhood acute myeloid leukemia: a Eurocord Group analysis. *Blood* 2003;102:4290-7.

Cazeneuve C, Geneviève D, Amselem S, Hentgen V, Hau I, Reinert P. MEFV gene analysis in PFAPA. *J Pediatr* 2003;143:140-1.

Couve S, Seksik P, Elefant E, Jian R, Marteau P. Maladies inflammatoires de l'intestin et procréation. *Gastroenterol Clin Biol* 2003;27:618-26.

Amirat L, le Pimpec Barthes F, Danel C, Poulet B, Riquet M. Adénocarcinome pulmonaire bien différencié de type foetal: une tumeur de bon pronostic. *Rev Mal Respir* 2003;20:429-32.

Malliti M, Junot H, Fievet MH, Gabarre J, Taright N, Vernant JP, *et al.* Traitement des lymphomes malins non hodgkiniens. Répercussions économiques de l'utilisation du rituximab (Mabthera) versus chimiothérapies conventionnelles. *Ann Med Interne (Paris)* 2003;154:139-47.

Compérat E, Bonte H, De Saint-Maur P, Fléjou JF. Des cellules inhabituelles dans le mésentère. *Ann Pathol* 2003;23:281-2.

Bastard JP, Rabasa-Lhoret R, Maachi M, Ducluzeau PH, Andreelli F, Vidal H, *et al.* What kind of simple fasting index should be used to estimate insulin sensitivity in humans? *Diabetes Metab* 2003;29:285-8.

Bentefrit F, Lemoine P, Nguyen-Huy D, Morgant G, Viossat B. Bis[1-(p-chlorophenyl)-5-isopropylbiguanide-kappa2N2,N4]nickel(II) dichloride dimethylformamide solvate. *Acta Crystallogr C* 2003;59:m331-3.

Cazeneuve C, Hovannesian Z, Geneviève D, Hayrapetyan H, Papin S, Girodon-Boulandet E, *et al.* Familial Mediterranean fever among patients from Karabakh and the diagnostic value of MEFV gene analysis in all classically affected populations. *Arthritis Rheum* 2003;48:2324-31.

Boussaud V, Parrot A, Mayaud C, Wislez M, Antoine M, Picard C, *et al.* Life-threatening hemoptysis in adults with community-acquired pneumonia due to Panton-Valentine leukocidin-secreting *Staphylococcus aureus*. *Intensive Care Med* 2003;29:1840-3.

Bert F, Ould-Hocine Z, Juvin M, Dubois V, Loncle-Provot V, Lefranc V, *et al.* Evaluation of the Osiris expert system for identification of beta-lactam phenotypes in isolates of *Pseudomonas aeruginosa*. *J Clin Microbiol* 2003;41:3712-8.

Brun-Vézinet F, Descamps D, Ruffault A, Masquelier B, Calvez V, Peytavin G, *et al.* Clinically relevant interpretation of genotype for resistance to abacavir. *AIDS* 2003;17:1795-802.

Viossat B, Daran JC, Savouret G, Morgant G, Greenaway FT, Dung NH, *et al.* Low-temperature (180 K) crystal structure, electron paramagnetic resonance spectroscopy, and propitious anticonvulsant activities of $\text{CuII}2(\text{aspirinate})_4(\text{DMF})_2$ and other $\text{CuII}2(\text{aspirinate})_4$ chelates. *J Inorg Biochem* 2003;96:375-85.

Taieb J, Mathian B, Millot F, Patricot MC, Mathieu E, Queyrel N, *et al.* Testosterone measured by 10 immunoassays and by isotope-dilution gas chromatography-mass spectrometry in sera from 116 men, women, and children. *Clin Chem* 2003;49:1381-95.

Tounian P, Dumas C, Veinberg F, Girardet JP. Resting energy expenditure and substrate utilisation rate in children with constitutional leanness or obesity. *Clin Nutr* 2003;22:353-7.

Beauchef-Havard A, Arlet G, Gautier V, Labia R, Grimont P, Philippon A. Molecular and biochemical characterization of a novel class A beta-lactamase (HER-1) from *Escherichia hermannii*. *Antimicrob Agents Chemother* 2003;47:2669-73.

Fernando C. Prise en charge d'une hypothyroïdie congénitale à partir d'un cas clinique. *Arch Pediatr* 2003;10:474-5.

Guéry B, Choukroun G, Noël LH, Clavel P, Rötig A, Lebon S, *et al.* The spectrum of systemic involvement in adults presenting with renal lesion and mitochondrial tRNA(Leu) gene mutation. *J Am Soc Nephrol* 2003;14:2099-108.

Bazot M, Detchev R, Cortez A, Amouyal P, Uzan S, Daraï E. Transvaginal sonography and rectal endoscopic sonography for the assessment of pelvic endometriosis: a preliminary comparison. *Hum Reprod* 2003;18:1686-92.

González-Manchón C, Arias-Salgado EG, Butta N, Martín G, Rodríguez RB, Elalamy I, *et al.* A novel homozygous splice junction mutation in GPIIb associated with alternative splicing, nonsense-mediated decay of GPIIb-mRNA, and type II Glanzmann's thrombasthenia. *J Thromb Haemost* 2003;1:1071-8.

Beydon N, Pin I, Matran R, Chaussain M, Boulé M, Alain B, *et al.* Pulmonary function tests in preschool children with asthma. *Am J Respir Crit Care Med* 2003;168:640-4.

Vigouroux C. Lipodystrophies: quels traitements? *Journ Annu Diabetol Hotel Dieu* 2003:159-77.

Caron M, Bastard JP, Auclair M, Vigouroux C, Capeau J. Traitement antirétroviral du VIH et tissu adipeux. *Journ Annu Diabetol Hotel Dieu* 2003:147-58.

Capeau J, Magré J, Vigouroux C, Caron M, Maachi M, Dubosclard E, *et al.* Diabète et syndromes lipodystrophiques génétiques et acquis. *Journ Annu Diabetol Hotel Dieu* 2003:99-109.

Roussel R, Reis AF, Dubois-Laforgue D, Bellanné-Chantelot C, Timsit J, Velho G. The N363S polymorphism in the glucocorticoid receptor gene is associated with overweight in subjects with type 2 diabetes mellitus. *Clin Endocrinol (Oxf)* 2003;59:237-41.

Delacour D, Gouyer V, Leteurtre E, Ait-Slimane T, Drobecq H, Lenoir C, *et al.* 1-benzyl-2-acetamido-2-deoxy-alpha-D-galactopyranoside blocks the apical biosynthetic pathway in polarized HT-29 cells. *J Biol Chem* 2003;278:37799-809.

Moutard ML, Kieffer V, Feingold J, Kieffer F, Lewin F, Adamsbaum C, *et al.* Agenesis of corpus callosum: prenatal diagnosis and prognosis. *Childs Nerv Syst* 2003;19:471-6.

Sonigo-Cohen P, Schmit P, Zerah M, Chat L, Simon I, Aubry MC, *et al.* Prenatal diagnosis of diastematomyelia. *Childs Nerv Syst* 2003;19:555-60.

Kuhlmann JN, Luboinski J, Baux S, Mimoun M. Kystes dits "synoviaux" du poignet: systématisation topographique et pathogénie. *Rev Chir Orthop Reparatrice Appar Mot* 2003;89:310-9.

Lazure T, Durand P, Chevret L, Cuilliere P, Pariente D, Bui M, *et al.* Choriocarcinome infantile et maternel. *Ann Pathol* 2003;23:153-6.

Develoux M. Examen mycologique. *Ann Dermatol Venerol* 2003;130:487-8.

Burglen L, Héron D, Moerman A, Dieux-Coeslier A, Bourguignon JP, Bachy A, *et al.* Myhre syndrome: new reports, review, and differential diagnosis. *J Med Genet* 2003;40:546-51.

Makanera A, Arlet G, Gautier V, Manai M. Molecular epidemiology and characterization of plasmid-encoded beta-lactamases produced by Tunisian clinical isolates of *Salmonella enterica* serotype Mbandaka resistant to broad-spectrum cephalosporins. *J Clin Microbiol* 2003;41:2940-5.

Barranger E, Grahek D, Antoine M, Montravers F, Talbot JN, Uzan S. Evaluation of fluorodeoxyglucose positron emission tomography in the detection of axillary lymph node metastases in patients with early-stage breast cancer. *Ann Surg Oncol* 2003;10:622-7.

Mignot C, Gelot A, Bessières B, Daffos F, Voyer M, Menez F, *et al.* Perinatal-lethal Gaucher disease. *Am J Med Genet A* 2003;120A:338-44.

Meier P, Farres MT, Mougnot B, Jacob L, Le Goas F, Antignac C, *et al.* Imaging medullary cystic kidney disease with magnetic resonance. *Am J Kidney Dis* 2003;42:E5-10.

Serfaty L, De Leusse A, Rosmorduc O, Desaint B, Flejou JF, Chazouilleres O, *et al.* Ursodeoxycholic acid therapy and the risk of colorectal adenoma in patients with primary biliary cirrhosis: an observational study. *Hepatology* 2003;38:203-9.

De La Tribonniere X, Mouton Y, Vidal V, Darcissac E, Sissoko D, Fontier C, *et al.* A phase I study of a six-week cycle of immunotherapy with Murabutide in HIV-1 patients naive to antiretrovirals. *Med Sci Monit* 2003;9:PI43-50.

Vigouroux C, Maachi M, Nguyễn TH, Coussieu C, Gharakhanian S, Funahashi T, *et al.* Serum adipocytokines are related to lipodystrophy and metabolic disorders in HIV-infected men under antiretroviral therapy. *AIDS* 2003;17:1503-11.

Barranger E, Grahek D, Antoine M, Talbot JN, Uzan S. Le prélèvement du ganglion sentinelle dans le cancer du sein: aspects techniques et résultats. *Ann Chir* 2003;128:144-9.

Goldenberg A, Chevy F, Bernard C, Wolf C, Cormier-Daire V. Circonstances cliniques du diagnostic du syndrome de Smith-Lemli-Opitz et tentatives de corrélation phénotype-génotype: à propos de 45 cas. *Arch Pediatr* 2003;10:4-10.

Bouayed Abdelmoula N, Portnoi MF, Keskes L, Recan D, Bahloul A, Boudawara T, *et al.* Skewed X-chromosome inactivation pattern in SRY positive XX maleness: a case report and review of literature. *Ann Genet* 2003;46:11-8.

Tharaux PL, Bukoski RC, Rocha PN, Crowley SD, Ruiz P, Nataraj C, *et al.* Rho kinase promotes alloimmune responses by regulating the proliferation and structure of T cells. *J Immunol* 2003;171:96-105.

Spentchian M, Merrien Y, Herasse M, Dobbie Z, Gläser D, Holder SE, *et al.* Severe hypophosphatasia: characterization of fifteen novel mutations in the ALPL gene. *Hum Mutat* 2003;22:105-6.

Christensen EI, Devuyst O, Dom G, Nielsen R, Van der Smissen P, Verroust P, *et al.* Loss of chloride channel ClC-5 impairs endocytosis by defective trafficking of megalin and cubilin in kidney proximal tubules. *Proc Natl Acad Sci U S A* 2003;100:8472-7.

Lapierre P, Johanet C, Alvarez F. Characterization of the B cell response of patients with anti-liver cytosol autoantibodies in type 2 autoimmune hepatitis. *Eur J Immunol* 2003;33:1869-78.

Handra-Luca A, Terris B, Couvelard A, Bonte H, Flejou JF. Adenomyoma and adenomyomatous hyperplasia of the Vaterian system: clinical, pathological, and new immunohistochemical features of 13 cases. *Mod Pathol* 2003;16:530-6.

Verstuyft C, Morin S, Yang J, Lorient MA, Barbu V, Kerb R, *et al.* Nouvelle méthode rapide et robuste de génotypage du CYP2C9 et MDR1. *Ann Biol Clin (Paris)* 2003;61:305-9.

Tse C, Capeau J. Quantification des acides nucléiques par PCR quantitative en temps réel. *Ann Biol Clin (Paris)* 2003;61:279-93.

Douay L. Du contrôle de l'hématopoïèse à la thérapie cellulaire: les perspectives transfusionnelles. *Ann Biol Clin (Paris)* 2003;61:259-67.

Yang JQ, Morin S, Verstuyft C, Fan LA, Zhang Y, Xu CD, *et al.* Frequency of cytochrome P450 2C9 allelic variants in the Chinese and French populations. *Fundam Clin Pharmacol* 2003;17:373-6.

Jourdan F, Sebbagh N, Comperat E, Mourra N, Flahault A, Olschwang S, *et al.* Tissue microarray technology: validation in colorectal carcinoma and analysis of p53, hMLH1, and hMSH2 immunohistochemical expression. *Virchows Arch* 2003;443:115-21.

Douay L. Perspectives transfusionnelles du contrôle ex vivo de l'hématopoïèse. *Transfus Clin Biol* 2003;10:151-5.

Attalah HL, Wu Y, Alaoui-El-Azher M, Thouron F, Koumanov K, Wolf C, *et al.* Induction of type-IIA secretory phospholipase A2 in animal models of acute lung injury. *Eur Respir J* 2003;21:1040-5.

Wislez M, Massiani MA, Milleron B, Souidi A, Carette MF, Antoine M, *et al.* Clinical characteristics of pneumonic-type adenocarcinoma of the lung. *Chest* 2003;123:1868-77.

Ferguson GT, Funck-Brentano C, Fischer T, Darken P, Reisner C. Cardiovascular safety of salmeterol in COPD. *Chest* 2003;123:1817-24.

Wajnrajch MP, Gertner JM, Sokoloff AS, Ten I, Harbison MD, Netchine I, *et al.* Haplotype analysis of the growth hormone releasing hormone receptor locus in three apparently unrelated kindreds from the indian subcontinent with the identical mutation in the GHRH receptor. *Am J Med Genet A* 2003;120A:77-83.

Khonsari H, Catala M. Fabriquer des neurones à partir de la moelle osseuse, le rêve des alchimistes du nouveau millénaire. *Morphologie* 2003;87:11-5.

De la Taille A, Viellefond A, Berger N, Boucher E, De Fromont M, Fondimare A, *et al.* Evaluation of the interobserver reproducibility of Gleason grading of prostatic adenocarcinoma using tissue microarrays. *Hum Pathol* 2003;34:444-9.

Mourra N, Balladur P, Parc R, Flejou JF. Intrasplenic mucinous cystadenoma with mesenchymal stroma arising in pancreatic heterotopia. *Histopathology* 2003;42:616-8.

Barranger E, Grahek D, Cortez A, Talbot JN, Uzan S, Darai E. Laparoscopic sentinel lymph node procedure using a combination of patent blue and radioisotope in women with cervical carcinoma. *Cancer* 2003;97:3003-9.

Tredano M, Griese M, de Blic J, Lorant T, Houdayer C, Schumacher S, *et al.* Analysis of 40 sporadic or familial neonatal and pediatric cases with severe unexplained respiratory distress: relationship to SFTP. *Am J Med Genet A* 2003;119A:324-39.

Pérot C, Boccon-Gibod L, Bouvier R, Doz F, Fournet JC, Fréneaux P, *et al.* Five new cases of juvenile renal cell carcinoma with translocations involving Xp11.2: a cytogenetic and morphologic study. *Cancer Genet Cytogenet* 2003;143:93-9.

Gicquel C, Gaston V, Mandelbaum J, Siffroi JP, Flahault A, Le Bouc Y. In vitro fertilization may increase the risk of Beckwith-Wiedemann syndrome related to the abnormal imprinting of the KCN10T gene. *Am J Hum Genet* 2003;72:1338-41.

Enouf V, Chwetzoff S, Trugnan G, Cohen J. Interactions of rotavirus VP4 spike protein with the endosomal protein Rab5 and the prenylated Rab acceptor PRA1. *J Virol* 2003;77:7041-7.

Lefevre M, Vergier B, Balme B, Thiebault R, Delaunay M, Thomas L, *et al.* Relevance of vertical growth pattern in thin level II cutaneous superficial spreading melanomas. *Am J Surg Pathol* 2003;27:717-24.

Magré J, Delépine M, Van Maldergem L, Robert JJ, Maassen JA, Meier M, *et al.* Prevalence of mutations in AGPAT2 among human lipodystrophies. *Diabetes* 2003;52:1573-8.

Ballerini P, Blaise A, Mercher T, Pellegrino B, Perot C, van den Akker J, *et al.* A novel real-time RT-PCR assay for quantification of OTT-MAL fusion transcript reliable for diagnosis of t(1;22) and minimal residual disease (MRD) detection. *Leukemia* 2003;17:1193-6.

Debiec H, Guigonis V, Mougnot B, Haymann JP, Bensman A, Deschênes G, *et al.* Antenatal membranous glomerulonephritis with vascular injury induced by anti-neutral endopeptidase antibodies: toward new concepts in the pathogenesis of glomerular diseases. *J Am Soc Nephrol* 2003;14 Suppl 1:S27-32.

Grootenboer-Mignot S, Crétien A, Laurendeau I, Poissonnier MH, Doireau V, Brossard Y, *et al.* Sub-lethal hydrops as a manifestation of dehydrated hereditary stomatocytosis in two consecutive pregnancies. *Prenat Diagn* 2003;23:380-4.

Bruneel A, Labas V, Mailloux A, Sharma S, Vinh J, Vaubourdolle M, *et al.*
Proteomic study of human umbilical vein endothelial cells in culture. *Proteomics*
2003;3:714-23.

Gautheret-Dejean A, Agut H, Nicolas JC, Beaugerie L. Roseolovirus DNA in the
colonic mucosa of HIV-seropositive patients with diarrhea. *Clin Infect Dis*
2003;36:1348-9.

Kubis N, Catala M. Développement et maturation du faisceau pyramidal.
Neurochirurgie 2003;49:145-53.

Maachi M, Fellahi S, Diop ME, Francois T, Capeau J, Bastard JP. Epanchement
pleural révélateur d'un myélome à Ig D lambda. *Ann Med Interne (Paris)*
2003;154:70-2.

Piéroni L, Bastard JP, Piton A, Khalil L, Hainque B, Jardel C. Interpretation of
circulating C-reactive protein levels in adults: body mass index and gender are a
must. *Diabetes Metab* 2003;29:133-8.

Sibony M, Billerey C. Les tumeurs urothéliales dites superficielles de la vessie.
Quelle classification en 2003? 2e partie: les lésions planes. *Ann Pathol*
2003;23:35-45.

Billerey C, Sibony M. Les tumeurs urothéliales dites "superficielles" de la vessie.
Quelle classification en 2003? 1re partie: les tumeurs papillaires. *Ann Pathol*
2003;23:21-33.

Rigau V, Sebbagh N, Olschwang S, Paraf F, Mourra N, Parc Y, *et al.* Microsatellite instability in colorectal carcinoma. The comparison of immunohistochemistry and molecular biology suggests a role for hMSH6 [correction of hMLH6] immunostaining. *Arch Pathol Lab Med* 2003;127:694-700.

Duclos-Vallée JC, Sebagh M, Rifai K, Johanet C, Ballot E, Guettier C, *et al.* A 10 year follow up study of patients transplanted for autoimmune hepatitis: histological recurrence precedes clinical and biochemical recurrence. *Gut* 2003;52:893-7.

Martin H, Sarsat JP, de Waziers I, Housset C, Ballardur P, Beaune P, *et al.* Induction of cytochrome P450 2B6 and 3A4 expression by phenobarbital and cyclophosphamide in cultured human liver slices. *Pharm Res* 2003;20:557-68.

Gault E, Soussan P, Morice Y, Sanders L, Berrada A, Rogers B, *et al.* Evaluation of a new serotyping assay for detection of anti-hepatitis C virus type-specific antibodies in serum samples. *J Clin Microbiol* 2003;41:2084-7.

Barbut F, Pistone T, Guiguet M, Gaspard R, Rocher M, Dousset C, *et al.* Complications liées au cathétérisme veineux périphérique. Etude prospective. *Presse Med* 2003;32:450-6.

Gauzit R, Cohen Y, Dupont H, Hennequin C, Montravers P, Timsit JF, *et al.* Infections à *Candida* sp en réanimation. Enquête sur les pratiques françaises. *Presse Med* 2003;32:440-9.

Gofflot F, Hars C, Illien F, Chevy F, Wolf C, Picard JJ, *et al.* Molecular mechanisms underlying limb anomalies associated with cholesterol deficiency during gestation: implications of Hedgehog signaling. *Hum Mol Genet* 2003;12:1187-98.

Epaud R, Fauroux B, Boule M, Clément A. Pathologies des lymphatiques pulmonaires chez l'enfant. *Rev Pneumol Clin* 2003;59:7-15.

Salomon LJ, Lefevre M, Cortez A, Antoine JM, Uzan S. Goitre ovarien: une tumeur rare et particulière. A propos d'un cas et revue des modalités de prise en charge. *J Gynecol Obstet Biol Reprod (Paris)* 2003;32:175-8.

Dikov D, Roland J, Chatelet FP, Cywiner-Golenzer C, Dimitrakov J. Hyaline globules (thanatosomes) in prostate disease. *Am J Surg Pathol* 2003;27:700-2.

Bahr GM, De La Tribonniere X, Darcissac E, Ajana F, Bocket L, Sissoko D, *et al.* Clinical and immunological effects of a 6 week immunotherapy cycle with murabutide in HIV-1 patients with unsuccessful long-term antiretroviral treatment. *J Antimicrob Chemother* 2003;51:1377-88.

Garderet L, Maury E, Lagrange M, Najman A, Offenstadt G, Guidet B. Schizocytosis in pernicious anemia mimicking thrombotic thrombocytopenic purpura. *Am J Med* 2003;114:423-5.

Lagorce C, Paraf F, Vidaud D, Couvelard A, Wendum D, Martin A, *et al.* Cyclooxygenase-2 is expressed frequently and early in Barrett's oesophagus and associated adenocarcinoma. *Histopathology* 2003;42:457-65.

Eden A, Mahr A, Servant A, Radjef N, Amard S, Mouthon L, *et al.* Lack of association between B19 or V9 erythrovirus infection and ANCA-positive vasculitides: a case-control study. *Rheumatology (Oxford)* 2003;42:660-4.

Le Jan S, Amy C, Cazes A, Monnot C, Lamandé N, Favier J, *et al.* Angiopoietin-like 4 is a proangiogenic factor produced during ischemia and in conventional renal cell carcinoma. *Am J Pathol* 2003;162:1521-8.

Bazot M, Salem C, Cortez A, Antoine JM, Daraï E. Imaging of ovarian fibromatosis. *AJR Am J Roentgenol* 2003;180:1288-90.

Mary R, Veinberg F, Couderc R. Les méningites aiguës, protéines inflammatoires et procalcitonine. *Ann Biol Clin (Paris)* 2003;61:127-37.

Meynard JL, Guiguet M, Fonquernie L, Lefebvre B, Lalande V, Honore I, *et al.* Impact of highly active antiretroviral therapy on the occurrence of bacteraemia in HIV-infected patients and their epidemiologic characteristics. *HIV Med* 2003;4:127-32.

Chazouillères O, Wendum D. Maladies des voies biliaires intrahépatiques. Diagnostic et principes du traitement. *Gastroenterol Clin Biol* 2003;27:307-18.

Housset C. Physiopathologie des voies biliaires intrahépatiques. Actualités. *Gastroenterol Clin Biol* 2003;27:303-6.

Verstuyft C, Schwab M, Schaeffeler E, Kerb R, Brinkmann U, Jaillon P, *et al.* Digoxin pharmacokinetics and MDR1 genetic polymorphisms. *Eur J Clin Pharmacol* 2003;58:809-12.

Bourlière-Najean B, Russel AS, Panuel M, Piercecchi-Marti MD, Sigaudy S, Fredouille C, *et al.* Value of fetal skeletal radiographs in the diagnosis of fetal death. *Eur Radiol* 2003;13:1046-9.

Broquet AH, Thomas G, Masliah J, Trugnan G, Bachelet M. Expression of the molecular chaperone Hsp70 in detergent-resistant microdomains correlates with its membrane delivery and release. *J Biol Chem* 2003;278:21601-6.

Pantel J, Grulich-Henn J, Bettendorf M, Strasburger CJ, Heinrich U, Amselem S. Heterozygous nonsense mutation in exon 3 of the growth hormone receptor (GHR) in severe GH insensitivity (Laron syndrome) and the issue of the origin and function of the GHRd3 isoform. *J Clin Endocrinol Metab* 2003;88:1705-10.

Borensztajn K, Sobrier ML, Fischer AM, Chafa O, Amselem S, Tapon-Brethaudiere J. Factor VII gene intronic mutation in a lethal factor VII deficiency: effects on splice-site selection. *Blood* 2003;102:561-3.

Vialard F, Mignon-Ravix C, Parain D, Depetris D, Portnoï MF, Moïrot H, *et al.* Mechanism of intrachromosomal triplications 15q11-q13: a new clinical report. *Am J Med Genet A* 2003;118A:229-34.

Alyanakian MA, Bernatowska E, Scherrmann JM, Aucouturier P, Poplavsky JL. Pharmacokinetics of total immunoglobulin G and immunoglobulin G subclasses in patients undergoing replacement therapy for primary immunodeficiency syndromes. *Vox Sang* 2003;84:188-92.

Bronowicki JP, Bineau C, Feugier P, Hermine O, Brousse N, Oberti F, *et al.* Primary lymphoma of the liver: clinical-pathological features and relationship with HCV infection in French patients. *Hepatology* 2003;37:781-7.

Pilon A, Martin G, Bultel-Brienne S, Junquero D, Delhon A, Fruchart JC, *et al.* Regulation of the scavenger receptor BI and the LDL receptor by activators of aldosterone production, angiotensin II and PMA, in the human NCI-H295R adrenocortical cell line. *Biochim Biophys Acta* 2003;1631:218-28.

Ledoux S, Runembert I, Koumanov K, Michel JB, Trugnan G, Friedlander G. Hypoxia enhances Ecto-5'-Nucleotidase activity and cell surface expression in endothelial cells: role of membrane lipids. *Circ Res* 2003;92:848-55.

Beaugerie L, Flahault A, Barbut F, Atlan P, Lalande V, Cousin P, *et al.* Antibiotic-associated diarrhoea and *Clostridium difficile* in the community. *Aliment Pharmacol Ther* 2003;17:905-12.

Ballot E, Bruneel A, Labas V, Johanet C. Identification of rat targets of anti-soluble liver antigen autoantibodies by serologic proteome analysis. *Clin Chem* 2003;49:634-43.

Wislez M, Rabbe N, Marchal J, Milleron B, Crestani B, Mayaud C, *et al.* Hepatocyte growth factor production by neutrophils infiltrating bronchioloalveolar subtype pulmonary adenocarcinoma: role in tumor progression and death. *Cancer Res* 2003;63:1405-12.

Delaunay J, Vey N, Leblanc T, Fenaux P, Rigal-Huguet F, Witz F, *et al.* Prognosis of inv(16)/t(16;16) acute myeloid leukemia (AML): a survey of 110 cases from the French AML Intergroup. *Blood* 2003;102:462-9.

Mazeron MC, Fillet AM, Salmon D, Boukli N, Houhou N, Sénéchal B, *et al.* Quantitative markers for cytomegalovirus disease in HIV-infected patients receiving highly active antiretroviral therapy. *AIDS* 2003;17:784-6.

Simon T, Mary-Krause M, Funck-Brentano C, Lechat P, Jaillon P. Bisoprolol dose-response relationship in patients with congestive heart failure: a subgroup analysis in the cardiac insufficiency bisoprolol study(CIBIS II). *Eur Heart J* 2003;24:552-9.

Verstuyft C, Robert A, Morin S, Lorient MA, Flahault A, Beaune P, *et al.* Genetic and environmental risk factors for oral anticoagulant overdose. *Eur J Clin Pharmacol* 2003;58:739-45.

Bonte H, Fléjou JF. Patterns of expression of MMR proteins in serrated adenomas and other polyps of the colorectum. *Gut* 2003;52:611.

Moulin P, Igarashi T, Van der Smissen P, Cosyns JP, Verroust P, Thakker RV, *et al.* Altered polarity and expression of H⁺-ATPase without ultrastructural changes in kidneys of Dent's disease patients. *Kidney Int* 2003;63:1285-95.

Caux F, Dubosclard E, Lascols O, Buendia B, Chazouillères O, Cohen A, *et al.* A new clinical condition linked to a novel mutation in lamins A and C with generalized lipoatrophy, insulin-resistant diabetes, disseminated leukomelanodermic papules, liver steatosis, and cardiomyopathy. *J Clin Endocrinol Metab* 2003;88:1006-13.

Bernard MH, Sidhu S, Berger N, Peix JL, Marsh DJ, Robinson BG, *et al.* A case report in favor of a multistep adrenocortical tumorigenesis. *J Clin Endocrinol Metab* 2003;88:998-1001.

Dodé C, Levilliers J, Dupont JM, De Paepe A, Le Dû N, Soussi-Yanicostas N, *et al.* Loss-of-function mutations in FGFR1 cause autosomal dominant Kallmann syndrome. *Nat Genet* 2003;33:463-5.

Mourra N, Caplin S, Parc R, Flejou JF. Presacral neuroendocrine carcinoma developed in a tailgut cyst: report of a case. *Dis Colon Rectum* 2003;46:411-3.

Totet A, Pautard JC, Raccurt C, Roux P, Nevez G. Genotypes at the internal transcribed spacers of the nuclear rRNA operon of *Pneumocystis jiroveci* in nonimmunosuppressed infants without severe pneumonia. *J Clin Microbiol* 2003;41:1173-80.

Blot E, Escande MC, Besson D, Barbut F, Granpeix C, Asselain B, *et al.* Outbreak of *Clostridium difficile*-related diarrhoea in an adult oncology unit: risk factors and microbiological characteristics. *J Hosp Infect* 2003;53:187-92.

Démolis JL, Vacheron F, Cardus S, Funck-Brentano C. Effect of single and repeated oral doses of telithromycin on cardiac QT interval in healthy subjects. *Clin Pharmacol Ther* 2003;73:242-52.

Ravisé N, Dubourg O, Tardieu S, Aurias F, Mercadiel M, Coullin P, *et al.* Rapid detection of 17p11.2 rearrangements by FISH without cell culture (direct FISH, DFISH): a prospective study of 130 patients with inherited peripheral neuropathies. *Am J Med Genet A* 2003;118A:43-8.

Guiard-Schmid JB, Poirier JM, Meynard JL, Bonnard P, Gbadoe AH, Amiel C, *et al.* High variability of plasma drug concentrations in dual protease inhibitor regimens.

Antimicrob Agents Chemother 2003;47:986-90.

Feugeas JP, Manchon M, Augereau C, Derache P, Guerber F, Kahn F, *et al.* Bilans biochimiques and pharmacologiques d'orientation en urgence. Ann Biol Clin (Paris) 2003;61:5-13.

Wendum D, Boëlle PY, Rigau V, Sebbagh N, Olschwang S, Mourra N, *et al.* Mucinous colon carcinomas with microsatellite instability have a lower microvessel density and lower vascular endothelial growth factor expression. Virchows Arch 2003;442:111-7.

Kinnman N, Francoz C, Barbu V, Wendum D, Rey C, Hultcrantz R, *et al.* The myofibroblastic conversion of peribiliary fibrogenic cells distinct from hepatic stellate cells is stimulated by platelet-derived growth factor during liver fibrogenesis. Lab Invest 2003;83:163-73.

Wendum D, Svrcek M, Rigau V, Boëlle PY, Sebbagh N, Parc R, *et al.* COX-2, inflammatory secreted PLA2, and cytoplasmic PLA2 protein expression in small bowel adenocarcinomas compared with colorectal adenocarcinomas. Mod Pathol 2003;16:130-6.

Berenbaum F, Humbert L, Bereziat G, Thirion S. Concomitant recruitment of ERK1/2 and p38 MAPK signalling pathway is required for activation of cytoplasmic phospholipase A2 via ATP in articular chondrocytes. J Biol Chem 2003;278:13680-7.

Borer JS, Fox K, Jaillon P, Lerebours G, Ivabradine Investigators Group. Antianginal and antiischemic effects of ivabradine, an I(f) inhibitor, in stable angina: a randomized, double-blind, multicentered, placebo-controlled trial. Circulation 2003;107:817-23.

Slimane TA, Trugnan G, Van IJzendoorn SC, Hoekstra D. Raft-mediated trafficking of apical resident proteins occurs in both direct and transcytotic pathways in polarized hepatic cells: role of distinct lipid microdomains. *Mol Biol Cell* 2003;14:611-24.

Hilbert L, Jorieux S, Proulle V, Favier R, Goudemand J, Parquet A, *et al.* Two novel mutations, Q1053H and C1060R, located in the D3 domain of von Willebrand factor, are responsible for decreased FVIII-binding capacity. *Br J Haematol* 2003;120:627-32.

Soussan P, Tuveri R, Nalpas B, Garreau F, Zavala F, Masson A, *et al.* The expression of hepatitis B spliced protein (HBSP) encoded by a spliced hepatitis B virus RNA is associated with viral replication and liver fibrosis. *J Hepatol* 2003;38:343-8.

Ait-Said F, Elalamy I, Werts C, Gomard MT, Jacquemin C, Couetil JP, *et al.* Inhibition by eicosapentaenoic acid of IL-1beta-induced PGHS-2 expression in human microvascular endothelial cells: involvement of lipoxygenase-derived metabolites and p38 MAPK pathway. *Biochim Biophys Acta* 2003;1631:77-84.

Briand O, Lestavel S, Pilon A, Torpier G, Fruchart JC, Clavey V. SR-BI does not require raft/caveola localisation for cholesteryl ester selective uptake in the human adrenal cell line NCI-H295R. *Biochim Biophys Acta* 2003;1631:42-50.

Bousserouel S, Brouillet A, Béréziat G, Raymondjean M, Andréani M. Different effects of n-6 and n-3 polyunsaturated fatty acids on the activation of rat smooth muscle cells by interleukin-1 beta. *J Lipid Res* 2003;44:601-11.

Herz K, Vimont S, Padan E, Berche P. Roles of NhaA, NhaB, and NhaD Na⁺/H⁺ antiporters in survival of *Vibrio cholerae* in a saline environment. *J Bacteriol*

2003;185:1236-44.

Mourra N, Tiret E, Caplin S, Gendre JP, Parc R, Flejou JF. Involvement of Meckel diverticulum in Crohn disease associated with pancreatic heterotopia. *Arch Pathol Lab Med* 2003;127:E99-E100.

Corvol H, Fitting C, Chadelat K, Jacquot J, Tabary O, Boule M, *et al.* Distinct cytokine production by lung and blood neutrophils from children with cystic fibrosis. *Am J Physiol Lung Cell Mol Physiol* 2003;284:L997-1003.

Ibrahim EC, Allory Y, Commo F, Gattegno B, Callard P, Paul P. Altered pattern of major histocompatibility complex expression in renal carcinoma: tumor-specific expression of the nonclassical human leukocyte antigen-G molecule is restricted to clear cell carcinoma while up-regulation of other major histocompatibility complex antigens is primarily distributed in all subtypes of renal carcinoma. *Am J Pathol* 2003;162:501-8.

Verstuyft C, Strabach S, El-Morabet H, Kerb R, Brinkmann U, Dubert L, *et al.* Dipyridamole enhances digoxin bioavailability via P-glycoprotein inhibition. *Clin Pharmacol Ther* 2003;73:51-60.

Chatelain D, Fléjou JF. High-grade dysplasia and superficial adenocarcinoma in Barrett's esophagus: histological mapping and expression of p53, p21 and Bcl-2 oncoproteins. *Virchows Arch* 2003;442:18-24.

Moritz S, Colin M, Keller M, Klonjkowski B, Capeau J, Coutelle C, *et al.* Gene transfer by adenovirus-mimetic peptides in the presence of a cationic lipid and/or adenovirus. Analysis of the contribution of the viral and nonviral components. *Arch Virol* 2003;148:1-18.

Bentires-Alj M, Barbu V, Fillet M, Chariot A, Relic B, Jacobs N, *et al.* NF-kappaB transcription factor induces drug resistance through MDR1 expression in cancer cells. *Oncogene* 2003;22:90-7.

Paulous S, Malnou CE, Michel YM, Kean KM, Borman AM. Comparison of the capacity of different viral internal ribosome entry segments to direct translation initiation in poly(A)-dependent reticulocyte lysates. *Nucleic Acids Res* 2003;31:722-33.

Koszul R, Malpertuy A, Frangeul L, Bouchier C, Wincker P, Thierry A, *et al.* The complete mitochondrial genome sequence of the pathogenic yeast *Candida (Torulopsis) glabrata*. *FEBS Lett* 2003;534:39-48.

Thibout H, Martinerie C, Créminon C, Godeau F, Boudou P, Le Bouc Y, *et al.* Characterization of human NOV in biological fluids: an enzyme immunoassay for the quantification of human NOV in sera from patients with diseases of the adrenal gland and of the nervous system. *J Clin Endocrinol Metab* 2003;88:327-36.

Mardones P, Pilon A, Bouly M, Duran D, Nishimoto T, Arai H, *et al.* Fibrates down-regulate hepatic scavenger receptor class B type I protein expression in mice. *J Biol Chem* 2003;278:7884-90.

Inda M, Fan X, Muñoz J, Perot C, Fauvet D, Danglot G, *et al.* Chromosomal abnormalities in human glioblastomas: gain in chromosome 7p correlating with loss in chromosome 10q. *Mol Carcinog* 2003;36:6-14.

Baudel JL, Alzieu M, Barbut F, Guglielminotti J, Maury E, Guidet B, *et al.* A monthly systematic bacteriological report improves accuracy of identification of hospital-acquired infections in an ICU. *J Hosp Infect* 2003;53:14-7.

Challier J, Galtier M, Bintein T, Cortez A, Lepercq J, Hauguel-de Mouzon S. Placental leptin receptor isoforms in normal and pathological pregnancies. *Placenta* 2003;24:92-9.

Favreau C, Dubosclard E, Ostlund C, Vigouroux C, Capeau J, Wehnert M, *et al.* Expression of lamin A mutated in the carboxyl-terminal tail generates an aberrant nuclear phenotype similar to that observed in cells from patients with Dunnigan-type partial lipodystrophy and Emery-Dreifuss muscular dystrophy. *Exp Cell Res* 2003;282:14-23.

Holzenberger M, Dupont J, Ducos B, Leneuve P, G elo en A, Even PC, *et al.* IGF-1 receptor regulates lifespan and resistance to oxidative stress in mice. *Nature* 2003;421:182-7.

Flamant M, Tharaux PL, Placier S, Henrion D, Coffman T, Chatziantoniou C, *et al.* Epidermal growth factor receptor trans-activation mediates the tonic and fibrogenic effects of endothelin in the aortic wall of transgenic mice. *FASEB J* 2003;17:327-9.

Locatelli F, Rocha V, Reed W, Bernaudin F, Ertem M, Grafakos S, *et al.* Related umbilical cord blood transplantation in patients with thalassemia and sickle cell disease. *Blood* 2003;101:2137-43.

Chignard N, Mergey M, Veiss ere D, Poupon R, Capeau J, Parc R, *et al.* Bile salts potentiate adenylyl cyclase activity and cAMP-regulated secretion in human gallbladder epithelium. *Am J Physiol Gastrointest Liver Physiol* 2003;284:G205-12.

Samama MM, Gerotziapas GT, Elalamy I, Horellou MH, Conard J. Biochemistry and clinical pharmacology of new anticoagulant agents. *Pathophysiol Haemost Thromb* 2002;32:218-24.

Dussaule JC, Boffa JJ, Tharaux PL, Flamant M, Fakhouri F, Chatziantoniou C. Peptides vasoactifs et développement de la sclérose rénale: apports de la transgénèse. *J Soc Biol* 2002;196:275-80.

Moguelet P, Houdouin L, Bertheau P, Boudaoud S, Hassani Z, Eurin B, *et al.* Une ulcération oesophagienne. *Ann Pathol* 2002;22:487-8.

Kaisaki PJ, Sebag-Montefiore LM, Brown JH, Magre J, Lathrop M, Capeau J, *et al.* Localization, cDNA sequence and genomic organization of the rat seipin gene (Bsc12) and sequence analysis in inbred rat models of Type 2 diabetes mellitus. *Cytogenet Genome Res* 2002;98:71-4.

De Fraipont F, Le Moigne G, Defaye G, El Atifi M, Berger F, Houlgatte R, *et al.* Transcription profiling of benign and malignant adrenal tumors by cDNA macroarray analysis. *Endocr Res* 2002;28:785-6.

Heagerty A, Deverly A, Palmer C, Kaplinsky E, Salvetti A, Wahlgren NG, *et al.* The role of the critical event committee in a major cardiovascular outcome study. *Blood Press* 2002;11:339-44.

Chatelain D, de Lajarte-Thirouard AS, Tiret E, Flejou JF. Adenocarcinoma of the upper esophagus arising in heterotopic gastric mucosa: common pathogenesis with Barrett's adenocarcinoma? *Virchows Arch* 2002;441:406-11.

Holstein J, Taright N, Lepage E, Razafimamonjy J, Duboc D, Feldman L, *et al.*
Qualité du recueil PMSI pour la valorisation par points ISA du modèle GHM. Rev
Epidemiol Sante Publique 2002;50:593-603.

Elalamy I, Hatmi M. Quelle place pour l'aspirine en prophylaxie antithrombotique
veineuse? Ann Cardiol Angeiol (Paris) 2002;51:296-302.

Amselem S. Defects of pituitary development. J Pediatr Endocrinol Metab 2002;15
Suppl 5:1425-6.

Elalamy I, Gerotziapas G, Dumaine R, Samama MM. Les marqueurs biologiques de
l'hémostase à la phase aiguë de la thrombose coronaire. Arch Mal Coeur Vaiss
2002;95 Spec No 7:21-9.

Bazot M, Daraï E, Rouger J, Detchev R, Cortez A, Uzan S. Limitations of
transvaginal sonography for the diagnosis of adenomyosis, with histopathological
correlation. Ultrasound Obstet Gynecol 2002;20:605-11.

Ben Lagha N, Menuelle P, Seurin D, Binoux M, Lebouc Y, Berdal A. Bone formation
in the context of growth retardation induced by hIGFBP-1 overexpression in
transgenic mice. Connect Tissue Res 2002;43:515-9.

Aucouturier P, Carnaud C. The immune system and prion diseases: a relationship
of complicity and blindness. J Leukoc Biol 2002;72:1075-83.

Bahuau M, Houdayer C, Tredano M, Soupre V, Couderc R, Vazquez MP. FOXC2
truncating mutation in distichiasis, lymphedema, and cleft palate. Clin Genet
2002;62:470-3.

Chatelain D, Fléjou JF. Pancréatectomie pour adénocarcinome: facteurs pronostiques, recommandations de rédaction des comptes-rendus. *Ann Pathol* 2002;22:422-31.

Youssef N, Fléjou JF. Formes rares de pancréatite chronique. *Ann Pathol* 2002;22:387-96.

Fléjou JF, Scoazec JY. Pathologie du pancréas. *Ann Pathol* 2002;22:347-8.

Tenière P, Songne K, Frebourg T, Moguelet P, Foulatier O, Michot F, *et al.* Polypose juvénile familiale. Intérêt de l'étude génétique et place du traitement chirurgical. *Gastroenterol Clin Biol* 2002;26:1047-50.

Franchi G, Sleilati F, Soupre V, Boudjemaa S, Josset P, Diner PA, *et al.* Melanotic neuroectodermal tumour of infancy involving the orbit and maxilla: surgical management and follow-up strategy. *Br J Plast Surg* 2002;55:526-9.

Lambin P, Debbia M, Puillandre P, Brossard Y. IgG1 and IgG3 anti-D in maternal serum and on the RBCs of infants suffering from HDN: relationship with the severity of the disease. *Transfusion* 2002;42:1537-46.

Samama MM, Horellou MH, Conard J, Achkar A, Elalamy I. Le traitement de la thrombose veineuse profonde par les héparines de bas poids moléculaire. Commentaires sur les recommandations du Consensus Nord-Américain. *Ann Cardiol Angeiol (Paris)* 2002;51:172-6.

Chapiro E, Feldmann D, Denoyelle F, Sternberg D, Jardel C, Eliot MM, *et al.* Two large French pedigrees with non syndromic sensorineural deafness and the mitochondrial DNA T7511C mutation: evidence for a modulatory factor. *Eur J Hum Genet* 2002;10:851-6.

Chen N, François A, Moguelet P, Péron JM. Difficultés diagnostiques devant une ulcération linguale. Maladie de Wegener. *Rev Stomatol Chir Maxillofac* 2002;103:304-6.

Simon T, Boutouyrie P, Simon JM, Laloux B, Tournigand C, Tropeano AI, *et al.* Influence of tamoxifen on carotid intima-media thickness in postmenopausal women. *Circulation* 2002;106:2925-9.

Verhelst D, Monge M, Meynard JL, Fouqueray B, Mougnot B, Girard PM, *et al.* Fanconi syndrome and renal failure induced by tenofovir: a first case report. *Am J Kidney Dis* 2002;40:1331-3.

Argani P, Antonescu CR, Couturier J, Fournet JC, Sciot R, Debiec-Rychter M, *et al.* PRCC-TFE3 renal carcinomas: morphologic, immunohistochemical, ultrastructural, and molecular analysis of an entity associated with the t(X;1)(p11.2;q21). *Am J Surg Pathol* 2002;26:1553-66.

Nève V, Girard F, Flahault A, Boulé M. Lung and thorax development during adolescence: relationship with pubertal status. *Eur Respir J* 2002;20:1292-8.

Desbois-Mouthon C, Blivet-Van Eggelpoël MJ, Beurel E, Boissan M, Deléto R, Cadoret A, *et al.* Dysregulation of glycogen synthase kinase-3beta signaling in hepatocellular carcinoma cells. *Hepatology* 2002;36:1528-36.

Cuilliere P, Lazure T, Bui M, Fabre M, Buffet C, Gayral F, *et al.* Solid adenoma with exclusive hepatocellular differentiation: a new variant among pancreatic benign neoplasms? *Virchows Arch* 2002;441:519-22.

Foulet-Rogé A, Josselin N, Guyetant S, Gardet JJ, Besancon A, Saint-André JP, *et al.* Incidental langerhans cell histiocytosis of thyroid: case report and review of the literature. *Endocr Pathol* 2002;13:227-33.

Feldmann D. Mucoviscidose: un dépistage pour toute la France. *Ann Biol Clin (Paris)* 2002;60:693-5.

Lasnier E, Blanc MC, Housset C, Rey C, Roch-Arveiller M, Vaubourdolle M. Cytotoxic response of sinusoidal endothelial cells to polymorphonuclear leukocytes and its potential implication in hypoxia-reoxygenation injury. *Liver* 2002;22:495-500.

Bastard JP, Jan V, Maachi M, Rabasa-Lhoret R, Jardel C, Bruckert E, *et al.* Incorporation of non esterified fatty acids into QUICKI is not relevant in obese subjects during diet inducing weight loss. *Diabetes Metab* 2002;28:333-4.

Chouaki T, Lavarde V, Lachaud L, Raccurt CP, Hennequin C. Invasive infections due to *Trichoderma* species: report of 2 cases, findings of in vitro susceptibility testing, and review of the literature. *Clin Infect Dis* 2002;35:1360-7.

Coumbaras M, Wendum D, Monnier-Cholley L, Dahan H, Tubiana JM, Arrivé L. CT and MR imaging features of pathologically proven atypical giant hemangiomas of the liver. *AJR Am J Roentgenol* 2002;179:1457-63.

Amsellem S, Briffaut D, Carrié A, Rabès JP, Girardet JP, Fredenrich A, *et al.* Intronic mutations outside of Alu-repeat-rich domains of the LDL receptor gene are a cause of familial hypercholesterolemia. *Hum Genet* 2002;111:501-10.

Cao V, Lambert T, Nhu DQ, Loan HK, Hoang NK, Arlet G, *et al.* Distribution of extended-spectrum beta-lactamases in clinical isolates of Enterobacteriaceae in Vietnam. *Antimicrob Agents Chemother* 2002;46:3739-43.

Chatelain D, Couvelard A, Hammel P, Terris B, Palazzo L, Verhaeghe P, *et al.* Le kyste lympho-épithélial du pancréas: une lésion de diagnostic difficile. *Gastroenterol Clin Biol* 2002;26:935-8.

Amselem S. Current approaches for deciphering the molecular basis of combined anterior pituitary hormone deficiency in humans. *Mol Cell Endocrinol* 2002;197:47-56.

Toulon P, Lequerrec A, Piquet P, Robert A, Biron C. Significant influence of the instrument on the result of the ProC Global assay. A multicenter evaluation using lyophilized plasmas and frozen plasma samples from carriers and non-carriers of the factor V Leiden mutation. *Thromb Res* 2002;107:181-8.

Theate I, Michaux L, Dardenne S, Guiot Y, Brière J, Emile FJ, *et al.* Epstein-Barr virus-associated lymphoproliferative disease occurring in a patient with sarcoidosis treated by methotrexate and methylprednisolone. *Eur J Haematol* 2002;69:248-53.

Charbit B, Becquemont L, Lepère B, Peytavin G, Funck-Brentano C. Pharmacokinetic and pharmacodynamic interaction between grapefruit juice and halofantrine. *Clin Pharmacol Ther* 2002;72:514-23.

Belorgey C, Demarez JP, Jaillon P, Giens XVII. Bonnes Pratiques des essais Cliniques: formation des médecins, incitations à la mise en oeuvre des B.P.C. et évaluation de leur observance. *Therapie* 2002;57:339-46.

Baudin E, Docao C, Gicquel C, Vassal G, Bachelot A, Penfornis A, *et al.* Use of a topoisomerase I inhibitor (irinotecan, CPT-11) in metastatic adrenocortical carcinoma. *Ann Oncol* 2002;13:1806-9.

Hennequin C, Ranaivoarimalala C, Chouaki T, Tazerout M, Ancelle T, Cabaud JJ, *et al.* Comparison of aerobic standard medium with specific fungal medium for detecting fusarium spp in blood cultures. *Eur J Clin Microbiol Infect Dis* 2002;21:748-50.

Slimane MN, Lestavel S, Clavey V, Maatouk F, Ben Fahrat MH, Fruchart JC, *et al.* CYS127S (FH-Kairouan) and D245N (FH-Tozeur) mutations in the LDL receptor gene in Tunisian families with familial hypercholesterolaemia. *J Med Genet* 2002;39:e74.

Gouin-Thibault I, Arkam R, Nassiri S, de la Tourette A, Conard J, Horellou MH, *et al.* Markers of activated coagulation in patients with factor V Leiden and/or G20210A prothrombin gene mutation. *Thromb Res* 2002;107:7-11.

Chikhi-Brachet R, Bon F, Toubiana L, Pothier P, Nicolas JC, Flahault A, *et al.* Virus diversity in a winter epidemic of acute diarrhea in France. *J Clin Microbiol* 2002;40:4266-72.

Karras A, Noël LH, Droz D, Delansorne D, Saint-André JP, Aucouturier P, *et al.* Renal involvement in monoclonal (type I) cryoglobulinemia: two cases associated with IgG3 kappa cryoglobulin. *Am J Kidney Dis* 2002;40:1091-6.

Salem C, Massiani MA, Bazot M, Bazelly B, Antoine M, Carette MF. Masse médiastinale kystique rétro-trachéale. *Rev Pneumol Clin* 2002;58:226-31.

Decré D, Verdet C, Raskine L, Blanchard H, Burghoffer B, Philippon A, *et al.* Characterization of CMY-type beta-lactamases in clinical strains of *Proteus mirabilis* and *Klebsiella pneumoniae* isolated in four hospitals in the Paris area. *J Antimicrob Chemother* 2002;50:681-8.

Chatelain D, Bonte H, Guillevin L, Balladur P, Flejou JF. Small solitary littoral cell angioma associated with splenic marginal zone lymphoma and villous lymphocyte leukaemia in a patient with hepatitis C infection. *Histopathology* 2002;41:473-5.

Bardakdjian-Michau J, Guilloud-Bataillie M, Maier-Redelsperger M, Elion J, Girot R, Feingold J, *et al.* Decreased morbidity in homozygous sickle cell disease detected at birth. *Hemoglobin* 2002;26:211-7.

Mordi A, Batoko A, Strock P, Cabrol S, Sevestre C, Delteil C. Hémangiome avec syndrome de Turner. *Presse Med* 2002;31:1458-9.

Barbault-Foucher S, Gref R, Russo P, Guechot J, Bochot A. Design of poly-epsilon-caprolactone nanospheres coated with bioadhesive hyaluronic acid for ocular delivery. *J Control Release* 2002;83:365-75.

Gelot A, Legros JP. Prise en charge médicale du corps de l'enfant mort durant la période pré- ou périnatale: foetopathologiste ou médecin du fœtus? Arch Pediatr 2002;9:952-7.

Chatelain D, Hammel P, O'Toole D, Terris B, Vilgrain V, Palazzo L, *et al.* Macrocystic form of serous pancreatic cystadenoma. Am J Gastroenterol 2002;97:2566-71.

Launay O, Gérard L, Morand-Joubert L, Flandre P, Guiramand-Hugon S, Joly V, *et al.* Nevirapine or lamivudine plus stavudine and indinavir: examples of 2-class versus 3-class regimens for the treatment of human immunodeficiency virus type 1. Clin Infect Dis 2002;35:1096-105.

Fouillard L, Labopin M, Gorin NC, Polge E, Prentice HG, Meloni G, *et al.* Hematopoietic stem cell transplantation for de novo erythroleukemia: a study of the European Group for Blood and Marrow Transplantation (EBMT). Blood 2002;100:3135-40.

Dridi L, Tankovic J, Burghoffer B, Barbut F, Petit JC. gyrA and gyrB mutations are implicated in cross-resistance to Ciprofloxacin and moxifloxacin in Clostridium difficile. Antimicrob Agents Chemother 2002;46:3418-21.

Vimont S, Poirel L, Naas T, Nordmann P. Identification of a chromosome-borne expanded-spectrum class a beta-lactamase from Erwinia persicina. Antimicrob Agents Chemother 2002;46:3401-5.

Beydon N, Amsallem F, Bellet M, Boulé M, Chaussain M, Denjean A, *et al.* Pulmonary function tests in preschool children with cystic fibrosis. Am J Respir Crit Care Med 2002;166:1099-104.

Atlan D, Touboul E, Deniaud-Alexandre E, Lefranc JP, Antoine JM, Jannet D, *et al.* Operable Stages IB and II cervical carcinomas: a retrospective study comparing preoperative uterovaginal brachytherapy and postoperative radiotherapy. *Int J Radiat Oncol Biol Phys* 2002;54:780-93.

Souberbielle JC, Carlier MC, Bianchi F, Genty V, Jacob N, Kamel S, *et al.* Enquête sur la prescription des marqueurs du remodelage osseux en milieu hospitalier. *Ann Biol Clin (Paris)* 2002;60:571-9.

Bastard JP, Chambert S, Ceppa F, Coude M, Grapez E, Loric S, *et al.* Les méthodes d'extraction et de purification des ARN. *Ann Biol Clin (Paris)* 2002;60:513-23.

Laudat A, Lecourbe K, Guéchet J, Palluel AM. Values of sperm thiobarbituric acid-reactive substance in fertile men. *Clin Chim Acta* 2002;325:113-5.

Van Maldergem L, Magré J, Khallouf TE, Gedde-Dahl T, Delépine M, Trygstad O, *et al.* Genotype-phenotype relationships in Berardinelli-Seip congenital lipodystrophy. *J Med Genet* 2002;39:722-33.

Cadranel J, Wislez M, Antoine M. Primary pulmonary lymphoma. *Eur Respir J* 2002;20:750-62.

Henrion-Caude A, Flamant C, Roussey M, Housset C, Flahault A, Fryer AA, *et al.* Liver disease in pediatric patients with cystic fibrosis is associated with glutathione S-transferase P1 polymorphism. *Hepatology* 2002;36:913-7.

Merzoug V, Ferey S, André Ch, Gelot A, Adamsbaum C. Magnetic resonance imaging of the fetal brain. *J Neuroradiol* 2002;29:76-90.

Tharaux PL, Girot R, Kanfer A, Dussaule JC, Gaitz JP, Tribout L, *et al.* Cutaneous microvascular blood flow and reactivity in patients with homozygous sickle cell anaemia. *Eur J Haematol* 2002;68:327-31.

Atlan D, Touboul E, Deniaud-Alexandre E, Lefranc JP, Ganansia V, Bernard A, *et al.* Cancer du col utérin stades IB et II opérable: comparaison rétrospective entre curiethérapie utérovaginale préopératoire et chirurgie première suivies d'une radiothérapie. *Cancer Radiother* 2002;6:217-37.

Catala M. Données récentes sur la mise en place des axes chez l'embryon de mammifères. *Morphologie* 2002;86:5-8.

Houdayer C, Lourdaux J, Billette de Villemeur T, Royer-Legrain G, Bahuaud M, Bonnefont JP, *et al.* Simple fluorescent PCR assay for discriminating FRAXA fully mutated females from normal homozygotes. *Genet Test* 2002;6:135-9.

Terris B, Dubois S, Buisine MP, Sauvanet A, Ruszniewski P, Aubert JP, *et al.* Mucin gene expression in intraductal papillary-mucinous pancreatic tumours and related lesions. *J Pathol* 2002;197:632-7.

Satgé D, Pommepuy I, Hassan T, Goburdhun J, Flejou JF. Ulcerative terminal ileitis after BCG therapy for bladder carcinoma. *Histopathology* 2002;41:266-8.

Reznikoff-Etiévant MF, Zittoun J, Vaylet C, Pernet P, Milliez J. Low Vitamin B(12) level as a risk factor for very early recurrent abortion. *Eur J Obstet Gynecol*

Reprod Biol 2002;104:156-9.

Plaisier E, Borradori L, Hellmark T, Wattiaux MJ, Flageul B, Mougenot B, *et al.* Anti-glomerular basement membrane nephritis and bullous pemphigoid caused by distinct anti-alpha 3(IV)NC1 and anti-BP180 antibodies in a patient with Crohn's disease. *Am J Kidney Dis* 2002;40:649-54.

Richet H, Roux P, Des Champs C, Esnault Y, Andreumont A, French Candidemia Study Group. Candidemia in French hospitals: incidence rates and characteristics. *Clin Microbiol Infect* 2002;8:405-12.

Ballot E, Bruneel A, Johanet C, Yamamoto AM. Prevalence and clinical relevance of anti-soluble liver antigen (SLA) antibodies in autoimmune hepatitis. *Hepatology* 2002;36:765-6; author reply 766-7.

Freitas M, Axelsson LG, Cayuela C, Midtvedt T, Trugnan G. Microbial-host interactions specifically control the glycosylation pattern in intestinal mouse mucosa. *Histochem Cell Biol* 2002;118:149-61.

Tennezé L, Tarral E, Ducloux N, Funck-Brentano C. Pharmacokinetics and electrocardiographic effects of a new controlled-release form of flecainide acetate: comparison with the standard form and influence of the CYP2D6 polymorphism. *Clin Pharmacol Ther* 2002;72:112-22.

Antonio V, Brouillet A, Janvier B, Monne C, Bereziat G, Andreani M, *et al.* Transcriptional regulation of the rat type IIA phospholipase A2 gene by cAMP and interleukin-1beta in vascular smooth muscle cells: interplay of the CCAAT/enhancer binding protein (C/EBP), nuclear factor-kappaB and Ets transcription factors. *Biochem J* 2002;368:415-24.

Picaud JC, Boucher P, Lapillonne A, Berthouze M, Delvin E, Boehm G, *et al.*
Influence of dietary cholesterol on vitamin d metabolism in formula-fed preterm neonates. *J Pediatr Gastroenterol Nutr* 2002;35:180-4.

Servant A, Laperche S, Lallemand F, Marinho V, De Saint Maur G, Meritet JF, *et al.*
Genetic diversity within human erythroviruses: identification of three genotypes. *J Virol* 2002;76:9124-34.

Demarez JP. Aspects juridiques des conseils donnés par un pharmacovigilant institutionnel aux professionnels de santé. Conséquences dans le champ de la tératologie. *Therapie* 2002;57:186-8.

Humeniuk C, Arlet G, Gautier V, Grimont P, Labia R, Philippon A. Beta-lactamases of *Kluyvera ascorbata*, probable progenitors of some plasmid-encoded CTX-M types. *Antimicrob Agents Chemother* 2002;46:3045-9.

Chevy F, Illien F, Wolf C, Roux C. Limb malformations of rat fetuses exposed to a distal inhibitor of cholesterol biosynthesis. *J Lipid Res* 2002;43:1192-200.

Rancan F, Rosan S, Boehm F, Cantrell A, Brellreich M, Schoenberger H, *et al.*
Cytotoxicity and photocytotoxicity of a dendritic C(60) mono-adduct and a malonic acid C(60) tris-adduct on Jurkat cells. *J Photochem Photobiol B* 2002;67:157-62.

Baudry D, Faussillon M, Cabanis MO, Rigolet M, Zucker JM, Patte C, *et al.*
Changes in WT1 splicing are associated with a specific gene expression profile in Wilms' tumour. *Oncogene* 2002;21:5566-73.

Chatelain D, Paye F, Mourra N, Scoazec JY, Baudrimont M, Parc R, *et al.* Unilocular acinar cell cystadenoma of the pancreas an unusual acinar cell tumor. *Am J Clin Pathol* 2002;118:211-4.

Bernard J, Le Breton C, Piriou P, Khalil A, Boumenir Z, Cortez A, *et al.* Apport de l'IRM dans l'étude des fibromatoses desmoïdes extra-abdominales. *J Radiol* 2002;83:711-6.

Lafont J, Laurent M, Thibout H, Lallemand F, Le Bouc Y, Atfi A, *et al.* The expression of novH in adrenocortical cells is down-regulated by TGFbeta 1 through c-Jun in a Smad-independent manner. *J Biol Chem* 2002;277:41220-9.

Gangneux JP, Poirot JL, Morin O, Derouin F, Bretagne S, Datry A, *et al.* Surveillance mycologique de l'environnement pour la prévention de l'aspergillose invasive. Propositions de standardisation des méthodologies et des modalités d'application. *Presse Med* 2002;31:841-8.

Carbonell N, Thabut D, Podevin P, Biour M, Serfaty L, Poupon R. Ictère cholestatique induit par la prise d'acide fucidique chez un patient cirrhotique. *Presse Med* 2002;31:1083-4.

Wendum D, Carbonell N, Svrcek M, Chazouillères O, Fléjou JF. Fatal disseminated toxoplasmosis in a toxoplasma seropositive liver transplant recipient. *J Clin Pathol* 2002;55:637.

Ducros V, Candito M, Caussé E, Couderc R, Demuth K, Diop ME, *et al.* Comparaison du dosage de l'homocystéine plasmatique totale dans neuf laboratoires par six techniques différentes. *Ann Biol Clin (Paris)* 2002;60:421-8.

Chatelain D, Parc Y, Christin-Maitre S, Parc R, Flejou JF. Mixed ductal-pancreatic polypeptide-cell carcinoma of the pancreas. *Histopathology* 2002;41:122-6.

Demanche C, Guillot J, Berthelemy M, Petitt T, Roux P, Wakefield AE. Absence of mutations associated with sulfa resistance in *Pneumocystis carinii* dihydropteroate synthase gene from non-human primates. *Med Mycol* 2002;40:315-8.

Barranger E, Grahek D, Antoine M, Benchimol Y, Talbot JN, Uzan S. Le ganglion sentinelle dans le cancer du sein: étude de faisabilité et expérience initiale. *Gynecol Obstet Fertil* 2002;30:492-7.

Said FA, Werts C, Elalamy I, Couetil JP, Jacquemin C, Hatmi M. TNF-alpha, inefficient by itself, potentiates IL-1beta-induced PGHS-2 expression in human pulmonary microvascular endothelial cells: requirement of NF-kappaB and p38 MAPK pathways. *Br J Pharmacol* 2002;136:1005-14.

Tamouza R, Sghiri R, Ramasawmy R, Neonato MG, Mombo LE, Poirier JC, *et al.* Two novel CD1 E alleles identified in black African individuals. *Tissue Antigens* 2002;59:417-20.

Rigaud AS, Traykov L, Latour F, Couderc R, Moulin F, Forette F. Presence or absence of at least one epsilon 4 allele and gender are not predictive for the response to donepezil treatment in Alzheimer's disease. *Pharmacogenetics* 2002;12:415-20.

Simon T, Mary-Krause M, Funck-Brentano C, Davy JM, Weingrod M, Jaillon P. Efficacité et tolérance de la propafénone après régularisation de la fibrillation auriculaire: étude pharmaco-épidémiologique PEPS. *Arch Mal Coeur Vaiss* 2002;95:567-72.

Borman AM, Michel YM, Malnou CE, Kean KM. Free poly(A) stimulates capped mRNA translation in vitro through the eIF4G-poly(A)-binding protein interaction. *J Biol Chem* 2002;277:36818-24.

Bultel-Brienne S, Lestavel S, Pilon A, Laffont I, Tailleux A, Fruchart JC, *et al.* Lipid free apolipoprotein E binds to the class B Type I scavenger receptor I (SR-BI) and enhances cholesteryl ester uptake from lipoproteins. *J Biol Chem* 2002;277:36092-9.

Amiel C, De La Tribonnière X, Vidal V, Darcissac E, Mouton Y, Bahr GM. Clinical tolerance and immunologic effects after single or repeated administrations of the synthetic immunomodulator murabutide in HIV-1-infected patients. *J Acquir Immune Defic Syndr* 2002;30:294-305.

Ballerini P, Blaise A, Busson-Le Coniat M, Su XY, Zucman-Rossi J, Adam M, *et al.* HOX11L2 expression defines a clinical subtype of pediatric T-ALL associated with poor prognosis. *Blood* 2002;100:991-7.

Fihman V, Rottman M, Benzerara Y, Delisle F, Labia R, Philippon A, *et al.* BUT-1: a new member in the chromosomal inducible class C beta-lactamases family from a clinical isolate of *Buttiauxella* sp. *FEMS Microbiol Lett* 2002;213:103-11.

Girodon E, Sternberg D, Chazouillères O, Cazeneuve C, Huot D, Calmus Y, *et al.* Cystic fibrosis transmembrane conductance regulator (CFTR) gene defects in patients with primary sclerosing cholangitis. *J Hepatol* 2002;37:192-7.

Fouassier L, Kinnman N, Lefèvre G, Lasnier E, Rey C, Poupon R, *et al.* Contribution of mrp2 in alterations of canalicular bile formation by the endothelin antagonist bosentan. *J Hepatol* 2002;37:184-91.

Foureur N, Enjolras O, Boccon-Gibod L, Wetterwald E, Diner P, Escande JP. Fasciite du cuir chevelu (cranial fasciitis) de l'enfant. *Ann Dermatol Venereol* 2002;129:732-4.

Svrcek M, Sabourin JC. Confrontation immunohistochimique et analyse génotypique des tumeurs. *Ann Pathol* 2002;22:102-12.

Luquet I, Mugneret F, Athis PD, Nadal N, Favre B, Abel C, *et al.* French multi-centric study of 2000 amniotic fluid interphase FISH analyses from high-risk pregnancies and review of the literature. *Ann Genet* 2002;45:77-88.

Gangneux JP, Bretagne S, Cordonnier C, Datry A, Derouin F, Grillot R, *et al.* Prevention of nosocomial fungal infection: the French approach. *Clin Infect Dis* 2002;35:343-6.

Vialard F, Ottolenghi C, Gonzales M, Choiset A, Girard S, Siffroi JP, *et al.* Deletion of 9p associated with gonadal dysfunction in 46,XY but not in 46,XX human fetuses. *J Med Genet* 2002;39:514-8.

Carel JC, Ecosse E, Nicolino M, Tauber M, Leger J, Cabrol S, *et al.* Adult height after long term treatment with recombinant growth hormone for idiopathic isolated growth hormone deficiency: observational follow up study of the French population based registry. *BMJ* 2002;325:70.

Catala M. Contrôle du développement du noyau spinal d'Onuf. *Prog Urol* 2002;12:340-3.

Tostivint I, Mougnot B, Flahault A, Vigneau C, Costa MA, Haymann JP, *et al.* Adult haemolytic and uraemic syndrome: causes and prognostic factors in the last decade. *Nephrol Dial Transplant* 2002;17:1228-34.

Sauvaget D, Chauffeton V, Citadelle D, Chatelet FP, Cywiner-Golenzner C, Chambaz J, *et al.* Restriction of apolipoprotein A-IV gene expression to the intestine villus depends on a hormone-responsive element and parallels differential expression of the hepatic nuclear factor 4alpha and gamma isoforms. *J Biol Chem* 2002;277:34540-8.

Meas T, Chevenne D, Thibaud E, Léger J, Cabrol S, Czernichow P, *et al.* Endocrine consequences of premature pubarche in post-pubertal Caucasian girls. *Clin Endocrinol (Oxf)* 2002;57:101-6.

Dastugue N, Lafage-Pochitaloff M, Pagès MP, Radford I, Bastard C, Talmant P, *et al.* Cytogenetic profile of childhood and adult megakaryoblastic leukemia (M7): a study of the Groupe Français de Cytogénétique Hématologique (GFCH). *Blood* 2002;100:618-26.

Hart N, Polkey MI, Clément A, Boulé M, Moxham J, Lofaso F, *et al.* Changes in pulmonary mechanics with increasing disease severity in children and young adults with cystic fibrosis. *Am J Respir Crit Care Med* 2002;166:61-6.

Jaillon P. Les trois piliers de la pharmacologie clinique. *Thérapie* 2002;57:3-5.

Becquemont L, Chazouilleres O, Serfaty L, Poirier JM, Broly F, Jaillon P, *et al.* Effect of interferon alpha-ribavirin bitherapy on cytochrome P450 1A2 and 2D6

and N-acetyltransferase-2 activities in patients with chronic active hepatitis C. *Clin Pharmacol Ther* 2002;71:488-95.

Chodjania Y, Tharaux PL, Ragueneau I, Dussaule JC, Picker JL, Funck-Brentano C, *et al.* Renal and vascular effects of S21402, a dual inhibitor of angiotensin-converting enzyme and neutral endopeptidase, in healthy subjects with hypovolemia. *Clin Pharmacol Ther* 2002;71:468-78.

Debiec H, Guigonis V, Mougnot B, Decobert F, Haymann JP, Bensman A, *et al.* Antenatal membranous glomerulonephritis due to anti-neutral endopeptidase antibodies. *N Engl J Med* 2002;346:2053-60.

Baudon JJ, Renault F, Goutet JM, Flores-Guevara R, Soupre V, Gold F, *et al.* Motor dysfunction of the upper digestive tract in Pierre Robin sequence as assessed by sucking-swallowing electromyography and esophageal manometry. *J Pediatr* 2002;140:719-23.

Raskine L, Borrel I, Barnaud G, Boyer S, Hanau-Berçot B, Gravisse J, *et al.* Novel plasmid-encoded class C beta-lactamase (MOX-2) in *Klebsiella pneumoniae* from Greece. *Antimicrob Agents Chemother* 2002;46:2262-5.

Simon D, Fernando C, Czernichow P, Prieur AM. Linear growth and final height in patients with systemic juvenile idiopathic arthritis treated with longterm glucocorticoids. *J Rheumatol* 2002;29:1296-300.

Philpott DJ, Belaid D, Troubadour P, Thiberge JM, Tankovic J, Labigne A, *et al.* Reduced activation of inflammatory responses in host cells by mouse-adapted *Helicobacter pylori* isolates. *Cell Microbiol* 2002;4:285-96.

Kettaneh A, Lenglet T, Poulet B, Michot J, Barrat C, Seror O, *et al.* Phlébite entérocolique pseudotumorale du caecum et rutoside. Une nouvelle observation. *Rev Med Interne* 2002;23:465-8.

Chambrier C, Bastard JP, Rieusset J, Chevillotte E, Bonnefont-Rousselot D, Therond P, *et al.* Eicosapentaenoic acid induces mRNA expression of peroxisome proliferator-activated receptor gamma. *Obes Res* 2002;10:518-25.

Barbut F, Meynard JL. Managing antibiotic associated diarrhoea. *BMJ* 2002;324:1345-6.

Laji S, Clauin S, Robins T, Vexiau P, Blanché H, Bellanne-Chantelot C, *et al.* Novel mutations in CYP21 detected in individuals with hyperandrogenism. *J Clin Endocrinol Metab* 2002;87:2824-9.

Barrio R, Bellanné-Chantelot C, Moreno JC, Morel V, Calle H, Alonso M, *et al.* Nine novel mutations in maturity-onset diabetes of the young (MODY) candidate genes in 22 Spanish families. *J Clin Endocrinol Metab* 2002;87:2532-9.

Garnero P, Carlier MC, Bianchi F, Garnero P, Genty V, Jacob N, *et al.* Marqueurs biologiques du remodelage osseux: variations préanalytiques et recommandations pour leur utilisation. *Ann Biol Clin (Paris)* 2002;60:339-41.

Candito M, Caussé E, Couderc R, Demuth K, Draï J, Gachon AM, *et al.* Conditions pré-analytiques et transférabilité des méthodes de dosage de l'homocystéine plasmatique totale. *Ann Biol Clin (Paris)* 2002;60:317-9.

Lessinger JM, Schiele F, Vialle A, Férard G, Myara A, Guéchet J, *et al.* Le calibrage en enzymologie clinique: principe, conditions d'application et résultats. *Ann Biol Clin (Paris)* 2002;60:281-6.

Cervera P, Videau C, Viollet C, Petrucci C, Lacombe J, Winsky-Sommerer R, *et al.* Comparison of somatostatin receptor expression in human gliomas and medulloblastomas. *J Neuroendocrinol* 2002;14:458-71.

Martin H, Sarsat JP, Lerche-Langrand C, Housset C, Ballardur P, Toutain H, *et al.* Morphological and biochemical integrity of human liver slices in long-term culture: effects of oxygen tension. *Cell Biol Toxicol* 2002;18:73-85.

Barbut F, Lalande V, Burghoffer B, Thien HV, Grimprel E, Petit JC. Prevalence and genetic characterization of toxin A variant strains of *Clostridium difficile* among adults and children with diarrhea in France. *J Clin Microbiol* 2002;40:2079-83.

Chatelain D, Maillet E, Boyer L, Checkouri G, Mourra N, Flejou JF. Brunner gland hamartoma with predominant adipose tissue and ciliated cysts. *Arch Pathol Lab Med* 2002;126:734-5.

Lahlou N, Issad T, Lebouc Y, Carel JC, Camoin L, Roger M, *et al.* Mutations in the human leptin and leptin receptor genes as models of serum leptin receptor regulation. *Diabetes* 2002;51:1980-5.

Rottman M, Benzerara Y, Hanau-Berçot B, Bizet C, Philippon A, Arlet G. Chromosomal ampC genes in *Enterobacter* species other than *Enterobacter cloacae*, and ancestral association of the ACT-1 plasmid-encoded cephalosporinase to *Enterobacter asburiae*. *FEMS Microbiol Lett* 2002;210:87-92.

Beydon N, Amsallem F, Bellet M, Boule M, Chaussain M, Denjean A, *et al.*
Pre/postbronchodilator interrupter resistance values in healthy young children. *Am J Respir Crit Care Med* 2002;165:1388-94.

Marquis E, Robert JJ, Bouvattier C, Bellanné-Chantelot C, Junien C, Diatloff-Zito C.
Major difference in aetiology and phenotypic abnormalities between transient and permanent neonatal diabetes. *J Med Genet* 2002;39:370-4.

Barranger E, Grahek D, Cortez A, Uzan S, Darai E. Laparoscopic sentinel node procedure in patients with cervical cancer. *J Clin Oncol* 2002;20:2602-3; author reply 2603.

Bialek R, Moshous D, Casanova JL, Blanche S, Hennequin C. Aspergillus antigen and PCR assays in bone marrow transplanted children. *Eur J Med Res* 2002;7:177-80.

Saladin M, Cao VT, Lambert T, Donay JL, Herrmann JL, Ould-Hocine Z, *et al.*
Diversity of CTX-M beta-lactamases and their promoter regions from Enterobacteriaceae isolated in three Parisian hospitals. *FEMS Microbiol Lett* 2002;209:161-8.

Guglielminotti J, Pernet P, Maury E, Alzieu M, Vaubourdolle M, Guidet B, *et al.*
Osmolar gap hyponatremia in critically ill patients: evidence for the sick cell syndrome? *Crit Care Med* 2002;30:1051-5.

Rich N, Gaston V, Le Bouc Y, Gicquel C. Expression of the gene for the alpha-subunit of inhibin in human adrenocortical tumours. *Horm Res* 2002;57:43-7.

Baudin B. New aspects on angiotensin-converting enzyme: from gene to disease. *Clin Chem Lab Med* 2002;40:256-65.

Grignon B, Tankovic J, Mégraud F, Glupczynski Y, Husson MO, Conroy MC, *et al.* Validation of diffusion methods for macrolide susceptibility testing of *Helicobacter pylori*. *Microb Drug Resist* 2002;8:61-6.

Deschênes G, Feldmann D, Doucet A. Altérations moléculaires primaires et troubles biologiques secondaires des syndromes de Bartter et de Gitelman. *Arch Pediatr* 2002;9:406-16.

Parez N, Delée S, Favier R, Adam M, Quinet B, Grimprel E, *et al.* Le paludisme d'importation de l'enfant en 1999. Etude parisienne à l'hôpital Armand-Trousseau. *Arch Pediatr* 2002;9:371-6.

Meynier de Salinelles V, Berenbaum F, Jacques C, Salvat C, Olivier JL, Béréziat G, *et al.* Design of a chimeric promoter induced by pro-inflammatory mediators in articular chondrocytes. *FEBS Lett* 2002;518:67-71.

Bastard JP, Maachi M, Van Nhieu JT, Jardel C, Bruckert E, Grimaldi A, *et al.* Adipose tissue IL-6 content correlates with resistance to insulin activation of glucose uptake both in vivo and in vitro. *J Clin Endocrinol Metab* 2002;87:2084-9.

Sendid B, Poirot JL, Tabouret M, Bonnin A, Caillot D, Camus D, *et al.* Combined detection of mannanaemia and antimannan antibodies as a strategy for the diagnosis of systemic infection caused by pathogenic *Candida* species. *J Med Microbiol* 2002;51:433-42.

Thomas G, Souil E, Richard MJ, Saunier B, Polla BS, Bachelet M. Hyperthermia assists survival of astrocytes from oxidative-mediated necrotic cell death. *Cell Mol Biol (Noisy-le-grand)* 2002;48:191-8.

Corpechot C, Barbu V, Wendum D, Kinnman N, Rey C, Poupon R, *et al.* Hypoxia-induced VEGF and collagen I expressions are associated with angiogenesis and fibrogenesis in experimental cirrhosis. *Hepatology* 2002;35:1010-21.

Savès M, Raffi F, Capeau J, Rozenbaum W, Ragnaud JM, Perronne C, *et al.* Factors related to lipodystrophy and metabolic alterations in patients with human immunodeficiency virus infection receiving highly active antiretroviral therapy. *Clin Infect Dis* 2002;34:1396-405.

Neildez-Nguyen TM, Wajcman H, Marden MC, Bensidhoum M, Moncollin V, Giarratana MC, *et al.* Human erythroid cells produced ex vivo at large scale differentiate into red blood cells in vivo. *Nat Biotechnol* 2002;20:467-72.

Gouarin S, Gault E, Vabret A, Cointe D, Rozenberg F, Grangeot-Keros L, *et al.* Real-time PCR quantification of human cytomegalovirus DNA in amniotic fluid samples from mothers with primary infection. *J Clin Microbiol* 2002;40:1767-72.

Raynaud-Simon A, Perin L, Meaume S, Lesourd B, Moulias R, Postel-Vinay MC, *et al.* IGF-I, IGF-I-binding proteins and GH-binding protein in malnourished elderly patients with inflammation receiving refeeding therapy. *Eur J Endocrinol* 2002;146:657-65.

Arrivé L, Monnier-Cholley L, Serru V, Carrat F, Vassal T, Dahan H, *et al.* Association en pratique clinique du dosage des D-Dimères et d'une probabilité clinique pour le diagnostic de thrombose veineuse des membres inférieurs. *J Radiol* 2002;83:337-40.

Elliott AM, Gonzales M, Hoeffel JC, Le Merrer M, Maroteaux P, Encha-Razavi F, *et al.* Cerebro-osseous-digital syndrome: four new cases of a lethal skeletal dysplasia--distinct from Neu-Laxova Syndrome. *Am J Med Genet* 2002;109:139-48.

Bouhanick B, Bellanné-Chantelot C, Salle A, Guilloteau G, Ebran JM. Proliferative retinopathy in patients with type 1 diabetes of less than 5 years' duration. *Diabetes Metab* 2002;28:141-4.

Viossat B, Morgant G, Sorenson JR, Roch-Arveiller M, Daran JC, Greenaway FT, *et al.* Cristalochimie des complexes à visée thérapeutique du cuivre (II) et du zinc (II) par des anti-inflammatoires non-stéroïdiens. *Ann Pharm Fr* 2002;60:102-14.

Bentefrit F, Viossat B, Tomas A, Nguyen Huy D, Morgant G. Synthèse et structure cristalline du cis-monochloro(diméthylsulfoxyde) (metforminuro)platine (II). *Ann Pharm Fr* 2002;60:93-101.

Bezeaud A, Venisse L, Helley D, Trichet C, Girot R, Guillin MC. Red blood cells from patients with homozygous sickle cell disease provide a catalytic surface for factor Va inactivation by activated protein C. *Br J Haematol* 2002;117:409-13.

Heinzlef O, Weill B, Johanet C, Sazdovitch V, Caillat-Zucman S, Tournier-Lasserre E, *et al.* Anticardiolipin antibodies in patients with multiple sclerosis do not represent a subgroup of patients according to clinical, familial, and biological characteristics. *J Neurol Neurosurg Psychiatry* 2002;72:647-9.

Baudin B. Angiotensin II receptor polymorphisms in hypertension. Pharmacogenomic considerations. *Pharmacogenomics* 2002;3:65-73.

Meynard JL, Vray M, Morand-Joubert L, Race E, Descamps D, Peytavin G, *et al.* Phenotypic or genotypic resistance testing for choosing antiretroviral therapy after treatment failure: a randomized trial. *AIDS* 2002;16:727-36.

Chatelain D, Bralet MP, Brière J, Degott C, Fléjou JF. Multiple splenic nodules revealing Gaucher's disease. *Histopathology* 2002;40:203-4.

Cervera P, Tirard M, Barron S, Allard J, Trottier S, Lacombe J, *et al.* Immunohistological localization of the myelinating cell-specific receptor LP(A1). *Glia* 2002;38:126-36.

Chami I, Pérot C, Portnoi MF, Jouault H, Rieux C, Pautas C, *et al.* Molecular analysis of an unusual rearrangement between chromosomes 4 and 11 in adult pre-B-cell acute lymphoblastic leukemia. *Cancer Genet Cytogenet* 2002;133:129-33.

Colombat M, Boccon-Gibod L, Carton S. An unusual renal angiomyolipoma with morphological lymphangioliomyomatosis features and coexpression of oestrogen and progesterone receptors. *Virchows Arch* 2002;440:102-4.

Ziemssen F, Bellanné-Chantelot C, Osterhoff M, Schatz H, Pfeiffer AF. To: Lindner T, Cockburn BN, Bell GI (1999). Molecular genetics of MODY in Germany. *Diabetologia* 42: 121-123. *Diabetologia* 2002;45:286-7; author reply 287-8.

Tachdjian G, Perreaux F, Aboura A, Chevalier P, Portnoi MF, Esteva B, *et al.* Molecular cytogenetic analysis of a Xp21.3-pter deletion in a family with normal and short stature. *Clin Genet* 2002;61:163-5.

Catala M. Genetic control of caudal development. *Clin Genet* 2002;61:89-96.

Bastard JP, Caron M, Vidal H, Jan V, Auclair M, Vigouroux C, *et al.* Association between altered expression of adipogenic factor SREBP1 in lipotrophic adipose tissue from HIV-1-infected patients and abnormal adipocyte differentiation and insulin resistance. *Lancet* 2002;359:1026-31.

Sapin C, Colard O, Delmas O, Tessier C, Breton M, Enouf V, *et al.* Rafts promote assembly and atypical targeting of a nonenveloped virus, rotavirus, in Caco-2 cells. *J Virol* 2002;76:4591-602.

Lemoine P, Viossat B, Morgant G, Greenaway FT, Tomas A, Dung NH, *et al.* Synthesis, crystal structure, EPR properties, and anti-convulsant activities of binuclear and mononuclear 1,10-phenanthroline and salicylate ternary copper(II) complexes. *J Inorg Biochem* 2002;89:18-28.

Lefèvre G, Graïne H, Bakkouch K, Garbarz E, Marlin G, Michel PL, *et al.* Evaluation of kryptor cardiac troponin I immunoassay. *Ann Clin Biochem* 2002;39:145-7.

Gingras MC, Lapillonne H, Margolin JF. TREM-1, MDL-1, and DAP12 expression is associated with a mature stage of myeloid development. *Mol Immunol* 2002;38:817-24.

Khoury N, Minot G, Vigneau C, Vincent F, Allory Y, Tligui M, *et al.* An unusual presentation of renal failure. *Nephrol Dial Transplant* 2002;17:679-81.

Heathcote K, Rajab A, Magré J, Syrris P, Besti M, Patton M, *et al.* Molecular analysis of Berardinelli-Seip congenital lipodystrophy in Oman: evidence for multiple loci. *Diabetes* 2002;51:1291-3.

Fredouille C, Piercecchi-Marti MD, Liprandi A, Duyme M, Gonzales M, Bigi N, *et al.* Linear insertion of atrioventricular valves without septal defect: a new anatomical landmark for Down's syndrome? *Fetal Diagn Ther* 2002;17:188-92.

Koumanov KS, Momchilova AB, Quinn PJ, Wolf C. Ceramides increase the activity of the secretory phospholipase A2 and alter its fatty acid specificity. *Biochem J* 2002;363:45-51.

Poirier JM, Robidou P, Jaillon P. Simultaneous determination of the six HIV protease inhibitors (amprenavir, indinavir, lopinavir, nelfinavir, ritonavir, and saquinavir) plus M8 nelfinavir metabolite and the nonnucleoside reverse transcription inhibitor efavirenz in human plasma by solid-phase extraction and column liquid chromatography. *Ther Drug Monit* 2002;24:302-9.

Tavan E, Cayuela C, Antoine JM, Trugnan G, Chaugier C, Cassand P. Effects of dairy products on heterocyclic aromatic amine-induced rat colon carcinogenesis. *Carcinogenesis* 2002;23:477-83.

Vieu C, Tercé F, Chevy F, Rolland C, Barbaras R, Chap H, *et al.* Coupled assay of sphingomyelin and ceramide molecular species by gas liquid chromatography. *J Lipid Res* 2002;43:510-22.

Bonneau D, Toutain A, Laquerrière A, Marret S, Saugier-Veber P, Barthez MA, *et al.* X-linked lissencephaly with absent corpus callosum and ambiguous genitalia (XLAG): clinical, magnetic resonance imaging, and neuropathological findings. *Ann Neurol* 2002;51:340-9.

Kumpel BM, Beliard R, Brossard Y, Edelman L, de Haas M, Jackson DJ, *et al.*
Section 1C: Assessment of the functional activity and IgG Fc receptor utilisation of
64 IgG Rh monoclonal antibodies. Coordinator's report. *Transfus Clin Biol*
2002;9:45-53.

Jean D, Maître B, Tankovic J, Meignan M, Adnot S, Brun-Buisson C, *et al.*
Beneficial effects of nitric oxide inhalation on pulmonary bacterial clearance. *Crit
Care Med* 2002;30:442-7.

Stephan F, Yang K, Tankovic J, Soussy CJ, Dhonneur G, Duvaldestin P, *et al.*
Impairment of polymorphonuclear neutrophil functions precedes nosocomial
infections in critically ill patients. *Crit Care Med* 2002;30:315-22.

Ledoux S, Laouari D, Essig M, Runembert I, Trugnan G, Michel JB, *et al.*
Lovastatin enhances ecto-5'-nucleotidase activity and cell surface expression in
endothelial cells: implication of rho-family GTPases. *Circ Res* 2002;90:420-7.

Raynaud-Simon A, Lafont S, Berr C, Dartigues JF, Le Bouc Y. Orosomuroid: a
mortality risk factor in elderly people living in the community? *Clin Nutr*
2002;21:45-50.

Besnard V, Nabeyrat E, Henrion-Caude A, Chadelat K, Perin L, Le Bouc Y, *et al.*
Protective role of retinoic acid from antiproliferative action of TNF-alpha on lung
epithelial cells. *Am J Physiol Lung Cell Mol Physiol* 2002;282:L863-71.

Dehée A, Césaire R, Désiré N, Lézin A, Bourdonné O, Béra O, *et al.* Quantitation of
HTLV-I proviral load by a TaqMan real-time PCR assay. *J Virol Methods*
2002;102:37-51.

Millot F, Antoine JM, Merviel P, Mathieu E, Carpeau J, Uzan S. Comparaison des valeurs prédictives des inhibines A et B, et de l'estradiol plasmatiques chez des patientes traitées en vue de FIV par agoniste du GnRH et FSH recombinante. *Gynecol Obstet Fertil* 2002;30:36-41.

Houang M, Gourmelen M, Moatti L, Le BY, Garabédian EN, Denoyelle F. Hypogonadotrophic hypogonadism associated with prelingual deafness due to a connexin 26 gene mutation. *J Pediatr Endocrinol Metab* 2002;15:219-23.

Rhimi-Mahjoubi F, Bernier M, Arlet G, Jemaa ZB, Jouve P, Hammami A, *et al.* Mise en évidence de la céphalosporinase plasmidique ACC-1 dans différentes entérobactéries (*Klebsiella pneumoniae*, *Proteus mirabilis*, *Salmonella*) isolées dans un hôpital tunisien (Sfax 1997-2000). *Pathol Biol (Paris)* 2002;50:7-11.

Tamouza R, Neonato MG, Busson M, Marzais F, Girot R, Labie D, *et al.* Infectious complications in sickle cell disease are influenced by HLA class II alleles. *Hum Immunol* 2002;63:194-9.

Pennarun G, Bridoux AM, Escudier E, Dastot-Le Moal F, Cacheux V, Amselem S, *et al.* Isolation and expression of the human hPF20 gene orthologous to *Chlamydomonas* PF20: evaluation as a candidate for axonemal defects of respiratory cilia and sperm flagella. *Am J Respir Cell Mol Biol* 2002;26:362-70.

Levy M, Copie-Bergman C, Traulle C, Lavergne-Slove A, Brousse N, Flejou JF, *et al.* Conservative treatment of primary gastric low-grade B-cell lymphoma of mucosa-associated lymphoid tissue: predictive factors of response and outcome. *Am J Gastroenterol* 2002;97:292-7.

Pastural M, Audard V, Bralet MP, Rémy P, Salomon L, Tankovic J, *et al.* *Mycoplasma hominis* infection in renal transplantation. *Nephrol Dial Transplant*

2002;17:495-6.

Runembert I, Queffeuilou G, Federici P, Vrtovsnik F, Colucci-Guyon E, Babinet C, *et al.* Vimentin affects localization and activity of sodium-glucose cotransporter SGLT1 in membrane rafts. *J Cell Sci* 2002;115:713-24.

Mourra N, Hannoun L, Rousvoal G, Parc R, Flejou JF. Malignant intrahepatic biliary papillomatosis associated with viral C cirrhosis. *Arch Pathol Lab Med* 2002;126:369-71.

Lefebvre S, Antoine M, Uzan S, McMaster M, Dausset J, Carosella ED, *et al.* Specific activation of the non-classical class I histocompatibility HLA-G antigen and expression of the ILT2 inhibitory receptor in human breast cancer. *J Pathol* 2002;196:266-74.

Thomas B, Thirion S, Humbert L, Tan L, Goldring MB, Béréziat G, *et al.* Differentiation regulates interleukin-1beta-induced cyclo-oxygenase-2 in human articular chondrocytes: role of p38 mitogen-activated protein kinase. *Biochem J* 2002;362:367-73.

Corpechot C, Barbu V, Wendum D, Chignard N, Housset C, Poupon R, *et al.* Hepatocyte growth factor and c-Met inhibition by hepatic cell hypoxia: a potential mechanism for liver regeneration failure in experimental cirrhosis. *Am J Pathol* 2002;160:613-20.

Neves M, Ciofu C, Larousserie F, Fleury J, Sibony M, Flahault A, *et al.* Prospective evaluation of genetic abnormalities and telomerase expression in exfoliated urinary cells for bladder cancer detection. *J Urol* 2002;167:1276-81.

Candito M, Billaud E, Chauffert M, Cottet-Emard JM, Desmoulin D, Garnier JP, *et al.* Diagnostic biochimique du phéochromocytome et du neuroblastome. *Ann Biol Clin (Paris)* 2002;60:15-36.

Kinnman N, Housset C. Peribiliary myofibroblasts in biliary type liver fibrosis. *Front Biosci* 2002;7:d496-503.

Barrier A, Lacaine F, Callard P, Huguier M. Lymphangiomas of the spleen and 2 accessory spleens. *Surgery* 2002;131:114-6.

Cerf C, Mesguish M, Gabriel I, Amselem S, Duvaldestin P. Screening patients with prolonged neuromuscular blockade after succinylcholine and mivacurium. *Anesth Analg* 2002;94:461-6, table of contents.

de Lonlay P, Fournet JC, Touati G, Groos MS, Martin D, Sevin C, *et al.* Heterogeneity of persistent hyperinsulinaemic hypoglycaemia. A series of 175 cases. *Eur J Pediatr* 2002;161:37-48.

Franti M, Aubin JT, De Saint-Maur G, Kosuge H, Yamanishi K, Gautheret-Dejean A, *et al.* Immune reactivity of human sera to the glycoprotein B of human herpesvirus 7. *J Clin Microbiol* 2002;40:44-51.

Savatier P, Lapillonne H, Jirmanova L, Vitelli L, Samarut J. Analysis of the cell cycle in mouse embryonic stem cells. *Methods Mol Biol* 2002;185:27-33.

Lauwers GY, Terris B, Balis UJ, Batts KP, Regimbeau JM, Chang Y, *et al.* Prognostic histologic indicators of curatively resected hepatocellular carcinomas: a multi-institutional analysis of 425 patients with definition of a histologic prognostic

index. Am J Surg Pathol 2002;26:25-34.

Norden AG, Lapsley M, Igarashi T, Kelleher CL, Lee PJ, Matsuyama T, *et al.* Urinary megalin deficiency implicates abnormal tubular endocytic function in Fanconi syndrome. J Am Soc Nephrol 2002;13:125-33.

Philippon A, Arlet G, Jacoby GA. Plasmid-determined AmpC-type beta-lactamases. Antimicrob Agents Chemother 2002;46:1-11.

Mercher T, Busson-Le Coniat M, Nguyen Khac F, Ballerini P, Mauchauffé M, Bui H, *et al.* Recurrence of OTT-MAL fusion in t(1;22) of infant AML-M7. Genes Chromosomes Cancer 2002;33:22-8.

Soria JC, Morat L, Durdux C, Housset M, Cortez A, Blaise R, *et al.* The molecular detection of circulating tumor cells in bladder cancer using telomerase activity. J Urol 2002;167:352-6.

Peyromaure M, Ravery V, Messas A, Toubanc M, Boccon-Gibod L, Boccon-Gibod L. Pain and morbidity of an extensive prostate 10-biopsy protocol: a prospective study in 289 patients. J Urol 2002;167:218-21.

Bonne G, Capeau J, De Visser M, Duboc D, Merlini L, Morris GE, *et al.* 82nd ENMC international workshop, 5th international Emery-Dreifuss muscular dystrophy (EDMD) workshop, 1st Workshop of the MYO-CLUSTER project EUROMEN (European muscle envelope nucleopathies), 15-16 September 2000, Naarden, The Netherlands. Neuromuscul Disord 2002;12:187-94.