



## Liste des principales études scientifiques et autres ressources citées à l'appui du recours

### 1. Concernant le déclin de la biodiversité

#### 1.1. Études scientifiques

[Borgelt et al., 2022](https://doi.org/10.1038/s42003-022-03638-9) : Borgelt, Jan, Dorber, Martin, Høiberg, Marthe Alnes, Verones, Francesca, (2022). More than half of data deficient species predicted to be threatened by extinction. *Communications Biology*. <https://doi.org/10.1038/s42003-022-03638-9>

[Brühl et Zaller \(2019\)](https://doi.org/10.1038/s42003-022-03638-9): Brühl CA and Zaller JG (2019) Biodiversity Decline as a Consequence of an Inappropriate Environmental Risk Assessment of Pesticides. *Front. Environ. Sci.* 7:177. [doi: 10.3389/fenvs.2019.00177](https://doi.org/10.1038/s42003-022-03638-9)

[Cowie et al., 2022](https://doi.org/10.1111/BRV.12816) : Cowie, R. H., Bouchet, P., & Fontaine, B. (2022). The Sixth Mass Extinction: fact, fiction or speculation? *Biological Reviews*. <https://doi.org/10.1111/BRV.12816>

[Dirzo et al., 2014](https://doi.org/10.1126/science.1251817) : Dirzo, R., Young, H. S., Galetti, M., Ceballos, G., Isaac, N. J. B., & Collen, B. (2014). Defaunation in the Anthropocene. *Science*, 345(6195), 401–406. [DOI: 10.1126/science.1251817](https://doi.org/10.1126/science.1251817)

[Dudley et Alexander, 2017](https://doi.org/10.1080/14888386.2017.1351892) : Dudley, N., & Alexander, S. (2017). Agriculture and biodiversity: a review. *Biodiversity*. 18(2–3), 45–49. <https://doi.org/10.1080/14888386.2017.1351892>

[Geiger et al., 2010](https://doi.org/10.1016/J.BAAE.2009.12.001) : Geiger, F., Bengtsson, J., Berendse, F., Weisser, W. W., Emmerson, M., Morales, M. B., Ceryngier, P., Liira, J., Tschardt, T., Winqvist, C., Eggers, S., Bommarco, R., Pärt, T., Bretagnolle, V., Plantegenest, M., Clement, L. W., Dennis, C., Palmer, C., Oñate, J. J., ... Inchausti, P. (2010). Persistent negative effects of pesticides on biodiversity and biological control potential on European farmland. *Basic and Applied Ecology*, 11(2), 97–105. <https://doi.org/10.1016/J.BAAE.2009.12.001>

[Robinson & Sutherland 2002](https://doi.org/10.1046/j.1365-2664.2002.00695.x) : Robinson R.A., Sutherland W.J. (2002), Post-war changes in arable farming and biodiversity in Great Britain. *Journal of Applied Ecology*, 39: 157-176. <https://doi.org/10.1046/j.1365-2664.2002.00695.x>

[Wilcove et al., 1998](https://doi.org/10.2307/1313420/2/48-8-607.PDF.GIF) : Wilcove, D. S., Rothstein, D., Dubow, J., Phillips, A., & Losos, E. (1998). Quantifying threats to imperiled species in the United States: Assessing the relative importance of habitat destruction, alien species, pollution, overexploitation, and disease. *BioScience*, 48(8), 607–615. <https://doi.org/10.2307/1313420/2/48-8-607.PDF.GIF>

#### Etudes spécifiques au déclin des pollinisateurs

[Biesmeijer et al., 2006](https://doi.org/10.1046/j.1365-2664.2006.01181.x): Biesmeijer JC, Roberts SP, Reemer M, Ohlemüller R, Edwards M, Peeters T, Schaffers AP, Potts SG, Kleukers R, Thomas CD, Settele J, Kunin WE (2006). Parallel declines in pollinators and insect-pollinated

- plants in Britain and the Netherlands. *Science*. 2006 Jul 21;313(5785):351-4. [doi: 10.1126/science.1127863](https://doi.org/10.1126/science.1127863). PMID: [16857940](https://pubmed.ncbi.nlm.nih.gov/16857940/).
- [Brooks et al., 2012](#) : Brooks, D. R., Bajer, J. E., Clark, S. J., Monteith, D. T., Andrews, C., Corbett, S. J., Beaumont, D. A., & Chapman, J. W. (2012). Large carabid beetle declines in a United Kingdom monitoring network increases evidence for a widespread loss in insect biodiversity. *Journal of Applied Ecology*, 49(5), 1009–1019. <https://doi.org/10.1111/J.1365-2664.2012.02194.X>
- [Cardoso et al., 2020](#) : Cardoso, P., Barton, P. S., Birkhofer, K., Chichorro, F., Deacon, C., Fartmann, T., Fukushima, C. S., Gaigher, R., Habel, J. C., Hallmann, C. A., Hill, M. J., Hochkirch, A., Kwak, M. L., Mammola, S., Ari Noriega, J., Orfinger, A. B., Pedraza, F., Pryke, J. S., Roque, F. O., ... Samways, M. J. (2020). Scientists' warning to humanity on insect extinctions. *Biological Conservation*, 242, 108426. <https://doi.org/10.1016/J.BIOCON.2020.108426>
- [Collet, Sandoz and Charnet et al., 2022](#) : Claude Collet, Jean-Christophe Sandoz, Pierre Charnet (2022). Les abeilles face au risque toxique. CNRS Editions, 2022, 978-2-271-14296-2. ([hal-03728384](https://hal.archives-ouvertes.fr/hal-03728384)).
- [Conrad et al., 2006](#) : Conrad, K. F., Warren, M. S., Fox, R., Parsons, M. S., & Woiwod, I. P. (2006). Rapid declines of common, widespread British moths provide evidence of an insect biodiversity crisis. *Biological Conservation*, 132(3), 279–291. <https://doi.org/10.1016/J.BIOCON.2006.04.020>
- [Deutsch et al., 2008](#) : Deutsch, C. A., Tewksbury, J. J., Huey, R. B., Sheldon, K. S., Ghalambor, C. K., Haak, D. C., & Martin, P. R. (2008). Impacts of climate warming on terrestrial ectotherms across latitude. *Proceedings of the National Academy of Sciences*, 105(18), 6668–6672. <https://doi.org/10.1073/PNAS.0709472105>
- [Dicks et al., 2021](#) : Dicks, L. v., Breeze, T. D., Ngo, H. T., Senapathi, D., An, J., Aizen, M. A., Basu, P., Buchori, D., Galetto, L., Garibaldi, L. A., Gemmill-Herren, B., Howlett, B. G., Imperatriz-Fonseca, V. L., Johnson, S. D., Kovács-Hostyánszki, A., Kwon, Y. J., Lattorff, H. M. G., Lungharwo, T., Seymour, C. L., ... Potts, S. G. (2021). A global-scale expert assessment of drivers and risks associated with pollinator decline. *Nature Ecology & Evolution* 2021 5:10, 5(10), 1453–1461. <https://doi.org/10.1038/s41559-021-01534-9>
- [Forister et al., 2019](#) : Forister, M. L., Pelton, E. M., & Black, S. H. (2019). Declines in insect abundance and diversity: We know enough to act now. *Conservation Science and Practice*, 1(8), e80. <https://doi.org/10.1111/CSP2.80>
- [Fox, 2013](#) : Fox, R. (2013). The decline of moths in Great Britain: A review of possible causes. *Insect Conservation and Diversity*, 6(1), 5–19. <https://doi.org/10.1111/J.1752-4598.2012.00186.X>
- [Gallai et al., 2009](#) : Gallai, N., Salles, J. M., Settele, J., & Vaissière, B. E. (2009). Economic valuation of the vulnerability of world agriculture confronted with pollinator decline. *Ecological Economics*, 68(3), 810–821. <https://doi.org/10.1016/J.ECOLECON.2008.06.014>
- [Grab et al. 2019](#) : Grab, H., Branstetter, M. G., Amon, N., Urban-Mead, K. R., Park, M. G., Gibbs, J., Blitzer, E. J., Poveda, K., Loeb, G., & Danforth, B. N. (2019). Agriculturally dominated landscapes reduce bee phylogenetic diversity and pollination services. DOI: 10.1126/science.aat6016
- [Habel et al., 2016](#) : Habel, J. C., Segerer, A., Ulrich, W., Torchyk, O., Weisser, W. W., & Schmitt, T. (2016). Butterfly community shifts over two centuries. *Conservation Biology : The Journal of the Society for Conservation Biology*, 30(4), 754–762. <https://doi.org/10.1111/COBI.12656>
- [Habel et al., 2019](#) : Habel, J. C., Samways, M. J., & Schmitt, T. (2019). Mitigating the precipitous decline of terrestrial European insects: Requirements for a new strategy. *Biodiversity and Conservation* 2019 28:6, 28(6), 1343–1360. <https://doi.org/10.1007/S10531-019-01741-8>

[Hallmann et al., 2017](#) : Hallmann, C. A., Sorg, M., Jongejans, E., Siepel, H., Hofland, N., Schwan, H., Stenmans, W., Müller, A., Sumser, H., Hörren, T., Goulson, D., & de Kroon, H. (2017). More than 75 percent decline over 27 years in total flying insect biomass in protected areas. *PLOS ONE*, 12(10), e0185809. <https://doi.org/10.1371/JOURNAL.PONE.0185809>

[Harvey et al., 2020](#) : Harvey, J. A., Heinen, R., Armbrrecht, I., Basset, Y., Baxter-Gilbert, J. H., Bezemer, T. M., Böhm, M., Bommarco, R., Borges, P. A. V., Cardoso, P., Clausnitzer, V., Cornelisse, T., Crone, E. E., Dicke, M., Dijkstra, K. D. B., Dyer, L., Ellers, J., Fartmann, T., Forister, M. L., ... de Kroon, H. (2020). International scientists formulate a roadmap for insect conservation and recovery. *Nature Ecology & Evolution* 2020 4:2, 4(2), 174–176. <https://doi.org/10.1038/s41559-019-1079-8>

[Jactel et al., 2021](#) : Jactel H, Imler JL, Lambrechts L, Failloux AB, Lebreton JD, Maho YL, Duplessy JC, Cossart P, Grandcolas P (2021). Insect decline: immediate action is needed. *C R Biol.* 2021 Feb 4;343(3):267-293. [doi: 10.5802/crbio.37](https://doi.org/10.5802/crbio.37). Erratum in: *C R Biol.* 2021 Feb 04;343(3):295-296. PMID: 33621456.

[Ollerton et al., 2014](#) : Ollerton, J., Erenler, H., Edwards, M., & Crockett, R. (2014). Extinctions of aculeate pollinators in Britain and the role of large-scale agricultural changes. *Science*, 346(6215), 1360–1362. [DOI: 10.1126/science.1257259](https://doi.org/10.1126/science.1257259)

[Potts et al., 2010](#) : Potts, S. G., Biesmeijer, J. C., Kremen, C., Neumann, P., Schweiger, O., & Kunin, W. E. (2010). Global pollinator declines: trends, impacts and drivers. *Trends in Ecology & Evolution*, 25(6), 345–353. <https://doi.org/10.1016/J.TREE.2010.01.007>

[Potts et al., 2015](#) : Potts, Simon & K., Biesmeijer & Bommarco, Riccardo & Breeze, Tom & Carvalheiro, Luísa & Franzén, Markus & González-Varo, Juan P. & A., Holzschuh & Kleijn, David & Klein, Alexandra & Kunin, & Lecocq, Thomas & Lundin, Ola & Michez, Denis & Neumann, Peter & A., Nieto & Penev, Lyubomir & Rasmont, Pierre & Ratamäki, Outi & Schweiger, Oliver. (2015). Status and trends of European pollinators. Key findings of the STEP project.

[Sánchez-Bayo and Wyckhuys, 2019](#) : Francisco Sánchez-Bayo, Kris A.G. Wyckhuys (2019). Worldwide decline of the entomofauna: A review of its drivers, *Biological Conservation*, Volume 232, 2019, Pages 8-27, ISSN 0006-3207, <https://doi.org/10.1016/j.biocon.2019.01.020>

[Seibold et al., 2019](#) : Seibold, S., Gossner, M. M., Simons, N. K., Blüthgen, N., Müller, J., Ambarlı, D., Ammer, C., Bauhus, J., Fischer, M., Habel, J. C., Linsenmair, K. E., Nauss, T., Penone, C., Prati, D., Schall, P., Schulze, E. D., Vogt, J., Wöllauer, S., & Weisser, W. W. (2019). Arthropod decline in grasslands and forests is associated with landscape-level drivers. *Nature* 2019 574:7780, 574(7780), 671–674. <https://doi.org/10.1038/s41586-019-1684-3>

[Smith et al., 2022](#) : Matthew R. Smith, Nathaniel D. Mueller, Marco Springmann, Timothy B. Sulser, Lucas A. Garibaldi, James Gerber, Keith Wiebe, and Samuel S. Myers (2022). Pollinator Deficits, Food Consumption, and Consequences for Human Health: A Modeling Study. *Environmental Health Perspectives* 130:12 CID: 127003 <https://doi.org/10.1289/EHP10947>

[Van Swaay et al., 2012](#) : Van Swaay C., Warren M. (2012). Developing butterflies as indicators in Europe: current situation and future options. De Vlinderstichting/Dutch Butterfly Conservation, Butterfly Conservation UK, Butterfly Conservation Europe, Wageningen, reportnr. VS2012.012.

[Wagner et al., 2021](#) : Wagner, D. L., Grames, E. M., Forister, M. L., Berenbaum, M. R., & Stopak, D. (2021). Insect decline in the Anthropocene: Death by a thousand cuts. *Proceedings of the National Academy of Sciences*, 118(2). <https://doi.org/10.1073/PNAS.2023989118>

[Warren et al., 2021](#) : Warren, M. S., Maes, D., van Swaay, C. A. M., Goffart, P., van Dyck, H., Bourn, N. A. D., Wynhoff, I., Hoare, D., & Ellis, S. (2021). The decline of butterflies in Europe: Problems, significance, and possible solutions. *Proceedings of the National Academy of Sciences*, 118(2). <https://doi.org/10.1073/PNAS.2002551117>

## 1.2. Rapports publics et autres ressources

Assemblée nationale, Quatorzième législature, Rapport n° 1708 enregistré à la présidence de l'Assemblée nationale le 15 janvier 2014, [Rapport fait au nom de la Commission du développement durable et de l'aménagement du territoire sur le proposition, adoptée par le Sénat, visant à mieux encadrer l'utilisation des produits phytosanitaires sur le territoire national.](#)

Commissariat général au développement durable, [EFESE \(évaluation française des écosystèmes et des services écosystémiques. Le service de pollinisation,](#) juin 2016.

Cour des comptes, [Le soutien à l'agriculture biologique. Rapport public thématique,](#) juin 2022.

Ministère de la transition écologique, Ministère de l'agriculture et de l'alimentation, [Plan national en faveur des insectes pollinisateurs et de la pollinisation 2021-2026.](#)

IPBES (2018), Montanarella, L., Scholes, R., and Brainich, A. (eds.). [Le rapport d'évaluation sur la dégradation et la restauration des terres](#) : The IPBES assessment report on land degradation and restoration. Secretariat of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services, Bonn, Germany. <https://doi.org/10.5281/zenodo.3237392>

IPBES (2019), S. Díaz, J. Settele, E. S. Brondizio E.S., H. T. Ngo, M. Guèze, J. Agard, A. Arneth, P. Balvanera, K. A. Brauman, S. H. M. Butchart, K. M. A. Chan, L. A. Garibaldi, K. Ichii, J. Liu, S. M. Subramanian, G. F. Midgley, P. Miloslavich, Z. Molnár, D. Obura, A. Pfaff, S. Polasky, A. Purvis, J. Razzaque, B. Reyers, R. Roy Chowdhury, Y. J. Shin, I. J. Visseren-Hamakers, K. J. Willis, and C. N. Zayas (eds.) [Le rapport de l'évaluation mondiale de la biodiversité et des services écosystémiques. Résumé à l'attention des décideurs.](#) IPBES secretariat, Bonn, Germany.

INRAE / Ifremer, [Rapport INRAE/Ifremer \(2022\)](#) : Laure Mamy, Stéphane Pesce, Wilfried Sanchez, Marcel Amichot, Joan Artigas, et al.. Impacts des produits phytopharmaceutiques sur la biodiversité et les services écosystémiques. Rapport de l'expertise scientifique collective. [Rapport de recherche] INRAE; IFREMER. 2022, 1408 p. [\(hal-03777257\)](#) DOI : 10.17180/0gp2-cd65

INRAE / Ifremer, [Synthèse du rapport INRAE/Ifremer \(2022\)](#) : Sophie Leenhardt, Laure Mamy, Stéphane Pesce, Wilfried Sanchez, Anne Laure Achard, et al.. Impacts des produits phytopharmaceutiques sur la biodiversité et les services écosystémiques. Synthèse de l'expertise scientifique collective. INRAE; IFREMER Institut Français de Recherche pour l'Exploitation de la Mer. 2022, 136 p. [\(hal-03759553\)](#) DOI : 10.17180/gfkj-e861

OFB, Vigie Nature, MNHN, Ministère de la transition écologique, Fontaine et al., [Suivi des oiseaux communs en France. Résultats 2019 des programmes participatifs de suivi des oiseaux communs,](#) 2020.

OFB, [Papillons de jour : 2 espèces de papillons sur 3 ont disparu d'au moins un département en France métropolitaine. Communiqué,](#) juillet 2022.

OPECST (Office parlementaire d'évaluation des choix scientifiques et technologiques, [Note n° 30 Le déclin des insectes.](#) Les notes scientifiques de l'Office, décembre 2021.

UICN, [La liste rouge UICN France métropolitaine - Crustacés d'eau douce,](#) 2012.

UICN, [La Liste rouge UICN France métropolitaine - Mammifères,](#) 2017.

UICN, [La liste rouge UICN France métropolitaine - Oiseaux nicheurs,](#) 2016.

UICN, [La liste rouge UICN France métropolitaine - Poissons d'eau douce,](#) 2010.

UICN, [La liste rouge UICN France métropolitaine - Reptiles et Amphibiens](#), 2015.

UICN France, [Liste rouge de l'UICN : Les activités humaines dévastent les espèces marines, des mammifères aux coraux. Communiqué](#), 2022.

UMS Patrimoine naturel (AFB – CNRS – MNHN), [UMS PatriNat, Biodiversité d'intérêt communautaire en France : un bilan qui reste préoccupant. Résultats de la troisième évaluation des habitats et espèces de la DHFF \(2013-2018\)](#), 2019.

## 2. Concernant la contamination de l'environnement

### 2.1. Études scientifiques

[Bonnineau et al. \(2021\)](#) : Bonnineau, C. et al. (2020). Role of Biofilms in Contaminant Bioaccumulation and Trophic Transfer in Aquatic Ecosystems: Current State of Knowledge and Future Challenges. In: de Voogt, P. (eds) Reviews of Environmental Contamination and Toxicology Volume 253. Reviews of Environmental Contamination and Toxicology, vol 253. Springer, Cham. [https://doi.org/10.1007/398\\_2019\\_39](https://doi.org/10.1007/398_2019_39)

[Ferrario et al., 2017](#) : Ferrario, C., Finizio, A., & Villa, S. (2017). Legacy and emerging contaminants in meltwater of three Alpine glaciers. The Science of the Total Environment, 574, 350–357. <https://doi.org/10.1016/J.SCITOTENV.2016.09.067>

[Hoferkamp et al., 2010](#) : Hoferkamp, L., Hermanson, M. H., & Muir, D. C. G. (2010). Current use pesticides in Arctic media; 2000-2007. The Science of the Total Environment, 408(15), 2985–2994. <https://doi.org/10.1016/J.SCITOTENV.2009.11.038>

[Hvězďová et al., 2018](#) : Hvězďová, M., Kosubová, P., Košíková, M., Scherr, K. E., Šimek, Z., Brodský, L., Šudoma, M., Škulcová, L., Sánka, M., Svobodová, M., Krkošková, L., Vašíčková, J., Neuwirthová, N., Bielská, L., & Hofman, J. (2018). Currently and recently used pesticides in Central European arable soils. Science of The Total Environment, 613–614, 361–370. <https://doi.org/10.1016/J.SCITOTENV.2017.09.049>

[Liess et al. 2021](#) : Liess, M., Liebmann, L., Vormeier, P., Weisner, O., Altenburger, R., Borchardt, D., Brack, W., Chatzinotas, A., Escher, B., Foit, K., Gunold, R., Henz, S., Hitzfeld, K. L., Schmitt-Jansen, M., Kamjunke, N., Kaske, O., Knillmann, S., Krauss, M., Küster, E., ... Reemtsma, T. (2021). Pesticides are the dominant stressors for vulnerable insects in lowland streams. Water Research, 201, 117262. <https://doi.org/10.1016/J.WATRES.2021.117262>

[Machate et al., 2022](#): Oliver Machate, Dirk S. Schmeller, Adeline Loyau, Albrecht Paschke, Martin Krauss, Eric Carmona, Tobias Schulze, Alessandra Moyer, Kurt Lutz, Werner Brack (2022). Complex chemical cocktail, containing insecticides diazinon and permethrin, drives acute toxicity to crustaceans in mountain lakes. Science of The Total Environment, Volume 828, 2022,154456,ISSN 0048-9697, <https://doi.org/10.1016/j.scitotenv.2022.154456>

[Malaj et al., 2014](#) : Malaj, E., von der Ohe, P. C., Grote, M., Kühne, R., Mondy, C. P., Usseglio-Polatera, P., Brack, W., & Schäfer, R. B. (2014). Organic chemicals jeopardize the health of freshwater ecosystems on the continental scale. Proceedings of the National Academy of Sciences, 111(26), 9549–9554. <https://doi.org/10.1073/PNAS.1321082111>

[Morrissey et al., 2014](#) : Morrissey, C. A., Mineau, P., Devries, J. H., Sanchez-Bayo, F., Liess, M., Cavallaro, M. C., & Liber, K. (2015). Neonicotinoid contamination of global surface waters and associated risk to aquatic invertebrates: a review. Environment International, 74, 291–303. <https://doi.org/10.1016/J.ENVINT.2014.10.024>

[Pelosi et al., 2021](#) : Pelosi, C., Bertrand, C., Daniele, G., Coeurdassier, M., Benoit, P., Néliu, S., Lafay, F., Bretagnolle, V., Gaba, S., Vulliet, E., & Fritsch, C. (2021). Residues of currently used pesticides in soils and earthworms: A silent threat? *Agriculture, Ecosystems and Environment*, 305, 107167. <https://doi.org/10.1016/j.agee.2020.107167>

[Schreiner et al., 2016](#) : Verena C. Schreiner, Eduard Szöcs, Avit Kumar Bhowmik, Martina G. Vijver, Ralf B. Schäfer (2016). Pesticide mixtures in streams of several European countries and the USA, *Science of The Total Environment*. Volume 573, 2016, Pages 680-689, ISSN 0048-9697, <https://doi.org/10.1016/j.scitotenv.2016.08.163>.

[Shunthirasingham et al., 2011](#) : Shunthirasingham, C., Gouin, T., Lei, Y. D., Ruepert, C., Castillo, L. E., & Wania, F. (2011). Current-use pesticide transport to Costa Rica's high-altitude tropical cloud forest. *Environmental Toxicology and Chemistry*, 30(12), 2709–2717. <https://doi.org/10.1002/ETC.671>

[Silva et al., 2019](#) : Silva, V., Mol, H. G. J., Zomer, P., Tienstra, M., Ritsema, C. J., & Geissen, V. (2019). Pesticide residues in European agricultural soils – A hidden reality unfolded. *Science of The Total Environment*, 653, 1532–1545. <https://doi.org/10.1016/J.SCITOTENV.2018.10.441>

[Stehle et Schulz, 2015](#) : Stehle S., Schulz R. (2015). Agricultural insecticides threaten surface waters at the global scale. *PNAS*, 112 (18) 5750-5755, <https://www.pnas.org/doi/10.1073/pnas.1500232112>

[Traynor et al., 2016](#) : Traynor KS, Pettis JS, Tarpy DR, Mullin CA, Frazier JL, Frazier M, vanEngelsdorp D (2016). In-hive Pesticide Exposome: Assessing risks to migratory honey bees from in-hive pesticide contamination in the Eastern United States. *Sci Rep*. 2016 Sep 15;6:33207. doi: [10.1038/srep33207](https://doi.org/10.1038/srep33207). PMID: 27628343; PMCID: PMC5024099.

[Wintermantel et al., 2019](#) : Wintermantel, D., Odoux, J. F., Decourtye, A., Henry, M., Allier, F., & Bretagnolle, V. (2020). Neonicotinoid-induced mortality risk for bees foraging on oilseed rape nectar persists despite EU moratorium. *The Science of the Total Environment*, 704. <https://doi.org/10.1016/J.SCITOTENV.2019.135400>

## 2.2. Rapports publics et autres ressources

Autorité environnementale, [Rapport annuel 2021](#).

Cour des comptes, [Le bilan des plans Ecophyto, Référé S2019-2659](#), 27 novembre 2019.

Eaufrance (Le service public d'information sur l'eau), [Part des masses d'eau cours d'eau en bon état chimique en 2015](#), mise à jour 10 janvier 2019.

Eaufrance (Le service public d'information sur l'eau), [Bulletin n° 4 : Synthèse 2019 des états des lieux des bassins](#). Edition février 2022. Données issues des états des lieux 2019.

INRAE / Ifremer, [Rapport INRAE/Ifremer \(2022\)](#) : Laure Mamy, Stéphane Pesce, Wilfried Sanchez, Marcel Amichot, Joan Artigas, et al.. Impacts des produits phytopharmaceutiques sur la biodiversité et les services écosystémiques. Rapport de l'expertise scientifique collective. [Rapport de recherche] INRAE; IFREMER. 2022, 1408 p. [hal-03777257](https://hal-03777257) DOI : [10.17180/0gp2-cd65](https://doi.org/10.17180/0gp2-cd65)

INRAE / Ifremer, [Synthèse du rapport INRAE/Ifremer \(2022\)](#) : Sophie Leenhardt, Laure Mamy, Stéphane Pesce, Wilfried Sanchez, Anne Laure Achard, et al.. Impacts des produits phytopharmaceutiques sur la biodiversité et les



services écosystémiques. Synthèse de l'expertise scientifique collective. INRAE; IFREMER Institut Français de Recherche pour l'Exploitation de la Mer. 2022, 136 p. (hal-03759553) DOI : 10.17180/gfjkj-e861

Ministère de la Transition écologique, Service des données et études statistiques (SDES) en partenariat avec l'OFB, [Eau et milieux aquatiques. Les chiffres clés. Edition 2020](#), décembre 2020

Portail notre-environnement.gouv.fr, [Pesticides en mélange dans les rivières : des risques écotoxiques élevés](#), mise à jour 29 octobre 2019.

Portail notre-environnement.gouv.fr, [Les pesticides dans les eaux souterraines](#), mise à jour 11 octobre 2019.

Schémas directeurs d'aménagement et de gestion des eaux (SDAGE) et états des lieux:

- [SDAGE du bassin Adour-Garonne 2022-2027. Etat des lieux 2019](#)
- [SDAGE 2016-2021 du bassin de la Seine et des cours d'eau côtiers normands](#)
- [Etat des lieux 2019 du bassin de la Seine et des cours d'eau côtiers normands](#)
- [Etat des lieux 2019 du bassin de la Seine. Dossier de presse](#)
- [Projet de SDAGE 2022-2027 du bassin de la Seine et des cours d'eau côtiers normands](#)
- [Etat des lieux 2019 des districts du Rhin et de la Meuse – Eléments de diagnostic](#)
- [Etat des lieux 2019 du bassin Rhône-Méditerranée](#)
- [Etat des lieux 2019 du bassin Loire-Bretagne](#)
- [Projet de SDAGE 2022-2027 du bassin Loire-Bretagne](#)
- [Etat des lieux 2019 du bassin Artois Picardie \(Escaut, Somme & Côtiers Manche Mer du Nord, Meuse \(partie Sambre\)\)](#)

### **3. Concernant les failles de l'évaluation des risques environnementaux et les effets non-testés**

#### **3.1. Etudes scientifiques**

[Almasri et al., 2020](#) : Almasri, H., Tavares, D. A., Pioz, M., Sené, D., Tchamitchian, S., Cousin, M., Brunet, J. L., & Belzunces, L. P. (2020). Mixtures of an insecticide, a fungicide and a herbicide induce high toxicities and systemic physiological disturbances in winter Apis mellifera honey bees. *Ecotoxicology and Environmental Safety*, 203. <https://doi.org/10.1016/J.ECOENV.2020.111013>

[Altenburger et al., 2000](#): Altenburger, R., Backhaus, T., Boedeker, W., Faust, M., Scholze, M. and Grimme, L.H. (2000), Predictability of the toxicity of multiple chemical mixtures to *Vibrio fischeri*: Mixtures composed of similarly acting chemicals. *Environmental Toxicology and Chemistry*, 19: 2341-2347. <https://doi.org/10.1002/etc.5620190926>

[Backhaus & Faust, 2012](#) : Backhaus, T., & Faust, M. (2012). Predictive environmental risk assessment of chemical mixtures: A conceptual framework. *Environmental Science and Technology*, 46(5), 2564–2573. <https://doi.org/10.1021/es2034125>

[Backhaus et al., 2000](#): Backhaus, T., Altenburger, R., Boedeker, W., Faust, M., Scholze, M. and Grimme, L.H. (2000), Predictability of the toxicity of a multiple mixture of dissimilarly acting chemicals to *Vibrio fischeri*. *Environmental Toxicology and Chemistry*, 19: 2348-2356. <https://doi.org/10.1002/etc.5620190927>

[Brühl and Zaller, 2019](#) : Brühl Carsten A., Zaller Johann G. Biodiversity (2019). Decline as a Consequence of an Inappropriate Environmental Risk Assessment of Pesticides, *Frontiers in Environmental Science*, VOLUME 7, 2019, [doi: 10.3389/fenvs.2019.00177](https://doi.org/10.3389/fenvs.2019.00177)

[Carneseccchi et al., 2019](#): Edoardo Carneseccchi, Claus Svendsen, Stefano Lasagni, Audrey Grech, Nadia Quignot, Billy Amzal, Cosimo Toma, Simone Tosi, Agnes Rortais, Jose Cortinas-Abrahantes, Ettore Capri, Nynke Kramer, Emilio Benfenati, David Spurgeon, Gilles Guillot, Jean Lou Christian Michel Dorne (2019). Investigating combined toxicity of binary mixtures in bees: Meta-analysis of laboratory tests, modelling, mechanistic basis and implications for risk assessment. *Environment International*, Volume 133, Part B, 2019, 105256, ISSN 0160-4120, <https://doi.org/10.1016/j.envint.2019.105256>.

[Cedergreen, 2014](#) : Cedergreen N (2014). Quantifying synergy: a systematic review of mixture toxicity studies within environmental toxicology. *PLOS ONE* 9(5): e96580. <https://doi.org/10.1371/journal.pone.0096580>

[Collet, Sandoz and Charnet et al., 2022](#) : Claude Collet, Jean-Christophe Sandoz, Pierre Charnet (2022). Les abeilles face au risque toxique. CNRS Editions, 2022, 978-2-271-14296-2. ([hal-03728384](https://hal.archives-ouvertes.fr/hal-03728384)).

[Gustavsson et al., 2017](#) : Gustavsson M, Kreuger J, Bundschuh M, Backhaus T. (2017). Pesticide mixtures in the Swedish streams: Environmental risks, contributions of individual compounds and consequences of single-substance oriented risk mitigation. *Sci Total Environ.* 2017 Nov 15 ;598 :973-983. Doi :10.1016/j.scitotenv.2017.04.122. Epub 2017 Apr 29. PMID : 28468125.

[Hayes et al., 2006](#): Hayes TB, Case P, Chui S, Chung D, Haeffele C, Haston K, Lee M, Mai VP, Marjua Y, Parker J, Tsui M (2006). Pesticide mixtures, endocrine disruption, and amphibian declines: are we underestimating the impact? *Environmental Health Perspectives* 114:Suppl 1 CID: <https://doi.org/10.1289/ehp.8051>.

[Jansen et al., 2017](#) : Jansen, J.P. , Lauvaux, S. , Denayer, J. & Gruntowy, J. (2017). Possible synergistic effects of fungicide-insecticide mixture on beneficial arthropods. *Proceedings in: IOBC-wprs Bull., Pesticides and Beneficial organisms*, 8-35.

[Johnson et al., 2013](#) : Johnson RM, Dahlgren L, Siegfried BD, Ellis MD (2013) Acaricide, Fungicide and Drug Interactions in Honey Bees (*Apis mellifera*). *PLOS ONE* 8(1): e54092. <https://doi.org/10.1371/journal.pone.0054092>

[Krogh et al., 2003](#): K.A Krogh, B Halling-Sørensen, B.B Mogensen, K.V Vejrup (2003). Environmental properties and effects of nonionic surfactant adjuvants in pesticides: a review. *Chemosphere*, Volume 50, Issue 7, 2003, Pages 871-901, ISSN 0045-6535, [https://doi.org/10.1016/S0045-6535\(02\)00648-3](https://doi.org/10.1016/S0045-6535(02)00648-3)

[Liess et al. 2021](#) : Liess, M., Liebmann, L., Vormeier, P., Weisner, O., Altenburger, R., Borchardt, D., Brack, W., Chatzinotas, A., Escher, B., Foit, K., Gunold, R., Henz, S., Hitzfeld, K. L., Schmitt-Jansen, M., Kamjunke, N., Kaske, O., Knillmann, S., Krauss, M., Küster, E., ... Reemtsma, T. (2021). Pesticides are the dominant stressors for vulnerable insects in lowland streams. *Water Research*, 201, 117262. <https://doi.org/10.1016/J.WATRES.2021.117262>

[Morrissey et al., 2014](#) : Morrissey, C. A., Mineau, P., Devries, J. H., Sanchez-Bayo, F., Liess, M., Cavallaro, M. C., & Liber, K. (2015). Neonicotinoid contamination of global surface waters and associated risk to aquatic invertebrates: a review. *Environment International*, 74, 291–303. <https://doi.org/10.1016/J.ENVINT.2014.10.024>

[Mullin et al., 2015](#) : Mullin CA, Chen J, Fine JD, Frazier MT, Frazier JL (2015). The formulation makes the honey bee poison. *Pestic Biochem Physiol.* 2015 May;120:27-35. [doi: 10.1016/j.pestbp.2014.12.026](https://doi.org/10.1016/j.pestbp.2014.12.026). Epub 2015 Jan 5. PMID: 25987217

[Mullin, 2015](#) : Mullin CA (2015). Effects of 'inactive' ingredients on bees. *Curr Opin Insect Sci.* 2015 Aug;10:194-200. [doi: 10.1016/j.cois.2015.05.006](https://doi.org/10.1016/j.cois.2015.05.006). Epub 2015 Jun 25. PMID: 29588008.



[Panizzi et al., 2017](#): Silvia Panizzi, Nicoleta Alina Suci, Marco Trevisan (2017). Combined ecotoxicological risk assessment in the frame of European authorization of pesticides. *Science of The Total Environment*, Volume 580, 2017, Pages 136-146, ISSN 0048-9697, <https://doi.org/10.1016/j.scitotenv.2016.10.154>.

[Pereira et al., 2017](#): Pereira, A.S., Daam, M.A. & Cerejeira, M.J. Evaluation of FOCUS surface water pesticide concentration predictions and risk assessment of field-measured pesticide mixtures—a crop-based approach under Mediterranean conditions. *Environ Sci Pollut Res* 24, 17394–17406 (2017). <https://doi.org/10.1007/s11356-017-9393-7>

[Pilling et al., 1995](#): E.D. Pilling, K.A.C. Bromleychallenor, C.H. Walker, P.C. Jepson, Mechanism of Synergism between the Pyrethroid Insecticide  $\lambda$ -Cyhalothrin and the Imidazole Fungicide Prochloraz, in the Honeybee (*Apis mellifera* L.), *Pesticide Biochemistry and Physiology*, Volume 51, Issue 1, 1995, Pages 1-11, ISSN 0048-3575, <https://doi.org/10.1006/pest.1995.1001>

[Pelosi et al., 2012](#) : Pelosi, C., Joimel, S., & Makowski, D. (2013). Searching for a more sensitive earthworm species to be used in pesticide homologation tests – A meta-analysis. *Chemosphere*, 90(3), 895–900. <https://doi.org/10.1016/J.CHEMOSPHERE.2012.09.034>

[Sánchez-Bayo and Tennekes, 2015](#) : Francisco Sánchez-Bayo, Henk A. Tennekes (2015). Environmental Risk Assessment of Agrochemicals — A Critical Appraisal of Current Approaches. In: *Toxicity and Hazard of Agrochemicals*, 2015, doi = {10.5772/60739}; <https://doi.org/10.5772/60739>

[Sgolastra et al., 2016](#) : Sgolastra, F., Medrzycki, P., Bortolotti, L., Renzi, M. T., Tosi, S., Bogo, G., Teper, D., Porrini, C., Molowny-Horas, R., & Bosch, J. (2017). Synergistic mortality between a neonicotinoid insecticide and an ergosterol-biosynthesis-inhibiting fungicide in three bee species. *Pest Management Science*, 73(6), 1236–1243. <https://doi.org/10.1002/PS.4449>

[Sgolastra et al., 2018](#): Fabio Sgolastra, Xavier Arnan, Riccardo Cabbri, Gloria Isani, Piotr Medrzycki, Dariusz Teper, Jordi Bosch (2018). Combined exposure to sublethal concentrations of an insecticide and a fungicide affect feeding, ovary development and longevity in a solitary bee. *Journal Article*, 2018, *Proceedings of the Royal Society B: Biological Sciences*. <https://royalsocietypublishing.org/doi/abs/10.1098/rspb.2018.0887>

[Simon-Delso et al., 2018](#): Simon-Delso, N., San Martin, G., Bruneau, E. et al. Time-to-death approach to reveal chronic and cumulative toxicity of a fungicide for honeybees not revealed with the standard ten-day test. *Sci Rep* 8, 7241 (2018). <https://doi.org/10.1038/s41598-018-24746-9>

[Silva et al., 2002](#) : Elisabete Silva, Nissanka Rajapakse and Andreas Kortenkamp (2002). Something from “Nothing” – Eight Weak Estrogenic Chemicals Combined at Concentrations below NOECs Produce Significant Mixture Effects. *Environ. Sci. Technol.* 2002, 36, 8, 1751–1756 Publication Date: March 14, 2002 <https://doi.org/10.1021/es0101227>

[Stehle et al., 2014](#) : Stehle S., Knäbel A., Schulz R. (2012). Probabilistic risk assessment of insecticide concentrations in agricultural surface waters: a critical appraisal, *Environmental Monitoring and Assessment* 185, 6295-6310

[Stehle & Schulz, 2015](#) : Stehle, S., & Schulz, R. (2015). Pesticide authorization in the EU—environment unprotected? *Environmental Science and Pollution Research* 2015 22:24, 22(24), 19632–19647. <https://doi.org/10.1007/S11356-015-5148-5>

[Storck et al., 2017](#) : Storck, V., Karpouzias, D. G., & Martin-Laurent, F. (2017). Towards a better pesticide policy for the European Union. *Science of The Total Environment*, 575, 1027–1033. <https://doi.org/10.1016/J.SCITOTENV.2016.09.167>

[Straw and Brown, 2021](#) : Straw, E.A., Brown, M.J.F (2021). Co-formulant in a commercial fungicide product causes lethal and sub-lethal effects in bumble bees. *Sci Rep* **11**, 21653 (2021). <https://doi.org/10.1038/s41598-021-00919-x>

[Straw et al., 2022](#) : Edward A. Straw, Linzi J. Thompson, Ellouise Leadbeater, Mark J. F. Brown (2022). ‘Inert’ ingredients are understudied, potentially dangerous to bees and deserve more research attention. *Proceedings of the Royal Society B: Biological Sciences* 20212353 2891970 10.1098/rspb.2021.2353 [doi] 35232234 <https://royalsocietypublishing.org/doi/abs/10.1098/rspb.2021.2353>

[Straw, 2022](#) : Straw, E.A. (2022). A Brief Note on Pollinator Exposure to Co-Formulants and Adjuvants. *Environ Toxicol Chem*, 41: 1584-1585. <https://doi.org/10.1002/etc.5344>

[Topping et al., 2020](#) : C. J. Topping, A. Aldrich, and P. Berny (2020). Overhaul environmental risk assessment for pesticides, Align regulation with environmental reality and policy, *Science*, 24 Jan 2020, Vol 367, Issue 6476 pp. 360-363 DOI: [10.1126/science.aay1144](https://doi.org/10.1126/science.aay1144).

[Weisner et al., 2021](#): Oliver Weisner, Tobias Frische, Liana Liebmann, Thorsten Reemtsma, Martina Roß-Nickoll, Ralf B. Schäfer, Andreas Schäffer, Björn Scholz-Starke, Philipp Vormeier, Saskia Knillmann, Matthias Liess (2021). Risk from pesticide mixtures – The gap between risk assessment and reality. *Science of The Total Environment*, Volume 796, 2021,149017,ISSN 0048-9697, <https://doi.org/10.1016/j.scitotenv.2021.149017>

## 3.2. Rapports publics et autres ressources

Anses, Avis relatif à l'évolution de la méthodologie d'évaluation du risque vis-à-vis des abeilles domestiques et des insectes pollinisateurs sauvages dans le cadre des dossiers de demande d'autorisation de mise sur le marché des produits phytopharmaceutiques, [Saisine n° 2019-SA-0097](#), 5 juillet 2019.

Anses, Avis relatif à l'évolution des dispositions réglementaires visant à protéger les abeilles domestiques et les insectes pollinisateurs sauvages, [Saisine n° 2018-SA-0147](#), 23 novembre 2018.

Anses, Conseil scientifique, [Avis relatif au rapport du GT « Crédibilité de l'expertise scientifique » issu du Conseil scientifique](#), 2023.

Assemblée nationale, Quinzième législature, Rapport n° 852 enregistré à la présidence de l'Assemblée nationale le 4 avril 2018, [Rapport d'information déposé en application de l'article 145 du règlement par la mission d'information commune sur l'utilisation des produits phytopharmaceutiques](#).

Cour des comptes, [Le soutien à l'agriculture biologique. Rapport public thématique](#), juin 2022.

EFSA, Scientific Opinion on the development of specific protection goal options for environmental risk assessment of pesticides, in particular in relation to the revision of the Guidance Documents on Aquatic and Terrestrial Ecotoxicology (SANCO/3268/2001 and SANCO/10329/2002), *EFSA Journal*, October 2010, <https://doi.org/10.2903/J.EFSA.2010.1821>

EFSA, Scientific Opinion on the science behind the development of a risk assessment of Plant Protection Products on bees (*Apis mellifera*, *Bombus* spp. and solitary bees), *EFSA Journal*, May 2012. <https://doi.org/10.2903/J.EFSA.2012.2668>

EFSA, Guidance on the risk assessment of plant protection products on bees (*Apis mellifera*, *Bombus* spp. and solitary bees), *EFSA Journal*, July 2013, <https://doi.org/10.2903/J.EFSA.2013.3295>

EFSA, Technical report on the outcome of the pesticides peer review meeting on general recurring issues in ecotoxicology, *EFSA Supporting Publication*, December 2015, <https://doi.org/10.2903/sp.efsa.2015.EN-924>

EFSA, Scientific Opinion addressing the state of the science on risk assessment of plant protection products for non-target arthropods, *EFSA Journal*, February 2015, <https://doi.org/10.2903/J.EFSA.2015.3996>

EFSA, Recovery in environmental risk assessments at EFSA, *EFSA Journal*, February 2016, <https://doi.org/10.2903/j.efsa.2016.4313>

EFSA, Scientific Opinion on the state of the science on pesticide risk assessment for amphibians and reptiles, *EFSA Journal*, February 2018, <https://doi.org/10.2903/J.EFSA.2018.5125>

EFSA, draft Revised guidance on the risk assessment of plant protection products on bees (*Apis mellifera*, *Bombus* spp. and solitary bees), 2022 (disponible sur la page suivante: [Public Consultation – Revised guidance on the risk assessment of PPP on bees](#), document intitulé « 1 Draft Guidance Document »)

Inserm, [Pesticides et effets sur la santé : Nouvelles données](#). Collection Expertise collective. Montrouge : EDP Sciences, 2021.

INRAE / Ifremer, [Rapport INRAE/Ifremer \(2022\)](#) : Laure Mamy, Stéphane Pesce, Wilfried Sanchez, Marcel Amichot, Joan Artigas, et al.. Impacts des produits phytopharmaceutiques sur la biodiversité et les services écosystémiques. Rapport de l'expertise scientifique collective. [Rapport de recherche] INRAE; IFREMER. 2022, 1408 p. ([hal-03777257](#)) DOI : [10.17180/0gp2-cd65](https://doi.org/10.17180/0gp2-cd65)

INRAE / Ifremer, [Synthèse du rapport INRAE/Ifremer \(2022\)](#) : Sophie Leenhardt, Laure Mamy, Stéphane Pesce, Wilfried Sanchez, Anne Laure Achard, et al.. Impacts des produits phytopharmaceutiques sur la biodiversité et les services écosystémiques. Synthèse de l'expertise scientifique collective. INRAE; IFREMER Institut Français de Recherche pour l'Exploitation de la Mer. 2022, 136 p. ([hal-03759553](#)) DOI : [10.17180/gfkj-e861](https://doi.org/10.17180/gfkj-e861)

Portail notre-environnement.gouv.fr, [Pesticides en mélange dans les rivières : des risques écotoxiques élevés](#), mise à jour 29 octobre 2019.

## 4. Concernant les impacts des pesticides sur les espèces non ciblées

### 4.1. Etudes scientifiques

#### Impacts des pesticides sur les vertébrés

[Adams et al. 2021](#): Adams E, Leeb C, Brühl CA (2021). Pesticide exposure affects reproductive capacity of common toads (*Bufo bufo*) in a viticultural landscape. *Ecotoxicology*. 2021 Mar;30(2):213-223. [doi: 10.1007/s10646-020-02335-9](https://doi.org/10.1007/s10646-020-02335-9). Epub 2021 Jan 20. PMID: 33471271; PMCID: PMC7902574.

[Amaral, Bicho, et al., 2012](#): Amaral MJ, Bicho RC, Carretero MA, Sanchez-Hernandez JC, Faustino AM, Soares AM, Mann RM (2012). The use of a lacertid lizard as a model for reptile ecotoxicology studies: part 2--biomarkers of exposure and toxicity among pesticide exposed lizards. *Chemosphere*. 2012 May;87(7):765-74. [doi: 10.1016/j.chemosphere.2012.01.048](https://doi.org/10.1016/j.chemosphere.2012.01.048). Epub 2012 Feb 19. PMID: 22349063.

[Amaral, Carretero, et al., 2012](#) : Maria José Amaral, Miguel A. Carretero, Rita C. Bicho, Amadeu M.V.M. Soares, Reinier M. Mann (2012). The use of a lacertid lizard as a model for reptile ecotoxicology studies - Part 1 Field

demographics and morphology. *Chemosphere*, Volume 87, Issue 7, 2012, Pages 757-764, ISSN 0045-6535, <https://doi.org/10.1016/j.chemosphere.2011.12.075>

[Amaral, Sanchez-Hernandez, et al., 2012](#) : Amaral MJ, Sanchez-Hernandez JC, Bicho RC, Carretero MA, Valente R, Faustino AM, Soares AM, Mann RM (2012). Biomarkers of exposure and effect in a lacertid lizard (*Podarcis bocagei* Seoane) exposed to chlorpyrifos. *Environ Toxicol Chem*. 2012 Oct;31(10):2345-53. [doi: 10.1002/etc.1955](https://doi.org/10.1002/etc.1955).

[Berny & Gaillet, 2008](#) : Berny, P., & Gaillet, J. R. (2008). Acute poisoning of Red Kites (*Milvus milvus*) in France: data from the Sagir network. *Journal of Wildlife Diseases*, 44(2), 417–426. <https://doi.org/10.7589/0090-3558-44.2.417>

[Berny et al, 1997](#) : Berny, P. J., Buronfosse, T., Buronfosse, F., Lamarque, F., & Lorgue, G. (1997). Field evidence of secondary poisoning of foxes (*Vulpes vulpes*) and buzzards (*Buteo buteo*) by bromadiolone, a 4-year survey. *Chemosphere*, 35(8), 1817–1829. [https://doi.org/10.1016/S0045-6535\(97\)00242-7](https://doi.org/10.1016/S0045-6535(97)00242-7)

[Bicho et al., 2013](#): Bicho RC, Amaral MJ, Faustino AM, Power DM, Rêma A, Carretero MA, Soares AM, Mann RM (2013). Thyroid disruption in the lizard *Podarcis bocagei* exposed to a mixture of herbicides: a field study. *Ecotoxicology*. 2013 Jan;22(1):156-65. [doi: 10.1007/s10646-012-1012-2](https://doi.org/10.1007/s10646-012-1012-2). Epub 2012 Nov 10. PMID: 23143802.

[Bókony et al., 2018](#): Veronika Bókony, Bálint Üveges, Nikolett Ujhegyi, Viktória Verebélyi, Edina Nemesvári, Olivér Csíkvári, Attila Hettyey (2018). Endocrine disruptors in breeding ponds and reproductive health of toads in agricultural, urban and natural landscapes. *Science of The Total Environment*, Volume 634, 2018, Pages 1335-1345, ISSN 0048-9697, <https://doi.org/10.1016/j.scitotenv.2018.03.363>.

[Bouvier et al., 2005](#) : Bouvier, J. C., Toubon, J. F., Boivin, T., & Sauphanor, B. (2005). Effects of apple orchard management strategies on the great tit (*Parus major*) in southeastern France. *Environmental Toxicology and Chemistry*, 24(11), 2846–2852. <https://doi.org/10.1897/04-588R1.1>

[Bouvier et al., 2010](#) : Bouvier, J. C., Ricci, B., Agerberg, J., & Lavigne, C. (2010). Apple orchard pest control strategies affect bird communities in southeastern France. *Environmental Toxicology and Chemistry*, 30(1), 212–219. <https://doi.org/10.1002/ETC.377>

[Brakes & Smith, 2005](#) : Brakes, C. R., & Smith, R. H. (2005). Exposure of non-target small mammals to rodenticides: Short-term effects, recovery and implications for secondary poisoning. *Journal of Applied Ecology*, 42(1), 118–128. <https://doi.org/10.1111/J.1365-2664.2005.00997.X>

[Brühl et al., 2011](#): Brühl, C.A., Pieper, S. and Weber, B. (2011). Amphibians at risk? Susceptibility of terrestrial amphibian life stages to pesticides. *Environmental Toxicology and Chemistry*, 30: 2465-2472. <https://doi.org/10.1002/etc.650>.

[Cardone, 2015](#): Cardone A (2015). Imidacloprid induces morphological and molecular damages on testis of lizard (*Podarcis sicula*). *Ecotoxicology*. 2015 Jan;24(1):94-105. [doi: 10.1007/s10646-014-1361-0](https://doi.org/10.1007/s10646-014-1361-0). Epub 2014 Oct 15. PMID: 25314907.

[Carpenter et al., 2016](#) : Carpenter JK, Monks JM, Nelson N (2016). The effect of two glyphosate formulations on a small, diurnal lizard (*Oligosoma polychroma*). *Ecotoxicology*. 2016 Apr;25(3):548-54. [doi: 10.1007/s10646-016-1613-2](https://doi.org/10.1007/s10646-016-1613-2). Epub 2016 Feb 2. PMID: 26841966.

[Chang et al., 2017](#) : Chang J, Li W, Xu P, Guo B, Wang Y, Li J, Wang H (2017). The tissue distribution, metabolism and hepatotoxicity of benzoylurea pesticides in male *Eremias argus* after a single oral administration. *Chemosphere*. 2017 Sep;183:1-8. [doi: 10.1016/j.chemosphere.2017.05.009](https://doi.org/10.1016/j.chemosphere.2017.05.009). Epub 2017 May 3. PMID: 28511076.

[Coourdassier et al. \(2012\)](#) : Coourdassier, M., Poirson, C., Paul, J.-P., Rieffel, D., Michelat, D., Reymond, D., Legay, P., Giraudoux, P. And Scheifler, R. (2012). The diet of migrant Red Kites *Milvus milvus* during a Water

Vole *Arvicola terrestris* outbreak in eastern France and the associated risk of secondary poisoning by the rodenticide bromadiolone. *Ibis*, 154: 136-146. <https://doi.org/10.1111/j.1474-919X.2011.01193.x>

[Douros et al., 2015](#) : Douros DL, Gaines KF, Novak JM (2015). Atrazine and glyphosate dynamics in a lotic ecosystem: the common snapping turtle as a sentinel species. *Environ Monit Assess.* 2015 Mar;187(3):114. [doi: 10.1007/s10661-015-4336-6](https://doi.org/10.1007/s10661-015-4336-6). Epub 2015 Feb 13. PMID: 25678354.

[Dron et al. \(2022\)](#): Julien Dron, Emmanuel Wafo, Pierre Boissery, Frank Dhermain, Marc Bouchoucha, Philippe Chamaret, Daniel Lafitte (2022). Trends of banned pesticides and PCBs in different tissues of striped dolphins (*Stenella coeruleoalba*) stranded in the Northwestern Mediterranean reflect changing contamination patterns. *Marine Pollution Bulletin*, Volume 174, 2022, 113198, ISSN 0025-326X, <https://doi.org/10.1016/j.marpolbul.2021.113198>.

[Filippi-Codaccioni et al., 2010](#) : Filippi-Codaccioni, O., Devictor, V., Bas, Y., Clobert, J., & Julliard, R. (2010). Specialist response to proportion of arable land and pesticide input in agricultural landscapes. *Biological Conservation*, 143(4), 883–890. <https://doi.org/10.1016/j.biocon.2009.12.035>

[Franklin and Raine, 2019](#): Franklin, E.L., Raine, N.E (2019). Moving beyond honeybee-centric pesticide risk assessments to protect all pollinators. *Nat Ecol Evol* 3, 1373–1375 (2019). <https://doi.org/10.1038/s41559-019-0987-y>

[Gibbons et al., 2014](#) : Gibbons, D., Morrissey, C., & Mineau, P. (2014). A review of the direct and indirect effects of neonicotinoids and fipronil on vertebrate wildlife. *Environmental Science and Pollution Research* 2014 22:1, 22(1), 103–118. <https://doi.org/10.1007/S11356-014-3180-5>

[Harris et al., 1995](#) : Harris, S., Morris, P., Wray, S., & Yalden, D. (1995). A review of British mammals : population estimates and conservation status of British mammals other than cetaceans. *School of Biological Sciences, Ecology and Environmental Change*, 168.

[Hayes et al., 2006](#): Hayes TB, Case P, Chui S, Chung D, Haeffele C, Haston K, Lee M, Mai VP, Marjuoa Y, Parker J, Tsui M (2006). Pesticide mixtures, endocrine disruption, and amphibian declines: are we underestimating the impact? *Environmental Health Perspectives* 114:Suppl 1 CID: <https://doi.org/10.1289/ehp.8051>.

[Hole et al, 2005](#) : Hole, D. G., Perkins, A. J., Wilson, J. D., Alexander, I. H., Grice, P. v., & Evans, A. D. (2005). Does organic farming benefit biodiversity? *Biological Conservation*, 122(1), 113–130. <https://doi.org/10.1016/J.BIOCON.2004.07.018>

[Knäbel et al., 2014](#) : Anja Knäbel, Karsten Meyer, Jörg Rapp Ralf Schulz (2014). Fungicide Field Concentrations Exceed FOCUS Surface Water Predictions: Urgent Need of Model Improvement. *Environ. Sci. Technol.* 2014, 48, 1, 455–463 December 3, 2013. <https://doi.org/10.1021/es4048329>

[Latorre et al., 2013](#) : Latorre MA, López González EC, Larriera A, Poletta GL, Siroski PA (2013). Effects of in vivo exposure to Roundup® on immune system of *Caiman latirostris*. *J Immunotoxicol.* 2013 Oct-Dec;10(4):349-54. [doi: 10.3109/1547691X.2012.747233](https://doi.org/10.3109/1547691X.2012.747233). Epub 2012 Dec 18. PMID: 23244546.

[Marimuthu et al., 2013](#) : Marimuthu K, Muthu N, Xavier R, Arockiaraj J, Rahman MA, et al. (2013) Toxicity of Buprofezin on the Survival of Embryo and Larvae of African Catfish, *Clarias gariepinus*(Bloch). *PLOS ONE* 8(10): e75545. <https://doi.org/10.1371/journal.pone.0075545>

[Mcneale et al., 2014](#) : Macneale KH, Spromberg JA, Baldwin DH, Scholz NL (2014) A Modeled Comparison of Direct and Food Web-Mediated Impacts of Common Pesticides on Pacific Salmon. *PLoS ONE* 9(3): e92436. [doi:10.1371/journal.pone.0092436](https://doi.org/10.1371/journal.pone.0092436)



[Mineau et Whiteside, 2013](#) : Mineau, P., & Whiteside, M. (2013). Pesticide Acute Toxicity Is a Better Correlate of U.S. Grassland Bird Declines than Agricultural Intensification. PLOS ONE, 8(2), e57457. <https://doi.org/10.1371/JOURNAL.PONE.0057457>

[Mingo et al., 2017](#): Mingo V, Lötters S, Wagner N (2017). The impact of land use intensity and associated pesticide applications on fitness and enzymatic activity in reptiles-A field study. Sci Total Environ. 2017 Jul 15;590-591:114-124. [doi: 10.1016/j.scitotenv.2017.02.178](https://doi.org/10.1016/j.scitotenv.2017.02.178). Epub 2017 Mar 1. PMID: 28259431.

[Moreau et al., 2021](#) : Moreau, J., Monceau, K., Crépin, M., Tochon, F. D., Mondet, C., Fraikin, M., Teixeira, M., & Bretagnolle, V. (2021). Feeding partridges with organic or conventional grain triggers cascading effects in life-history traits. Environmental Pollution (Barking, Essex : 1987), 278. <https://doi.org/10.1016/J.ENVPOL.2021.116851>

[Sandoval-Herrea et al., 2019](#) : Sandoval-Herrera N., Torres F.M., Espinoza M., Romero A. (2019). Neurotoxicity of organophosphate pesticides could reduce the ability of fish to escape predation under low doses of exposure. Nature (2019) 9:10530 | <https://doi.org/10.1038/s41598-019-46804-6>

[Schaumburg et al., 2016](#) : Schaumburg LG, Siroski PA, Poletta GL, Mudry MD (2016). Genotoxicity induced by Roundup® (Glyphosate) in tegu lizard (*Salvator merianae*) embryos. Pestic Biochem Physiol. 2016 Jun;130:71-78. [doi: 10.1016/j.pestbp.2015.11.009](https://doi.org/10.1016/j.pestbp.2015.11.009). Epub 2015 Dec 3. PMID: 27155487.

[Simbula et al., 2021](#): Giulia Simbula, Daniele Macale, Verónica Gomes, Leonardo Vignoli, Miguel A. Carretero (2021). Effects of pesticides on eggs and hatchlings of the Italian wall lizard (*Podarcis siculus*) exposed via maternal route. Zoologischer Anzeiger, Volume 293, 2021, Pages 149-155, ISSN 0044-5231, <https://doi.org/10.1016/j.jcz.2021.06.001>.

[Spirhanzlova et al., 2022](#) : Spirhanzlova P, Couderq S, Le Mével S, Leemans M, Krief S, Mughal B, B, Demeneix B, A, Fini J, -B (2022). Short- and Long-Term Effects of Chlorpyrifos on Thyroid Hormone Axis and Brain Development in *Xenopus laevis*. Neuroendocrinology 2022. [doi: 10.1159/000525719](https://doi.org/10.1159/000525719).

[Stehle and Schulz, 2015](#) : Sebastian Stehle and Ralf Schulz (2015). Agricultural insecticides threaten surface waters at the global scale. Proceedings of the National Academy of Sciences, 5750-5755 11218 10.1073/pnas.1500232112 [doi] PMID - 25870271 <https://www.pnas.org/doi/abs/10.1073/pnas.1500232112>

[Strong et al., 2017](#) : Strong R, Martin FL, Jones KC, Shore RF, Halsall CJ (2017). Subtle effects of environmental stress observed in the early life stages of the Common frog, *Rana temporaria*. Sci Rep. 2017 Mar 20;7:44438. [doi: 10.1038/srep44438](https://doi.org/10.1038/srep44438).

[Weir et al., 2014](#): Weir SM, Talent LG, Anderson TA, Salice CJ (2014). Unraveling the relative importance of oral and dermal contaminant exposure in reptiles: insights from studies using the western fence lizard (*Sceloporus occidentalis*). PLoS One. 2014 Jun 18;9(6):e99666. [doi: 10.1371/journal.pone.0099666](https://doi.org/10.1371/journal.pone.0099666). PMID: 24941063; PMCID: PMC4062435.

[Weir et al., 2015](#) : Weir SM, Yu S, Talent LG, Maul JD, Anderson TA, Salice CJ (2015). Improving reptile ecological risk assessment: oral and dermal toxicity of pesticides to a common lizard species (*Sceloporus occidentalis*). Environ Toxicol Chem. 2015 Aug;34(8):1778-86. [doi: 10.1002/etc.2975](https://doi.org/10.1002/etc.2975). Epub 2015 Jun 9. PMID: 25760295.

[Zhang et al., 2014](#) : Zhang X., Tian H., Wang W., Ru S. (2014) Monocrotophos Pesticide Decreases the Plasma Levels of Total 3,3',5'-Triiodo-L-Thyronine and Alters the Expression of Genes Associated with the Thyroidal Axis in Female Goldfish (*Carassius auratus*). PLoS ONE 9(9): e108972. [doi:10.1371/journal.pone.0108972](https://doi.org/10.1371/journal.pone.0108972)



## Impacts des pesticides sur les invertébrés et les micro-organismes aquatiques

[Al-Badran et al., 2019](#) : Al-Badran AA, Fujiwara M, Mora MA (2019). Effects of insecticides, fipronil and imidacloprid, on the growth, survival, and behavior of brown shrimp *Farfantepenaeus aztecus*. PLoS ONE 14(10): e0223641. <https://doi.org/10.1371/journal.pone.0223641>

[Beketov et al. \(2013\)](#) : Mikhail A. Beketov, Ben J. Kefford, Ralf B. Schäfer, and Matthias Liess (2013). Pesticides reduce regional biodiversity of stream invertebrates 2013, TA - Proceedings of the National Academy of Sciences, 11039-11043 110 27, 10.1073/pnas.1305618110 [doi], <https://www.pnas.org/doi/abs/10.1073/pnas.1305618110>.

[Cambronero, Marshall, De Meester et al., 2018](#) : Cuenca Cambronero, M., Marshall, H., De Meester, L. et al (2018). Predictability of the impact of multiple stressors on the keystone species *Daphnia*. Sci Rep 8, 17572 (2018). <https://doi.org/10.1038/s41598-018-35861-y>

[Canesi et al., 2011](#) : Canesi L, Negri A, Barmo C, Banni M, Gallo G, et al. (2011). The Organophosphate Chlorpyrifos Interferes with the Responses to 17 $\beta$ -Estradiol in the Digestive Gland of the Marine Mussel *Mytilus galloprovincialis*. PLoS ONE 6(5): e19803. [doi:10.1371/journal.pone.0019803](https://doi.org/10.1371/journal.pone.0019803)

[Duarte-Restrepo et al., 2020](#): Duarte-Restrepo E, Jaramillo-Colorado BE, Duarte-Jaramillo L (2020). Effects of chlorpyrifos on the crustacean *Litopenaeus vannamei*. PLoS ONE 15(4): e0231310. <https://doi.org/10.1371/journal.pone.0231310>

[Elias & Bernot, 2014](#): Elias D, Bernot MJ (2014). Effects of Atrazine, Metolachlor, Carbaryl and Chlorothalonil on Benthic Microbes and Their Nutrient Dynamics. PLoS ONE 9(10): e109190. [doi:10.1371/journal.pone.0109190](https://doi.org/10.1371/journal.pone.0109190)

[Huang et al., 2019](#): Huang Y, Hong Y, Huang Z, Zhang J, Huang Q (2019). Avermectin induces the oxidative stress, genotoxicity, and immunological responses in the Chinese Mitten Crab, *Eriocheir sinensis*. PLoS ONE 14(11): e0225171. <https://doi.org/10.1371/journal.pone.0225171>

[Larras et al., 2012](#) : Larras F, Bouchez A, Rimet F, Montuelle B (2012). Using Bioassays and Species Sensitivity Distributions to Assess Herbicide Toxicity towards Benthic Diatoms. PLoS ONE 7(8): e44458. [doi:10.1371/journal.pone.0044458](https://doi.org/10.1371/journal.pone.0044458)

[Moreau et al., 2015](#) : Moreau P, Faury N, Burgeot T, Renault T(2015). Pesticides and Ostreid Herpesvirus 1 Infection in the Pacific Oyster, *Crassostrea gigas*. PLoS ONE, 10(6): e0130628. [doi:10.1371/journal.pone.0130628](https://doi.org/10.1371/journal.pone.0130628)

[Morrissey et al., 2014](#) : Morrissey, C. A., Mineau, P., Devries, J. H., Sanchez-Bayo, F., Liess, M., Cavallaro, M. C., & Liber, K. (2015). Neonicotinoid contamination of global surface waters and associated risk to aquatic invertebrates: a review. Environment International, 74, 291–303. <https://doi.org/10.1016/j.envint.2014.10.024>

[Muturi et al., 2017](#) : Muturi, E. J. et al. (2017). Effect of pesticides on microbial communities in container aquatic habitats. Sci. Rep. 7, 44565; [doi: 10.1038/srep44565 \(2017\)](https://doi.org/10.1038/srep44565).

[Nyman et al., 2013](#): Nyman A-M, Hintermeister A, Schirmer K, Ashauer R (2013). The Insecticide Imidacloprid Causes Mortality of the Freshwater Amphipod *Gammarus pulex* by Interfering with Feeding Behavior. PLoS ONE 8(5): e62472. [doi:10.1371/journal.pone.0062472](https://doi.org/10.1371/journal.pone.0062472)

## Impacts des pesticides sur les pollinisateurs et autres insectes

[Armengaud and Lambin, 2002](#) : C. Armengaud, M. Lambin (2002). Effects of imidacloprid on the neural processes of memory in honey bees, in: Honey Bees, Estimating the Environmental Impact of Chemicals, 1st Edition, 2002, p. 352. <https://doi.org/10.1201/9780203218655>.

- [Azpiazu et al., 2022](#) : Celeste Azpiazu, Jordi Bosch, Cátia Martins, Fabio Sgolastra (2022). Effects of chronic exposure to the new insecticide sulfoxaflor in combination with a SDHI fungicide in a solitary bee, *Science of The Total Environment*, Volume 850, 2022, 157822, ISSN 0048-9697, <https://doi.org/10.1016/j.scitotenv.2022.157822>.
- [Baglan et al., 2018](#): Hugo Baglan, Claudio R. Lazzari and Fernando J. Guerrieri (2018). Glyphosate impairs learning in *Aedes aegypti* mosquito larvae at field-realistic doses, *Journal of Experimental Biology* (2018) 221, jeb187518. [doi:10.1242/jeb.187518](https://doi.org/10.1242/jeb.187518)
- [Barascou et al. 2022](#) : Barascou, L., Requier, F., Sené, D., Crauser, D., le Conte, Y., & Alaux, C. (2022). Delayed effects of a single dose of a neurotoxic pesticide (sulfoxaflor) on honeybee foraging activity. *Science of The Total Environment*, 805, 150351. <https://doi.org/10.1016/J.SCITOTENV.2021.150351>
- [Bartomeus et al., 2014](#): Bartomeus I, Potts SG, Steffan-Dewenter I, Vaissière BE, Woyciechowski M, Krewenka KM, Tscheulin T, Roberts SP, Szentgyörgyi H, Westphal C, Bommarco R. (2014). Contribution of insect pollinators to crop yield and quality varies with agricultural intensification. *PeerJ*. 2014 Mar 27;2:e328. [doi: 10.7717/peerj.328](https://doi.org/10.7717/peerj.328). PMID: 24749007; PMCID: PMC3976118.
- [Benton et al., 2002](#) : Benton, T. G., Bryant, D. M., Cole, L., & Crick, H. Q. P. (2002). Linking agricultural practice to insect and bird populations: a historical study over three decades. *Journal of Applied Ecology*, 39(4), 673–687. <https://doi.org/10.1046/J.1365-2664.2002.00745.X>
- [Caliani et al., 2021](#) : Ilaria Caliani, Tommaso Campani, Barbara Conti, Francesca Cosci, Stefano Bedini, Antonella D'Agostino, Anna Ammendola, Agata Di Noi, Alessandro Gori, Silvia Casini (2021). Multi-biomarker approach and IBR index to evaluate the effects of different contaminants on the ecotoxicological status of *Apis mellifera*, *Ecotoxicology and Environmental Safety*, Volume 208, 2021, 111486, ISSN 0147-6513, <https://doi.org/10.1016/j.ecoenv.2020.111486>.
- [Carneiro et al., 2020](#) : Lenise Silva Carneiro, Luis Carlos Martínez, Wagner Gonzaga Gonçalves, Luanda Medeiros Santana, José Eduardo Serrão (2020). The fungicide iprodione affects midgut cells of non-target honey bee *Apis mellifera* workers, *Ecotoxicology and Environmental Safety*, Volume 189, 2020, 109991, ISSN 0147-6513, <https://doi.org/10.1016/j.ecoenv.2019.109991>.
- [Chakrabarti et al., 2020](#) : Chakrabarti P, Carlson EA, Lucas HM, Melathopoulos AP, Sagili RR (2020). Field rates of Sivanto™ (flupyradifurone) and Transform® (sulfoxaflor) increase oxidative stress and induce apoptosis in honey bees (*Apis mellifera* L.). *PLOS ONE* 15(5): e0233033. <https://doi.org/10.1371/journal.pone.0233033>
- [Ciereszko et al., 2017](#) : Ciereszko, A., Wilde, J., Dietrich, G.J. et al. (2017). Sperm parameters of honeybee drones exposed to imidacloprid. *Apidologie* 48, 211–222 (2017). <https://doi.org/10.1007/s13592-016-0466-2>
- [Claus et al., 2021](#) : Gregor Claus, Matti Pisman, Pieter Spanoghe, Guy Smagghe, Maxime Eeraerts (2021). Larval oral exposure to thiacloprid: Dose-response toxicity testing in solitary bees, *Osmia* spp. (Hymenoptera: Megachilidae). *Ecotoxicology and Environmental Safety*, Volume 215, 2021, 112143, ISSN 0147-6513, <https://doi.org/10.1016/j.ecoenv.2021.112143>.
- [Czerwinski and Sadd, 2017](#) : Czerwinski, MA, Sadd, BM (2017). Detrimental interactions of neonicotinoid pesticide exposure and bumblebee immunity. *J Exp Zool*. 2017; 327: 273– 283. <https://doi.org/10.1002/jez.2087>
- [Colin et al., 2019](#): Théotime Colin, William G. Meikle, Xiaobo Wu, and Andrew B. Barron (2019). Traces of a Neonicotinoid Induce Precocious Foraging and Reduce Foraging Performance in Honey Bees. *Environ. Sci. Technol.* 2019, 53, 14, 8252–826. <https://doi.org/10.1021/acs.est.9b02452>
- [Dai et al., 2010](#) : Dai PL, Wang Q, Sun JH, Liu F, Wang X, Wu YY, Zhou T (2010). Effects of sublethal concentrations of bifenthrin and deltamethrin on fecundity, growth, and development of the honeybee *Apis mellifera* ligustica. *Environ Toxicol Chem*. 2010 Mar;29(3):644-9. [doi: 10.1002/etc.67](https://doi.org/10.1002/etc.67). PMID: 20821489.

[Decourtye et al., 2003](#) : Decourtye A, Lacassie E, Pham-Delègue MH. Learning performances of honeybees (*Apis mellifera* L) are differentially affected by imidacloprid according to the season. *Pest Manag Sci.* 2003 Mar;59(3):269-78. <https://doi.org/10.1002/ps.631>

[DesJardins et al., 2021](#) : DesJardins NS, Fisher A 2nd, Ozturk C, Fewell JH, DeGrandi-Hoffman G, Harrison JF, Smith BH (2021). A common fungicide, Pristine®, impairs olfactory associative learning performance in honey bees (*Apis mellifera*). *Environ Pollut.* 2021 Nov 1;288:117720. [doi: 10.1016/j.envpol.2021.117720](https://doi.org/10.1016/j.envpol.2021.117720). Epub 2021 Jul 5. PMID: 34252716.

[Desneux et al., 2007](#) : Nicolas Desneux, Axel Decourtye, Jean-Marie Delpuech (2007). The Sublethal Effects of Pesticides on Beneficial Arthropods. *Annual Review of Entomology* 2007 52:1, 81-106. DOI: [10.1146/annurev.ento.52.110405.091440](https://doi.org/10.1146/annurev.ento.52.110405.091440)

[Di Prisco et al., 2013](#) : Gennaro Di Prisco, Valeria Cavaliere, Desiderato Annoscia, Paola Varricchio, Emilio Caprio, Francesco Nazzi, Giuseppe Gargiulo, and Francesco Pennacchio (2013). Neonicotinoid clothianidin adversely affects insect immunity and promotes replication of a viral pathogen in honey bees. 2013 Proceedings of the National Academy of Sciences. <https://www.pnas.org/doi/full/10.1073/pnas.1314923110>.

[Eraerts et al., 2020](#) : Eraerts, M., Pisman, M., Vanderhaegen, R. et al.(2020). Recommendations for standardized oral toxicity test protocols for larvae of solitary bees, *Osmia* spp.. *Apidologie* 51, 48–60 (2020). <https://doi.org/10.1007/s13592-019-00704-w>

[El Hassani et al., 2005](#) : Abdessalam Kacimi El Hassani, Matthieu Dacher, Monique Gauthier, Catherine Armengaud (2005). Effects of sublethal doses of fipronil on the behavior of the honeybee (*Apis mellifera*), *Pharmacology Biochemistry and Behavior*, Volume 82, Issue 1, 2005, Pages 30-39, ISSN 0091-3057, <https://doi.org/10.1016/j.pbb.2005.07.008>.

[Feber et al., 1997](#) : Feber, R. E., Firbank, L. G., Johnson, P. J., & Macdonald, D. W. (1997). The effects of organic farming on pest and non-pest butterfly abundance. *Agriculture, Ecosystems & Environment*, 64(2), 133–139. [https://doi.org/10.1016/S0167-8809\(97\)00031-5](https://doi.org/10.1016/S0167-8809(97)00031-5)

[Fischer et al., 2014](#) : Fischer J, Müller T, Spatz AK, Greggers U, Grünewald B, et al. (2014). Neonicotinoids Interfere with Specific Components of Navigation in Honeybees. *PLOS ONE* 9(3): e91364. <https://doi.org/10.1371/journal.pone.0091364>

[Fisher et al., 2021](#) : Adrian Fisher, Gloria DeGrandi-Hoffman, Brian H. Smith, Meredith Johnson, Osman Kaftanoglu, Teddy Cogley, Jennifer H. Fewell, Jon F. Harrison (2021). Colony field test reveals dramatically higher toxicity of a widely-used mitotoxic fungicide on honey bees (*Apis mellifera*), *Environmental Pollution*, Volume 269, 2021, 115964, ISSN 0269-7491, <https://doi.org/10.1016/j.envpol.2020.115964>.

[Gill et Raine, 2014](#) : Gill, R. J., & Raine, N. E. (2014). Chronic impairment of bumblebee natural foraging behaviour induced by sublethal pesticide exposure. *Functional Ecology*, 28(6), 1459–1471. <https://doi.org/10.1111/1365-2435.12292>

[Guez et al., 2001](#) : Guez D, Suchail S, Gauthier M, Maleszka R, Belzunces LP (2001). Contrasting effects of imidacloprid on habituation in 7- and 8-day-old honeybees (*Apis mellifera*). *Neurobiol Learn Mem.* 2001 Sep;76(2):183-91. [doi: 10.1006/nlme.2000.3995](https://doi.org/10.1006/nlme.2000.3995). PMID: 11502148.

[Hatjina et al., 2013](#) : Hatjina, F., Papaefthimiou, C., Charistos, L. et al.(2013). Sublethal doses of imidacloprid decreased size of hypopharyngeal glands and respiratory rhythm of honeybees in vivo. *Apidologie* 44, 467–480 (2013). <https://doi.org/10.1007/s13592-013-0199-4>

[Haynes 1988](#) : Haynes, K. F. (1988). Sublethal effects of neurotoxic insecticides on insect behavior. *Annual Review of Entomology*, 33, 149–168. <https://doi.org/10.1146/ANNUREV.EN.33.010188.001053>

[Henry et al., 2012](#) : Henry M, Béguin M, Requier F, Rollin O, Odoux JF, Aupinel P, Aptel J, Tchamitchian S, Decourtye A.(2012). A common pesticide decreases foraging success and survival in honey bees. *Science*. 2012 Apr 20;336(6079):348-50. [doi: 10.1126/science.1215039](https://doi.org/10.1126/science.1215039). Epub 2012 Mar 29. PMID: 22461498.

[Holder et al., 2018](#) : Philippa J. Holder, Ainsley Jones, Charles R. Tyler, James E. Cresswell (2018). Fipronil pesticide as a suspect in historical mass mortalities of honey bees, 2018, *Proceedings of the National Academy of Sciences*, 13033-13038, 115, 51, 10.1073/pnas.1804934115 [\[doi\] 30509996](https://doi.org/10.1073/pnas.1804934115), <https://www.pnas.org/doi/abs/10.1073/pnas.1804934115>

[James and Xu, 2012](#) : James RR, Xu J (2012). Mechanisms by which pesticides affect insect immunity. *J Invertebr Pathol*. 2012 Feb;109(2):175-82. [doi: 10.1016/j.jip.2011.12.005](https://doi.org/10.1016/j.jip.2011.12.005). Epub 2011 Dec 20. PMID: 22206912.

[Jansen et al., 2017](#) : Jansen, J.P. , Lauvaux, S. , Denayer, J. & Gruntowy, J. (2017). Possible synergistic effects of fungicide-insecticide mixture on beneficial arthropods. *Proceedings in: IOBC-wprs Bull., Pesticides and Beneficial organisms*, 8-35.

[Johnson et al., 2013](#) : Johnson RM, Dahlgren L, Siegfried BD, Ellis MD (2013) Acaricide, Fungicide and Drug Interactions in Honey Bees (*Apis mellifera*). *PLOS ONE* 8(1): e54092. <https://doi.org/10.1371/journal.pone.0054092>

[Kadala et al., 2019](#) : Kadala A, Charreton M, Charnet P, Collet C (2019). Honey bees long-lasting locomotor deficits after exposure to the diamide chlorantraniliprole are accompanied by brain and muscular calcium channels alterations. *Sci Rep*. 2019 Feb 15;9(1):2153. [doi: 10.1038/s41598-019-39193-3](https://doi.org/10.1038/s41598-019-39193-3). PMID: 30770849; PMCID: PMC6377601.

[Kairo et al., 2017](#) : Kairo G, Poquet Y, Haji H, Tchamitchian S, Cousin M, Bonnet M, Pelissier M, Kretzschmar A, Belzunces LP, Brunet JL (2017). Assessment of the toxic effect of pesticides on honey bee drone fertility using laboratory and semifield approaches: A case study of fipronil. *Environ Toxicol Chem*. 2017 Sep;36(9):2345-2351. [doi: 10.1002/etc.3773](https://doi.org/10.1002/etc.3773). Epub 2017 Apr 4. PMID: 28224659.

[Kakumanu et al., 2016](#) : Kakumanu ML, Reeves AM, Anderson TD, Rodrigues RR and Williams MA (2016). Honey Bee Gut Microbiome Is Altered by In-Hive Pesticide Exposures. *Front. Microbiol*. 7:1255. [doi: 10.3389/fmicb.2016.01255](https://doi.org/10.3389/fmicb.2016.01255)

[Kenna et al., 2019](#) : Kenna, D, Cooley, H, Pretelli, I, Ramos Rodrigues, A, Gill, SD, Gill, RJ (2019). Pesticide exposure affects flight dynamics and reduces flight endurance in bumblebees. *Ecol Evol*. 2019; 9: 5637– 5650. <https://doi.org/10.1002/ece3.5143>.

[Kiljanek et al., 2017](#) : Kiljanek, T., Niewiadowska, A., Gawel, M., Semeniuk, S., Borzęcka, M., Posyniak, A., & Pohorecka, K. (2017). Multiple pesticide residues in live and poisoned honeybees - Preliminary exposure assessment. *Chemosphere*, 175, 36–44. <https://doi.org/10.1016/J.CHEMOSPHERE.2017.02.028>

[Knauer et al., 2022](#): Anina C. Knauer, Cedric Alaux, Matthew J. Allan, Robin R. Dean, Virginie Dievart, Gaétan Glauser, Tomasz Kiljanek, Denis Michez, Janine M. Schwarz, Giovanni Tamburini, Dimitry Wintermantel, Alexandra-Maria Klein, Matthias Albrecht (2022). Nutritional stress exacerbates impact of a novel insecticide on solitary bees' behaviour, reproduction and survival. Published:12 October 2022 : <https://doi.org/10.1098/rspb.2022.1013>.

[Kozii et al., 2021](#) : Kozii IV, Barnsley S, Silva MCB da, et al (2021). Reproductive fitness of honey bee queens exposed to thiamethoxam during development. *Veterinary Pathology*. 2021;58(6):1107-1118. doi:[10.1177/03009858211031845](https://doi.org/10.1177/03009858211031845).

[Krupke et al., 2012](#) : Krupke, C. H., Hunt, G. J., Eitzer, B. D., Andino, G., & Given, K. (2012). Multiple routes of pesticide exposure for honey bees living near agricultural fields. *PloS One*, 7(1). <https://doi.org/10.1371/JOURNAL.PONE.0029268>

[Lambin et al., 2001](#): Lambin M, Armengaud C, Raymond S, Gauthier M (2001). Imidacloprid-induced facilitation of the proboscis extension reflex habituation in the honeybee. *Arch Insect Biochem Physiol*. 2001 Nov;48(3):129-34. [doi: 10.1002/arch.1065](#). PMID: 11673842.

[Liao et al., 2019](#) : Liao LH, Wu WY, Dad A, Berenbaum MR (2019). Fungicide suppression of flight performance in the honeybee (*Apis mellifera*) and its amelioration by quercetin. *Proc Biol Sci*. 2019 Dec 18;286(1917):20192041. [doi: 10.1098/rspb.2019.2041](#). Epub 2019 Dec 18. PMID: 31847772; PMCID: PMC6939911.

[Liess et al., 2021](#) : Matthias Liess, Liana Liebmann, Philipp Vormeier, Oliver Weisner, Rolf Altenburger, Dietrich Borchardt, Werner Brack, Antonis Chatzinotas, Beate Escher, Kaarina Foit, Roman Gunold, Sebastian Henz, Kristina L. Hitzfeld, Mechthild Schmitt-Jansen, Norbert Kamjunke, Oliver Kaske, Saskia Knillmann, Martin Krauss, Eberhard Küster, Moritz Link, Maren Lück, Monika Möder, Alexandra Müller, Albrecht Paschke, Ralf B. Schäfer, Anke Schneeweiss, Verena C. Schreiner, Tobias Schulze, Gerrit Schüürmann, Wolf von Tümpling, Markus Weitere, Jörn Wogram, Thorsten Reemtsma (2021). Pesticides are the dominant stressors for vulnerable insects in lowland streams, *Water Research*, Volume 201, 2021,117262, ISSN 0043-1354, <https://doi.org/10.1016/j.watres.2021.117262>.

[Liu et al., 2020](#): Yong-Jun Liu, Neng-Hu Qiao, Qing-Yun Diao, Zhongwang Jing, Raja Vukanti, Ping-Li Dai, Yuan Ge (2020). Thiacloprid exposure perturbs the gut microbiota and reduces the survival status in honeybees, *Journal of Hazardous Materials*, Volume 389, 2020, 21818, ISSN 0304-3894, <https://doi.org/10.1016/j.jhazmat.2019.121818>.

[López et al., 2017](#) : López, J., Krainer, S., Engert, A. et al.(2017). Sublethal pesticide doses negatively affect survival and the cellular responses in American foulbrood-infected honeybee larvae. *Sci Rep* 7, 40853 (2017). <https://doi.org/10.1038/srep40853>.

[Medrzycki et al., 2003](#) : Medrzycki, Piotr & MONTANARI, Rebecca & Bortolotti, Laura & SABATINI, Anna & Maini, Stefano & PORRINI, Claudio. (2003). Effects of imidacloprid administered in sub-lethal doses on honey bee behaviour. Laboratory tests. *Bulletin of Insectology* 56.

[Milone and Tarpy, 2021](#) : Milone JP, Tarpy DR (2021). Effects of developmental exposure to pesticides in wax and pollen on honey bee (*Apis mellifera*) queen reproductive phenotypes. *Sci Rep*. 2021 Jan 13;11(1):1020. [doi: 10.1038/s41598-020-80446-3](#). PMID: 33441911; PMCID: PMC7806648

[Minnameyer et al., 2021](#) : Minnameyer A, Strobl V, Bruckner S, Camenzind DW, Van Oystaeyen A, Wäckers F, Williams GR, Yañez O, Neumann P, Straub L (2021). Eusocial insect declines: Insecticide impairs sperm and feeding glands in bumblebees. *Sci Total Environ*. 2021 Sep 1;785:146955. [doi: 10.1016/j.scitotenv.2021.146955](#). Epub 2021 Apr 10. PMID: 33957580.

[Mommaerts et al., 2021](#): Mommaerts V, Reynders S, Boulet J, Besard L, Sterk G, Smagghe G. (2021). Risk assessment for side-effects of neonicotinoids against bumblebees with and without impairing foraging behavior. *Ecotoxicology*. 2010 Jan;19(1):207-15. [doi: 10.1007/s10646-009-0406-2](#). PMID: 19757031.

[Muratet et Fontaine, 2015](#) : Muratet, A., & Fontaine, B. (2015). Contrasting impacts of pesticides on butterflies and bumblebees in private gardens in France. *Biological Conservation*, 182, 148–154. <https://doi.org/10.1016/j.biocon.2014.11.045>

[Pamminger et al., 2018](#) : Pamminger, T, Botías, C, Goulson, D, Hughes, WHO (2018). A mechanistic framework to explain the immunosuppressive effects of neurotoxic pesticides on bees. *Funct Ecol*. 2018; 32: 1921– 1930. <https://doi.org/10.1111/1365-2435.13119>.

[Papaefthimiou and Theophilidis, 2001](#): Chrisovalantis Papaefthimiou, George Theophilidis (2001). The Cardiotoxic Action of the Pyrethroid Insecticide Deltamethrin, the Azole Fungicide Prochloraz, and Their Synergy on the Semi-Isolated Heart of the Bee *Apis mellifera macedonica*, *Pesticide Biochemistry and Physiology*, Volume 69, Issue 2, 2001, Pages 77-91, ISSN 0048-3575, <https://doi.org/10.1006/pest.2000.2519>.



[Parkinson et al., 2022](#) : Parkinson Rachel H., Fecher Caroline, Gray John R (2022). Chronic exposure to insecticides impairs honeybee optomotor behaviour, *Frontiers in Insect Science*, Volume 2, 2022, <https://www.frontiersin.org/articles/10.3389/finsc.2022.936826>.

[Pettis et al., 2016](#) : Pettis JS, Rice N, Joselow K, vanEngelsdorp D, Chaimanee V (2016) Colony Failure Linked to Low Sperm Viability in Honey Bee (*Apis mellifera*) Queens and an Exploration of Potential Causative Factors. *PLOS ONE* 11(2): e0147220. <https://doi.org/10.1371/journal.pone.0147220>.

[Pisa et al., 2014](#) : Pisa, L. W., Amaral-Rogers, V., Belzunces, L. P., Bonmatin, J. M., Downs, C. A., Goulson, D., Kreutzweiser, D. P., Krupke, C., Liess, M., Mcfield, M., Morrissey, C. A., Noome, D. A., Settele, J., Simon-Delso, N., Stark, J. D., van der Sluijs, J. P., van Dyck, H., & Wiemers, M. (2014). Effects of neonicotinoids and fipronil on non-target invertebrates. *Environmental Science and Pollution Research*, 22(1), 68–102. <https://doi.org/10.1007/s11356-014-3471-x>

[Pochi et al., 2012](#) : Pochi, D., Biocca, M., Fanigliulo, R., Pulcini, P., & Conte, E. (2012). Potential exposure of bees, *Apis mellifera* L., to particulate matter and pesticides derived from seed dressing during maize sowing. *Bulletin of Environmental Contamination and Toxicology*, 89(2), 354–361. <https://doi.org/10.1007/S00128-012-0664-1>

[Renzi et al., 2016](#) : Renzi, M.T., Rodríguez-Gasol, N., Medrzycki, P. et al (2016). Combined effect of pollen quality and thiamethoxam on hypopharyngeal gland development and protein content in *Apis mellifera* . *Apidologie* 47, 779–788 (2016). <https://doi.org/10.1007/s13592-016-0435-9>.

[Rundlöf et al., 2015](#): Rundlöf, M., Andersson, G., Bommarco, R. et al.(2015). Seed coating with a neonicotinoid insecticide negatively affects wild bees. *Nature* 521, 77–80 (2015). <https://doi.org/10.1038/nature14420>

[Sandrock et al., 2014](#): Sandrock, C., Tanadini, L.G., Pettis, J.S., Biesmeijer, J.C., Potts, S.G. and Neumann, P. (2014). Sublethal neonicotinoid insecticide exposure reduces solitary bee reproductive success. *Agr Forest Entomol*, 16: 119-128. <https://doi.org/10.1111/afe.12041>.

[Santovito et al., 2020](#) : Santovito, A., Audisio, M. & Bonelli, S.(2020). A micronucleus assay detects genotoxic effects of herbicide exposure in a protected butterfly species. *Ecotoxicology* 29, 1390–1398 (2020). <https://doi.org/10.1007/s10646-020-02276-3>.

[Schneider et al., 2012](#): Schneider CW, Tautz J, Grünewald B, Fuchs S (2012). RFID Tracking of Sublethal Effects of Two Neonicotinoid Insecticides on the Foraging Behavior of *Apis mellifera*. *PLOS ONE* 7(1): e30023. <https://doi.org/10.1371/journal.pone.0030023>.

[Sgolastra et al., 2015](#) : Sgolastra, Fabio, Tosi, Simone, Medrzycki, Piotr, Porrini, Claudio and Burgio, Giovanni (2015). "Toxicity of Spirotetramat on Solitary Bee Larvae, *Osmia Cornuta* (Hymenoptera: Megachilidae), in Laboratory Conditions" *Journal of Apicultural Science*, vol.59, no.2, 2015, pp.73-83. <https://doi.org/10.1515/jas-2015-0024>

[Sgolastra et al., 2017](#) : Sgolastra, F., Medrzycki, P., Bortolotti, L., Renzi, M.T., Tosi, S., Bogo, G., Teper, D., Porrini, C., Molowny-Horas, R. and Bosch, J. (2017), Synergistic mortality between a neonicotinoid insecticide and an ergosterol-biosynthesis-inhibiting fungicide in three bee species. *Pest. Manag. Sci.*, 73: 1236-1243. <https://doi.org/10.1002/ps.4449>

[Sgolastra et al., 2018](#) : Fabio Sgolastra, Xavier Arnan, Riccardo Cabbri, Gloria Isani, Piotr Medrzycki, Dariusz Teper, Jordi Bosch (2018). Combined exposure to sublethal concentrations of an insecticide and a fungicide affect feeding, ovary development and longevity in a solitary bee, 2018 *Proceedings of the Royal Society B: Biological Sciences*, <https://doi.org/10.1098/rspb.2018.0887>



- [Siefert et al., 2020](#) : Siefert, P., Hota, R., Ramesh, V., & Grünewald, B. (2020). Chronic within-hive video recordings detect altered nursing behaviour and retarded larval development of neonicotinoid treated honey bees. *Scientific Reports* 2020 10:1, 10(1), 1–15. <https://doi.org/10.1038/s41598-020-65425-y>
- [Siviter et al., 2018](#): Siviter H, Brown MJF (2018). Leadbeater E. Sulfoxaflor exposure reduces bumblebee reproductive success. *Nature*. 2018 Sep;561(7721):109-112. [doi: 10.1038/s41586-018-0430-6](https://doi.org/10.1038/s41586-018-0430-6). Epub 2018 Aug 15. PMID: 30111837
- [Siviter et al., 2021](#); Siviter, H., Bailes, E.J., Martin, C.D. et al. (2021). Agrochemicals interact synergistically to increase bee mortality. *Nature* 596, 389–392 (2021). <https://doi.org/10.1038/s41586-021-03787-7>
- [Stanley et al., 2016](#): Stanley, D.A., Russell, A.L., Morrison, S.J., Rogers, C. and Raine, N.E. (2016). Investigating the impacts of field-realistic exposure to a neonicotinoid pesticide on bumblebee foraging, homing ability and colony growth. *J Appl Ecol*, 53: 1440-1449. <https://doi.org/10.1111/1365-2664.12689>
- [Straub et al., 2016](#): Lars Straub, Laura Villamar-Bouza, Selina Bruckner, Panuwan Chantawannakul, Laurent Gauthier, Kitiphong Khongphinitbunjong, Gina Retschnig, Aline Troxler, Beatriz Vidondo, Peter Neumann, Geoffrey R. Williams. Neonicotinoid insecticides can serve as inadvertent insect contraceptives. *Proceedings of the Royal Society B: Biological Sciences*, 2016; 283 (1835): 20160506 DOI: [10.1098/rspb.2016.0506](https://doi.org/10.1098/rspb.2016.0506).
- [Sydenham et al., 2014](#) : Sydenham, M. A. K., Eldegard, K., & Totland, Ø. (2014). Spatio-temporal variation in species assemblages in field edges: Seasonally distinct responses of solitary bees to local habitat characteristics and landscape conditions. *Biodiversity and Conservation*, 23(10), 2393–2414. <https://doi.org/10.1007/S10531-014-0729-Z>
- [Syromyatnikov et al., 2020](#): Syromyatnikov MY, Gureev AP, Starkova NN, Savinkova OV, Starkov AA, Lopatin AV, Popov VN (2020). Method for detection of mtDNA damages for evaluating of pesticides toxicity for bumblebees (*Bombus terrestris* L.). *Pestic Biochem Physiol*. 2020 Oct;169:104675. [doi: 10.1016/j.pestbp.2020.104675](https://doi.org/10.1016/j.pestbp.2020.104675). Epub 2020 Aug 5. PMID: 32828362.
- [Tapparo et al., 2012](#) : Tapparo, A., Marton, D., Giorio, C., Zanella, A., Soldà, L., Marzaro, M., Vivan, L., & Girolami, V. (2012). Assessment of the environmental exposure of honeybees to particulate matter containing neonicotinoid insecticides coming from corn coated seeds. *Environmental Science & Technology*, 46(5), 2592–2599. <https://doi.org/10.1021/ES2035152>
- [Tasei et al., 2000](#): Tasei, J.-N., Lerin, J. and Ripault, G. (2000), Sub-lethal effects of imidacloprid on bumblebees, *Bombus terrestris* (Hymenoptera: Apidae), during a laboratory feeding test. *Pest. Manag. Sci.*, 56: 784-788. [https://doi.org/10.1002/1526-4998\(200009\)56:9<784::AID-PS208>3.0.CO;2-T](https://doi.org/10.1002/1526-4998(200009)56:9<784::AID-PS208>3.0.CO;2-T)
- [Tennekes, 2010](#) : Tennekes HA (2010). The significance of the Druckrey-Küpfmüller equation for risk assessment-the toxicity of neonicotinoid insecticides to arthropods is reinforced by exposure time. *Toxicology*. 2010 Sep 30;276(1):1-4. [doi: 10.1016/j.tox.2010.07.005](https://doi.org/10.1016/j.tox.2010.07.005). PMID: 20803795.
- [Tosi and Nieh, 2019](#) : S. Tosi, J. C. Nieh (2019). Lethal and sublethal synergistic effects of a new systemic pesticide, flupyradifurone, on honeybees, 2019, *Proceedings of the Royal Society B: Biological Sciences*, 20190433, 286 1900 [10.1098/rspb.2019.0433](https://doi.org/10.1098/rspb.2019.0433) [[doi\] 30966981 https://royalsocietypublishing.org/doi/abs/10.1098/rspb.2019.0433](https://doi.org/10.1098/rspb.2019.0433).
- [Tosi et al., 2017](#): Tosi, S., Burgio, G. & Nieh, J.C. (2017). A common neonicotinoid pesticide, thiamethoxam, impairs honey bee flight ability. *Sci Rep* 7, 1201 (2017). <https://doi.org/10.1038/s41598-017-01361-8>.
- [Tosi et al., 2022](#): Simone Tosi, Cynthia Sfeir, Edoardo Carnesecchi, Dennis vanEngelsdorp, Marie-Pierre Chauzat (2022). Lethal, sublethal, and combined effects of pesticides on bees: A meta-analysis and new risk assessment tools, *Science of The Total Environment*, Volume 844, 2022, 156857, ISSN 0048-9697, <https://doi.org/10.1016/j.scitotenv.2022.156857>

[Traynor et al., 2016](#) : Traynor KS, Pettis JS, Tarpy DR, Mullin CA, Frazier JL, Frazier M, vanEngelsdorp D (2016). In-hive Pesticide Exposome: Assessing risks to migratory honey bees from in-hive pesticide contamination in the Eastern United States. *Sci Rep.* 2016 Sep 15;6:33207. [doi: 10.1038/srep33207](#). [PMID: 27628343](#); [PMCID: PMC5024099](#).

[Tsvetkov et al., 2017](#) : Tsvetkov, N., Samson-Robert, O., Sood, K., Patel, H. S., Malena, D. A., Gajiwala, P. H., Maciukiewicz, P., Fournier, V., & Zayed, A. (2017). Chronic exposure to neonicotinoids reduces honey bee health near corn crops. *Science*, 356(6345), 1395–1397. [DOI: 10.1126/science.aay1144](#)

[Vázquez et al., 2018](#) : Vázquez, D. E., Ilina, N., Pagano, E. A., Zavala, J. A., & Farina, W. M. (2018). Glyphosate affects the larval development of honey bees depending on the susceptibility of colonies. *PLoS ONE*, 13(10). <https://doi.org/10.1371/JOURNAL.PONE.0205074>

[Ward et al., 2022](#) : Laura T. Ward, Michelle L. Hladik, Aidee Guzman, Sara Winsemius, Ariana Bautista, Claire Kremen, Nicholas J. Mills (2022). Pesticide exposure of wild bees and honey bees foraging from field border flowers in intensively managed agriculture areas, *Science of The Total Environment*, Volume 831, 2022, 154697, ISSN 0048-9697, <https://doi.org/10.1016/j.scitotenv.2022.154697>.

[Williams et al., 2015](#) : Williams, G., Troxler, A., Retschnig, G. et al. (2015). Neonicotinoid pesticides severely affect honey bee queens. *Sci Rep* 5, 14621 (2015). <https://doi.org/10.1038/srep14621>.

[Woodcock et al., 2016](#) : Woodcock, B. A., Isaac, N. J. B., Bullock, J. M., Roy, D. B., Garthwaite, D. G., Crowe, A., & Pywell, R. F. (2016). Impacts of neonicotinoid use on long-term population changes in wild bees in England. *Nature Communications* 2016 7:1, 7(1), 1–8. <https://doi.org/10.1038/ncomms12459>

[Woodcock et al., 2017](#) : Woodcock BA, Bullock JM, Shore RF, Heard MS, Pereira MG, Redhead J, Ridding L, Dean H, Sleep D, Henrys P, Peyton J, Hulmes S, Hulmes L, Sárospataki M, Saure C, Edwards M, Genersch E, Knäbe S, Pywell RF. Country-specific effects of neonicotinoid pesticides on honey bees and wild bees. *Science*. 2017 Jun 30;356(6345):1393-1395. [doi: 10.1126/science.aaa1190](#). [PMID: 28663502](#).

[Wu et al., 2011](#) : Wu JY, Anelli CM, Sheppard WS (2011). Sub-Lethal Effects of Pesticide Residues in Brood Comb on Worker Honey Bee (*Apis mellifera*) Development and Longevity. *PLOS ONE* 6(2): e14720. <https://doi.org/10.1371/journal.pone.0014720>

[Zaluski et al., 2017](#) : Zaluski, R., Justulin, L.A. & Orsi, R. (2017). Field-relevant doses of the systemic insecticide fipronil and fungicide pyraclostrobin impair mandibular and hypopharyngeal glands in nurse honeybees (*Apis mellifera*). *Sci Rep* 7, 15217 (2017). <https://doi.org/10.1038/s41598-017-15581-5>

[Zhu et al., 2014](#) : Zhu W, Schmehl DR, Mullin CA, Frazier JL (2014). Four Common Pesticides, Their Mixtures and a Formulation Solvent in the Hive Environment Have High Oral Toxicity to Honey Bee Larvae. *PLOS ONE* 9(1): e77547. <https://doi.org/10.1371/journal.pone.0077547>

## **Impacts sur les organismes du sol et leur biodiversité**

[Boldt et Jacobsen, 1998](#) : Boldt, T. S., & Jacobsen, C. S. (1998). Different toxic effects of the sulfonylurea herbicides metsulfuron methyl, chlorsulfuron and thifensulfuron methyl on fluorescent pseudomonads isolated from an agricultural soil. *FEMS Microbiology Letters*, 161(1), 29–35. <https://doi.org/10.1111/J.1574-6968.1998.TB12925.X>

[Capowiez et al., 2003](#) : Capowiez, Y., Rault, M., Mazzia, C., & Belzunces, L. (2003). Earthworm behaviour as a biomarker – a case study using imidacloprid: The 7th international symposium on earthworm ecology · Cardiff · Wales · 2002. *Pedobiologia*, 47(5–6), 542–547. <https://doi.org/10.1078/0031-4056-00226>

[Chakravarty et Sidhu, 1987](#) : Chakravarty, P., & Sidhu, S. S. (1987). Effect of glyphosate, hexazinone and triclopyr on in vitro growth of five species of ectomycorrhizal fungi. *European Journal of Forest Pathology*, 17(4–5), 204–210. <https://doi.org/10.1111/J.1439-0329.1987.TB01017.X>

[El Ghamry et al., 2001](#) : El-Ghamry, A. M., Huang, Chang-yong, and Xu, Jian-ming (2001). Combined Effects of Two Sulfonylurea Herbicides on Soil Microbial Biomass and N-mineralization, *Journal of Environmental Sciences*, vol. 13, no. 3, pp. 311-317, 2001

[Gunstone et al., 2021](#) : Gunstone, T., Cornelisse, T., Klein, K., Dubey, A., & Donley, N. (2021). Pesticides and Soil Invertebrates: A Hazard Assessment. *Frontiers in Environmental Science*, 9, 122. <https://doi.org/10.3389/fenvs.2021.643847>

[He et al., 2021](#) : He, F., Wan, J., Li, X., Chu, S., Sun, N., & Liu, R. (2021). Toxic effects of benzovindiflupyr, a new SDHI-type fungicide on earthworms (*Eisenia fetida*). *Environmental Science and Pollution Research International*, 28(44), 62782–62795. <https://doi.org/10.1007/S11356-021-15207-4>

[Pelosi et al., 2014](#) : Pelosi, C., Barot, S., Capowiez, Y., Hedde, M., & Vandebulcke, F. (2014). Pesticides and earthworms. A review. *Agronomy for Sustainable Development*, 34(1), 199–228. <https://doi.org/10.1007/s13593-013-0151-z>

[Pisa et al., 2014](#) : Pisa, L. W., Amaral-Rogers, V., Belzunces, L. P., Bonmatin, J. M., Downs, C. A., Goulson, D., Kreutzweiser, D. P., Krupke, C., Liess, M., Mcfield, M., Morrissey, C. A., Noome, D. A., Settele, J., Simon-Delso, N., Stark, J. D., van der Sluijs, J. P., van Dyck, H., & Wiemers, M. (2014). Effects of neonicotinoids and fipronil on non-target invertebrates. *Environmental Science and Pollution Research*, 22(1), 68–102. <https://doi.org/10.1007/s11356-014-3471-x>

[Widenfalk et al., 2008](#) : Widenfalk, A., Bertilsson, S., Sundh, I., & Goedkoop, W. (2008). Effects of pesticides on community composition and activity of sediment microbes - responses at various levels of microbial community organization. *Environmental Pollution*, 152(3), 576–584. <https://doi.org/10.1016/J.ENVPOL.2007.07.003>

### **Impacts sur les services écosystémiques :**

[Alliot et al., 2022](#) : Alliot C, Mc Adams-Marin D, Borniotto D and Baret PV (2022). The social costs of pesticide use in France. *Front. Sustain. Food Syst.* 6:1027583. [doi: 10.3389/fsufs.2022.1027583](https://doi.org/10.3389/fsufs.2022.1027583)

## **4.2. Rapports publics et autres ressources**

Assemblée nationale, Quinzième législature, Rapport n° 852 enregistré à la présidence de l'Assemblée nationale le 4 avril 2018, [Rapport d'information déposé en application de l'article 145 du règlement par la mission d'information commune sur l'utilisation des produits phytopharmaceutiques](#).

CGEDD / IGAS / CGAAER, [Utilisation des produits phytopharmaceutiques. Tome I. Rapport](#), décembre 2017.

Cour des comptes européennes, [Utilisation durable des produits phytopharmaceutiques: des progrès limités en matière de mesure et de réduction des risques](#). Rapport spécial, 2020.

INRAE / Ifremer, [Rapport INRAE/Ifremer \(2022\)](#) : Laure Mamy, Stéphane Pesce, Wilfried Sanchez, Marcel Amichot, Joan Artigas, et al.. Impacts des produits phytopharmaceutiques sur la biodiversité et les services écosystémiques. Rapport de l'expertise scientifique collective. [Rapport de recherche] INRAE; IFREMER. 2022, 1408 p. [hal-03777257](https://hal-03777257) DOI : [10.17180/ogp2-cd65](https://doi.org/10.17180/ogp2-cd65)

INRAE / Ifremer, [Synthèse du rapport INRAE/Ifremer \(2022\)](#) : Sophie Leenhardt, Laure Mamy, Stéphane Pesce, Wilfried Sanchez, Anne Laure Achard, et al.. Impacts des produits phytopharmaceutiques sur la biodiversité et les services écosystémiques. Synthèse de l'expertise scientifique collective. INRAE; IFREMER Institut Français de Recherche pour l'Exploitation de la Mer. 2022, 136 p. (hal-03759553) [DOI : 10.17180/gfkj-e861](#)

INRAE / Ifremer, Résumé du rapport INRAE/Ifremer (2022) : Sophie Leenhardt, Laure Mamy, Stéphane Pesce, Wilfried Sanchez. Impacts des produits phytopharmaceutiques sur la biodiversité et les services écosystémiques. Résumé de l'expertise scientifique collective. [0] INRAE; IFREMER. 2022, 14 p. ([hal-03697952](#)) [DOI : 10.17180/hra7-df15](#)

Ministère de la Transition écologique, [Pesticides, pollutions diffuses](#), mise à jour le 11 avril 2022.

OPECST (Office parlementaire d'évaluation des choix scientifiques et technologiques, [Note n° 30 Le déclin des insectes](#). Les notes scientifiques de l'Office, décembre 2021.

Parlement européen, [Pourquoi les abeilles et autres pollinisateurs sont en déclin ? \(infographie\)](#), 2021.