

## Quelques références bibliographiques pour en savoir plus.....

### Kinésithérapie et mécanique ventilatoire

1. KAPANDJI IA. Physiologie articulaire. Fascicule III, Tronc et rachis. Maloine, Paris, 1975.
2. WILLEPUT R. Muscles et Mouvements Respiratoires. Laboratoire Boehringer Ingelheim
3. FLEURY-FEITH J, et al. Anatomie et biopathologie de la plèvre. In : Pneumologie par Aubier M, Fournier M, Pariente R. Flammarion, Paris, 1996 ;14 :83-91.
4. CELLI B. The diaphragm and respiratory muscles. Chest Surg Clin N Am. 1998 May;8(2):207-24.
5. EPSTEIN SK. An overview of respiratory muscle function. Clin In Chest Med. 1994;15(4):619-39.
6. DE TROYER A. Muscles Respiratoires. In : Pneumologie par Aubier M, Fournier M, Pariente R. Flammarion, Paris, 1996 ;15 :92-8.
7. ESTENNE M, et al. Neck and abdominal muscle activity in patients with severe thoracic scoliosis. Am J Respir Crit Care Med. 1998;158:452-7.
8. FLINTROP M, et al. Respiratory muscle length and strength in patients with chronic abdominal distension. Respiration. 1997;64(1):66-72.
9. WEST JB. Physiologie Respiratoire. MEDSI, Paris.
10. GRIPPI MA. Physiopathologie Pulmonaire. Arnette Blakwell, Paris, 1996.
11. MURCIANO D. Explorations Fonctionnelles Respiratoires. In : Pneumologie par Aubier M, Fournier M, Pariente R. Flammarion, Paris, 1996 ;19 :127-42.
12. BRAUN NM, et al. Force-length relationship of the normal human diaphragm. J Appl Physiol. 1982 Aug;53(2):405-12.
13. POLKEY MI, et al. Influence of acute lung volume change on contractile properties of human diaphragm. J Appl Physiol. 1998 Oct;85(4):1322-8.
14. BRANCATISANO A, et al. Lung volume and effectiveness of inspiratory muscles. J Appl Physiol. 1993 Feb;74(2):688-94.
15. SIMILOWSKI T, et al. Contrôle de la respiration. In : Pneumologie par Aubier M, Fournier M, Pariente R., Flammarion, Paris, 1996 ;16 :99-114.

1. VANDEVENNE A. Rééducation Respiratoire. Bases cliniques, physiopathologiques et résultats. Masson, Paris, 1999.
2. WILS J, LEPRESLE C. Kinésithérapie en chirurgie pleuro-pulmonaire. . Editions Techniques. Encycl. Méd. Chir. (Paris-France), Kinésithérapie-Rééducation fonctionnelle, 1987, (4);26506A10
3. LEPRESLE C, WILS J, CARNOT F. Kinésithérapie et Pleurésie. Editions Techniques. Encycl. Méd. Chir. (Paris-France), Kinésithérapie-Rééducation fonctionnelle, 1992, (4);26500G10
4. WILCOX PG, et al. Diaphragmatic weakness and paralysis. Lung. 1989;167(6):323-41.
5. WEST JB. Physiologie Respiratoire. MEDSI, Paris.
6. REZAIGUIA S, JAYR C. Prévention des Complications Respiratoires après Chirurgie Abdominale. Ann Fr Anaesth Réanim. 1996 ;15 :623-646.
7. ADREASSIAN B, et al. Traumatologie Thoracique. In : Pneumologie par Aubier M, Fournier M, Pariente R., Flammarion, Paris, 1996 ;72 :706-20.
8. BOUTIN C, VIALLAT JF. Pathologie pleurale. In : Pneumologie par Aubier M, Fournier M, Pariente R., Flammarion, Paris, 1996 ;49 :443-73.
9. RIQUET M. Chirurgie : méthodes et résultats. In : Pneumologie par Aubier M, Fournier M, Pariente R., Flammarion, Paris, 1996 ;55 :505-10.
10. SIMILOWSKI T. Atteinte neurologique centrale et fonction diaphragmatique. In: Journée d'Actualités en Ventilation Artificielle, 1995:62-9.
11. ANTONELLO M, DELPLANQUE D. Kinésithérapie et réanimation chirurgicale In K SAMII Traité d'anesthésie-réanimation chirurgicale, Paris, Flammarion, 1995.
12. CELLI B. The diaphragm and respiratory muscles. Chest Surg Clin N Am. 1998 May;8(2):207-24 .
13. EPSTEIN SK. An overview of respiratory muscle function. Clin In Chest Med. 1994;15(4):619-39.
14. WILLEPUT R. Muscles et Mouvements Respiratoires. Laboratoire Boehringer Ingelheim.
15. GRIPPI MA. Physiopathologie Pulmonaire. Arnette Blakwell, Paris, 1996.
- 16 WEST JB. Physiopathologie respiratoire. Medsi, Paris,
17. DUGUET A, STRAUS C, Similowski T. Physiopathologie de la dysfonction diaphragmatique au cours de la BPCO. In Actualités en réanimation et urgences. Paris : Elsevier, 2004, pp 209.

4. DUGUET A, STRAUS C, SIMILOWSKI T. Physiopathologie de la dysfonction diaphragmatique au cours de la BPCO. In Actualités en réanimation et urgences. Paris : Elsevier, 2004, pp 209.
5. COHENDY R. Le retentissement respiratoire de la chirurgie abdominale. In : SKR Ed. Actualité en

- kinésithérapie de réanimation, Paris : Arnette, 1992, pp:3-10.
6. PANSARD JL. Fonction respiratoire et chirurgie abdominale. *Actuar* 1993 ; 24:45-55.
  7. SIMONNEAU G, VIVIEN A, SARTENE R et al. Diaphragmatic dysfunction induced by upper abdominal surgery. Role of postoperative pain. *Am. Rev. Respir. Dis* 1983; 128:899-903.
  8. ROAD JD, BURGESS KR, WITHELAW WA et al. Diaphragm function and respiratory response after abdominal surgery in dogs. *J. Appl. Physiol.* 1984; 57:576-582.
  9. BROMAGE PR, CAMPORESI E, CHESTNUT D. Epidural narcotics for postoperative analgesia. *Anesth. Analg.* 1980; 59 : 473-480
  10. WAHBA WM, DON HF, CRAIG DB Postoperative epidural analgesia : effects on lung volumes. *Can. Anaesth. Soc. J* 1975; 22:519-27

### **Kinésithérapie et échanges gazeux échanges gazeux**

- 1 - WEST J.B. : Physiologie respiratoire : notions essentielles. Ed. Ltée, Montréal, 1975
- 2 - CHERNIACK R.M. : Epreuves fonctionnelles respiratoires, théorie et pratique. Doin, Paris, 1980
- 3- GAUTHIER R., VINCENTJ., ZAOUI D. : Physiologie, Vigot, Paris, 1972

- 1 - WEST J.B. : Physiopathologie respiratoire, Ed. Pradel, Paris, 1995
- 2 - LEBEAU B. : Pneumologie, Marketing, Paris, 1981
- 3 - CHRETIEN J. : Pneumologie, Masson, Paris, 1976

### **Kinésithérapie et épuration mucociliaire**

- 1- -LURIE A., PASCAL O., CASTILLON DU PERRON M., GRANDORDY B., HUCHON G.,
- 2 - MAL H.: Physiologie et pathologie de l'épuration du mucus des voies aériennes. *Actualité en kinésithérapie de réanimation, Arnette*, Paris, 1996, pp 3:6.
- 3- PUCHELLE E., LIOTE H.: Physiologie et physiopathologie de l'épuration de mucus des voies aériennes . *Editions techniques. Encycl. Med. Chir. (PARIS), Pneumologie*, 6000 A67, 1991, 14p.

- 1 - CHRETIEN J.: Pneumologie. *Masson*, Paris, 1976.
- 2 - BIGNON J.: Bronchite chronique et emphysème. Mécanismes, clinique, traitement. *Flammarion médecine sciences*, Paris, 1982.
- 3 - CLARK SW. The rôle of two phase flow in bronchial clearance. *Bull Physiopath Resp*, 1973; 9:359-72.
- 4 - SCHERER JW. Mucus transport by cough. *Chest*, 1981;80:830-33
- 5 - KING M. Rôle of mucus viscoelasticity in clearance by cough. *Eur J Respir Dis*, 1987;71(suppl 153):165-72.
- 6 - MURRAY J.F.: The ketchup- bottle method. *N. Engl. J. Med.*, 1979, 300, 1155:1157.
- 7 - Conférence de consensus sur la kinésithérapie respiratoire, Lyon 1994, *Kinésith. Scient.*, 1995, 334, 45:54.
- 8 - WILS J.: Fondements mécaniques et physiologiques du désencombrement. *Actualité en kinésithérapie de réanimation, Arnette*, Paris, 1996, pp 7:10.

### **Kinésithérapie et adaptation a l'effort**

- 1 - ASTRAND P.O., Manuel de physiologie de l'exercice musculaire, 1973, Masson, p349-394.
- 2 - FOX E.L., MATHEWS D.K., Les effets physiologiques de l'activité physique, 1984, Ed. Vigot, 404 p.
- 3 - MERCIER J. et DESPLAN J., Notion d'adaptation métabolique à l'exercice, *Revue de pneumologie clinique*, 1997, 5, 231-238.
- 4 - MONOD H. et FLANDROIS R., Physiologie du sport - Bases physiologiques des activités physiques et sportives, Paris, Masson, 1997, 4<sup>e</sup> éd., 267 p.
- 5 - WASSERMANN K., AHANSEN JE, SUE DY, WHIPP BJ, Principles of exercise testing and interpretation, 274 p., LEA-Febe Ed., Philadelphia, 1987.
- 6 - AHMAIDI S, HARDY JM, VARRAY A, COLLOMP K, MERCIER J, PREFAUT C, Relation entre le seuil d'accumulation de lactate et le seuil de l'inadaptation ventilatoire à la production de CO<sub>2</sub> au cours d'une épreuve d'exercice musculaire chez le sportif, *Science et Sports*, 1992, 7, 157-1

- 1 - JEANNIN L., Dyspnée in *Pathologies respiratoires*, 1996, Flammarion Médecine-Sciences, p 304-310.
- 2 - YERNAULT J.-C., TUCHAIS E., *Symptomatologie et sémiologie des maladies respiratoires*, Editions Techniques-Enycl. Méd. Chir. (Paris-France) Pneumologie, 6000 C50, 4-10-03, 14 p.
- 3 - BUCQUET D, Qualité de vie, santé perceptuelle : définition, concept, évaluation, in *Evaluation de la qualité de vie* sous la dir. de Hérisson C. et Simon L., Paris, Masson ; 1993, p 1-8.

- 4 - KILLIAN KJ, The objective measurement of breathlessness, *Chest* 1985 ; 2 : 84S-90S.
- 5 - PREFAUT C, Concept de maladie primaire et de maladie secondaire ou est-il possible d'améliorer la dyspnée d'effort ?, in *Le réentraînement à l'effort*, sous la direction de HERISSON C, PREFAUT C et NOTZKI N, 1995, Masson, p 17-21.
- 6 - CASABURI R., Deconditioning In : Fishman AP, ed. *Pulmonary rehabilitation : lung biology in health and disease* (vol 91). New York : Marcel Dekker, 1996 ; 213-30.

### **Kinésithérapie et dysfonctionnement musculaire périphérique**

- 1 - JEANNIN L., Dyspnée in *Pathologies respiratoires*, 1996, Flammarion Médecine-Sciences, p 304-310.
- 2 - YERNAULT J.-C., TUCHAIS E., *Symptomatologie et sémiologie des maladies respiratoires*, Editions Techniques-Encycl. Méd. Chir. (Paris-France) Pneumologie, 6000 C50, 4-10-03, 14 p.
- 3 - BUCQUET D, Qualité de vie, santé perceptuelle : définition, concept, évaluation, in *Evaluation de la qualité de vie* sous la dir. de Hérisson C. et Simon L., Paris, Masson ; 1993, p 1-8.
- 4 - KILLIAN KJ, The objective measurement of breathlessness, *Chest* 1985 ; 2 : 84S-90S.
- 5 - PREFAUT C, Concept de maladie primaire et de maladie secondaire ou est-il possible d'améliorer la dyspnée d'effort ?, in *Le réentraînement à l'effort*, sous la direction de HERISSON C, PREFAUT C et NOTZKI N, 1995, Masson, p 17-21.
- 6 - CASABURI R., Deconditioning In : Fishman AP, ed. *Pulmonary rehabilitation : lung biology in health and disease* (vol 91). New York : Marcel Dekker, 1996 ; 213-30.
- SCHOLS AMWPB, SOETERS MC, et al. Prevalence and characteristics of nutritional depletion in patients with stable COPD eligible for pulmonary rehabilitation. *Am Rev Respir Dis* 1993;147:1151-1156.
  - BERNARD S, LEBLANC P, WHITTOM F, et al. Peripheral muscle weakness in patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1998;158:629-634.
  - SCHOLS AMWPB, SLAGEN J, VOLOVICS L, WOUTERS EFM. Weight loss is a reversible factor in the prognosis of chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1998; 157:1791-7.
  - WHITTOM F, JOBIN J, SIMARD PM et al., Histochemical and morphological characteristics of the vastus lateralis muscle in COPD patients. Comparison with normal subjects and effects of exercise training. *Me Sci Sports Exerc* 1998 ; 30 : 1467-74.
  - GOSKER HR, van MAMEREN H et al. Skeletal muscle fibre-type shifting and metabolic profile in patients with COPD. *Eur Respir J* 2002;19:617-625.
  - JAKOBSSON P, JORDFELDT L. Nuclear magnetic resonance spectroscopy : a tool for skeletal muscle metabolic research. *Eur Respir J* 1992; 5: 151-154.
  - MALTAIS F, SULLIVAN MJ, LBLNCP, DUSCHA BD et al., Altered expression of myosin heavy chain in the vastus lateralis muscle in patients with COPD, *Eur Respir J* 1999; 13:850-854.
  - GEA JG, PASTO M, CARMONA MA, OROZCO-LEVI M, PALOMEQUE J and BROQUETAS J. Metabolic characteristics of the deltoid muscle in patients with chronic obstructive pulmonary disease. *Eur Respir J* 2001; 17:939-945.
  - FITTING JW. Respiratory muscles in chronic obstructive pulmonary disease. *Swiss Med Wkly* 2001;131:483-483.
  - ROCHESTER DF, The diaphragm in copd – better than expected but not enough. *N Engl J Med* 1991;325 :961-962.
  - MADOR MJ, KUFEL TJ, PINEDA LA and SHARMA GK. Diaphragmatic fatigue and high-intensity exercise in patients with chronic obstructive pulmonary disease. *Am J Respir Crit care Med* 2000;161:118-123.
  - JONVILLE S, DELPECH N, DENJEAN A. Contribution of respiratory acidosis to diaphragmatic fatigue at exercise. *Eur Respir J* 2002; 19:1079-1086.
  - MARTINEZ FJ, COUSER JI and CELLI BR. Factors influencing ventilatory muscle recruitment in patients with chronic airflow obstruction. *Am Rev Resp Dis* 1990;142:276-282.
  - LEVINE S, KAISER L, LEFEROVICH J, TIKUNOV B. Cellular adaptations in the diaphragm in chronic obstructive pulmonary disease. *N Engl J Med* 1997;337:1799-806.
  - OROZCO-LEVI M, EA J, LLORETA JL, FELEZ M, MINGUELLA J, SERRANO S, BROQUETAS JM. Subcellular adaptation of the human diaphragm in chronic obstructive pulmonary disease. *Eur Respir J* 1999 ;13 : 371-378.
  - WELLS JA, SMYTH J and REBUCK AS, Thoracoabdominal motion in response to treadmill and cycle exercise. *Am Rev Resp Dis* 1986; 134:1125-1128.
  - NINANE V, DE TROYER A. Fonction des muscles expiratoires dans l'insuffisance respiratoire chronique obstructive. *Rev Mal Resp* 1995 ;12 :435-440.
  - YAN S, SINDRBY C, BIELEN P, BECK J, COMTOIS N, SLIWINSKI P. Expiratory pressure and breathing mechanics in chronic obstructive pulmonary disease. *Eur Respir J* 2000; 16: 684-690.

- BAR-OR O., Pathophysiological factors which limit the exercise capacity of the sick child. *Med Sci Sports Exerc* 1986 ; 18 : 176-82.

### **Kinésithérapie et troubles de la mécanique ventilatoire externe**

- 1 - SIMILOWSKI T. Atteinte neurologique centrale et fonction diaphragmatique. In: *Journée d'Actualités en Ventilation Artificielle*, 1995:62-9.
- 2 - LEPRESLE C, WILS J, CARNOT F. Kinésithérapie et pleurésie. Editions Techniques. *Encycl. Méd. Chir.(Paris-France), Kinésithérapie-Rééducation fonctionnelle*, 1992, (4) ;26500G10.
- 3 - BOUTIN C., VIALLAT J-R. Pathologie pleurale. In : *Pneumologie par Aubier M, Fournier M, Pariente R. Flammarion, Paris, 1996 ;49 :443-73.*
- 4 - WEST JB. *Physiologie Respiratoire. MEDSI, Paris.*
- 5 - VANDEVENNE A. *Rééducation Respiratoire. Bases cliniques, physiopathologiques et résultats. Masson, Paris, 1999.*
- 6 - ANTONELLO M, COTTEREAU G, PEREIRA-PASSOS P, et al. Prise en charge des complications respiratoires postopératoires. *Kinésither.Scient.*, 2000 ; 399 : 23-30.
- 7 - WILS J, LEPRESLE C. Kinésithérapie en chirurgie pleuro-pulmonaire. . Editions Techniques. *Encycl. Méd. Chir. (Paris-France), Kinésithérapie-Rééducation fonctionnelle*, 1987, (4);26506A10
- 8 - REZAIGUIA S, JAYR C. Prévention des complications respiratoires après chirurgie abdominale. *Ann Fr Anesth Reanim*,1996 ;15 :623-46
- 9 - DOUGLAS WW, REDHER K, BEYNEN FM et al. Improved oxygenation in patients with acute respiratory failure : the prone position . *Am Rev Respir Dis* 1977, 115:559-566.
- 10 - MARINI JJ, TYLER ML, HUDSON LD et al. Influence of head dependent positions on lung volume and oxygen saturation in chronic airflow obstruction. *Am Rev Respir Dis*, 1984, 129:101-105.
- 11 - CHULAY M, BROWN J, SUMMER W. Effect of postoperative immobilisation after coronary artery bypass surgery. *Crit Care Med*, 1982, 10:176-179
- 12 - WELCH A, SHAPIRO BJ, MERCURIO P et al. Methods of intermittent positive pressure breathing. *Chest* 1980; 78 : 463-466.
- 13 - ALI J, SERETTE C. Effect of postoperative intermittent positive pressure breathing on lung function. *Chest* 1984; 85 : 192-96.
- 14 - BROCHARD L, MANCEBO J. *Ventilation artificielle - Principes et applications.*1994, Blackwell Arnette.
- 15 - STOCK MC, DOWNS JB, GAUER PK. Prevention of postoperative pulmonary complications with CPAP, intensive spirometry and conservative therapy. *Chest*, 1985, 87:151-157.
- 16 - LINDNER KH, LOTZ P, AHNEFELD FW. Continuous positive airway pressure effect on fonctional residual capacity, vital capacity and its subdivisions. *Chest*, 1987, 92:66-70.
- 17 - LARSEN KR, INGWERSEN U, THODE S, JACOBSEN S. Mask physiotherapy in patients after heart surgery : a controlled study. *Int Care Med* 1995; 21 : 469-474.
- 18 - CHRISTENSEN EF, SCHULTZ P, JENSEN EV. Postoperative pulmonary complications and lung function in high-risk patients : a comparison of three physiotherapy regimens after upper abdominal surgery in general anaesthesia. *Acta Anaesthesiol Scand* 1991.
- 19 - CELLI BR, RODRIGUEZ KS and al. A controlled trial of intermittent positive breathing, intensive spirometry and deep breathing exercices in preventing pulmonary complications after abdominal surgery. *Am Rev Respir Dis* 1984, 130:12-15.
- 20 - CHUTER TA, WEISSMAN CH, STARKER PM. Effect of intensive spirometry on diaphragmatic function after surgery.
- 21 - BAKER W L, LAMB VJ, MARINI JJ. Breath-staking increases the depth and duration of chest expansion by incentive spirometry. *Am Rev Respir Dis* 1990; 141 : 343-346.
- 22 - THOREN L. Postoperative pulmonary complications. *Acta Chir Scand*, 1954, 107:193-.205
- 23 - CASTILLO R, HAAS A. Chest physical therapy :comparative efficacy of preoperative and postoperative in the elderly. *Arch Phys Med Rehab*, 1985, 66:376-379
- 24 - ROUKEMA JA, CAROL EJ, PRINS JG. The prevention of pulmonary complications after upper abdominal surgery in patients with noncompromised pulmonary status. *Arch Surg*, 1988, 123:30-4.
- 25 - DELPLANQUE D, ANTONELLO M. *Kinésithérapie et réanimation respiratoire. Paris, Masson, 1994.*
- 26 - FAGEVICJ M, HAHN J, NORDGREN S et al. Randomized controlled trial of prophylactic chest physiotherapy in major abdominal surgery. *British Journal of Surgery*, 1997, 84:1535-8.
- 27 - MORRAN CG, FINLAY IG, MATHIESON M et al. Controlled trial of physiotherapy for post-operative pulmonary complications. *BR J Anaesth*, 1983, 55:1113-1116
- 28 - NTOUMENOPOULOS G, GREENWOOD K. Effects of cardiothoracic physiotherapy on intrapulmonary shunt in abdominal surgical patients. *Australian physiotherapy*, 1996, 42(4):297-302.

- 29 - JENKINS SC, SOUTAR SA, LOUKOTA JM et al. Physiotherapy after coronary artery surgery : are breathing exercises necessary ? *Thorax*, 1989, 44:634-9.
- 30 - HALL JC, TARALA R, HARRIS J et al. Incentive spirometry versus routine chest physiotherapy for prevention of pulmonary complications after abdominal surgery. *Lancet*, 1991, 337:953-6.
- 31 - INGWERSEN UM, RICHTER LARSEN K et al. Three different mask physiotherapy regimens for prevention of postoperative pulmonary complications after heart and pulmonary surgery. *Intensive Care Med*, 1993, 19:294-8.
- 32 - OIKKONEN M, KARJALAINEN K et al. Comparison of incentive spirometry and intermittent positive pressure breathing after coronary artery bypass graft. *Chest*, 1991, 99:60-5.

### **Kinésithérapie et obstruction bronchique**

- 1- VANDEVENNE A. Rééducation respiratoire. Masson, Paris, 1999
- 2 - NINANE V, LACHMAN A, SANNA A et al. Effects of abdominal contraction on the force generating ability of the diaphragm. *Am Rev Respir Dis*, 1993, 147:A703
- 3 - BRESLIN EH. The pattern of respiratory muscle recruitment during pursed lips breathing. *Chest*, 1992, 101:75-8
- 4 - COLLET P, BRANCATISANO T, ENGEL L. Changes in glottic aperture during bronchial asthma. *Am Rev Respir Dis* 1983, 128:719-23
- 5 - GOSSELINK R, WAGENAAR R, RIJSWICK H et al. Diaphragmatic breathing reduces efficiency of breathing in patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*, 1995; 151:1136-42.
- 6 - SACKNER MA, GONZLES HF, JENOURI G et al. Effects of abdominal and thoracic breathing on breathing pattern components in normal patients and in patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1984, 130:584-7
- 7 - WILLEPUT R, VACHAUDEZ JP, LENDERS D et al. Thoraco-abdominal motion during chest physiotherapy in patients affected by chronic obstructive lung disease. *Respiration*, 1983, 44:204-14
- 8 - VANDEVENNE A, WEITZENBLUM E, MOYSES B et al. Modifications de la fonction pulmonaire régionale au cours de la ventilation abdomino-diaphragmatique à fréquence basse et grand volume courant. *Bull Eur Physiopathol Resp* 1980, 16:171-84
- 9 - GRIMBY G, OXHOJ H, BAKE B. Effects of abdominal breathing on distribution of ventilation in obstructive lung disease. *Clin Sci*, 1975, 48:193-9.
- 10 - BRACH BB, CHAO RP, SGROI VL et al. 133 Xenon washout patterns during diaphragmatic breathing. *Chest*, 1977, 71:735-9
- 11 - SACKNER MA, SILVA G, BANKS JM et al. Distribution of ventilation during diaphragmatic breathing in obstructive lung chronic disease. *Am Rev Respir Dis*, 1974, 109:331-7
- 12 - O'NEILL, McCARTHY DES. Postural relief of dyspnoea in severe chronic airflow limitation : relationship to muscle strength. *Thorax*, 1983, 38:595-600
- 13 - SHARP JT, DRUZ WS, MOISAN T et al. Postural relief of dyspnoea in severe chronic obstructive pulmonary disease. *Am Rev Respir Dis*, 1980, 122:201-11
- 14 - NATIONAL ASTHMA EDUCATION AND PREVENTION PROGRAM. Expert Panel Report II : guidelines for the diagnosis and management of asthma. Washington DC : NHLBI 1997
- 15 - GIBSON PG, COUGHLAN J, WILSON AJ et al. Self-management education and regular practitioner review for adults with asthma (the Cochrane review). *The Cochrane library*, Issue 3, 1999. Oxford : Update Software.
- 16 - GALLEFOSS F, BAKKE PS, KJAERGAARD P. Quality of life in assessment after patient education in randomized study on asthma and chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*, 1999; 159(3):812-7.

### **Kinésithérapie et encombrement bronchique**

- 1- PRESCOTT E., LANGE P., VESTBO J.: Chronic mucus hypersecretion in COPD and death from pulmonary infection. *Eur. Respir. J.*, 1995, 8, 1333:1338.
- 2- LUNDGREN JD, VESTBO J.: The pathophysiological role of mucus production in inflammatory airways diseases (éditorial). *Respiratory Medicine*, 1995, 89, 315:316
- 3- CASABURI R., PETTY T.: Principles and practice of pulmonary rehabilitation. *WB Saunders company*, Philadelphia, 1993
- 4- Conférence de consensus sur la kinésithérapie respiratoire, Lyon 1994, *Kinésith. Scient.*, 1995, 334, 45:54.
- 5- Recommandations pour la prise en charge des bronchopneumopathies chroniques obstructives. *Rev. Mal. Resp.*, 1997, 14: 2S54-2S55
- 6- VANDEVENNE A., SERGYSELS R.: Rééducation respiratoire des malades atteints de trouble

- ventilatoire obstructif. *Rev. Mal. Resp.*, 1993, 10, 125:137.
- 7- PRYOR JA, WEBBER BA. An evaluation of the forced expiration technique as an adjunct to postural drainage. *Physiotherapy* 1979;65:304-307.
- 8- DE BOECK C, ZINMAN R. Cough versus chest physiotherapy: a comparison of the acute effects on pulmonary function in patients with cystic fibrosis. *Am Rev Respir Dis* 1984;129:182-184.
- 9- WEBBER BA, HOFMEYR JL, MORGAN MD, HODSON ME. Effects of postural drainage, incorporating the forced expiration technique, on pulmonary function in cystic fibrosis. *Br J Dis Chest* 1986;80:353-359.
- 10- BAIN J, BISHOP J, OLINSKY A. Evaluation of directed coughing in cystic fibrosis. *Br J Dis Chest* 1988;82:138-148.
- 11- BATEMAN JR, NEWMAN SP, DAUNT KM, SHEAHAN NF, PAVIA D, CLARKE SW. Is cough as effective as chest physiotherapy in the removal of excessive tracheobronchial secretions? *Thorax* 1981;36:683-687.
- 12- HIETPAS BG, ROTH RD, JENSEN WM. Huff coughing and airway patency. *Respir Care* 1979;24:710-713.
- 13- OLDENBURG FA JR, DOLOVICH MB, MONTGOMERY JM, NEWHOUSE MT. Effects of postural drainage, exercise and cough on mucus clearance in chronic bronchitis. *Am Rev Respir Dis* 1979;120:739-745.
- 14- BRAUN SR, GIOVANNONI R, O'CONNOR M. Improving the cough in patients with spinal cord injury. *Am J Phys Med* 1984;63(1):1-10.
- 15- ANTONELLO M, DELPLANQUE D. Kinésithérapie et réanimation chirurgicale. In Samii K. *Traité d'anesthésie-réanimation chirurgicale*, Flammarion, Paris, 1995, pp 1125-42
- 16- VANDENBROUCQUE G, BENHAMOU D, TROCHE G, ANTONELLO M. Retentissement respiratoire des péritonites : place de la kinésithérapie. *Med Mal Infect* 1995;25,spécial : 114-20.
- 17- DELPLANQUE D., ANTONELLO M, CORRIGER E. Kinésithérapie et réanimation respiratoire, Masson, Paris, 1994.
- 18- PARTRIDGE C, PRYOR J, WEBBER B. Characteristics of the forced expiratory technique. *Physiotherapy* 1989;75(3):193-194.
- 19- CLARKE SW. Management of mucus hypersecretion. *Eur J Respir Dis* 1987;71(Suppl):136-144.
- 20- SUTTON PP, LOPEZ-VIDRIERO MT, PAVIA D. Assesment of percussion, vibratory-shaking and breathing exercices in chest physiotherapy. *Am Rev Respir Dis* 1985; 66 : 147-152.
- 21- HASANI A, PAVIA D, AGNEW J, CLARKE S. Regional lung clearance during cough and forced expiration technique (FET): effects of flow and viscoelasticity. *Thorax*, 1994, 49: 557:561
- 22- HASANI A, PAVIA D, AGNEW J et al. Regional mucus transport following unproductive cough and forced expiration technique in patients with airways obstruction. *Chest*, 1994, 105, 1420:1425
- 23- STOCK MC, DOWNS JB, GAUER PK, ALSTER JM, IMREY PB. Prevention of postoperative pulmonary complications with CPAP, incentive spirometry and conservative therapy. *Chest* 1985;87(2):151-157.
- 24- VANDENBROUCQUE G, FAUSSER CH, DEMONT B, COTTEREAU G, ANTONELLO M. Enquête sur les techniques utilisées par les kinésithérapeutes en réanimation. *Kinéréa*, 1997; 15:40-2.
- 25- THOMAS J, COOK D, BROOKS D. Chest physical therapy management of patients with cystic fibrosis. *Am J Respir Crit Care Med*, 1995, 151, 846:850
26. CURRIE DC, MUNRO C, GASKELL D . Practice, problem and compliance with postural drainage. A survey of chronic sputum producers. *Br J Dis chest*, 1986, 80:249-253.
- 27- SUTTON PP, PARKER RA, WEBBER BA et al. Assessment of the forced expiration technique, postural drainage and directed coughing in chest physiotherapy. *Eur J Respir Dis*, 1983, 64: 62:68
- 28- CHEVALLIER J. Drainage autogène. *Cah Kinésith*, 1992; 24-25 : 16-20
- 29- MILLER S, HALL D, CLAYTON C, NELSON R. Chest physiotherapy in cystic fibrosis: a comparative study of autogenic drainage and the active cycle breathing techniques with postural drainage. *Thorax*, 1995, 50, 165:169
- 30- PFLEGER A, THEISSL B, OBERWALDNER B, ZACH M. Self administrated chest physiotherapy in cystic fibrosis : a comparative study of high pressure PEP and autogenic drainage. *Lung*, 1992; 170:323-330.
- 31- WILS J. L'accélération du flux expiratoire chez l'adulte : technique de désencombrement bronchique. Rapport des experts, *conférence de consensus sur la kinésithérapie respiratoire*, Lyon 1994.
- 32- POSTIAUX G, LENS E, ALSTEENS G. L'expiration lente totale glotte ouverte en decubitus latéral (ELTGOL) : nouvelle manoeuvre pour la toilette bronchique objectivée par la vidéobronchographie. *Ann Kinésither*, 1987, 7-8/14:341-50.
- 33- POSTIAUX G, LENS E, LAHAYE JM, NAPOLEONE P. Objectivation stéthacoustique de la toilette bronchique distale par détection et analyse des craquements pulmonaires. *Ann Kinésither*, 1989; 16:377-85.
- 34- AMBROSINO N, DELLA TORRE M, MONTAGNA T et al. ELTGOL versus postural drainage as a

- form of chest physiotherapy in COPD patients. *Am rev Respir Dis*, 1990; 141(part2):A325.
- 35- MORTENSEN J, FALK M, GROTH S et al. The effects of postural drainage and positive expiratory pressure physiotherapy on tracheobronchial clearance in cystic fibrosis. *Chest*, 1991, 100:1350-1357.
- 36- BILTON D, DODD ME, ABBOTT JV, WEBB AK. The benefits of exercise combined with physiotherapy in the treatment of adults with cystic fibrosis. *Respir Med*, 1992; 86(6):507-11
- 37- BALDWIN DR, HILL AL, PECKHAM DG, KNOX AJ. Effect of exercise to chest physiotherapy on sputum expectoration and lung function in adults with cystic fibrosis. *Respir Med*, 1994;88(1):49-53.
- 38- LANNEFORS L, WOLLMER P. Mucus clearance with three chest physiotherapy regimes in cystic fibrosis : a comparison between postural drainage, PEP and physical exercise. *Eur respir J*, 1992; 5(6):748-53
- 39- OLSENI L, MIDGREN B, HORNBLAD Y, WOLLMER P. Chest physiotherapy in chronic pulmonary disease : forced expiratory technique combined with either postural drainage or positive expiratory pressure breathing. *Respir med*, 1994; 88(6):435-40.
- 40- VAN HENGSTUM M, FESTEN J, BEURKENS C et al. Effect of positive expiratory pressure mask physiotherapy (PEP) versus forced expiration technique (FET/PD) on regional lung clearance in chronic bronchitis. *Eur Respir J*, 1991;4(6):651-4
- 41- CAMPBELL AH, O'CONNELL JM, WILSON F. The effect of chest physiotherapy upon FEV1 in chronic bronchitis. *Med J Aust*, 1975; 1:33-5.
- 42- WOLLMER P, URSING K, MIDGREN B et al. Inefficiency of chest percussion in the physical therapy of chronic bronchitis. *Eur J Respir Dis*, 1985; 66:233-9.
- 43- CONNORS AF, HAMMON WE, MARTIN RJ et al. Chest physical therapy, the immediate effect on oxygenation in acutely ill patients. *Chest*, 1980; 79:559-64.
- 44- HAMMON WE, CONNORS AF, MC CAFFREE DR. Cardiac arrhythmias during postural drainage and chest percussion of critically ill patients. *Chest*, 1992; 102:1836-7.
- 45- MARINI JJ, PIERSON DJ, HUDSON LD. Acute lobar atelectasis: a prospective comparison of fiberoptic bronchoscopy and respiratory therapy. *Am Rev Respir Dis* 1979;119:971-978.
- 46- FOURRIER F, FOURRIER L, LESTAVEL P et al. Traitement des atélectasies lobaires aiguës en réanimation. Etude comparative : fibroscopie versus kinésithérapie. *Réan. Urg.*, 1994, 3, 267-72
- 47- STILLER K, GEAKE T, TAYLOR J et al. Acute lobar atelectasis. A comparison of two chest physiotherapy regimens. *Chest*, 1990; 98:1336-40.
- 48- YEATES DB, ASPIN N, LEVISON H et al. Mucociliary tracheal transport rates in man. *J Appl Physiol*, 1990; 39:437-45.
- 49- LAUQUE D. Efficacité de la clairance mucociliaire et de la toux chez le bronchitique. *Bull Eur Phys Resp*, 1984; 20:145-49.
- 50- BENNETT WD, FOSTER WM, CHAPMAN WF. Cough enhanced mucus clearance in the normal lung. *J Appl Physiol*, 1990; 69:1670-5.
- 51- BENNETT WD, CHAPMAN WF, GERRITY TR. Uneffectiveness of cough for enhancing mucus clearance in asymptomatic smokers. *Chest*, 1992; 102:412-16.
- 52- RAVEZ P. Effectiveness of coughing from high or low pulmonary volume. *Am Rev Respir Dis*, 1985; 131:A59.
- 53- ROSSMAN CM. Effect of chest physiotherapy on the removal of mucus in patients with cystic fibrosis. *Am Rev Respir Dis*, 1982; 126:131-5.
- 54- NEWHOUSE M. Discussion in Clark SW. The rôle of two-phases flow in bronchial clearance. *Bull Physiopathol Respir*, 1973; 9:359-76.
- 55- SZEINBERG A, TABACHNIK E, RASCHED N et al. Cough capacity in patients with muscular dystrophy. *Chest*, 1988; 94:1232-35.
- 56- BOISSEAU P, NEIGER H. Sécrétions bronchiques soumises à des vibrations mécaniques, influence sur les qualités rhéologiques in vitro. *Ann Kin*, 1987, 14:295-301.
- 57- REMONDIERE R. A propos des vibrations utilisées en kinésithérapie respiratoire. Etude expérimentale. *Poumon-coeur*, 1982,38:143-146.
- 58- SCHERER TA, BARANDUN J, MARTINEZ E. Effect of high frequency oral airway and chest wall compression and conventional chest physical therapy on expectoration in patients with cystic fibrosis. *Chest*, 1998; 113(4):1019-27.
- 59- VAN HENGSTUM M, FESTEN J, BEURKENS C et al. No effect of oral high frequency oscillation combined with forced expiration manoeuvres on tracheobronchial clearance in chronic bronchitis. *Eur Respir J*, 1990; 3(1):14-8.
- 60- NATALE JE, PFEIFLE J, HOMNICK DN. Comparison of intrapulmonary percussive ventilation and

- chest physiotherapy. A pilot study in patients with cystic fibrosis. *Chest*, 1994; 105(6):1789-93.
- 61- NEWHOUSE PA, WHITE F, MARKS JH et al. The intrapulmonary percussive ventilation and flutter device compared to standart chest physiotherapy in patients with cystic fibrosis. *Clin Pediatr*, 1998; 37(7):427-32.
- 62- TOUSSAINT M. Place et efficacité des vibrations intrathoraciques à haute fréquence dans la prise en charge respiratoire des patients neuromusculaires. *Actualités en kinésithérapie de réanimation*, Arnette, Paris, 1993.
- 63- AMBROSINO N, FOGLIO K, GHERSON G et al. Clinical evaluation of a new device for home chest physiotherapy in non hypersecretive COPD patients. *Am Rev Respir Dis*, 1991; 143:A260.
- 64- GIRARD JP, TERKI N. The flutter VRP1 : a new personal pocket therapeutic device used as an adjunct to drug therapy in the management of bronchial asthma. *J allergol clin immunol*, 1994; 4: 23-7.
- 65- SWIFT G, RAINER T, SARAN R et al. Use of flutter VRP1 in the management of patients with steroid-dependent asthma. *Respiration*, 1994; 61:126-9
- 66- HOMNICK DN, ANDERSON K, MARKS JH. Comparison of the flutter device to standart chest physiotherapy in hospitalized patients with cystic fibrosis. *Chest*, 1998; 114(4):993-7
- 67- APP EM, KIESELMANN R, REINHARD D et al. Sputum rheology changes in cystic fibrosis lung disease following two different types of physiotherapy : flutter vs autogenic drainage. *Chest*, 1998; 114(1):171-7.
- 68- KONSTAN MW, STERN RC, DOERSHUK CF. Efficacy of the flutter device for airway mucus clearance in patients with cystic fibrosis. *J Pediatr*, 1994; 124(5 Pt 1):689-93
- 69- PRYOR JA, WEBBER BA, HODSON ME et al. The flutter VRP1 as an adjunct to chest physiotherapy in cystic fibrosis. *Respir Med*, 1994; 88(9):677-81
- 70- OBERWALDNER B, THEISSL B, RUCKER A et al. Chest physiotherapy in hospitalized patients with cystic fibrosis: a study of lung function effects and sputum production. *Eur Respir J*, 1991;4(2):152-8.
- 71- MC ILWAINE PM, WONG LT, PEACOCK D et al. Long- term comparative trial of conventional postural drainage and percussion versus positive expiratory pressure physiotherapy in the treatment of cystic fibrosis. *J Pediatr*, 1997; 131(4):570-4.
- 72- BRAGGION C, CAPPELLETTI LM, CORNACCHIA M et al.. Short-term effects of three chest physiotherapy regimens in patients hospitalized for pulmonary exacerbations of cystic fibrosis : a cross-over randomized study. *Pediatr pulmonol*, 1995; 19(1):16-22.
- 73- STEEN HJ, REDMOND AO, O'NEILL D et al. Evaluation of the PEP mask in cystic fibrosis. *Acta Paediatr Sand*, 1991; 80(1):51-6.
- 74- HOFMEYR JL, WEBBER BA, HODSON ME. Evaluation of positive expiratory pressure as an adjunct to chest physiotherapy in the treatment of cystic fibrosis. *Thorax*, 1986; 41(12):951-4.
- 75- CHRISTENSEN EF, NEDERGAARD T, DAHL R. Long-term treatment of chronic bronchitis with positive expiratory pressure mask and chest physiotherapy. *Chest*, 1990; 97(3):645-50.
- 76- PERRY RJ, MAN GC, JONES RL. Effects of positive end-expiratory pressure on oscillated flow rate during high frequency chest compression. *Chest*, 1998; 113(4):1028-33.
- 77- JOUD PH, WIESENDANGER T, CORDIER JF et al. Intérêt des pressions thoraciques manuelles dans le drainage des bronches proximales. *Ann Kinesither*, 1991; 18(4):153-69.
- 78- WILS J, LEPRESLE C. Accélération du flux expiratoire. *Actualités en kinésithérapie de réanimation*. Expansion scient, paris,1989, pp 46-58
- 79- KLUFT J, BECKER L, CASTAGNINO M et al. A comparison of bronchial drainage treatments in cystic fibrosis. *Pediatr Pulmonol*, 1996; 22(4):271-4
- 80- ARENS R, GOZAL D, OMLIN KJ. Comparison of high frequency chest compression and conventionnal chest physiotherapy in hospitalized patients with cystic fibrosis. *Am J Respir Crit Care med*, 1994; 150(4):1154-7.
- 81- WARWICK WJ, HANSEN LG. The long-term effect of high frequency chest compression therapy on pulmonary complications of cystic fibrosis. *Pediatr Pulmonol*, 1991; 11(3):265-71.
- 82- WHITMAN J, VAN BEUSEKOM R, OLSON S. Preliminary evaluation of high frequency chest compression for secretion clearance in mechanically ventilated patients. *Respir Care*, 1993; 38(10):1081-7.
- 83- AARC. Clinical practical guideline : intermittent positive pressure breathing. *Respir Care*, 1993;38:1189-95.
- 84- LARROQUE A. Intérêt de l'expiration à volume inspiratoire augmentée (EVIA). In *Actualités en kinésithérapie de réanimation*, Expans Scient Française, Paris, 1990.
- 85- CONWAY JH, FLEMING JS, PERRING S et al. Humidification as an adjunct to chest physiotherapy in tracheo-bronchial clearance in patients with broncheectasis.
- 86- SUTTON PP, GEMMELT H, INNER N et al. Use of nebulised saline and nebulised terbutaline as an adjunct to chest physiotherapy. *Thorax*, 1988; 43:57-60.
- 87- SHAH P, BUSH A, CANNY G et al. Recobinant human Dnase in cystic fibrosis patients with

pulmonary severe disease : a short-term double blind study followed by six months open-label treatment. *Eur Respir J*, 1995; 8:954-8.

88- FUCHS HJ, BOROWITZ DS, CHRISTENSEN DH et al. Effect of aerosolized recombinant human DNase on exacerbations of respiratory symptoms and on pulmonary function in patients with cystic fibrosis. *N Engl J Med*, 1994; 331:637-42.

89- MC COY K, HAMILTON S, JOHNSON C. Effect of dornase alfa in patients with advanced cystic fibrosis lung disease. *Chest*, 1996; 110:889-95.

90- END PA, MORTON J, DOUGLAS JA et al. Short-term efficacy of ultrasonically nebulised hypertonic saline in cystic fibrosis. *Pediatr Pulmonol*, 1996; 21:77-83

91- AARC. Clinical practical guideline : endotracheal suctioning of mechanically ventilated adults and children with artificial airways. *Respir care*, 1993; 38:500-10.

92- AARC. Clinical practical guideline : nasotracheal suctioning. *Respir Care*, 1992; 37:898-901.

93- WILLIAMS M. Chest physiotherapy and cystic fibrosis : why is the most effective form of treatment still unclear ? *Chest*, 1994; 106:1872-82.

94- DELPLANQUE D, GILLOT F, ANTONELLO M. : L'éducation précoce au drainage bronchique autonome. *Rev Mal Respir*, 1998; 15:589-95.

### **Kinésithérapie et insuffisance respiratoire**

1 CASTILLO R., HAAS A. : Chest physical therapy : comparative efficacy of preoperative and postoperative in the elderly. *Arch. Phys. Med. Rehab.*, 1985, 66, 376 :379

2 VANDEVENNE A. Rééducation respiratoire. Masson, Paris, 1999, pp39

3 MEYER TJ, HILL NS. Noninvasive positive pressure ventilation to treat respiratory failure. *Ann Intern Med*, 1994; 120:760-70.

4 VANDENBROUCQUE G. et al. Adaptation et surveillance de la ventilation non invasive en secteur aigu. *Actualités en Kinésithérapie et Réanimation*, Arnette, Paris, 1997.

5 VANDENBROUCQUE G et al. Elaboration et évaluation d'un masque facial de ventilation mécanique réalisé sur mesure chez un malade de réanimation. *Actualités en kinésithérapie et réanimation*, Arnette, Paris 1996

6 VANDENBROUCQUE G, TROCHE G, GILLOT F et al. Elaboration and evaluation of a home-made mechanical ventilation facial mask for intensive care unit patients. *Actes des JIVD*, Lyon, 1997

7 JENNEQUIN J. : Décompensation aiguë des insuffisants respiratoires chroniques. Rôle et place de la kinésithérapie avant l'intubation. In : *L'insuffisant respiratoire, de la phase aiguë au retour à domicile*, Expansion Scientifique Française, Paris, 1990, pp 28-35

8 CAROLL N, BRANTHWAITE MA. Intermittent positive ventilation by nasal mask : techniques and applications. *Int Care Med*, 1988; 14:115-17.

9 KEENAN SP, BRAKE D. An evidence-based approach to NIV in acute respiratory failure. *Crit Care Clin*, 1998; 14(3): 359-72

10 FORD GT, WHITELAW WA, GUENTER CA et al. Diaphragm function after upper abdominal surgery in humans. *Am Rev Respir Dis*, 1983; 127:431-6.

11 MEDURI GU, CONOSCENTI CC, MENASHE P, NAIR S. Noninvasive face mask ventilation in patients with acute respiratory failure. *Chest*, 1989; 95:865-70.

12 BROCHARD L, ISABEY D, PIQUET J, AMARO P, MANCEBO J, MESSADI AA, BRUN-BUISSON C, RAUSS A, LEMAIRE F, HARF A. Reversal of acute exacerbations of chronic obstructive lung disease by inspiratory assistance with a face mask. *N Engl J Med*, 1990; 323:1523-30.

13 BROCHARD L, MANCEBO J, WYSOCKI M. Non invasive ventilation for acute exacerbations of chronic obstructive pulmonary disease. *N Engl J Med*, 1995; 333:817-22.

14 FERNANDEZ R, BLANCH LL, VALLES J, BAIGORRI, ARTIGAS A. Pressure support ventilation via face mask in acute respiratory failure in hypercapnic COPD patients. *Intensive Care Med*, 1993; 19:456-61.

15 VITACCA M, RUBINI F, FOGLIO K, NAVA S, AMBROSINO N. Non invasive modalities of positive pressure ventilation improve the outcome of acute exacerbations in COPD patients. *Int Care Med*, 1993; 19:450-5.

16 BOTT J, CARROLL MP, CONWAY JH, KEILTY SE, WARD EM, BROWN AM, et al.: Randomised controlled trial of nasal ventilation in acute ventilatory failure due to chronic obstructive airways disease.

17 KRAMER N, MEYER TJ, MEHARG J et al. Randomized, prospective trial of non invasive positive pressure ventilation in acute respiratory failure. *Am J Respir Crit Care Med*, 1995; 151:1799-1806

18 CELIKEL T, SUNGUR M, CEYHAN B et al. Comparison of non invasive positive pressure ventilation with standard medical therapy in hypercapnic acute respiratory failure. *Chest*, 1998; 114:1636-42

19 CONFALONIERI M, POTENA A, CARBONE G et al. Acute respiratory failure in patients with community-acquired pneumonia. A prospective randomized evaluation of noninvasive ventilation. *Am J*

Respir Crit Care Med 1999; 160:1585-91

19 BARDI G, PIEROTOLLO R, DESIDERI M et al. Nasal ventilation in COPD exacerbations : early and late results of a prospective, controlled study. *Eur Respir J*, 2000; 15:98-104

20 RASANEN J, HEIKKILA J, DOWNS J et al. Continuous positive airway pressure by face-mask in acute cardiogenic pulmonary edema. *Am J Cardiol*, 1985; 55: 296-300

21 BERSTEN AD, HOLT AW, VEDIC AE et al. Treatment of severe cardiogenic pulmonary edema with continuous positive airway pressure delivered by face-mask. *New Engl J Med*, 1991; 325:1825-30

22 LIN M, YANG Y, CHIANY H et al. Reappraisal of continuous positive airway pressure therapy in cardiogenic pulmonary oedema : short-term results and long-term follow-up. *Chest*, 1995; 107:1379-86

23 TAKEDA S, TAKANO T, OGAWA R. The effect of nasal of continuous positive airway pressure on plasma endothelin-1 concentrations in patients with severe cardiogenic pulmonary edema. *Anesth Analg*, 1997; 84:1091-6

24 MEHTA S, JAY G, WOOLARD RH et al. Randomized, prospective trial of bi-level versus continuous positive airway pressure in acute pulmonary edema. *Crit Care Med*, 1997; 25:620-8

25 PANG D, KEENAN SP, COOK DG et al. The effect of positive pressure airway support on mortality and the need for intubation in cardiogenic pulmonary edema : a systematic review. *Chest*, 1998; 114:1185-92

26 PENNOCK BE, CRAWSHAN L, KAPLAN PD. Noninvasive nasal mask ventilation for acute respiratory failure. *Chest*, 1994; 105:441-44

27 WYSOCKI M, TRIC L, WOLFF MA et al. Non invasive pressure support ventilation in patients with acute respiratory failure. *Chest*, 1993;103:907-13

28 WYSOCKI M, TRIC L, WOLFF MA et al. Non invasive pressure support ventilation in patients with acute respiratory failure : a randomized comparison with conventional therapy. *Chest*, 1995;107:761-8

29 ANTONELLI M, CONTI G, BUFI M et al. Non invasive ventilation for treatment of acute respiratory failure in patients undergoing solid organ transplantation. *JAMA* 2000; 283:235-41

30 AMBROSINO N, NAVA S, BERTONE P et al. Non invasive mechanical ventilation in the treatment of acute respiratory failure due to infectious complications of lung transplantation. *Monaldi Arch Chest Dis*, 1994; 49:311-4

31 AGUILO R, TOGORES B, PONS S et al. Non invasive ventilatory support after lung resectional surgery. *Chest*, 1997;112:117-21

32 GUST R, GOTTSCHALK A, SCHMIDT H et al. Effects of continuous (CPAP) and bi-level positive airway pressure (bi-PAP) on extravascular lung water after extubation of the trachea in patients following coronary artery by-pass grafting. *Intensive Care Med*, 1996; 22:1345-50

33 Andersen JB, OLESEN KP, EIKARD B et al. Periodic continuous airway pressure, CPAP by mask in treatment of atelectasis. *Eur J Respir Dis*, 1980; 61:20-5

34 SIMONNEAU G, VIVIEN A, SARTENE R, KUNSTLINGER F, SAMII K, NOVIANT Y, DUROUX P. Diaphragm dysfunction induced by upper abdominal surgery - role of post operative pain. *Am Rev Respir Dis*, 1983; 128:899-903.

35 HANSEN G, DRABLOS PA, STEINERT R. Pulmonary complications, ventilation and blood gases after upper abdominal surgery. *Acta Anaesthesiol Scand*, 1977; 21:211-5.

36 ALEXANDER GD, SCHREINER RJ, SMILER BJ. Maximal inspiratory volume and postoperative pulmonary complications. *Surg Gyn Obs*, 1981; 152:601-3.

37 MILLER WC, MASON JW. Nasal CPAP for severe hypoxia. *Chest*, 1990; 98:1542-3

38 BOIX JH, MIGUEL V, ASNAR O et al. Airway continuous positive pressure in acute respiratory failure caused by pneumocystis carinii pneumonia. *Rev Clin Esp*, 1995; 195:69-73

39 Meduri GU, CONOSCENTI CC, MENASHE P et al. Non invasive face-mask ventilation in patients with acute respiratory failure. *Chest*, 1989;95:865-70

40 RABBAT A, LELEU G, BEKKA F et al. Non invasive ventilation in HIV patients with severe pneumocystis carinii pneumonia. *Am J Respir Crit Care Med*, 1995;151:427

41 MRC ( Medical Research Council Working Party) : Long term domiciliary oxygen therapy in chronic hypoxie corpulmonale complicating chronic bronchitis and emphyseme. *Lancet*, 1981, 1, 681 :686

42 NOTT ( Nocturnal Oxygen Therapy Trial Group) : Continuous or nocturnal oxygen therapy in hypoxemic chronic obstructive lung disease, *Ann. Int. Med.*, 1980, 93, 391 :398

43 DELPLANQUE D., ANTONELLO M. : Kinésithérapie et réanimation respiratoire, Ed Masson, Paris, 1994, pp 122 :145

44 GIMENEZ M. : La ventilation dirigée au cours des insuffisances respiratoires chroniques. Techniques, physiopathologie et résultats au repos et au cours de l'exercice musculaire. Thèse Med., Nancy, 1968

45 GIMENEZ M., UFFHOLTZ M., FERRARA G et col. : Exercise training with oxygen supply and directed breathing in patients with chronic airway obstruction. *Respiration*, 1979, 37, 157 :166

46 DELGUSTE P, PARREIRA V, RODENSTEIN DO. Réglages des paramètres du respirateur en vue d'une assistance ventilatoire par voie nasale. *In* : Actualité en Kinésithérapie de Réanimation, Arnette, Paris,

1996:53-4

47 JENNEQUIN J. Moyens de raccordement utilisés pour la ventilation assistée non-invasive à domicile. *In* : Actualité en Kinésithérapie de Réanimation, Arnette, Paris, 1995:89-93

48 WEDZICHA JA, MEECHAM JONES DJ. Domiciliary ventilation in chronic obstructive pulmonary disease: where are we? *Thorax*, 1996; 51:455-7

49 MUIR JF, CUVELIER A. Prise en charge à domicile des BPCO graves. *La rev du Prat (Paris)*, 1995; 45:1251-6

50 BEDICAM JM : Choix et surveillance de la canule de trachéotomie chez l'insuffisant respiratoire chronique. *Agressologie*, 1985, 26, 737 :744

51 CORRIGER E., POIRSON CHEVALIER C. : Les handicapés respiratoires graves, l'éducation du patient, une spécificité de la kinésithérapie respiratoire. *Readaptation*, 1990, 366

52 HERMAN B. : Préparation à la ventilation artificielle à domicile sur trachéotomie jusqu'au retour à domicile. *Agressologie*, 1985, 26, 725 :727.

53 PHAM QT., PESLIN R., PUCHELLE E. et al. : Fonction respiratoire et état rhéologique des sécrétions recueillies pendant l'expectoration spontanée et dirigée. *Bull. Physiopath. Resp.*, 1973, 9, 293 :311

*Lancet*, 1993; 341:1555-7

54 SIMONDS AK, ELLIOTT MW. Outcome of domiciliary nasal intermittent positive pressure ventilation in restrictive and obstructive disorders. *Thorax*, 1995; 50:604-9

55 LEGER P, BEDICAM JM, CORNETTE A et al. Nasal intermittent positive pressure ventilation. Long-term follow-up in patients with severe chronic respiratory insufficiency. *Chest*, 1994;105(1):100-5

56 PEHRSSON K, OLOFSON J, LARSON S, SULLIVAN M. Quality of life of patients treated by home mechanical ventilation due to restrictive ventilatory disorders. *Respir - Med*, 1994; 88(1):21-6

### **Kinésithérapie et réhabilitation respiratoire**

1 - VALLET G. et al., Comparison of two trainings programs in chronic airway limitation patients : standardised versus individualised protocols, *Eur Respir J* 1997 jan ; 10 (1) : 114-22.

2 - Mc GAVIN CR, GUPTA SP, Mc HARDY GJR, " Twelve-minute walking test for assessing disability in chronic bronchitis " *British Medical Journal*, 1976,1, 822-823.

3 - BUTLAND RJA et al., " Two, six and twelve minute walking test in respiratory disease ", *British Medical Journal*, 1984, 284, 1607-1608.

4 - GROSBOIS JM, IBANEZ J, Epreuve d'effort dans la prescription de la réhabilitation respiratoire, *Rev. Pneumol. Clin.*, 1997, 53, 304-308.

5 - LIRSAC B, Epreuve d'effort cardio-respiratoire : indications et modalités en pneumologie, in *Le réentraînement à l'effort*, sous la direction de HERISSON C, PREFAUT C et NOTZKI N, 1995, Masson, p 23-30.

6 - LACHMAN A, PREFAUT C., Guide de réalisation et d'interprétation des épreuves d'effort en pneumologie, 1994, Groupe Alvéole, Lab. Boehringer Ingelheim, 62 p.

7 - MATVEIEV LP, La base de l'entraînement, Paris, 1980, E. Vigot, p65-71.

8 - CAZORLA G., Les bases de l'entraînement, in *Manuel de l'éducateur sportif*, Paris, Ed. Vigot, 1995.

9 - WEINECK J., Manuel d'entraînement, Paris, Ed. Vigot, 1997, 576 p.

10 – MOORS DJCL, The relationship between the dyspnea threshold and the ventilatory threshold before and after a training program in lung-patients ; Thèse Université Amsterdam ; 1997 ; 70 pages.

11 - BARACH AL, BICKERMAN HA, BECK G, Advances in the treatment of nontuberculous pulmonary disease, *Bull NY Acad Sci*, 1952, 28, 253-84.

12 - RIES AL and al., Pulmonary rehabilitation, *Chest*, 1997 ; 112 : 1363-96.

13 - RIES AL, Position paper of th American Association of Cardiovascular and Pulmonary Rehabilitation. *J Cardiopulmonary Rehabil* 1990 ; 10 :418-41.

14 - DEBIGARE R et al., Feasibility and efficacy of home exercise training beofre lung volume reduction, *J Cardiopulmonary Rehabil* 1999 ; 19 : 235-241.

15 - CARTER R, COAST JR, IDELL S, Exercise training in patients with chronic obstructive pulmonary disease. *Med Sci Sports Exerc* 1992, 24 :281-91.

16 - OLOPADE CO, BECK KC, VIGGIANO RW et al. Exercise limitation and pulmonary rehabilitation in chronic obstructive pulmonary disease. *Mayo Clin Proc* 1992 ; 67 :144-57.

17 - CELLI BR, Exercise training in pulmonary rehabilitation. *Semin Respir Med* 1993 ; 14 :132-38.

18 - BELMAN MJ Exercise in patients with chronic obstructive pulmonary disease. *Med Sci Sports Exerc* 1995 ; 27 :147-57.

19 - CELLI BR, Pulmonary rehabilitation in patients with COPD, *Am J Respir Crit Care Med* 1995 ; 152 :861-64.

20 - SPLF, Recommandations pour la prise en charge des BPCO, *Rev. Mal. Resp.*, 1997.

- 21 - VANDEVENNE A., SERGYSELS R., Rééducation des troubles ventilatoires obstructifs, Editions Techniques-Encycl. Méd. Chir. (Paris-France) Pneumologie, 6000 S10, 1994, 14p.
- 22 - GIMENEZ M, SERVERA E, SALINAS W, Square wave endurance exercise test for training and assessment in trained and untrained subjects, *Eur. J. Appl. Physiol.*, 1982, 49, 359-387.
- 23 - POLLOCK ML, WILMORE JH, Exercise in health and disease. 2<sup>nd</sup> ed. Philadelphia : WB Saunders, 1990.
- 24 - DAVIES CTM, KNIBBS AV. The training stimulus : the effects of intensity, duration and frequency of effort on maximum aerobic power output. *Int Z Angew Physiol* 1971 ;29 :299-305.
- 25 - BYE P.T., ESAU SA, LEY RD, Ventilatory muscle function during exercise in air and oxygen in patients with chronic air-flow limitation. *Am Rev Resp Dis* 1991 ; 143 :9-18.
- 26 - RIES AL, MOSER KM, Predicting treadmill/walking speed from cycle ergometry exercise in chronic obstructive pulmonary disease, *Am Rev Respir Dis*, 1982, 126, 924-927.
- 27 - STRIJBOS JH, POSTMA DS, van ALTENA R et al., A comparison between an outpatient hospital based pulmonary rehabilitation program and home-care pulmonary rehabilitation program in patients with COPD : a follow up of 18 months. *Chest* 1996 ; 109 :366-72.
- 28 - WIJTSKRA PJ, VAN ALTENA R, KRAAN J, et al., Quality of life in patients with chronic obstructive pulmonary disease improves after rehabilitation at home. *Eur. Respir. J* 1994 ; 7 :269-73.
- 29 - SASSI-DAMBRON DE, EAKIN EG, RIES AL, et al., Treatment of dyspnea in COPD : a controlled clinical trial of dyspnea management strategies. *Chest* 1995 ; 107 :724-29.
- 30 - CASABURI R and al, Reductions in exercise lactic acidosis and ventilation as a result of exercise training in patients with obstructive lung disease, *Am Rev Respir Dis*, 1991, 143, 9-18.
- 31 - REARDON J and al., The effect of comprehensive outpatient pulmonary rehabilitation on dyspnea, *Chest*, 1994, 105, 1046-52.
- 32 - BELMAN MJ, KENDREGAN BA. Exercise training fails to increase skeletal muscle enzymes in patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1981 ; 123 :256-61.
- 33 - GREEN HJ, JONES LL, HOUSTON ME, BALL-BURNETT ME, FERRANCE B : Muscle energetic during prolonged cycling after exercise hypervolemia. *J Appl Physiol* 1989 ; 66 : 622-31.
- 34 - VALLET G and al., Comparison of two programs in CAL patients standardised versus individualised method, *Europ. Resp. J* 1997 jan ; 10(1) : 114-22.
- 35 - MALTAIS F, LEBLANC P, SIMARD C, et al., Skeletal muscle in endurance training in patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1996 ; 154 :442-47.
- 36 - COCKROFT AE, SAUNDERS MJ, BERRY G, Randomised controlled trial of rehabilitation in chronic respiratory disability, *Thorax*, 1981, 36, 200-3.
- 37 - GOLDSTEIN RS and al., Randomised controlled trial of respiratory rehabilitation. *Lancet*, 1994, 344, 394-7.
- 38 - GRIFITHS TL, BURR ML, CAMPBELL IA, LEWIS JENKINS V et al. , Results at one year of outpatient multidisciplinary pulmonary rehabilitation : a randomised control trial. *Lancet* 2000; 355 : 362-8.
- 39 - COUSER JI et al, Pulmonary rehabilitation improves exercise capacity in older elderly patients with COPD, *Chest* 1995 ; 107 : 730-34.
- 40 - NIEDERMAN MS, CLEMENTE PH FEIN AM et al. Benefits of a multidisciplinary pulmonary rehabilitation program : improvements are independent of lung function. *Chest* 1991 ; 99 : 798-804.
- 41 - ZU WALLACK RL, PATEL K, REARDON JZ, CLARK BA, NORMANDIN EA, Predictors in improvement in the 12-minute walking distance following a six-weeks outpatient pulmonary rehabilitation program. *Chest* 1991 ; 99 : 805-8.
- 42 - BAR-OR O., Pathophysiological factors which limit the exercise capacity of the sick child. *Med Sci Sports Exerc* 1986 ; 18 : 176-82.
- 43 - BENDER BG, BELLEAU L., FUKURA JT, MRAZEK DA, STRUNCK RC, Psychomotor adaptation in children asthma. *Pediatrics* 1987 ;79 : 723-7.
- 44 - HESTRAND U. The optimal frequency of breathing in bronchial asthma. *Scand J Respir Dis* 1971 ; 52 :217-21.
- 45 - VARRAY A, PREFAUT C, Les bases physiopathologiques du ré-entraînement à l'effort des asthmatiques, *Rev. Mal. Resp.*, 1992, 9, 355-366.
- 46 - SMITH CM, ANDERSON SD, Hyperosmolarity as the stimulus to hyperventilation asthma. *J. allergy Clin Immunology* 1985, 75 143-149.
- 47 - VARRAY A., PREFAUT C., Réentraînement à l'effort adapté aux asthmatiques, in Herrisson C, Préfaut C, Kottzki N, Le réentraînement à l'effort, Paris, Masson, 1995, p 37-41.
- 48 - DEAN M, BELL E, KERSHAW CR, GUYER BM, HIDE DW, A short exercise and living course for asthmatics. *Brit J Dis Chest*, 1988, 82, 155-61.
- 49 - SZENTAGOTHAI K, GYENE I, SZOCSKA M, OSVATCH P, Physical exercise program for children with bronchial asthma. *Pédiatric pulmonol.*, 1987, 3, 166-172.

- 50 - VARRAY AL, MERCIER J, TERRAL C, PREFAUT CG, Individualized aerobic and high intensity training on asthmatic children in a exercise readaptation program : is training always helpful for better adaptation to exercise ? *Chest*, 1991, 99, 579-586.
- 51 - HAAS F., PINEDA H., AXEN K., GAUDINO D., HAAS A., Effects of physical fitness on expiratory airflow in exercising asthmatic people. *Med. Sci. Sports Exerc.*, 1985, 17, 585-592.
- 52 - CROPP GJ, PULLANO TP, CERNY FJ, NATHANSON IT, Exercise tolerance and cardiorespiratory adjustments at peak work capacity in cystic fibrosis, *Am Rev Respir Dis* 1982 ; 126 : 211-216.
- 53 - LANDS LC, HEIGENHAUSER GJF, JONES NL, Respiratory and peripheral muscle function in cystic fibrosis, *Am Rev Respir Dis*, 1993 ; 147 : 865-869.
- 54 - HENKE KG, ORENSTEIN, Oxygen saturation during exercise in cystic fibrosis, *Am rev Respir Dis* 1984 ; 129 : 708-711.
- 55 - MARCINIUK DD, WATTS RE and GALLAGHER CG, Dead space loading and exercise limitation in patients with interstitial lung disease, *Chest* 1994 : 105 ; 183-189.
- 56 - LO RUSSO TJ, BELMAN BJ, ELASHOFF JD, KOERNE SK, Prediction of maximal exercise capacity in obstructive and restrictive pulmonary disease, *Chest* 1993 ; 104 : 1748-54.
- 57 - BYE PTP, et al., Bicycle endurance performance of patients with interstitial lung disease breathing air and oxygen, *Am Rev Respir Dis* 1982 ; 126 : 1005-1012.
- 58 - BERNARD S, WHITTON F, LEBLANC P, JOBIN J, BELLEAU R, BERUBE C et al., Aerobic and strength training in patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1999; 159: 896-901.
- 59 - LAKE FR, HENDERSON K, BRIFFA T, OPENSHAW J ET MUSK W, Upper-limb and lower limb exercise training in patients with chronic airflow obstruction *Chest*; 95 : 1077-82.
- 60 - BAULDOFF GS, HOFFMAN LA, SCIURBA F, ZULLO TG, Home-based, upper arm exercise training for patients with chronic obstructive pulmonary disease. *Heart Lung* 1996 ; 25 : 288-94.
- 61 - COUSER JI, MARTINEZ JF AND CELLI RB, Pulmonary rehabilitation that includes arm exercise reduces metabolic and ventilatory requirements for simple arm elevation. *Chest* 1993; 103 :3741.
- 62 - EPSTEIN SK, CELLI BR, MARTINEZ, COUSER JI, ROA J, OLLOCK M et al., Arm training reduces the VO<sub>2</sub> and the VE cost of unsupported arm exercise and elevation in chronic obstructive pulmonary disease. *J Cardiopulm Rehabil* 1997; 17 : 171-7.
- 63 - Joint ACCP/AACVPR evidence based guidelines. Pulmonary rehabilitation. *Chest* 1997; 112: 136-96.
- 64 - CLARK CJ, COCHRANE LM, MACKAY E, PATON B, Skeletal muscle strength and endurance in patients with mild COPD and the effects of weight training. *Eur Respir J* 2000; 15 : 92-97.
- 65 - HOOMANS N. Amélioration de la qualité de vie des insuffisants respiratoires chroniques obstructif sévères : renforcement des quadriceps par électrostimulation. *Kinésithér Scient* 2004 ; 440 :47-48.
- 66 - NEDER JA, SWORD D, COCHRANE LM, MACKAY E, WARD SA, CLARK CJ. A new rehabilitative strategy for severely-disabled patients with advance COPD: neuromuscular electrical stimulation. *Am J Respir Crit Care Med* 2001; 163 : A 967.
- 67 - PANTON LB, GOLDEN J, BROEDER CE, BOWDER K, CESTARO-SEIFER DJ, SCIFER FD. The effects of resistance training on functional outcomes in patients with chronic obstructive pulmonary disease. *Eur J Applied Physiology* 2003; 25.
- 68 - LISBOA C, VILLAFRANCA C, LEIVA A, CRUZ E, PERTUZE J, BORZONE G. Inspiratory muscle training in chronic airflow limitation : effect on exercise performance. *Eur Respir J* 1997;10:537-42.
- 69 - RAMIREZ-SARMIENTO A and al. Inspiratory muscle training in patients with COPD : structural adaptation and physiologic outcomes. *Am J Respir Crit Care Med* 2002;166:1491-7.
- 70 - PREUSSER BA, WININGHAM ML, CLINTO TL. High- vs low-intensity inspiratory muscle training in patients with COPD. *Chest* 1994;106:110-7.
- 71 - DE JONG W, VAN AALDEREN WM, KRAAN J, KOTER GH, VAN DER SCHANS. Inspiratory muscle training in patients with cystic fibrosis. *Respir Med* 2001;95:31-6.
- 72 - SHAH P, BUSH A, CANNY G et al. Recombinant human Dnase in cystic fibrosis patients with pulmonary severe disease : a short-term double blind study followed by six months open-label treatment. *Eur Respir J*, 1995; 8:954-8.
- 73 - TINETTI ME et al., A multifactorial intervention to reduce the risk of falling among elderly people living in the community. *N Engl J Med* 1994; 331 : 821-7.
- 74 - MARQUIS K, DEBIGARE R, LEBLANC P, LACASSE Y, JOBIN J and MALTAIS F. Midthigh muscle cross-sectional area is a better predictor of mortality than body mass index in patients with COPD. *Am J Respir Crit Care Med* 163; 2001 : A-75.