

OPERATOR'S MANUAL

ספגופאפט זרס גפמקכוו מאט ספגזרקסי



CMSTORM SENTINEL ADVANCE TABLE OF CONTENTS

היהסקורפ

Introduction		03
Package Contents		03
Sentinel Advance Outlook		04
Hardware Setup and Software	Installation	05
LAN-friendly Driverless Setup		06
Hardware Control		07
Main Control		08-12
Game Profile		13
Color Control		14-15
Macro		16-17
Script		18-19
The Library		20
Support and Update		21
Q&A		22-23
and	Inplies with 21 CFR 1040.10 104.11 except for deviations suant to Laser Notice No. 50, ed June 24,2007	
F@	€ ⊖ СЕ € № 17266 € см2-ѕдм-6000(в)	



For manuals in other languages please visit: http://www.cmstorm.com/sentinel_advance/manual





Introduction CMSTORM SENTINEL ADVANCE Designed for One Purpose: To Search and Destroy


Fortified with uncompromising tactical performance and superior in-hand ergonomics, the Sentinel Advance gaming mouse was developed within the CM Storm Labs with the pure intent to empower up and coming talent with the hardware that the best e-sport pros demand.

Fully equipped with the latest state-of-the-art technology, the Sentinel Advance is armed with a Doppler Effect twin-laser sensor, which enables lag-free play, doubles the precision, and has a maxed-out 5600 DPI resolution. To top it off the Sentinel Advance is completely built with unprecedented tactical controls such as: customizable lighting effects, OLED management, adjustable_weight_system, on-the-fly swappable gaming profiles and an intelligent encoding engine to perform complex scripts and macros. Best of all the Sentinel Advance gaming mouse is LAN-party friendly and theft proof with the patented security of StormGuard[™].




Enhanced and engineered for triumphant victory, the CM Storm Sentinel Advance is your weapon of choice.

Package Contents






Sentinel Advance Gaming Mouse





Storm Tactic AP Software



0

For manuals in other languages please visit: http://www.cmstorm.com/sentinel_advance/manual







Sentinel Advance Outlook



A	Button 1	Left Click
В	Button 2	Right Click
C	Button 3	Middle Button/Scroll Wheel
D	Button 4	DPI +
E	Button 5	DPI -
F	Button 6	Side Button (IE, Forward)
G	Button 7	Side Button (IE, Backward)
H	Button 8	Storm Profile Button
I	OLED	OLED DPI Management System
J	LED	Octoshade™ Front LED
K	LED	Octoshade™ Top LED
L	Sensor	Storm Tactical™ Twin-laser Sensor
М	WS	Weight System Compartment







Hardware Setup and Software Installation

The Sentinel Advance is a full-speed, plug and play USB gaming mouse. If your computer system supports plug and play, drivers will be optional for installation. Although most USB ports today are hot-swappable, we do recommend shutting down your system

before plugging in or removing the USB device.

System Requirements: Windows® 2000/XP/Vista/7 Free USB Port CD-ROM Drive



- Step 3: Turn on the computer system; Windows® will automatically install the necessary programs.
- Step 4: Open->Control Panel->System->Hardware->Device Manager and confirm that your mouse is working properly.
- Step 5: Insert your Storm Tactic AP Software CD into the CD-ROM drive.
- Step 6: When the Storm Tactic AP Software setup screen appears, select Driver Installation (optional) or Driverless Execution.
- Step 7: Customize your Sentinel Advance through the Storm Tactic AP Software

NOTE:



Regular updates will be available for the Sentinel Advance. For the latest firmware please visit the CM Storm home page: http://www.cmstorm.com.



The Sentinel Advance is a high performance gaming mouse with mass data transfer rates. To ensure optimal performance we do recommend plugging the mouse directly to system USB port and not a USB HUB.



During customization, the Sentinel Advance must be connected to the computer system. Do not remove the mouse during customization.



LAN-friendly Driverless Setup



LAN-friendly and Driver-free

As a LAN-friendly gaming mouse, the Sentinel Advance is driver-free; enabling you to bring your mouse to LAN-parties, internet cafes, and other out-of-home locations without extra system installation.



Setup: Copying Source Files

For driverless freedom, simply copy the files from the Storm Tactic AP Software CD, and paste the application files in to a removable drive of your choice. Please make sure that the files are copied on to the local hard disk at the new destination before launching the software. The application will automatically create three folders in the local drive – "Firm-ware", "Images" and "Library" to store your tactical settings.




Launching the Application

To launch application, double click on CMSTORM.EXE, and Storm Tactic setup page will appear, choose Driverless Execution and the application will search and load initial mouse settings into the Sentinel Advance.



Optimize Sensor

Set your sensor to perform under office/casual gaming or pro gaming mode, during data exchange the top of the Sentinel Advance will flash, please wait few seconds for the application to load.





For office use please choose casual gaming option.



The Sentinel Advance is not connected to system



Hardware Control

Switch your DPI mechanically with the Sentinel Advance

Step 1:

Press DPI [-] switch down for 3 seconds to activate mechanical DPI switch mode.


Note: The Octoshade LED Tech will flash during mechanical DPI switch mode.

Step 2:

- Roll the mouse roller forward to increase DPI.
 - Roll the mouse roller backward to decrease DPI.

Step 3:


- Press IE Back button to configure X indepedantly.
 - Press IE Forward button to configure Y indepedantly.



Press Down

Step 4:


Press DPI [-] switch and release to exit mechanical DPI switch mode.



 $\mathbf{0}$



Configuring your Storm Tactic AP Software



Main Control

The main control allows users to have full control over DPI levels, intrinsic mouse settings, and programmable button assignments. After configuration is complete, you can safeguard all your settings inside the 64KB Sentinel-X[™] Onboard Memory; all settings are manageable within the gaming profile system.

Note: All settings can be stored internally, allowing applied settings to be utilized on another computer without the Storm Tactic AP Software installed.

Main Control Modules:





Button Assignments



- From the drop down menu, you can re-define each button based on your own preference.
- In addition to buttons re-assignment, there are also various functions to utilize such as scripts, macros, rapid fire mode, multimedia and internet functions.

Note: To assign scripts and macros to a specific button, you must first record macro or script in the corresponding menu of your selection.

General Button Assignments

Disable:	Switches the mouse button off
L-Button	Left Click
R-Button	Right Click
M-Button	Scroll Wheel Click
IE Forward	Select the next previously selected program or website
IE Back	Select the previous program or website
DPI [+]	Increases DPI resolution
DPI [-]	Decrease DPI resolution
Cyclic DPI [+]	DPI resolution loop increase
Cyclic DPI [[-]	DPI resolution loop decrease
Macro	Assigns preset macro to button
Script 1 - 6	Assigns preset script to button
Profile Switch	Profile Switch: Switch to next profile
Standard Profile	Jump to standard profile
User Profile 1-4	Jump to selected user profile
Profile [+]	Jump to next profile
Profile [-]	Jump to previous profile
Motion On/Off	Turns mouse motion on and off
DPI Level 1-4	Jumps to the DPI Level of choice





Advanced Button Assignments



Keyboard

This option is made to emulate keyboard commands; single or compound short-cuts can be inserted and assigned to memory. The process is as follows.

Step 1 Image:	Step 1:	Choose a button and select "Keyboard" from the drop down menu.
KEYBOARD MULTIMEDIA RAPID FIRE [MOUSE] RAPID FIRE [KBD] SCRIPT #1	Step 2:	Input the command by keyboard. (Clear input by clicking icon C)
S DPI [-]	Step 3:	Press Apply to activate new setting.
[LCtri]+[LAk]+[Del] C		



Multimedia

Sentinel Advance can also emulate Multimedia (Human Interface Device, HID) by specific code. The process is as follows.

Step 1 Image:	
CYCLIC DPI [-] Step 1:	Choose a button and select "Multimedia"
MULTIMEDIA RAPID FIRE [MOUSE] RAPID FIRE [KBD] SCRIPT #1	Select a Multimedia function,or enter a HID code.
Step 2 Image:	
User Defined 7 1792; Next Track	Press Apply to activate new setting.
Prev Track Volume Up Volume Down	
Mute	






Advanced Button Assignments



Rapid Fire Mode

The Rapid Fire Mode allows gamers to assign automatic firing power to 6 function buttons on the Sentinel Advance. The rapid shots can be looped continuously or repeated from ranges of 1shot to 254 shots; user can also define the time duration with each shot and also the time interval between each shot.







DPI Level Control

• 0PI	LEVEL	*1		X= 17	00 Y=	1700
100	1100	2100	3100	3600	4600	5600
DPI	LEVEL	• 2	-	×= <u>31</u>	00 Y=	3100
100	1100	2100	3100	3600	4600	560
• OPI	LEVEL	• =		X= 42	00 Y=	4200
100	1100	2100	3100	3600	4600	580
0 PI	LEVEL	* 4		X=_56	00 4=	5600
100	1100	2100	3100	3800	4800	560



With default DPI levels set at 1100, 2600, 3800 and 5600; you can manually fine tune each DPI by either adjusting the DPI slider or through text definition in the X and Y DPI input box. To suit your gaming environment X & Y can be adjusted independently.

USB Report Rate

USB REPORT RATE : 1,000



The USB report rate can be set to 100Hz, 111Hz, 125Hz, 142Hz, 166Hz, 200Hz, 250Hz, 333Hz, 500Hz, and or 1000Hz. The higher the USB report rate the more times the computer communicates with the mouse with information, at a high DPI resolution we suggest setting the report rate above 500Hz.

Windows Sensitivity Control



Motion Sensitivity



Adjust windows pointer sensitivity here from slow to fast. We recommend keeping the sensitivity level in the middle under regular usage, and tuning the sensitivity slower while operating under a high DPI setting such as 5600DPI.

Double Click Speed



The double-click response slider area allows you to adjust your double-click speed from slow to fast. Essentially slow means a longer interval between each click, and fast as a shorter interval between each clicks.

Button Response Time



Here users are allowed to adjust button response time from 250 microseconds to 32 milliseconds.








Game Profiles



Game Profiles

The Game Profiles area holds 5 sets of profiles – 1 standard and 4 customizable profiles are available for settings creation and data storage management. All setting changes are registered into the internal Sentinel-X[™] Memory, allowing users to load presets from memory and perform without reconfiguration.





A Standard Profile

The standard profile acts as a factory default and limits users to general behavior settings such as "DPI level", "Motion Sensitivity", "Double Click Speed", "Button Response Time", "USB Report Rate" and "Color Control". Users may conveniently switch back to standard mode to troubleshoot setting errors made in other profiles.

C Create/ Edit Profile

To organize and display your gaming profile name on the top display of the OLED, simply select the profile of choice, click Create/ Edit Profile under Game Profiles and enter an avatar name in English with a maximum of 10 characters, after you are done press OK and store name to the internal Sentinel-X[™] Memory. You may also upload a profile image in the same menu, and create a cool profile avatar for neat organization.

B Customizable Profile

In addition to the functions available in the standard profile, customizable profiles allows users to alter button assignments, assign dedicated gaming buttons and activate functions such as macro, scripts and Rapid Fire Tactical[™] mode.

D Profile Management

Here the profile management system allows users to import and export profile through mouse and local hard disk.



_Г

Color Control Configuring your Octoshade[™]LED


CONTROL	COLOR CONTROL	MACRO	SCRIPT	LIBRARY SUPPORT/UP
OOSE COLOR			and a second	CHOOSE STYLE
				# Full Color # Breathing # Rapid Fire - on mouse click # Disable
				11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
				S. Mark
	N - 1991 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200			

Color Control

Take pride in your team colors, whether it is red + white, yellow + blue or fully white, the Octoshade[™] LED lighting system allows an 8 shade color combination and a 4 color stylization option to be applied to the front and top positions of the LED area. In addition to the color customization, you may also upload your personal team logo and tag it on the OLED display area.



Color Control



Octoshade[™] Front LED: [Off-Red-Green-Blue-Yellow-Purple-Turquoise-White] Octoshade[™] Top LED: [Off-Red-Green-Blue-Yellow-Purple-Turquoise-White]



a Full Color a Breathing a Rapid Fire - On Mouse Click

CHOOSE STYLE

Disable

Simply click and choose the style of choice

Available Styles: [Full Color-Breathing-Rapid Fire-Disable]

3. Choose Logo

Upload and tag your team logo

Upload the team logo of your choice from your local hard disk, the file format should be 32 px by 32 px black and white color in BMP format. Click revert to reload CM Storm logo.



Macro Configuring your Storm Tactics™ Macro Support

Macro Function

Vital to in-game situations and to further fortify input performance, the Storm Tactics[™] Macro Support system allows gamers to record all keyboard and mouse inputs into a sequential and organise able format. Storm Tactics[™] Macro Support system allows 124 byte length of string storage, which allows users to input single or compound commands executable to variable methods of choice. With ability to have manageable time delays between each command users can have full control and conveniently assign macros to buttons 3-7 on each profile of the Sentinel Advance.

	CONTROL	MACRO	SCRIPT	LIBRARY	SUPPORT/UPORTE
MACRO	_			and the second second	A LOT OF THE OWNER O
Create New Macro	· ——[]	NO.		E DOWN	DELAY
WITH TIME & NSERT STINIT RECORD				Load I	Exisiting Macro
Instruction Cycle :	ר קי <u>ן</u> פן קי <u>ן</u>	ROFILE:2	BUTTON [3]		0/125
GAME PROFILES	HENTE / EDIT PHO	PROFILE TWO PROFILE:2	PROPILE THREE		DFILE:4
				OK R	

Creating a Macro

Under the "Macro" menu click <u>NEW</u> to create a brand new macro, or <u>LOAD</u> to edit a preset macro previously assigned to a button.





Macro Recording and Editing

A Macro Recording

Move the cursor to the "record area", click on Start Record to record keyboard and mouse instructions. After you've finished recording, click Stop Record to enable macro editing mode.

Note: After recording, users can edit each "Macro Line" by selecting the recorded data in the left column.

B "With time"

By activating this function, the time duration of each button press, button release and time intervals between each command will be automatically registered and recorded.

c "Insert"

By activating this function, keyboard and mouse input recordings will be inserted after the selected "Macro Line" of your choice.

Navigating Macro Data Priorities:


Click Move Up & Move Down to alter "Macro Line" position

Macro Data Removal:

Click DELETE, to remove the selected "Macro Line".

Edit Macro Data and Time Delay:

Double click on the "Macro Line" and edit data assignments and time delays.



G There are 5 execution methods:

Loop (released): The recorded macro will be executed repeatedly when the assigned button is released. To stop execution, simply perform the same button release.

One shot (released): The recorded macro will be executed once when the assigned button is released.

One shot (press): The recorded macro will be executed once when the assigned button is pressed.

Loop (hold): The recorded macro will be executed when the assigned button is pressed. Release to stop the execution.

Loop (press): The recorded macro will be executed repeatedly when the assigned button is pressed. To stop execution, simply perform same button release.



Script Configuring your Storm Tactics™ Script Support

Script Function

The Storm Tactics[™] Script Support system is an advanced macro editor coupled with a robust scripting engine. A total of 6 script assignments are available, with each holding 256 byte length of string storage. For users with basic programming knowledge, the script command line allows users to add extra commands such as "GOTO", "IF", "IF (Variable)", "CALL", "Repeat", "Pause", "Stop", "Left and right button down/ up", record "Mouse Motion" and assign "Variable". Along with scripting abilities virtually all Multimedia (HID) commands can be embedded as well.

			JEN	TINEL
MAIN CONTROL COLOR CONTRO	MACRO	SCRIPT	LIBRARY	SUPPORT/UPORTE
SCRIPT SETTINGS				
Create New Script			DOWN	DELAY
				=
			Load Exis	siting Script
Haa Haavyr				
Instruction Cycle :	Script #1			0,512
GRIME PROFILES ORBATE / I STRNDRO PROFILE PROFILE ONE PROFILE:0	PROFILE 1 PROFILE MA	PROFILE THREE	PROFILE POU	
			ок спр	CANCEL

Creating a Script

Under the "Script" menu click NEW to create a brand new script, or LOAD to edit a preset script previously assigned to a button.





Script Recording and Editing

Script Recording

Move the cursor to the "record area", click on Start Record to record keyboard and mouse instructions. After you've finished recording, click Stop Record to enable script editing mode.

Note: After recording, users can edit each "Script Line" by selecting the recorded data in the left column.

B "With time"

By activating this function, the time duration of each button press, button release and time intervals between each command will be automatically registered and recorded.

c Edit Script Data and Time Delay:

Double click on the "Script Line" and edit data assignments and time delays.

D "Insert"

By activating this function, keyboard and mouse input recordings will be inserted after the selected "Script Line" of your choice.

Navigating Script Data Priorities:

Click Move Up & Move Down to alter "Script Line" position

Script Data Removal:

Click DELETE, to remove the selected "Script Line".

G Command Script Insert

Script command line allows users to add programming commands with the activation of multimedia (HID) functions. Press ADD to add to the last line of "Script Line" or INSERT to insert it under the selected "Script Line" of choice.



Note: To run "2-phase" and "Multi-stage" execution "Stop", "Pause" is required within the instruction time line.

There are 8 execution methods:

Loop (released): The recorded script will be executed repeatedly when the assigned button is released. To stop execution, simply perform the same button release.

One shot (released): The recorded script will be executed once when the assigned button is released.

One shot (press): The recorded script will be executed once when the assigned button is pressed.

Loop (hold): The recorded script will be executed when the assigned button is pressed, release to stop the execution.

Loop (press): The recorded script will be executed repeatedly when the assigned button is pressed. To stop execution, simply perform same button release.

2-phase: If there is a "pause" command in the recorded script, when the assigned gaming button is pressed, the script will be executed and stop on the "pause" command, release for the button the execution continue.

Multi-stage (press): If there are several "pause" commands in the recorded script, when the assigned gaming button is pressed, the script will be executed and stop on the "pause" command, press the button again for the execution to continue, it will stop on the command before the next "pause".

Multi-Stage (released): If there are several "pause" commands in the recorded script, when the assigned gaming button is released, the script will be executed and stop on the "pause" command, release the button again for the execution continue, it will stop on the command before the next "pause".



The Library:

This library function allows you to save macro & script to your local hard disk.

MAIN CONTROL	COLOR CONTROL	MRCRO	SCRIPT	LIBRARY	SUPPORT/UPDR
IBRARY VIEW	State State Street	A REPORT OF THE OWNER OF THE OWNE	ON-BO	DAND MEMORY	VIEW
MICRO LIBRARY		RF .	SELEC	T MACRO	
wow		1	PROF	the second s	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			N BUTT	-04 [4] T	
	A				2
			\odot		
CRIPT LIBRARY		,		T SCRIPT	
			Scrip		
		8		10 7-10 1 1 Car	
	С				
			10.10		
			100		
DELETE	MPORT	EXPORT			
AME PROFILI			INVICEMENT		
TRNORRO PROPILI	PROFILE ONE				
		PROFILE:		LE:3 P	NORTH PLA

The Step as following:

A. Upload Macro file

- 1. Select "
 SELECT MACRO"
- 2. Select the profile and macro button you want to upload to library
- 3. Select ← Upload to Library
- 4. Input the file name (*.mac, macro file), then save it.
- B. Download Macro file:
- 1. Select "
 SELECT MACRO"
- 2. Select the file in the "MACRO LIBRARY" that you want
- to download to mouse
- 3. Select the profile and macro button you want to
- download
- 4. Select→Download to Mouse

C. Upload the Script file

- 1. Select "
 SELECT SCRIPT"
- 2. Select the Script you want to upload to library
- 3. Select ← Upload to Library
- 4. Input the file name (*.sh, script file), then save it.

D. Download Script file

- 1. Select "
 SELECT SCRIPT"
- 2. Select the file in SCRIPT LIBRARY
- 3. Select the Script #1, 2, 3 you want
- 4. Select → Download to Mouse





Support and Update

MRIN CONTROL	COLOR CONTROL	MACRO	SCRIPT	LIBRARY	
regards to your CM aim to ensure prom system configuratik get our support by may have and a de- applicable solution. The automatic upd.	ne support is your portal to any I Storm Sentinel gaming mouse, ist updates, and provide optimal on. Should you encounter any o using the CM Storm support for dicated support representative w ate function will check your syst with the newest updates.	At CM Storm we always drivers for your unique sifficulties, you may always um. Add any inquiries you will reply with a prompt and			
		IOFILE PROFILE MANA	GEMENT		
STRNDARD PROFIL		PROFILE TWO PROFILE:2			DFILE:4
				OK R	PPLY CRNCEL

Technical Support

For technical support and the latest drivers and firmware, please visit
www.cmstorm.com
Email: eservice.tw@cmstorm.com

Update Firmware

Download the latest firmware from CM Storm website and click UPDATE to load the latest firmware.

Warranty

Two years' limited manufacturer's warranty



Q&A

Q1. Hi, I just plugged in the mouse and the cursor doesn't work so well? What can I do?


A: By default the Sentinel Advance should work virtually on any gaming mouse pad or surface.

If this happens, please try to reduce the USB report rate on the Storm Tactics AP Software. Your system may not support the current USB report rate.



B: Uncheck the "Enhance pointer precision" in Mouse Pointer Option, for better performance.

Windows XP



C: Clean around your mouse sensor on the bottom with a cue tip.





Q&A

Q2. The Sentinel Advance is connected to the PC, but not enabled. What can I do?

A: Here are possible solutions:

1. First try to change to another USB port.

2.

(Windows XP)

USB registry error process: Start>Control Panel>View By Large icons or small icons>Mouse or DeviceManager> delete the hid compliant mouse (Sentinel Advance)>unplug Sentinel Advance mouse> re-plug Sentinel Advance.

(Windows Vista)

USB registry error process: Start>Control Panel>Hardware and Sound>Mouse or DeviceManager> delete the hid compliant mouse (Sentinel Advance)>unplug Sentinel Advance mouse> re-plug Sentinel Advance.

(Windows 7)

USB registry error process: Start>Control Panel>View By Large icons or small icons>Mouse or DeviceManager> delete the hid compliant mouse (Sentinel Advance)>unplug Sentinel Advance mouse> re-plug Sentinel Advance.

🚇 Device Manager	
File Action View Help	
E-A TRANSFOR-QBNA21	^
🗈 – 😼 Computer	
Disk drives	
E Bisplay adapters	
OVD/CD-ROM drives	
General State General	
E Ba Human Interface Devices	
E - S IEEE 1394 Bus host controllers	-
• Seyboards	
Mice and other pointing devices	
HID-compliant mouse	
HID-compliant mouse	
🕑 😼 Monitors	
Big Network adapters	
- BB 1394 Net Adapter	_
- III Packet Scheduler Miniport #2	
Realtek RTL8168C(P)/8111C(P) PCI-E Gigabit Ethernet NIC	
Ports (COM & LPT)	
🗈 🦔 Processors	~



Cooler Master Co., Ltd. 9F,No.786,Chung Cheng Road,Chung Ho city,Taipei,Taiwan, R.O.C. Tel: +886-(0)2-32340050 Email: eservice.tw@cmstorm.com

For the most updated information, please visit our official website: http://www.cmstorm.com $_{\mbox{Ver}\,1.0:\,2009107}$